

UML 2 Advanced Exam Overview

Exam Series Code	OMG-OCUP2-ADV300
Exam Duration	105 minutes in native English-speaking countries and 135 minutes in all others. Note: When scheduling your exam in a non-native English-speaking country, you will not see this extra time until you complete your exam order.
Exam Fee	US\$350 (or local equivalent)
Exam Type	Multiple choice (text and UML diagrams)
Exam Pass Score	>=57 of 90 questions answered correctly (>=63%)
Exam Prerequisite(s)	Passing scores on the OCUP 2 Foundation and and OCUP 2 Intermediate certification exams.
Exam Specification	Unified Modeling Language (UML) v.2.5.1
Recommended Exam Study Guides	1. UML 2.0 in a Nutshell (Pitman) 2. UML 2 for Dummies (Schardt)
Additional Reading	The Value of Modeling (IBM Software Group) Why Model? (Epstein) Business Modeling: A Practical Guide to Realizing Business Value-Excerpt from Chapter 7: Model Value Analysis (Zahavi) Why Domain Modeling (Wirfs-Brock) Model Organization with Packages and the Package Diagram (Baker) Concurrency in UML (Stachecki)
Useful Knowledge	Modeling using UML, BPMN, SysML, or Realtime software development principles.
Exam Training Options (not required)	EduMAX NobleProg (Worldwide: Scroll to 'Other Countries' section to change region)
Exam Voucher Program	View our Voucher Program for potential discounts.
Testing Accommodations	For hearing, learning, physical and/or visual disability accommodations, please contact certification@omg.org with proof of your most recent diagnosis thereof so we can officially request accommodation(s) on your behalf via Pearson, and once approved, provide you with further instructions on scheduling your exam(s) with your requested accommodation(s).
Exam Registration	Pearson VUE : create an account, locate a test center, view available tests, (re)schedule a test (online or at a test center), cancel your exam (contact Pearson VUE >24 hours prior to exam for a full refund or you forfeit the full exam price), view exam scores and Contact Pearson VUE (for any technical issues- use chat feature to expedite a response).
Online Exam Check-In & Requirements	Visit Pearson VUE Online Proctoring for detailed info. Log in at least 30 minutes early (online verification may take 15-20 minutes). Late arrivals will not be allowed to take the exam.
Test Center Check-In & Requirements	Arrive at least 30 minutes early. Late arrivals will not be allowed to take the exam. Bring two forms of ID (at least one with photo and both with signature): alien registration card, bank card, credit card, employee badge, government issued, green card, military, passport, school and state ID. Do not bring any items (personal or otherwise) other than the two forms of ID to a test center.
Technical Issues	Contact Pearson VUE (use chat feature to expedite a response).
Exam Languages	This exam is only offered in English. You cannot use a translation app during the exam.
Review Your Answers	Before completing your exam, you will be presented with a screen to review your answers to all questions.
Exam Score Reports	Whether at a test center or online, pass or fail, you will be provided with a score report on your computer screen immediately following your exam. A hardcopy of your score report will be provided before an individual leaves a test center with their score in each major section. You can also review

	your exam score reports via your Pearson VUE account . If you fail your exam, you can review general sections where you scored poorly to assist when you decide to retake your exam.
Digital Badges/Certificates	Those who pass their exam will immediately receive an email from Credly (admin@credly.com - check Junk folder) to claim their verifiable digital badge. Credly provides certified professionals with the option to share their certification credentials with others via the Credly Network, social media, print to .pdf or hardcopy certificate , and other avenues.
Certification Expiration	If you failed your exam, contact certification@omg.org to request a 30% discounted exam retake voucher.
Retaking the Exam	Your certification expires 5 years from the date you passed your exam. The same or a higher-level certification must be taken prior to the previous certification's expiration date to extend your certification.
Original UML Certification	While the original UML certification is still recognized by some, the UML 2 certification will demonstrate modeling knowledge and skills required in today's complex IT environment.
Still Have Questions?	certification@omg.org

General Areas Tested in the UML 2 Advanced Exam

Common Structure	21%
Classification	14%
The MOF & Metamodeling	12%
Activities	9%
Interactions	9%
Structured Classifiers	8%
Actions	7%
AIf	6%
fUML	6%
StateMachines	5%
Common Behavior	3%
Total	100%

Comprehensive Areas Tested in the UML 2 Advanced Exam

	CLASSIFICATION	COMMON STRUCTURE	STRUCTURED CLASSIFIERS	VALUES		DEPLOYMENTS	METAMODELING
STRUCTURAL DIAGRAMS	Classifiers Classifier Templates Features Generalization Sets Operations Properties	Information Flows Name Expression Profiles Realization Templates	Associations Collaborations Components	String Expression Values		Artifacts Deployments	AIf Integration with UML Models Lexical Structure Scope Semantic Conformance
BEHAVIORAL DIAGRAMS	ACTIONS AcceptEventActions Invocation Actions Structured Actions- RaisedExceptionActions Object Actions- ValueSpecificationActions	ACTIVITIES Activities Activity Groups Control Nodes Exception Executable Nodes Object Nodes	COMMON BEHAVIOR Behaviors-Reentrant Events-Event Pool FunctionBehavior	INTERACTIONS Fragments Interaction Overview Interactions Interaction Uses Lifelines Messages Occurrences	STATE MACHINES Behavior StateMachines Protocol StateMachines StateMachine Redefinition		fUML Behavioral Semantics Overviews of Abstract Syntax and Execution Model Scope Terms and Definitions

The following provides **UML2 Advanced** exam coverage. Please refer to the [Unified Modeling Language \(UML\) v.2.5.1](#) specification for a more in-depth look at the corresponding chapters and sections cited below.

CHAPTER 6: GENERAL TOPICS

Backus-Naur Form (BNF)

- This exam uses BNF where appropriate to specify textual notation, similar to the way it is used in the UML specification itself. BNF is defined in Ch. 6 on page 9 (UML 2.5 Specification, Beta 1). Also in Ch. 6 is a (very!) brief description of *execution scope*, a term that will be used later in several contexts.

Abstract Syntax

- Every first-level subsection of the UML specification starts with a UML diagram labeled *Abstract Syntax*. The OCUP 2 exams do not ask about these diagrams explicitly, but they are good examples of the language you're studying(!) and represent the relationships linking the elements to be presented in the sections that follow in a particularly clear and concise way. As an Advanced candidate, you presumably know how to read these diagrams and use the information they display. If you don't have this skill, you should develop it. It will provide an advantage to your study, and your work in the field at this level.

CHAPTER 7: COMMON STRUCTURE

- 7.3 Templates -
 - *Add* Templates. Postponed until now, Templates and the many elements that support them are covered at this Advanced level. Coverage is fairly complete, encompassing elements and attributes defined for Templates here in Section 7.3 and later on (String Expressions and Name Expressions, e.g.; most have "Template" somewhere in their names). There are many of these scattered throughout the specification but we will not point out, for each, that it is now included. We will, however, specifically mention the following:
 - *Add* Template Signatures, Template Bindings, Bound Element Semantics, and Template Notation
- 7.4 Namespaces - *Add*:
 - NamedElement association with StringExpression, and having both a name and a nameExpression.
- 7.7 Dependencies - *Add*:
 - Realization

CHAPTER 8: VALUES

- 8.3 *Add*: String Expressions

CHAPTER 9: CLASSIFICATION

- 9.2 Classifiers
 - Classifiers: *Add* Classifier may own CollaborationUses and UseCases

- Generalization: *Add* Substitutability
- Redefinition: *Add* redefinitionContext
- Substitution: *All*
- 9.2.4 Notation: NOTE: UML allows a conforming tool to suppress the drawing of individual compartments or features of a classifier. Scenarios in this examination may use this ability.
- 9.3 Classifier Templates: *All*
- 9.4 Features: *Add*: concurrency property, effect property, notation of feature redefinitions
- 9.5 Properties: *Add*: Note the reference to qualifiers. Add ternary and higher-order associations, redefinition, composition and transitive deletion, subsetted property, isDerivedUnion.
- 9.6 Operations: *Add* featuringClassifier, isQuery, owning classifier context
- 9.7 Generalization Sets - *Add*: powertypes

CHAPTER 11: STRUCTURED CLASSIFIERS

- 11.2 Structured Classifiers: *Add*: contracts, n-ary Connectors
- 11.4 Classes: *Add*: the stereotype «Metaclass»
- 11.5 Associations: *Add*: n-ary Associations (n>2), Subsetting, Specialization, qualifiers and qualified Association end, derivation of an Association, navigability via Class:ownedAttribute and Association:ownedEnd
- 11.6 Components: *Add*: Profiles based around components, wiring dependency, details of the "white-box" view beyond the treatment at Intermediate level, execution time semantics of a Connector, and «Specification» and «Realization» stereotypes
- 11.7 Collaborations: *Add*: extension of collaborationRole in a specialization

CHAPTER 12: PACKAGES

- 12.3 Profiles: *Includes All except* MOF-equivalent semantics and non-UML metamodels. Also exclude XML Serialization.

CHAPTER 13: COMMON BEHAVIOR

- 13.2 Behaviors *Add*: reentrant Behavior, Function Behavior, Behavior owned as a nestedClassifier
- 13.3 Events *Add*: Event handling by context object, event pool, wait point, SignalBroadcastAction

CHAPTER 14: STATEMACHINES

- 14.2 Behavior StateMachines: *Add*: event pool
- 14.3 StateMachine Redefinition: *All*
- 14.4 Protocol StateMachines: *Add*: Declarative and Executable ProtocolStateMachines, use of sophisticated forms of modeling as detailed in the section, multiple ProtocolStateMachines per Classifier, use of other types of events, ProtocolStateMachine refinement, Protocol Conformance. NOTE: Unexpected trigger reception and unexpected behavior will not be covered in OCUP 2.

CHAPTER 15: ACTIVITIES

- 15.2 Activities:
 - Activities and Activity Nodes: *Add*: isControlType
 - Activity Edges: *Add*: Object tokens flowing over ControlFlow edges, object tokens accepted by ExecutableNodes, managing contention between multiple nodes, the weight property

- Object Flows: *Add*: remainder of subsection. (Basic definition and null token already covered.)
- Variables: *All Except* the discussion of variable setting in the Note paragraph.
- Activity Execution: *Add*: remainder of subsection. (Material preceding `isSingleExecution` has already been covered.)
- Activity Generalization: *All*.
- 15.3 Control Nodes
 - Decision Nodes: *Add*: `decisionInput` behavior, Parameters, and guards on multiple outgoing edges.
- 15.4 Object Nodes
 - Object Nodes: *Add* `upperBound`, ordering, selection Behavior
 - Activity Parameter Nodes: *Add*: effect of ordering
 - Data Store Nodes: *Add*: selection and transformation
- 15.5 Executable Nodes
 - Executable Nodes: *Add*: concurrent execution
 - Exceptions and Exception Handlers: *All*
- 15.6 Activity Groups
 - Activity Partitions: *Add*: the descriptive text about preparation of descriptive models for review
 - Interruptible Activity Regions: *Add*: `isSingleExecution`

CHAPTER 16: ACTIONS

- 16.1 Summary: *Add* dependence of Actions on Activities, basic definition of concrete syntax, and of execution engine
- 16.2 Actions:
 - Actions: *Add* `isLocallyReentrant` and `isReentrant`.
 - Pins: *Add* ordering and `isOrdered`, token behavior on `StructuredActivityNodes`, from Actions
 - Actions and Pins in Activities: *Add*: disallowing of acceptance of more tokens than will be consumed by one execution of an Action, `isLocallyReentrant`, `isControl`, `isControlType`.
- 16.3 Invocation Actions
 - Call Actions: *Add* `StartObjectBehaviorAction`, classifier Behavior, non-reentrant and reentrant Behavior, matching owned Parameters to Pins by ordering
 - Send Actions: `BroadcastSignalAction`, `SendObjectAction`, ordering of owned and inherited Properties of a Signal, effects of local or remote target object.
 - Invocation Actions and Ports: *All*
- 16.4 Object Actions
 - Summary: *All*
 - `ValueSpecificationAction`: *All*
- 16.5 - 16.9: Material in these sections is not covered in OCUP 2.
- 16.10 Accept Event Actions
 - Accept Call Actions: *Add* triggering by an asynchronous call, method behavior caveat
 - Reply Actions: *All*
- 16.11 Structured Actions
 - Structured Activity Nodes: *Add*: Variables, semantics of activity edge when contained or not contained by a `StructuredActivityNode`
 - Isolation: *All*
- 16.13 Other Actions
 - Raise Exception Actions: *All*

CHAPTER 17: INTERACTIONS

- 17.1 Summary

- Interactions in detailed design phase, all discussion of role of interactions, interleaving
 - NOTE THAT ALL discussion of disallowed or invalid traces in this chapter is included. This Coverage Map does not list specific references to disallowed or invalid traces.
 - Interaction Diagram Variants: *Add* Interaction Overview Diagram
- 17.2 Interactions
 - *Add* Specializing and redefining an Interaction
- 17.3 Lifelines
 - *Add* coregion
- 17.4 Messages
 - *Add* representation of ConnectableElement with a Type, wildcard argument
 - Messages: *Add* assignment-target, value-specification
 - Notation: As in all other sections, notation of covered elements is included automatically. For this subsection, which includes some notation for elements not mentioned previously, we point out that All of the notation section is included.
- 17.5 Occurrences
 - General Orderings: *All*
- 17.6 Fragments
 - Consider Ignore Fragments: *All*
 - Continuations: *All*
 - Negative: *All*
 - Critical Region: *All*
 - Ignore/Consider: *All*
 - Assertion: *All*
- 17.7 Interaction Uses
 - Notation: InteractionUse, CollaborationUse, strict, and return value
- 17.8 Sequence Diagrams
 - Sequence Diagram Notation: *Add* Continuation, coregion
 - Graphic Paths: *Add* GeneralOrdering
- 17.9 Communication Diagrams
 - Sequence expression: *Add* iteration notation for concurrent execution
- 17.10 Interaction Overview Diagrams: *All*

CHAPTER 18: USE CASES

18.1 UseCases

- 18.1.3 Semantics
 - Use Cases and Actors: *Add* description through a Collaboration; being owned by a Classifier.

CHAPTER 19: DEPLOYMENTS

- 19.1 Summary: *Add*: extending the package
- 19.2 Deployments *Add*: extending in profiles, Property and InstanceSpecification as targets
- 19.3 Artifacts *Add*: organizing into composition hierarchies, extending especially as profiles

CHAPTER 20: INFORMATION FLOWS

- 20.1 InformationFlows
 - *Add* InformationFlow sources and targets, channels, InformationItems

COVERAGE OF METAMODELING INCLUDES THESE TOPICS:

Our coverage of metamodeling and the functionality that it enables (executable UML, e.g.) is intended as a survey, and the experts who wrote the exam questions did not expect you to study these specifications in enough depth to be able to work with the language. Learn the basics of these topics well and try to retain this knowledge as your modeling work evolves so that, when you come to a point in a project that calls for metamodeling or generating a UML model intended for execution, you know where to look for solutions.

Metamodeling and the MOF, from [UML2.5.1](#):

- 6.2 Architectural alignment: *All*
- 6.3.1 Models and What They Model: *All except ExecutionScope*, which was covered in the main exam

Metamodeling and the MOF, from [fUMLv1.5](#):

- 6.2 On the Semantics of Languages and Models: *All*
- 6.3 On the Semantics of Metamodels: *All*

Metamodeling and the MOF, from [OMG White Paper](#):

- Meta-Modeling and the OMG Meta Object Facility (MOF): *All*

Metamodeling and the MOF, from the [MOF 2.5 specification](#):

- 9.1, 9.2 Reflection: *All*
- 10.1, 10.2 Identifiers: *All*
- 11.1, 11.2 Extension: *All*

Semantics of a Foundational Subset for Executable UML Models (fUML), from [fUMLv1.5](#):

- 1 Scope: *All*
- 4 Terms and Definitions: *All*
- 7.1 Abstract Syntax: Overview
- 8.1 Execution Model: Overview, Behavioral Semantics

Action Language for Foundational UML (Alf), from [Alf v1.1](#):

- 1 Scope: *All*
- 2.3 Semantic Conformance: *All*
- 6.1 Overview - General: *All*
- 6.2 Integration with UML Models: *All*
- 6.4 Lexical Structure: *All*