Date: December 2015,

Andrea Sorbini 11/9/15 10:44 AM Deleted: June ...ecember 20154[1]

Application Instrumentation

Version 1.0

OMG Document Number: dtc/15-11-24

Standard document URL: http://www.omg.org/spec/APP-INST/1.0

Machine consumable files:

Normative:

http://www.omg.org/spec/APP-INST/20151201/omg_appinst_pim.xmi

Non-Normative:

http://www.omg.org/spec/APP-INST/20151201/omg_appinst_c_src.zip

http://www.omg.org/spec/APP-INST/20151201/omg_appinst_java_src.zip

http://www.omg.org/spec/APP-INST/20151201/omg_appinst_pim.eap

This OMG document replaces the <u>Beta1</u> document (<u>dtc/2014-06-08</u>). It is an OMG Adopted specification and is currently in the <u>RTF</u> phase. Comments on the content of this document are welcome, and should be directed to <u>issues@omg.org</u>.

You may view the pending issues for this specification from the OMG revision issues web page http://www.omg.org/issues/.

The FTF Recommendation and Report for this specification will be published on <u>December 18, 2015</u>. If you are reading this after that date, please download the available specification from the OMG Specifications Catalog.

1	Andrea Sorbini 11/9/15 10:45 AM
	Deleted: Beta
	Andrea Sorbini 11/9/15 2:27 PM
	Deleted: Associated
	Andrea Sorbini 11/9/15 2:30 PM
	Formatted: Font:11 pt
1	Andrea Sorbini 11/9/15 2:30 PM
	Formatted: Indent: Left: 0.5"
$\left \right\rangle$	Andrea Sorbini 11/9/15 2:28 PM
	Deleted: Schema File(s):
/ _/	Andrea Sorbini 11/9/15 2:30 PM
	Formatted: Indent: Left: 0.5", Space Before: 0 pt
_	Andrea Sorbini 11/9/15 2:28 PM
	Deleted:
	Andrea Sorbini 11/9/15 2:30 PM
	Formatted[2]
	Andrea Sorbini 11/9/15 10:47 AM
	Deleted: <u>308</u>
	Andrea Sorbini 11/9/15 2:30 PM
	Formatted: Font:9 pt
	Andrea Sorbini 11/9/15 2:30 PM
	Formatted: Font:9 pt
	Andrea Sorbini 11/9/15 2:29 PM
$\left \right $	Deleted:
$\left \right $	Andrea Sorbini 11/9/15 2:30 PM
	Formatted: Font:11 pt
	Andrea Sorbini 11/9/15 2:30 PM
111	Formatted: Indent: Left: 0.5"
	Andrea Sorbini 11/9/15 2:30 PM
	Formatted[3]
. 11	Andrea Sorbini 11/9/15 2:30 PM
	Formatted [4]
	Andrea Sorbini 11/9/15 2:30 PM
	Formatted[5]
$\langle $	Andrea Sorbini 11/9/15 10:48 AM
$^{\prime }$	Deleted: submission eta1 documen [6]
	Andrea Sorbini 11/9/15 10:50 AM
	Formatted: Body Text
	Andrea Sorbini 11/9/15 2:25 PM
	Deleted: Septemberecember 26[7]

Copyright © 2013-2015, Object Management Group, Inc. (OMG) Copyright © 2013-2015, Real-Time Innovations, Inc. (RTI)

USE OF SPECIFICATION - TERMS, CONDITIONS & NOTICES

The material in this document details an Object Management Group specification in accordance with the terms, conditions and notices set forth below. This document does not represent a commitment to implement any portion of this specification in any company's products. The information contained in this document is subject to change without notice.

LICENSES

The company listed above have granted to the Object Management Group, Inc. (OMG) a nonexclusive, royalty-free, paid up, worldwide license to copy and distribute this document and to modify this document and distribute copies of the modified version. Each of the copyright holders listed above has agreed that no person shall be deemed to have infringed the copyright in the included material of any such copyright holder by reason of having used the specification set forth herein or having conformed any computer software to the specification.

Subject to all of the terms and conditions below, the owners of the copyright in this specification hereby grant you a fully-paid up, non-exclusive, nontransferable, perpetual, worldwide license (without the right to sublicense), to use this specification to create and distribute software and special purpose specifications that are based upon this specification, and to use, copy, and distribute this specification as provided under the Copyright Act; provided that: (1) both the copyright notice identified above and this permission notice appear on any copies of this specification; (2) the use of the specifications is for informational purposes and will not be copied or posted on any network computer or broadcast in any media and will not be otherwise resold or transferred for commercial purposes; and (3) no modifications are made to this specification. This limited permission automatically terminates without notice if you breach any of these terms or conditions. Upon termination, you will destroy immediately any copies of the specifications in your possession or control.

PATENTS

The attention of adopters is directed to the possibility that compliance with or adoption of OMG specifications may require use of an invention covered by patent rights. OMG shall not be responsible for identifying patents for which a license may be required by any OMG specification, or for conducting legal inquiries into the legal validity or scope of those patents that are brought to its attention. OMG specifications are prospective and advisory only. Prospective users are responsible for protecting themselves against liability for infringement of patents.

GENERAL USE RESTRICTIONS

Any unauthorized use of this specification may violate copyright laws, trademark laws, and communications regulations and statutes. This document contains information, which is protected by copyright. All Rights Reserved. No part of this work covered by copyright herein may be reproduced or used in any form or by any means--graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems--without permission of the copyright owner.

DISCLAIMER OF WARRANTY

WHILE THIS PUBLICATION IS BELIEVED TO BE ACCURATE, IT IS PROVIDED "AS IS" AND MAY CONTAIN ERRORS OR MISPRINTS. THE OBJECT MANAGEMENT GROUP AND THE COMPANIES

LISTED ABOVE MAKE NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS PUBLICATION, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF TITLE OR OWNERSHIP, IMPLIED WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR USE. IN NO EVENT SHALL THE OBJECT MANAGEMENT GROUP OR ANY OF THE COMPANIES LISTED ABOVE BE LIABLE FOR ERRORS CONTAINED HEREIN OR FOR DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL, RELIANCE OR COVER DAMAGES, INCLUDING LOSS OF PROFITS, REVENUE, DATA OR USE, INCURRED BY ANY USER OR ANY THIRD PARTY IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS MATERIAL, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

The entire risk as to the quality and performance of software developed using this specification is borne by you. This disclaimer of warranty constitutes an essential part of the license granted to you to use this specification.

RESTRICTED RIGHTS LEGEND

Use, duplication or disclosure by the U.S. Government is subject to the restrictions set forth in subparagraph (c) (1) (ii) of The Rights in Technical Data and Computer Software Clause at DFARS 252.227-7013 or in subparagraph (c)(1) and (2) of the Commercial Computer Software - Restricted Rights clauses at 48 C.F.R. 52.227-19 or as specified in 48 C.F.R. 227-7202-2 of the DoD F.A.R. Supplement and its successors, or as specified in 48 C.F.R. 12.212 of the Federal Acquisition Regulations and its successors, as applicable. The specification copyright owners are as indicated above and may be contacted through the Object Management Group, 140 Kendrick Street, Needham, MA 02494, U.S.A.

TRADEMARKS

MDA®, Model Driven Architecture®, UML®, UML Cube logo®, OMG Logo®, CORBA® and XMI® are registered trademarks of the Object Management Group, Inc., and Object Management GroupTM, OMGTM, Unified Modeling LanguageTM, Model Driven Architecture LogoTM, Model Driven Architecture DiagramTM, CORBA logosTM, XMI LogoTM, CWMTM, CWM LogoTM, IIOPTM, MOFTM, OMG Interface Definition Language (IDL)TM, and OMG SysMLTM are trademarks of the Object Management Group. All other products or company names mentioned are used for identification purposes only, and may be trademarks of their respective owners.

COMPLIANCE

The copyright holders listed above acknowledge that the Object Management Group (acting itself or through its designees) is and shall at all times be the sole entity that may authorize developers, suppliers and sellers of computer software to use certification marks, trademarks or other special designations to indicate compliance with these materials.

Software developed under the terms of this license may claim compliance or conformance with this specification if and only if the software compliance is of a nature fully matching the applicable compliance points as stated in the specification. Software developed only partially matching the applicable compliance points may claim only that the software was based on this specification, but may not claim compliance or conformance with this specification. In the event that testing suites are implemented or approved by Object Management Group, Inc., software developed using this specification may claim compliance or conformance with the specification only if the software satisfactorily completes the testing suites.

OMG's Issue Reporting Procedure

All OMG specifications are subject to continuous review and improvement. As part of this process we encourage readers to report any ambiguities, inconsistencies, or inaccuracies they may find by completing the Issue Reporting Form listed on the main web page http://www.omg.org, under Documents, Report a Bug/Issue (http://www.omg.org/technology/agreement).

Table Of Contents

TABLE OF CONTENTS	I.	
PREFACEI	v	
OMG	v	
OMG SPECIFICATIONS	v	
TYPOGRAPHICAL CONVENTIONS	v	
1 SCOPE	1	
2 CONFORMANCE	1	
2.1 Changes to Adopted OMG Specifications	1	
2.2 Compliance Levels	1	
3 NORMATIVE REFERENCES	1	
4 TERMS AND DEFINITIONS	1	
5 SYMBOLS	1	Andrea Sorbini 11/9/15 2:52 PM Deleted: 2
6 ADDITIONAL INFORMATION	2	
6.1 Overview of this Specification	2	
6.2 Design Rationale	3	
6.3 Statement of Proof of Concept	3	
6.4 Acknowledgements	3	
7 PLATFORM INDEPENDENT MODEL (PIM)	4	
7.1 Format and Conventions	4	
 7.2 PIM Overview 7.2.1 Application Instrumentation API	6	Andrea Sorbini 11/9/15 2:32 PM
7.2.1.2 Data processing	8	Deleted: Beta1
Application Instrumentation, Version 1.0	Ľ	

7.2.2 Instrumentation Domain	. 10
7.3 Application Instrumentation API	
7.3.1 Instrumentation Module	
7.3.1.1 Infrastructure	
7.3.1.2 InstrumentationService	
7.3.2 Data Representation Module	
7.3.2.1 ObservableSchema	
7.3.2.2 Field	
7.3.2.3 Observation	
7.3.2.4 ObservationFlagKind	
7.3.3 Data Collection Module	
7.3.3.1 ObservableScope	
7.3.3.2 ObservableObject	
7.3.3 DataProcessor	
7.3.3.4 DataProcessorArgs	
7.3.3.5 DataProcessorState	
7.3.4 Data Type Module	
7.3.4.1 DataValueKind	
7.3.4.2 DataValue	
7.3.4.3 PrimitiveValue	
7.3.4.4 NumericValue	
7.3.4.5 SequenceValue <t></t>	
7.3.4.6 BOOL	
7.3.4.7 OCTET	
7.3.4.8 INT16	
7.3.4.9 INT32	
7.3.4.10 INT64	
7.3.4.11 UINT16	
7.3.4.12 UINT32	
7.3.4.13 UINT64	
7.3.4.14 FLOAT32	
7.3.4.15 FLOAT64	
7.3.4.16 FLOAT128	
7.3.4.17 CHAR8	
7.3.4.18 CHAR32	
7.3.4.19 STRING8	
7.3.4.20 STRING32	
7.3.4.21 BOOLSeq	
7.3.4.22 OCTETSeq	
7.3.4.23 INT16Seq	
7.3.4.24 INT32Seq	
7.3.4.25 INT64Seq	
7.3.4.26 UINT16Seq	
7.3.4.27 UINT32Seq	
7.3.4.28 UINT64Seq	
7.3.4.29 FLOAT32Seq	
7.3.4.30 FLOAT64Seq	
7.3.4.31 FLOAT128Seq	
7.3.4.32 CHAR8Seq	
7.3.4.33 CHAR32Seq	
7.3.4.34 STRING8Seq	
7.3.4.35 STRING32Seq	
7.3.4.36 DataValueSource <t></t>	
7.3.4.37 ReturnCode	.55

Andrea Sorbini 11/9/15 2:32 PM Deleted: Beta

ii

7.3.4.38 Time	
7.3.4.39 UTCTime	
7.3.5 Properties Module	
7.3.5.1 DefaultConfigurationTable	
7.3.5.2 InstrumentationServiceProperties	
7.3.5.3 ObservableSchemaProperties	
7.3.5.4 FieldProperties	
7.3.5.5 ObservableScopeProperties	
7.3.5.6 ObservableObjectProperties	
7.3.5.7 DataProcessorProperties	
7.4 Instrumentation Domain	64
7.4.1 Distributed Architecture	
7.4.2 Data Distribution Model	
7.4.3 Addressing of Instrumentation Entities	
7.4.4 Remote Service Interface	
7.4.4.1 Description of operations	
8 PLATFORM SPECIFIC MODEL (PSM)	70
8 PLATFORM SPECIFIC MODEL (PSM)	
8.1 Application Instrumentation API PSMs	70
8.1.1 C PSM	
8.1.1.1 PIM to PSM Mapping Rules	
8.1.2 Java PSM	
8.1.2.1 PIM to PSM Mapping Rules	
11 0	
8.2 Instrumentation Domain PSMs	75
8.2.1 OGM Data Distribution Service	75
8.2.1.1 PIM to PSM Mapping Rules	
8.2.1.2 Remote Service Interface	
9 INSTRUMENTATION EXAMPLE (NON-NORMATIVE)	83
9.1 Example Overview	
9.1.1 Instrumented System	
9.1.2 Instrumentation Requirements	
9.2 Instrumentation Configuration	
9.2.1 Instrumentation Service	
9.2.2 Data Types	
9.2.2.1 Module Performance	
9.2.2.2 Track Update Throughput	
9.2.2.3 Application Configuration	
9.2.3 Data Collection	
9.2.3.1 Module Performance 9.2.3.2 Track Update Throughput	
9.2.3.3 Application Configuration 9.2.4 Data Processing	
9.2.4 Data Processing	
9.2.4.2 Module Performance	
9.2.4.3 Track Update Throughput	

Application Instrumentation, V	ersion 1	1.0
--------------------------------	----------	-----

Andrea Sorbini 11/9/15 2:32 PM Deleted: Beta1

<u> III /</u>

Preface

OMG

Founded in 1989, the Object Management Group, Inc. (OMG) is an open membership, not-for-profit computer industry standards consortium that produces and maintains computer industry specifications for interoperable, portable, and reusable enterprise applications in distributed, heterogeneous environments. Membership includes Information Technology vendors, end users, government agencies, and academia.

OMG member companies write, adopt, and maintain its specifications following a mature, open process. OMG's specifications implement the Model Driven Architecture® (MDA®), maximizing ROI through a full-lifecycle approach to enterprise integration that covers multiple operating systems, programming languages, middleware and networking infrastructures, and software development environments. OMG's specifications include: UML® (Unified Modeling Language™); CORBA® (Common Object Request Broker Architecture); CWM™ (Common Warehouse Metamodel); and industry-specific standards for dozens of vertical markets.

More information on the OMG is available at http://www.omg.org/.

OMG Specifications

As noted, OMG specifications address middleware, modeling and vertical domain frameworks. A Specifications Catalog is available from the OMG website at:

http://www.omg.org/technology/documents/spec_catalog.htm

Specifications within the Catalog are organized by the following categories:

OMG Modeling Specifications

- UML
- MOF
- XMI
- CWM
- Profile specifications

OMG Middleware Specifications

- CORBA/IIOP
- IDL/Language Mappings
- Specialized CORBA specifications
- CORBA Component Model (CCM)

Platform Specific Model and Interface Specifications

- CORBAservices
- CORBA facilities
- OMG Domain specifications
- OMG Embedded Intelligence specifications
- · OMG Security specifications

All of OMG's formal specifications may be downloaded without charge from our website. (Products implementing OMG specifications are available from individual suppliers.) Copies of specifications, available in PostScript and PDF format, may be obtained from the Specifications Catalog cited above or by contacting the Object Management Group, Inc. at:

Andrea Sorbini 11/9/15 2:32 PM Deleted: Beta

iv

OMG Headquarters 109 Highland Avenue Needham, MA 02494 USA Tel: +1-781-444-0404 Fax: +1-781-444-0320 Email: <u>pubs@omg.org</u>

Certain OMG specifications are also available as ISO standards. Please consult http://www.iso.org.

Typographical Conventions

The type styles shown below are used in this document to distinguish programming statements from ordinary English. However, these conventions are not used in tables or section headings where no distinction is necessary.

Times/Times New Roman - 10 pt .: Standard body text

Helvetica/Arial - 10 pt. Bold: OMG Interface Definition Language (OMG IDL) and syntax elements.

Courier - 9 pt. Bold: Programming language elements.

Helvetica/Arial - 10 pt .: Exceptions

NOTE: Terms that appear in italics are defined in the glossary. Italic text also represents the name of a document, specification, or other publication.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:32 PM Deleted: Beta1

1 Scope

This specification defines a general API for minimally intrusive instrumentation of applications.

The API provides:

- A mechanism to define composite data types from the set of supported primitive types.
- A mechanism to create typed data sources and to collect application data through them.
- A mechanism to apply processing filters to collected data and to control its distribution to remote consumers.
- A mechanism to remotely control the instrumentation during the application's run-time.

2 Conformance

2.1 Changes to Adopted OMG Specifications

This specification does not modify any existing adopted OMG specifications.

2.2 Compliance Levels

There are two conformance levels for implementations of this specification:

- Application Instrumentation API conformance: a complete implementation of the API described in 7.3 shall be provided through either (or both) of the PSM described in 8.1.
- Instrumentation Domain PSM conformance: the implementation shall be completely compatible with the PSM described in 8.2

3 Normative References

The following documents and specifications are referenced by this document:

- Unified Modeling Language (UML) [http://www.omg.org/spec/UML/2.4.1/]
- Data Distribution Service for Real-time Systems (DDS) [http://www.omg.org/spec/DDS/1.2/]
- C Programming Language [http://www.open-std.org/jtc1/sc22/wg14/www/standards]
- Java Programming Language [http://docs.oracle.com/javase/specs/]
- Key words for use in RFCs to Indicate Requirement Levels (RFC2119) [http://www.ietf.org/rfc/rfc2119.txt]
- IEEE Standard for Floating-Point Arithmetic (IEEE 754-2008)
- [http://ieeexplore.ieee.org/xpl/articleDetails.jsp?reload=true&arnumber=4610935]
- Date and Time format ISO 8601 [http://www.iso.org/iso/home/standards/iso8601.htm]

4 Terms and Definitions

For the purposes of this specification, the following terms and definitions apply.

Data Distribution Service (DDS)

An OMG distributed data communications specification that allows Quality of Service policies to be specified for data timeliness and reliability. It is independent of implementation languages.

5 Symbols

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

This specification does not define any symbols or abbreviations.

6 Additional Information

6.1 Overview of this Specification

This specification defines a general API for application instrumentation. The goal is to perform typed observations of internal state of application, including values of application variables, from separate monitoring applications, possibly distributed over a network environment.

This kind of instrumentation will enable accurate and flexible monitoring of custom application state information typically hidden within an application's execution environment and unavailable to external observers.

The scope of Application Instrumentation API intersects with that of other existing monitoring solutions, such as logging and system monitoring frameworks. In contrast to those solutions, this API addresses the need for precise access to custom application data and continuously changing variables as required by tasks such as application-logic debugging, testing and on-line monitoring of distributed applications. Other solutions typically fail to:

- Support machine consumption of information by providing a sufficiently expressive type system that can accurately represent the data of interest.
- 2. Grant access to the specific information of interest, which may be available only within the application's execution environment.
- 3. Limit the degradation of performance in instrumented applications to support instrumentation of productionlevel system.

For example, the data-model adopted by logging tools cannot directly support extraction of numerical data and requires serialization and deserialization to and from the string format. This increases the cost of the instrumentation and it may reduce the accuracy of observed data.

Solutions for system-level monitoring typically do not have access to internal application state. They operate in separate processes and they can only observe external events of an application, often by instrumenting system calls and intercepting context-switches.

Even when access to internal state is available other limitations must be considered. For example, using a debugger to manually control the application and its memory greatly impacts an application's performance and it is usually not recommended for verifying a distributed application, since timing of the operations is often critical.

This specification defines a platform-independent instrumentation API and a distributed instrumentation infrastructure. Application developers can use the API to define the state information produced by an application, instrument the application code and then generate data from running applications. The API allows the configuration of custom data processing, performed before data is distributed outside of the application. Instrumentation may also be dynamically controlled to enable or disable specific parts of the instrumentation logic.

Data instrumented with the API will be distributed to remote consumers through the external distributed instrumentation architecture. The API's platform-independent model specifies how the processing phase may affect distribution of data, but leaves the details of how data is exchanged between distributed processes to each platform-specific models of the instrumentation architecture.

Multiple platform-specific API implementations may be created for different communication technologies. Each platform-specific API implementation shall specify how data generated using the instrumentation API is managed in its target distributed environment and how remote consumers may access it using the selected technology.

The platform-independent API describes the operations that may be invoked by client application to the instrumentation infrastructure. Client applications can use these operations to modify the configuration of available instrumentation entities dynamically during the execution of the instrumented applications.

This specification includes:

• A Platform Independent Model (PIM) for an Application Instrumentation API to instantiate and manage instrumentation entities from an application.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

2

- A PIM for a distributed instrumentation infrastructure, which grants access to data collected by instrumented applications and remote configuration of their instrumentation.
- A C and a Java mapping for the Application Instrumentation API.
- A mapping of the distributed instrumentation infrastructure to the OMG Data Distribution Service platform.

6.2 Design Rationale

The API is designed with a particular focus on enabling efficient extraction of internal state data from running applications. The objective is to minimize the run-time overhead caused by the execution of instrumentation operations during the "steady state" of an instrumented application while providing a sufficiently rich set of instrumentation tools capable of addressing a wide variety of use cases.

A comprehensive platform-independent data-type system enables the accurate description types for the data of interest, while guaranteeing consistent access from heterogeneous execution environments. Each platform-specific model for the instrumentation API will define a mapping between the platform-independent types and data-types supported by a specific programming language and/or platform.

The model used to collect data from instrumented applications decouples data generation from data processing and the distribution to external consumers. Data is collected and processed in a separate context from the application. This context may execute asynchronously from the application code, thus reducing the impact of instrumentation on the application's critical path for example by operating in a lower priority, independent, thread.

Because of this focus on minimizing the impact on the application, the operations exposed by the interfaces of the API are not multi-thread safe unless explicitly stated in the description of a class or an operation.

Most entities created by the instrumentation API can be dynamically enabled or disabled during the execution of an instrumented application. The ability of maintaining all or part of the entities in a disabled state allows the instrumentation infrastructure to be used in an active system possibly deployed to production. The instrumentation will "lie dormant" within the execution environment until each specific entity is enabled, either by the instrumented application itself or an external application using the remote configuration interface.

6.3 Statement of Proof of Concept

The submitters have already implemented almost all elements in the specification. A prototype of the software with the specified API's and behaviors has been made available in the past months to key stakeholders as part of the US Navy SBIR N092-121 titled "Minimally Intrusive Real-time Software Instrumentation Technologies".

6.4 Acknowledgements

The following companies submitted this specification:

- Real-Time Innovations, Inc.
- The following companies supported this specification:
- SimVentions

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

3 /

7 Platform Independent Model (PIM)

The purpose of this clause is to provide an operational overview of the Application Instrumentation API PIM and the classifiers that it comprises.

7.1 Format and Conventions

In addition to the UML diagrams, all the classes that constitute the API are documented using tables. The format used to document these classes is shown below:

<class name=""> [<class parameter="">]</class></class>					
	[<super classes="" list="">]</super>				
Attributes					
<attribute< td=""><td colspan="5"><attribute name=""> <attribute type=""></attribute></attribute></td></attribute<>	<attribute name=""> <attribute type=""></attribute></attribute>				
Operations					
<operation name=""></operation>		<return type=""></return>			
	<parameter></parameter>	<parameter type=""></parameter>			

The operation <parameter> can contain the modifier "in," "out," or "inout" ahead of the parameter name. If this modifier is omitted, it is implied that the parameter is an "in" parameter.

In some cases, the operation parameters or return value(s) are a collection with elements of a given <type>. This is indicated with the notation "<type> []." This notation does not imply that it will be implemented as an array. The actual implementation is defined by the PSM: it may end up being mapped to a sequence, a list, or other kind of collection.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

4




Figure 1 Application Instrumentation PIM



Andrea Sorbini 11/9/15 2:53 PM

7.2 PIM Overview




Figure 2 Distributed instrumentation infrastructure

The platform-independent model described by this specification defines an infrastructure for the collection and consumption of internal state information from one or more application processes.

Instrumented applications use a platform-independent API to describe and generate data during their execution. Local instrumentation entities within the application's process collect data, process it, and then distribute it to an external *Instrumentation Domain*.

The *Instrumentation Domain* abstracts the communication infrastructure connecting instrumented applications and monitoring applications interested in accessing their state information. The instrumentation entities created by each application do not require prior knowledge of the observers/consumers of the data they will produce. Samples of data to be distributed outside of instrumented applications will be forwarded to the *Instrumentation Domain*, which in turn will deliver them to remote endpoints. Depending on its implementation platform, the *Instrumentation Domain* may provide decoupling in time and space between producers and consumers. Data can be stored by the *Instrumentation Domain* and made available to monitoring applications after its publication by the local instrumentation.

Local instrumentation entities may be dynamically configured during the application's execution by using the Application Instrumentation API or by issuing configuration commands from remote applications through the *Instrumentation Domain*.

7.2.1 Application Instrumentation API

The Application Instrumentation API defines an abstract data-model and a set of platform-independent entities, which can be used to instrument and collect data from a running application.

As shown in Figure 3, an *InstrumentationService* manages the entire instrumentation infrastructure local to a single application. Application state information is described by custom data-types called *ObservableSchema*. One or more *ObservableScopes* define sources of data, which will be used by the application, and control how data is processed.

Data is produced using an *ObservableObject*. An *ObservableObject* is an instantiation of an *ObservableSchema* and allows application to take snapshots of its attributes, called *Observations*. *ObservableObjects* are logically grouped using *ObservableGroups*.

The ObservableScope containing an ObservableObject is responsible for collecting and distributing Observations to the Instrumentation Domain. An optional processing phase may be carried out by a customizable DataProcessor, which can alter the content of an Observation and prevent it from being published outside the instrumented application's context.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

6

An *Observation* carries all the necessary information to identify its source and (local) time of generation. Its contents can be accessed without prior knowledge of its structure by using the information provided by it *ObservableSchema*.




Figure 3 Components of the local instrumentation

7.2.1.1 Data collection

Applications use the interface provided by an *ObservableObject* to pass data to the instrumentation. Figure 4 shows an example of the interactions required to extract data from an instrumented application and distribute it to the *Instrumentation Domain*.

Values from application variables can be stored inside the attributes of an *ObservableObject*. Internal memory shall store these values between multiple accesses to the *ObservableObject* so that the application may build its state incrementally from separate points in the application code if necessary.

When an ObservableObject contains the expected information, an application can generate a snapshot of its current state using its *save_observation* operation. This shall make a copy of the current values stored by the ObservableObject into a new Observation instance. The ObservableObject shall then notify its enclosing ObservableScope of the new Observation, which shall collect, process, and distribute as determined by the ObservationProcessor.

An ObservableScope operates in a separate context, independently of the application, and it periodically extracts all new Observations from its ObservableObjects. Once collected, the new Observations shall be passed (if so configured) to the process_observations method of a DataProcessor. The Observations shall then be handed over to the Instrumentation Domain to be distributed outside of the application and finally returned to the ObservableObject, which may reuse them to store future snapshots.

This final phase can be altered by a *DataProcessor*, which can prevent an *Observation* from both being distributed and being recycled by the original *ObservableObject*.



Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1




Figure 4 Example of data collection

7.2.1.2 Data processing

The Application Instrumentation API processes all Observations within the context of an ObservableScope. An ObservableScope implements all the logic required to receive Observations from ObservableObjects, apply a customizable processing phase to each of them and then distribute those that have not been filtered out to the Instrumentation Domain.

The operations of an *ObservableScope* shall be executed on a separate thread. The configuration and settings of this thread are left outside this specification, however it is recommended that it be configured to run at a lower priority than the application threads. To the extent possible, application threads shall not sustain the overhead caused by processing and distribution of *Observations* to remote applications. They should instead only be concerned with the generation of *Observations* from application data, using the available *ObservableObjects*.

Customizable processing is provided through the *DataProcessor* interface. A *DataProcessor* is an entity created within an *InstrumentationService* that can be attached to multiple *ObservableObject* instances within the same *InstrumentationService*. Once attached to an *ObservableObject*, the *DataProcessor* can receive, through its *process_observations* method, all *Observation* samples collected by the *ObservableObject*'s *ObservableScope* for that specific *ObservableObject*.

Since the *ObservableScope* defines a single-threaded processing context, a *DataProcessor* shall process each *ObservableObject* contained in the same *ObservableScope* sequentially. Implementations of the *DataProcessor* interface can be simplified by not requiring explicit solutions for multi-thread safety provided their computations only operate within the boundaries of a single *ObservableScope*, even if they are attached to *ObservableObject* instances in a different *ObservableScope*.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

8




Figure 5 Data Processing Example

A *DataProcessor* can manipulate each *Observation*, accessing its values and altering them arbitrarily. The *ObservableSchema* describing an *Observation* can also be dynamically inspected, allowing highly adaptive processing functionalities to be implemented. Additionally, a *DataProcessor* can alter the life cycle of an *Observation* by signaling the enclosing *ObservableScope* through a set of binary flags contained in the *Observation*:

- LOCAL: This flag allows the DataProcessor to prevent an Observation from being distributed by the ObservableScope to remote applications through the Instrumentation Domain.
- KEEP: This flag shall signal the ObservableScope that the Observation shall not be returned to the
 ObservableObject that generated it but instead added to the ObservableObject's observation history so that it is
 available to future invocations of process_observations for that ObservableObject.

When a *DataProcessor* instance is attached to an *ObservableObject*, it is also attached to the *ObservableGroup* and *ObservableScope* instances containing the *ObservableObject*. A *DataProcessor* may, at this time, allocate custom processing state for each of these entities, which shall be stored by the instrumentation infrastructure and passed to each invocation of *process_observations* made for *Observations* created by that specific *ObservableObject*. This "scoped state" provides a flexible infrastructure that simplifies the implementation of complex processing logic by relieving *DataProcessor* instances from having to maintain state for each entity themselves.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

Figure 5 shows an example of how a *DataProcessor* instance interacts with other instrumentation entities. In particular, it shows how a *DataProcessor* is attached to an *ObservableObject* and the multiple operations that it may perform on each *Observation* instance received from an *ObservableScope*.

7.2.2 Instrumentation Domain

The Instrumentation Domain is responsible for letting instrumented and monitoring applications communicate and exchange instrumentation data.

Its characteristics are intentionally left abstract by this specification and provided only as a set of high-level descriptions because many aspects of its interface and functionalities depend on the communication infrastructure chosen for its implementation.




Figure 6 Example interaction with Instrumentation Domain

Figure 6 shows an example of how remote monitoring applications can interact with the *Instrumentation Domain* in order to access the instrumentation infrastructure. While the *Instrumentation Domain*'s principal purpose is to deliver *Observation* samples received from instrumented application to the monitoring applications that requested them, an *Instrumentation Domain* can also be used to dynamically configure the instrumentation entities created by applications attached to it.

The signature of the *read_observations* and *control_instrumentation* operations are not specified in this specification. In fact, each implementation of the *Instrumentation Domain* may expose access to *Observation* instances and remote configuration through very different interfaces and communication tools, which it may not be possible to map to a programmatic interface.

For example, a very simple instrumentation domain may serialize each *Observation* to a text file, which can be then inspected by a consumer using utilities such as *tail* or *grep* or a text editor. Other solutions may leverage more complex distribution schemes such as those offered by a publish/subscribe middleware. This is the case for the platform-specific model (PSM) of the *Instrumentation Domain* using OMG Data Distribution Service and presented in 8.2.1.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

10

7.3 Application Instrumentation API

The PIM of the Application Instrumentation API is organized in three functional modules, which group the API entities according to their purpose.

The responsibilities of each module are summarized in the following table. The rest of this describes each module in further detail by presenting the interface of each entity in the module.

Module	Purpose
Instrumentation	Define the infrastructure required to manage the local instrumentation of an application and its interaction with a distributed <i>Instrumentation Domain</i> .
Data Representation	Describe the structure of application data by defining the data schemas and provide a generic interface to manipulate samples of data.
Data Collection	Provide an interface for the generation of data from instrumented applications and support configuration of its processing and distribution to the <i>Instrumentation Domain</i> .
Data Type	Define a set of platform-independent data types to represent primitive and sequence data types supported by the instrumentation API.
Properties	Define data structures to configure instrumentation entities and provide support for defining default configuration properties for each type of entity.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

7.3.1 Instrumentation Module

The Instrumentation Module is comprised of the following classifiers:

- Infrastructure
- InstrumentationService




Figure 7 Instrumentation Module

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

Application Instrumentation, Version 1.0

7.3.1.1 Infrastructure

The *Infrastructure* class shall be responsible for managing the life cycle of the local instrumentation used by an application. This class shall provide operations to initialize and finalize the global resources required to create and manage *InstrumentationService* instances.

Implementations of this specification shall provide access to at least one *Infrastructure* instance. It is recommended, although not mandatory, that *Infrastructure* be implemented using the singleton pattern.

Infrastructure				
No Attributes				
Operations				
		InstrumentationService		
	name	String		
create_service	properties	InstrumentationService Properties		
	[out] retcode	ReturnCode		
delete_all_services		ReturnCode		
		ReturnCode		
delete_service	service	InstrumentationService		
finalize		ReturnCode		
<pre>get_default_ configuration_table</pre>		DefaultConfigurationTable		
get_host_id		String		
get_services		InstrumentationService[]		
		ReturnCode		
init	host_id	String		
		InstrumentationService		
lookup_service	name	String		
	[out] retcode	ReturnCode		

7.3.1.1.1 create_service

This operation shall create or retrieve an instance of InstrumentationService.

If the creation fails, the operation shall return 'nil' (as defined by the platform [PSM]) and shall set *retcode* to RETCODE_ERROR.

If no other *InstrumentationService* instance with the specified name exists, the operation shall create a new instance, return it and shall set *retcode* to RETCODE_OK. If an instance with the specified name already exists, the operation shall return a reference to the existing *InstrumentationService* and shall set *retcode* to RETCODE_NOT_MODIFIED.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

This operation shall call *init* implicitly if the application had not invoked it prior to this call, passing APPINST_HOST_ID_AUTO as *host_id*. If *init* fails, this operation shall also fail and return 'nil' (as defined by the PSM) and it shall set *retcode* to RETCODE_PRECONDITION_NOT_MET.

If the special value APPINST_INSTRUMENTATION_SERVICE_PROPERTIES_DEFAULT is passed as the *properties* argument, the operation shall substitute it with the value returned by the *get_default_service_properties* operation on the *DefaultConfigurationTable* instance.

Parameter name: The name to assign to the new InstrumentationService.

Parameter *properties*: An *InstrumentationServiceProperties* structure used to configure the new *InstrumentationService*. If an *InstrumentationService* with the specified name already exists, this parameter is ignored. APPINST_INSTRUMENTATION_SERVICE_PROPERTIES_DEFAULT may be specified in order to use the default value returned by the *DefaultConfigurationTable's* get_default_service_properties operation.

Parameter *retcode*: The operation shall return RETCODE_OK if the new *InstrumentationService* was successfully created. RETCODE_NOT_MODIFIED if an existing *InstrumentationService* with the same name was found locally, RETCODE_BAD_PARAMETER if values specified for parameters *properties* and/or *name* were incorrect, and RETCODE_ERROR if there was any other type of error.

Return: The operation shall return an *InstrumentationService* in case of success (RETCODE_OK or RETCODE_NOT_MODIFIED), or 'nil' (as defined by the platform [PSM]) in case of error.

7.3.1.1.2 delete_all_services

This operation shall delete any *InstrumentationService* instance currently existing in the instrumentation infrastructure by invoking the *delete_service* operation on each of them. If the deletion of any existing *InstrumentationService* fails, this operation shall fail and return RETCODE_ERROR.

If the *init* operation has never been called successfully yet, this operation shall do nothing and return RETCODE_PRECONDITION_NOT_MET.

Return: The operation shall return RETCODE_OK upon successful deletion of all existing *InstrumentationService* instances, RETCODE_PRECONDITION_NOT_MET if the *init* operation has never been successfully called yet, RETCODE_ERROR if any other type of error occurred.

7.3.1.1.3 delete_service

This operation shall delete an instance of *InstrumentationService* and all entities it contains

If the InstrumentationService contains any entity, the operation shall:

- Delete every ObservableScope instance (as reported by the InstrumentationService's get_observable_scopes
 operation) by invoking the InstrumentationService's delete_observable_scope operation on each of them.
- Delete every DataProcessor instance (as reported by the InstrumentationService's get_data_processors operation) by invoking the InstrumentationService's delete_data_processor operation on each of them.
- Delete every *ObservableSchema* instance (as reported by the *InstrumentationService*'s *get_observable_schemas* operation) by invoking the *InstrumentationService*'s *delete_observable_schema* operation on each of them.

If the deletion of any of the contained entities fails by returning a value other than RETCODE_OK, the operation shall fail and return RETCODE_ERROR.

If the specified *InstrumentationService* was not created by this *Infrastructure* or the value 'nil' (as specified by the platform [PSM]) is passed to the operation, the operation shall fail and return RETCODE_BAD_PARAMETER.

If the *init* operation has never been called successfully on the *Infrastructure* instance yet, the operation shall fail and return RETCODE_PRECONDITION_NOT_MET.

Parameter service: The InstrumentationService to delete.

Return: The operation shall return RETCODE_OK upon successful deletion of the *InstrumentationService* and all its contained entities, RETCODE_PRECONDITION_NOT_MET if any of the contained entities was not successfully deleted or the *init* operation has never been called successfully on the *Infrastructure*, RETCODE_BAD_PARAMETER

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

14

if a bad value was specified for the service parameter, RETCODE_ERROR if any other error occurred.

7.3.1.1.4 finalize

This operation shall finalize the static resources required to manage the instrumentation infrastructure and all the *InstrumentationService* instances that were created locally.

If any *InstrumentationService* instance still exists in the *Infrastructure*, the operation shall fail and return RETCODE PRECONDITION NOT MET.

This operation shall free any resource reserved by the invocation of operation *init*. If the freeing of any of these resources fails, the operation shall fail and return RETCODE_ERROR.

If the *init* operation has never been called successfully yet, this operation shall do nothing and return RETCODE_NOT_MODIFIED.

Return: The operation shall return RETCODE_OK upon successful finalization of all instrumentation, RETCODE_PRECONDITION_NOT_MET if any *InstrumentationService* instance still exists in the *Infrastructure*, RETCODE_ERROR if any error occurred during finalization of static resources, RETCODE_NOT_MODIFIED if the *init* operation has never been successfully called yet.

7.3.1.1.5 get_default_configuration_table

This operation shall return the singleton instance of *DefaultConfigurationTable*. If the instance does not exist, the operation shall create a new one and store it internally so that it may be returned by future invocations of this operation.

Return: a DefaultConfigurationTable instance or 'nil' (as defined by the platform [PSM]) if any type of error occurred.

7.3.1.1.6 get_host_id

This operation shall return a non-empty string containing the host identifier specified to the *init* operation. If *init* was called with special value APPINST_HOST_ID_AUTO, the returned value shall be the one automatically assigned by the *Infrastructure*.

If the *init* operation has never been called successfully yet, the operation shall return 'nil' (as defined by the platform [PSM]).

Return: the operation shall return a non-modifiable, non-empty string containing the identifier of the host containing the *Infrastructure* instance or 'nil' (as defined by the platform [PSM]) if the *init* operation has not been called on the *Infrastructure* instance yet or any other type of error occurred.

7.3.1.1.7 get_services

This operation returns a collection of all *InstrumentationService* instances that have been created in the local instrumentation. An empty collection will be returned if no *InstrumentationService* has yet been created locally.

If the *init* operation has never been called successfully on the *Infrastructure* instance yet, the operation shall return 'nil' (as defined by the platform [PSM]).

Return: The operation shall return a collection of *InstrumentationService* instances or 'nil' (as defined by the platform [PSM]) if *init* as not been called on the *Infrastructure* instance yet or any other type of error occurred.

7.3.1.1.8 init

This operation shall initialize the local instrumentation infrastructure and allocate the resources required to create instances of *InstrumentationService* and to manage their life cycle.

If an error prevents initialization from succeeding, this operation shall return RETCODE_ERROR.

If the initialization is completed successfully, this operation shall return RETCODE_OK.

After successful initialization, future invocations of this operation shall have no effect and return RETCODE_NOT_MODIFIED, until the operation *finalize_instrumentation* is called. The call to *finalize_instrumentation* restores the instrumentation service to its initial state as it was prior to the first call to

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

init instrumentation.

Prior to calling this operation for the first time, the instrumentation infrastructure shall be considered 'uninitialized'. After successful return from this operation, the instrumentation infrastructure shall be considered 'initialized'. The 'initialized' state shall continue until the operation *finalize_instrumentation* is called and executed successfully.

While the instrumentation infrastructure is in the 'uninitialized' state all operations, with the exception of operations *init_instrumentation, create_service* and *lookup_service*, shall fail and set *retcode* to RETCODE PRECONDITION NOT MET.

The values specified by the *host_id* parameter shall be stored by the instrumentation infrastructure. It shall be used to mark all *Observation* samples generated by this instrumentation infrastructure and it will be used to identify the local instrumentation infrastructure it in the distributed environment.

The value APPINST_HOST_ID_AUTO may be specified as *host_id*. In this case, the operation shall automatically generate a name for the local instrumentation infrastructure. The algorithm used to generate the string is not normative.

Parameter *host_id*: A string providing an identifier for the host on which the instrumentation infrastructure is being initialized. The special value APPINST_HOST_ID_AUTO may be specified to let the instrumentation infrastructure automatically generate a value.

Return: The operation shall return RETCODE_OK if the operation succeeds and the instrumentation infrastructure is in state 'initialize' after the return from the operation. If the value of *host_id* is an empty string, the operation shall return RETCODE_BAD_PARAMETER. If the operation has already been called successfully, the operation shall return RETCODE_NOT_MODIFIED. Otherwise it shall return RETCODE_ERROR if any other kind of error occurred.

7.3.1.1.9 lookup_service

This operation shall search among the *InstrumentationService* instances created locally and return the one identified by the specified name.

If an instance by that name is found, the operation shall return it and set retcode to RETCODE OK.

If no matching instance is found and automatic creation is enabled in the *DefaultConfigurationTable*, the operation shall create a new *InstrumentationService* by invoking *create_service* with the specified name and the default value for *InstrumentationServiceProperties*, contained in the *DefaultConfigurationTable*. If the creation of the new *InstrumentationService* fails by returning a 'nil' (as defined by the platform [PSM]) value, this operation shall return 'nil' (as defined by the platform [PSM]) and set *retcode* to RETCODE_ERROR.

If no matching instance is found and automatic creation is disabled, the operation shall return 'nil' (as defined by the platform [PSM]) and set *retcode* to RETCODE_ERROR.

If the *init* operation has never been called successfully on the *Infrastructure* instance yet, the operation return 'nil' (as specified by the platform [PSM]) and set *retcode* to RETCODE_PRECONDITION_NOT_MET.

Parameter name: The name of the InstrumentationService to lookup.

Parameter *retcode*: The operation shall return RETCODE_OK if a matching *InstrumentationService* was found or successfully created. RETCODE_PRECONDITION_NOT_MET if the *InstrumentationService* could not be automatically created or *init* has not been successfully called on the *Infrastructure*, and RETCODE_ERROR if no matching instance was found or there was any other type of error.

Return: The operation shall return an *InstrumentationService* in case of success (RETCODE_OK), or 'nil' (as defined by the platform [PSM]) otherwise.

7.3.1.2 InstrumentationService

The InstrumentationService creates and manages all local instrumentation entities used by an application and it attaches the local instrumentation to an external Instrumentation Domain.

Implementations of this specification shall support creation of multiple *InstrumentationService* instances within the same *Infrastructure* instance, for example, to produce data to multiple *Instrumentation Domains*.

Each InstrumentationService shall be identified by a unique name, which may be used to reference it within the context

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

16

of an instrumented application. This name may be specified by the application when creating an *InstrumentationService* or it may be automatically generated by the instrumentation infrastructure.

An *InstrumentationService* instance may be responsible for managing one or more threads that execute the data collection and processing operations of the *ObservableScope* instances contained in the *InstrumentationService*. It is left to implementations of this specification to define how this functionality may be configured by applications. Note that some implementations may employ separate threads to operate the *ObservableScope* instances or alternatively execute their operations on application threads.

InstrumentationService			
No Attributes			
Operations			
activate observable		ReturnCode	
schema –	schema	ObservableSchema	
		DataProcessor	
	name	String	
create_data_processor	properties	DataProcessorProperties	
	[out] retcode	ReturnCode	
		ObservableSchema	
anasta abaannabla aabama	name	String	
create_observable_schema	properties	ObservableSchemaProperties	
	[out] retcode	ReturnCode	
		ObservableScope	
create observable scope	name	String	
create_observable_scope	properties	ObservableScopeProperties	
	[out] retcode	ReturnCode	
delete data processor		ReturnCode	
delete_data_processor	processor	DataProcessor	
delete observable schema		ReturnCode	
derece_observable_schema	schema	ObservableSchema	
delete observable scope		ReturnCode	
derece_observable_scope	scope	ObservableScope	
get_data_processors		DataProcessor[]	
get_name		String	
get_observable_schemas		ObservableSchema[]	
get_observable_scopes		ObservableScope[]	

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

		DataProcessor
lookup_data processor	name	String
	[out] retcode	ReturnCode
		ObservableSchema
lookup_observable_schema	name	String
	[out] retcode	ReturnCode
		ObservableScope
lookup_observable_scope	name	String
	[out] retcode	ReturnCode

7.3.1.2.1 activate_observable_schema

This operation shall set the state of an *ObservableSchema* to 'active'. The 'active' state signals the *InstrumentationService* that the definition of the *ObservableSchema* is complete and *ObservableObject* instances may be created referencing the schema. When an *ObservableSchema* is set to 'active', subsequent calls to the *create_field* operation shall fail with RETCODE_PRECONDITION_NOT_MET.

Parameter schema: the ObservableSchema to be activated.

Return: The operation shall return RETCODE_OK if the *ObservableSchema* was correctly set 'active', RETCODE_NOT_MODIFIED if the *ObservableSchema* was already in state 'active', and RETCODE_ERROR if any type of error occurred when activating the schema.

7.3.1.2.2 create_data_processor

This operation shall create a new DataProcessor instance in the InstrumentationService.

The new *DataProcessor* shall have the specified *name* and it will be initialized using the specified *properties*. If the creation succeeds, the operation shall return the newly created *DataProcessor* and set *retcode* to RETCODE_OK. If a *DataProcessor* instance with the same *name* already exists in the *InstrumentationService*, the operation shall return the existing instance and set *retcode* to RETCODE_NOT_MODIFIED.

Each platform [PSM] must define how applications shall specify the implementation of the *DataProcessor* interface that will be used to create the new instance by extending the *DataProcessorProperties* structure.

If the special value APPINST_DATA_PROCESSOR_PROPERTIES_DEFAULT is passed as the *properties* argument, the operation shall use the value returned by the *get_default_data_processor_properties* operation on the *DefaultConfigurationTable* instance.

After successfully creating the new *DataProcessor*, the operation shall invoke its *initialize* operation passing the *DataProcessorArgs* value contained in the specified *properties* and the *InstrumentationService* instance itself as arguments. If this operation returns a value other than RETCODE_OK, the operation shall delete the newly created *DataProcessor* (as specified in the description of operation *delete_data_processor*) and set *retcode* to RETCODE ERROR.

If the creation fails, the operation shall return 'nil' (as defined by the platform [PSM]) and set *retcode* to RETCODE_ERROR.

Parameter name: The name to assign to the new DataProcessor.

Parameter *properties*: A *DataProcessorProperties* structure used to configure the new *DataProcessor*. If a *DataProcessor* with the specified *name* already exists, this Parameter is ignored.

Parameter *retcode*: The operation shall return RETCODE_OK if the new *DataProcessor* was successfully created and initialized. RETCODE_NOT_MODIFIED if an existing *DataProcessor* with the same *name* was found locally,

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

18

RETCODE_BAD_PARAMETER if values specified for parameters *properties* and/or *name* were incorrect, and RETCODE_ERROR if the newly created *DataProcessor* could not be initialized or if there was any other type of error.

Return: The operation shall return a *DataProcessor* in case of success (RETCODE_OK or RETCODE_NOT_MODIFIED), or 'nil' (as defined by the platform [PSM]) in case of error.

7.3.1.2.3 create_observable_schema

This operation shall create or retrieve an ObservableSchema instance in an InstrumentationService.

The new *ObservableSchema* shall have the specified *name* and it will be initialized using the specified *properties*. If the creation succeeds, the operation shall return the newly created *ObservableSchema* and set *retcode* to RETCODE_OK. If an *ObservableSchema* instance with the same *name* already exists in the *InstrumentationService*, the operation shall return the existing instance and set *retcode* to RETCODE_NOT_MODIFIED.

If the special value APPINST_OBSERVABLE_SCHEMA_PROPERTIES_DEFAULT is passed as the *properties* argument, the operation shall use the value returned by the *get_default_observable_schema_properties* operation on the *DefaultConfigurationTable* instance.

If the creation of the ObservableSchema fails, the operation shall return 'nil' and set retcode to RETCODE_ERROR.

Parameter name: The name to assign to the new ObservableSchema.

Parameter *properties*: An *ObservableSchemaProperties* structure used to configure the new *ObservableSchema*. If an *ObservableSchema* with the specified *name* already exists, this parameter is ignored. 'nil' (as specified by the platform [PSM]) may be specified in order to use the default value returned by the *DefaultConfigurationTable*'s *get_default_observable_schema_properties* operation.

Parameter *retcode*: The operation shall return RETCODE_OK if the new *ObservableSchema* was successfully created. RETCODE_NOT_MODIFIED if an existing *ObservableSchema* with the same *name* was found locally, RETCODE_BAD_PARAMETER if values specified for parameters *properties* and/or *name* were incorrect, and RETCODE_ERROR if there was any other type of error.

Return: The operation shall return an *ObservableSchema* in case of success (RETCODE_OK or RETCODE_NOT_MODIFIED), or 'nil' (as defined by the platform [PSM]) in case of error.

7.3.1.2.4 create_observable_scope

This operation shall create or retrieve an ObservableScope instance in the InstrumentationService.

The new ObservableScope shall have the specified name and it will be initialized using the specified properties. If the creation succeeds, the operation shall return the newly created ObservableScope and set retcode to RETCODE_OK. If an ObservableScope instance with the same name already exists in the InstrumentationService, the operation shall return the existing instance and set retcode to RETCODE_NOT_MODIFIED.

If the special value APPINST_OBSERVABLE_SCOPE_PROPERTIES_DEFAULT is passed as the *properties* argument, the operation shall use the value returned by the *get_default_observable_scope_properties* operation on the *DefaultConfigurationTable* instance.

If data collection is enabled in the specified *properties* (by setting attribute *enable_data_collection* to *True*), after successfully creating the new *ObservableScope* and any contained *ObservableObject* instance, the operation shall invoke its *enable_data_collection* operation. If this operation returns a value other than RETCODE_OK, the operation shall delete any already created *ObservableObject* (as specified by the description of operation *delete_observable_object* of *ObservableScope*), the newly created *ObservableScope* (as specified by the description of operation *delete_observable_object* of *ObservableScope*), the newly created *ObservableScope* (as specified by the description of operation *delete_observable_object* of *ObservableScope*), the newly created *ObservableScope* (as specified by the description of operation *delete_observable_object* of *ObservableScope*), the newly created *ObservableScope* (as specified by the description of operation *delete_observable_object* of *ObservableScope*), the newly created *ObservableScope* (as specified by the description of operation *delete_object* of *ObservableScope*), the newly created *ObservableScope* (as specified by the description of operation *delete_object* of *Object* of *Object* (as specified by the description of operation *delete_object*).

If the creation fails, the operation shall return 'nil' (as defined by the platform [PSM]) and set *retcode* to RETCODE ERROR.

Parameter name: The name to assign to the new ObservableScope.

Parameter *properties*: An *ObservableScopeProperties* structure used to configure the new *ObservableScope*. If an *ObservableScope* with the specified *name* already exists, this Parameter is ignored. APPINST_OBSERVABLE_SCOPE_PROPERTIES_DEFAULT may be specified in order to use the default value

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

returned by the DefaultConfigurationTable's get default observable scope properties operation.

Parameter *retcode*: The operation shall return RETCODE_OK if the new *ObservableScope* was successfully created. RETCODE_NOT_MODIFIED if an existing *ObservableScope* with the same *name* was found locally, RETCODE_BAD_PARAMETER if values specified for parameters *properties* and/or *name* were incorrect, and RETCODE_ERROR if data collection could not be enabled on the newly created *ObservableScope* or if there was any other type of error.

Return: The operation shall return an *ObservableScope* in case of success (RETCODE_OK or RETCODE_NOT_MODIFIED), or 'nil' (as defined by the platform [PSM]) in case of error.

7.3.1.2.5 delete_data_processor

This operation shall delete an existing DataProcessor instance from an InstrumentationService.

If the *DataProcessor* is currently attached to any *ObservableObject*, the operation shall fail and return RETCODE PRECONDITION NOT MET.

The operation shall invoke the *DataProcessor's finalize* operation passing the *InstrumentationService* instance itself as argument. If any value other than RETCODE_OK is returned, the operation shall return RETCODE_PRECONDITION_NOT_MET. The operation shall try to free all resources independently of the value returned by the *DataProcessor's finalize* operation.

If the DataProcessor is successfully deleted, the operation shall return RETCODE OK.

The operation shall fail and return RETCODE_BAD_PARAMETER if the *InstrumentationService* performing the operation did not create the *DataProcessor*.

Parameter schema: the DataProcessor to delete.

Return: The operation shall return RETCODE_OK if the *DataProcessor* was successfully deleted from the *InstrumentationService*, RETCODE_PRECONDITION_NOT_MET if the *DataProcessor* is currently attached to any *ObservableObject* or the *finalize* operation of the *DataProcessor* did not exited successfully, RETCODE_BAD_PARAMETER if the specified *DataProcessor* was not created by this *InstrumentationService*, and RETCODE_ERROR if any other type of error occurred.

7.3.1.2.6 delete_observable_schema

This operation shall delete an existing ObservableSchema instance from an InstrumentationService.

The operation shall fail and return RETCODE_PRECONDITION_NOT_MET if there are currently *ObservableObject* instances using the *ObservableSchema* in any of the *ObservableScope* instances of the *InstrumentationService*.

The operation shall fail and return RETCODE_BAD_PARAMETER if the *InstrumentationService* performing the operation did not create the *ObservableSchema*.

Parameter schema: the ObservableSchema to delete.

Return: The operation shall return RETCODE_OK if the *ObservableSchema* was successfully deleted from the *InstrumentationService*, RETCODE_PRECONDITION_NOT_MET if any *ObservableObject* referencing the *ObservableSchema* exists in the *InstrumentationService*, RETCODE_BAD_PARAMETER if the specified *ObservableSchema* was not created by this *InstrumentationService*, and RETCODE_ERROR if any other type of error occurred.

7.3.1.2.7 delete_observable_scope

This operation shall delete an existing ObservableScope instance from an InstrumentationService.

This operation shall invoke the *ObservableScope*'s *disable_data_collection* operation before deleting all *ObservableObject* instances contained in the *ObservableScope* (as specified by operation *delete_observable_object*).

If any of these operations fails with return value other than RETCODE_OK, the operation shall fail and return RETCODE_PRECONDITION_NOT_MET.

If all contained ObservableObject instances and the ObservableScope are successfully deleted, the operation shall return

20

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

RETCODE OK.

The operation shall fail and return RETCODE_BAD_PARAMETER if the *InstrumentationService* performing the operation did not create the *ObservableScope*.

Parameter schema: the ObservableScope to delete.

Return: The operation shall return RETCODE_OK if the *ObservableScope* was successfully deleted from the *InstrumentationService*, RETCODE_PRECONDITION_NOT_MET if any *ObservableObject* contained in the *ObservableScope* could not be deleted or data collection could not be disabled in the *ObservableScope*, RETCODE_BAD_PARAMETER if the specified *ObservableScope* was not created by this *InstrumentationService*, and RETCODE_ERROR if any other type of error occurred.

7.3.1.2.8 get_data_processors

This operation shall return a collection of all *DataProcessor* instances that have been created in an *InstrumentationService*. An empty collection shall be returned if the *InstrumentationService* does not contain any *DataProcessor* yet.

7.3.1.2.9 get_name

This operation shall return a string containing the name of an InstrumentationService instance.

Return: The operation shall return an unmodifiable, non-empty, string.

7.3.1.2.10 get_observable_schemas

This operation shall return a collection of all *ObservableSchema* instances that have been created in an *InstrumentationService*. An empty collection will be returned if the *InstrumentationService* does not contain any *ObservableSchema* yet.

Return: The operation shall return a collection of ObservableSchema instances.

7.3.1.2.11 get_observable_scopes

This operation shall return a collection of all *ObservableScope* instances that have been created in an *InstrumentationService*. An empty collection will be returned if the *InstrumentationService* does not contain any *ObservableScope* yet.

Return: The operation shall return a collection of ObservableScope instances.

7.3.1.2.12 lookup_data_processor

This operation shall search among the *DataProcessor* instances created in an *InstrumentationService* and return the one identified by the specified name.

If an instance by that name is found, the operation shall return it and set retcode to RETCODE_OK.

If no matching instance is found, the operation shall return 'nil' (as defined by the platform [PSM]) and set *retcode* to RETCODE_ERROR.

Parameter name: The name of the DataProcessor to lookup.

Parameter *retcode*: The operation shall return RETCODE_OK if a matching *DataProcessor* was found in the *InstrumentationService*, RETCODE_BAD_PARAMETER if a bad value was specified for the *name* parameter, and RETCODE_ERROR if no matching instance was found or there was any other type of error.

Return: The operation shall return a *DataProcessor* in case of success (RETCODE_OK), or 'nil' (as defined by the platform [PSM]) otherwise

7.3.1.2.13 lookup_observable_schema

This operation shall search among the *ObservableSchema* instances created in an *InstrumentationService* and return the one identified by the specified name.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

If an instance by that name is found, the operation shall return it and set retcode to RETCODE_OK.

If no matching instance is found, the operation shall return 'nil' (as defined by the platform [PSM]) and set *retcode* to RETCODE_ERROR.

Parameter name: The name of the ObservableSchema to lookup.

Parameter *retcode*: The operation shall return RETCODE_OK if a matching *ObservableSchema* was found in the *InstrumentationService*, RETCODE_BAD_PARAMETER if a bad value was specified for the *name* parameter, and RETCODE_ERROR if no matching instance was found or there was any other type of error.

Return: The operation shall return an *ObservableSchema* in case of success (RETCODE_OK), or 'nil' (as defined by the platform [PSM]) otherwise.

7.3.1.2.14lookup_observable_scope

This operation shall search among the ObservableScope instances created in an InstrumentationService and return the one identified by the specified name.

If an instance by that name is found, the operation shall return it and set retcode to RETCODE_OK.

If no matching instance is found, the operation shall return 'nil' (as defined by the platform [PSM]) and set *retcode* to RETCODE_ERROR.

Parameter name: The name of the ObservableScope to lookup.

Parameter *retcode*: The operation shall return RETCODE_OK if a matching *ObservableScope* was found in the *InstrumentationService*, RETCODE_BAD_PARAMETER if a bad value was specified for the *name* parameter, and RETCODE_ERROR if no matching instance was found or there was any other type of error.

Return: The operation shall return an *ObservableScope* in case of success (RETCODE_OK), or 'nil' (as defined by the platform [PSM]) otherwise.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

7.3.2 Data Representation Module

The Data Representation Module is comprised of the following classifiers:

- ObservableSchema
- Field
- Observation
- ObservationFlagKind




Figure 8 Data Representation Module

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

7.3.2.1 ObservableSchema

An ObservableSchema describes the structure of application data collected at run-time.

Each *ObservableSchema* defines a complex data-type composed of a collection of named fields, each one containing a value of application data. Values stored in an *ObservableSchema*'s field may be of two types:

- A single value of a primitive type, such as numbers, characters or strings.
- A bounded sequence of values of a primitive type.

ObservableSchema instances are created and managed by an InstrumentationService. They expose operations to define new Field entries and inspect the resulting type definition dynamically through reflection.

ObservableSchema				
No Attributes				
Operations				
		Field		
	name	String		
create_field	properties	FieldProperties		
	[out] retcode	ReturnCode		
get_fields		Field[]		
get_name		String		
		ReturnCode		
lookup_field	name	String		

7.3.2.1.1 create_field

This operation shall create a new Field instance and add it to the collection of fields of an ObservableSchema.

The Field will have the specified name and it will be initialized using the specified properties.

If creation succeeds, the operation shall return the new *Field* and set *retcode* to RETCODE_OK. If a *Field* with the same name already exists, the operation shall fail, returning 'nil' (as defined by the platform [PSM]) and set *retcode* to RETCODE PRECONDITION NOT MET.

If the *ObservableSchema* has already been set to 'active' state in the *InstrumentationService* (by invoking the *InstrumentationService's activate_observable_schema* operation), the operation shall fail, returning 'nil' and setting *retcode* to RETCODE_PRECONDITION_NOT_MET.

The operation shall assign a numerical index to the new *Field*, which uniquely identifies the new *Field* within the context of the enclosing *ObservableSchema*.

Parameter name: name of the new Field to create.

Parameter *properties*: an instance of *FieldProperties* specifying the properties for the new *Field*. If attribute *type* is one of the sequence data types, then *max_length* must be greater than 0 and specifies the maximum length of the sequence. If attribute *type* is a primitive data type, *max_length* will be ignored. If *type* is one of TYPE_STRING8, TYPE_STRING32, TYPE_STRING8_SEQ, or TYPE_STRING32_SEQ, string_max_length must present a value greater than 0, indicating the maximum length of a string stored in the *Field*. If *type* is one-string type, *string_max_length* will be ignored. If a *Field* with the same name already exists, this attribute is ignored.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

24

Parameter *retcode*: The operation shall return RETCODE_OK if the new *Field* was successfully created and added to the *ObservableSchema*. RETCODE_PRECONDITION_NOT_MET if an existing *Field* with the same *name* was found locally or if the *ObservableSchema* is already in 'active' state and cannot be modified, RETCODE_BAD_PARAMETER if values specified for parameters *properties* and/or *name* were incorrect, and RETCODE_ERROR if there was any other type of error.

7.3.2.1.2 get_fields

This operation shall return a collection of all *Field* instances that have been created in an *ObservableSchema*. An empty collection will be returned if the *ObservableSchema* does not contain any *Field* yet.

Return: The operation shall return a collection of DataProcessor instances.

7.3.2.1.3 get_name

This operation shall return a string containing the name of an ObservableSchema instance.

Return: The operation shall return an unmodifiable, non-empty, string.

7.3.2.1.4 lookup_field

This operation shall search among the *Field* instances created in an *ObservableSchema* and return the one identified by the specified name.

If an instance by that name is found, the operation shall return it and set retcode to RETCODE_OK.

If no matching instance is found, the operation shall return 'nil' (as defined by the platform [PSM]) and set *retcode* to RETCODE_ERROR.

Parameter name: The name of the Field to lookup.

Parameter *retcode*: The operation shall return RETCODE_OK if a matching *Field* was found in the *ObservableSchema*, RETCODE_BAD_PARAMETER if a bad value was specified for the *name* parameter, and RETCODE_ERROR if no matching instance was found or there was any other type of error.

Return: The operation shall return a *Field* in case of success (RETCODE_OK), or 'nil' (as defined by the platform [PSM]) otherwise

7.3.2.2 Field

A Field instance describes a single field in an ObservableSchema. It provides an interface to access its properties.

Fields shall have a unique order within an *ObservableSchema*, which is reflected by the index assigned to each of them at creation. The value of each field's index can determined using the *get_index* operation provided by the *Field* interface.

Field			
No Attributes			
Operations			
get_field_max_length	Integer		
get_index	Integer		
get_name	String		
get_string_max_length	Integer		
get_type	DataValueKind		

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 P Deleted: Beta1

7.3.2.2.1 get_field_max_length

This operation shall return the maximum number of values that can be stored in a *Field*. This value is always 1 for all primitive values. *Field* instances of a sequence type shall return a positive integer corresponding to the maximum length of sequences that can be stored in the *Field*.

Return: The operation shall return an integer value greater than 0. If the *Field* is of primitive type, the operation shall return 1.

7.3.2.2.2 get_index

This operation shall return the unique, 0-based, index that identifies the Field within its enclosing ObservableSchema.

Return: The operation shall return an integer value between 0 and N-1, where N is the number of *Field* instances in the *ObservableSchema*.

7.3.2.2.3 get_name

This operation shall return a string containing the name of a Field instance.

Return: The operation shall return an unmodifiable, non-empty, string.

7.3.2.2.4 get_string_max_length

This operation shall return the maximum length of all strings contained in a *Field*. This value shall only be used if the *Field*'s type is one of TYPE_STRING8, TYPE_STRING32, TYPE_STRING8_SEQ, or TYPE_STRING32_SEQ.

Return: The operation shall return an integer value greater than 0 if the *Field* is of type TYPE_STRING8, TYPE_STRING32, TYPE_STRING8_SEQ, or TYPE_STRING32_SEQ. Otherwise, the return value of this operation is undefined.

7.3.2.2.5 get_type

This operation shall return the type of the value that can be stored in a *Field*. The type is represented by a value of the enumeration type *DataValueKind* defined by the Data Type Module (see 7.3.4).

Return: One of the values of enumeration DataValueKind.

7.3.2.3 Observation

An *Observation* shall contain a sample of data collected from an instrumented application. *Observation* instances provide an interface to access instrumented data and to dynamically determine its structure by inspecting the associated *ObservableSchema*.

An Observation may carry a time-stamp to identify the instant when it was generated by the application's code.

A set of flags is associated with each *Observation*. Flags are used to control the life cycle of an *Observation*, for example to control its processing and distribution.

Observation	
No Attributes	
Operations	
get_generation_timestamp	UTCTime
get_observable_schema	ObservableSchema
get_sequence_number	Integer

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

26

		Т
get_value <t:datavalue></t:datavalue>	field_index	Integer
	[out]	ReturnCode
		Boolean
is_flag_set	flag	ObservationFlagKind
		ReturnCode
set_flag	flag	ObservationFlagKind
		ReturnCode
set value <t:datavalue></t:datavalue>	field index	Integer
	value	Т
reset_flags		ReturnCode
		ReturnCode
unset_flag	flag	ObservationFlagKind

7.3.2.3.1 get_generation_timestamp

This operation shall return an *UTCTime* value indicating when the *Observation* was generated. If a time-stamp was not collected when the *Observation* was generated, the operation shall return the special value APPINST_UTCTIME_INVALID.

Return: The operation shall return an *UTCTime* value containing the *Observation*'s generation time-stamp or special value APPINST_UTCTIME_INVALID if no generation time-stamp is present.

7.3.2.3.2 get_observable_schema

This operation shall return the ObservableSchema associated with the value contained in an Observation.

Return: The operation shall return an ObservableSchema.

7.3.2.3.3 get_sequence_number

This operation shall return a positive integer value representing the sequence number of the *Observation* with respect to its generating source. *Observation* instances generated from the same source can be totally ordered by increasing sequence number. The resulting order shall reflect exactly the order in which the *Observation* instances where generated by their source.

The first Observation generated by a source shall have sequence number 1.

Return: The operation shall return an integer value.

7.3.2.3.4 get_value<T>

This operation shall return the value stored by an *Observation* for a specific *Field* of its *ObservableSchema*. The *Observation* shall contain a value for each *Field* contained in the *ObservableSchema*. If a *Field* with the specified *field_index* exists in the *ObservableSchema*, the operation shall return the value stored for the *Field* by the *Observation* and set *retcode* to RETCODE_OK.

The operation shall expose a parameter T, which may be type *DataValue* or one of its sub-classes, specifying the type of value that must be returned to the application. If the specified type is different from the requested *Field*'s data type and

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

the value stored in the *Observation* cannot be converted to the requested type, the operation shall return the default value of data type T and set *retcode* to RETCODE_PRECONDITION_NOT_MET.

If the specified *field_index* does not match the index of any of the *Field* instances contained in the *Observation*'s *ObservableSchema*, the operation shall return 'nil' and set *retcode* to RETCODE_BAD_PARAMETER.

Parameter field index: The index of the Field of the Observation's ObservableSchema whose value must be returned.

Parameter *retcode*: The operation shall return RETCODE_OK if a *Field* with the specified *index* was found in the *Observation's ObservableSchema* and its value was successfully returned, RETCODE_BAD_PARAMETER if no matching *Field* was found for the specified *index*, RETCODE_PRECONDITION_NOT_MET if the data type of the selected field cannot be converted to the requested T data type, RETCODE_ERROR if any other type of error occurred.

Return: On success (RETCODE_OK), the operation shall return the value of the selected *Field*, converted to data type T, or the default value defined for T if any error occurred.

7.3.2.3.5 is_flag_set

This operation shall check if a flag (identified by a value of enumeration *ObservationFlagKind*) is currently in 'set' state in an *Observation*.

If the specified value does not identify any valid flag of this *Observation*, the operation shall do nothing and return *False*. **Parameter** *flag***:** The *Observation*'s flag to check.

Return: The operation shall return *True* if the specified flag is in 'set' state, *False* if it's in the 'unset' one or the specified *flag* does not exist.

7.3.2.3.6 reset_flags

This operation shall set the state of all flags in an *Observation* to 'unset'. Calling operation the *Observation*'s is <u>flag_set</u> on any flag (identified by a value of enumeration *ObservationFlagKind*) shall always return *False* if this operation completed successfully and <u>set_flag</u> was never called yet on the specific <u>flag</u> after <u>reset_flags</u>.

If a flag is already in state 'unset', this operation shall do nothing.

Return: The operation shall return RETCODE_OK if all flags were successfully transitioned to state 'unset' or were already in state 'unset', RETCODE_NOT_MODIFIED if all flags were already in state 'unset', RETCODE_ERROR if any error prevented all flags from being set to state 'unset'.

7.3.2.3.7 set_flag

This operation shall set the state of a flag (identified by a value of enumeration *ObservationFlagKind*) in an *Observation* to 'set'. Calling operation the *Observation*'s *is_flag_set* on the same flag shall always return *True* if this operation completed successfully and *unset_flag* was never called yet on the specific *flag* after *set_flag*.

If the specified value does not identify any valid flag of this *Observation*, the operation shall do nothing and return RETCODE_BAD_PARAMETER.

Parameter *flag*: The Observation's flag to set.

Return: The operation shall return RETCODE_OK if the flag's was successfully transitioned from state 'unset' to state 'set', RETCODE_NOT_MODIFIED if the flag was already in 'set' state, RETCODE_BAD_PARAMETER if the specified *flag* does not exist, RETCODE_ERROR if any other error occurred while changing the flag's state.

7.3.2.3.8 set_value<T>

This operation shall store a value in an *Observation* for a specific *Field* of its *ObservableSchema*. If a *Field* with the specified *field_index* exists in the *ObservableSchema*, the operation shall store the value in the *Observation* and return RETCODE_OK. The operation shall provide all memory required to make a copy of the value and store it in the *Observation*. If an error occurs creating a copy of the value, the operation shall fail and return RETCODE_ERROR.

The operation shall expose a parameter T, which can be *DataType* or one its sub-classes of *DataValue*, specifying the type of value that is passed by the application and must be set in the *Observation*. If the specified type is incompatible

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

with the requested *Field*'s data type and the value cannot be converted to the specified type, the operation shall fail and return RETCODE_PRECONDITION_NOT_MET.

If the specified *field_index* does not match the index of any of the *Field* instances contained in the *Observation*'s *ObservableSchema*, the operation shall fail and return RETCODE_BAD_PARAMETER.

If the operation fails, the value stored by the *Observation* for the specified *Field* shall not be modified. Calling *get_value* on the *Observation* with the same *field_index* shall return the same value before and after the operation is invoked.

Parameter field_index: The index of the Field of the Observation's ObservableSchema whose value must be set.

Parameter value: The value to store in the Observation.

Return: The operation shall return RETCODE_OK if a *Field* with the specified *index* was found in the *Observation*'s *ObservableSchema* and the specified *value* was successfully copied into the *Observation*, RETCODE_BAD_PARAMETER if no matching *Field* was found for the specified *index*, RETCODE_PRECONDITION_NOT_MET if the specified *value* of type T cannot be converted to the type of the selected *Field*, RETCODE_ERROR if an error occurred while creating a copy of the *value* or any other type of error occurred

7.3.2.3.9 unset_flag

This operation shall set the state of a flag (identified by a value of enumeration *ObservationFlagKind*) in an *Observation* to 'unset'. Calling operation the *Observation*'s is *flag_set* on the same flag shall always return *False* if this operation completed successfully and *set_flag* was never called yet on the specific *flag* after *unset_flag*.

If the specified value does not identify any valid flag of this *Observation*, the operation shall do nothing and return RETCODE_BAD_PARAMETER.

Parameter flag: The Observation's flag to unset.

Return: The operation shall return RETCODE_OK if the flag's was successfully transitioned from state 'set' to state 'unset', RETCODE_NOT_MODIFIED if the flag was already in 'unset' state, RETCODE_BAD_PARAMETER if the specified *flag* does not exist, RETCODE_ERROR if any other error occurred while changing the flag's state.

7.3.2.4 ObservationFlagKind

This enumeration shall define all the valid flags that may be manipulated in an *Observation* instance using its *is_flag_set*, *set_flag*, *unset_flag*, and *reset_flags* operations.

7.3.2.4.1 KEEP

This flag shall have the following meaning:

- 'unset' state: The *Observation* may be reused to store new values as soon as the instrumentation infrastructure has finished processing it and, if requested, distributing it to the *Instrumentation Domain*.
- 'set' state: The Observation shall not be reused to store new values until it is explicitly disposed.

7.3.2.4.2 LOCAL

This flag shall have the following meaning:

- 'unset' state: The *Observation* may be made visible outside of the *InstrumentationService* where it was generated and distributed to the *Instrumentation Domain*.
- 'set' state: The *Observation* shall not be distributed to the *Instrumentation Domain* and it should not be exposed outside the boundaries of the *InstrumentationService* where it was generated.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1



7.3.3 Data Collection Module

The Data Collection Module is comprised of the following classifiers:

- ObservableScope
- ObservableObject
- DataProcessor
- DataProcessorArgs
- DataProcessorState




Figure 9 Data Collection Module

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

Application Instrumentation, Version 1.0

7.3.3.1 ObservableScope

An *ObservableScope* shall define a single-threaded execution context where *Observation* instances generated by multiple *ObservableObject* instances are collected, processed, and distributed to the *Instrumentation Domain*.

An ObservableScope manages a set of ObservableObject instances. It collects new Observation objects created by each ObservableObject and it may invoke the services of DataProcessor instances attached to the ObservableObject instances.

An ObservableScope processes data per-ObservableObject, extracting new Observation values from each of its managed ObservableObject instances. Implementations of this specification may provide configurable policies to control how the ObservableObject are polled for new data values. These policies may control when an ObservableObject is polled for new Observation objects (e.g. periodically, upon notification, etc.) and may also enable configuration of advanced aspects, such as, collection ordering. Extensions to the ObservableScopeProperties structure and/or the ObservableObjectProperties structure may be defined by implementations to configure these policies. These extended policies are not specified in this specification. This specification only provides means to control how many Observation instances an ObservableScope may collect at most each time it processes an ObservableObject.

An ObservableScope guarantees that Observation objects obtained from two ObservableObject instances belonging to the same scope will never be processed concurrently. Collection, processing and distribution of newly generated Observation objects shall occur within the single-threaded context associated with the ObservableScope. Independently of the policies controlling the frequency of these operations and the order in which ObservableObject instances are processed, the ObservableScope shall always process Observation objects from a single ObservableObject instance at a time.

An ObservableScope shall periodically perform the following operations for each ObservableObject instance:

- Collect new Observation objects, generated by that ObservableObject, that have not been processed yet in a collection ordered by increasing sequence number (as reported by each Observation's get_sequence_number operation). If the size of the collection is limited¹, it shall include the oldest unprocessed Observation (the one with the lowest sequence number) and any following Observation fitting within the collection's boundaries.
- Invoke the process_observations operation of the DataProcessor attached to the ObservableObject, if a
 DataProcessor has been attached to the ObservableObject. The operation shall be invoked passing the
 following values to its parameters:
 - o observations: the collection of newly extracted unprocessed Observation objects.
 - o object: the ObservableObject currently being processed by the ObservableScope.
 - scope_state: the DataProcessorState returned when the ObservableScope invoked the DataProcessor's attach_to_observable_scope operation.
 - object_state: the DataProcessorState returned when the ObservableObject invoked the DataProcessor's attach_to_observable_object operation.
- Distribute any Observation object contained in the collection that does not have flag LOCAL in state 'set' to the Instrumentation Domain.
- Store any Observation object contained in the collection that has flag KEEP in state 'set' into the
 ObservableObject's observation history, so that it shall become part of the collection returned by the
 ObservableObject's get_observation_history operation.
- Return any *Observation* object contained in the collection that has flag KEEP in state 'unset' to the *ObservableObject* that generated it so that it may be reused to store new observations.

¹ Recall that a limit on the maximum number of *Observation* values to collect per-*ObservableObject* is specified in the *ObservableScope's* initialization properties.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

An *ObservableScope* shall guarantee that all *Observation* objects created by a successful invocation of an *ObservableObject*'s *save_observation* operation will be eventually collected and processed in the same order as they were generated by the *ObservableObject*.

The execution context of an *ObservableScope* and the collection of data from *ObservableObject* objects may be dynamically enabled or disabled. If data-collection is disabled, the execution context of an *ObservableScope* shall be stopped, interrupting the extraction of new *Observation* objects from any of its contained *ObservableObject* instances.

An *ObservableScope* shall not be required to provide a multi-thread safe interface. Only operations that explicitly state so may be safely invoked when the execution context of an *ObservableScope* is enabled and performing data-collection.

Implementations of this specification may decide to execute the data-collection operations performed by an *ObservableScope* on any thread, as long as the requirement for single-threaded execution context is satisfied (i.e. all the operations are performed by the same thread). This will allow an *ObservableScope*'s operation to be naturally supported on different threads than the application's ones, possibly limiting the overhead caused by instrumentation code added to the application. Mapping of *ObservableScope* instances and threads is not specified by this specification. Implementations may provide additional parameters in *InstrumentationServiceProperties* and/or

ObservableScopeProperties to configure how many threads should be used by all the *ObservableScope* instances of an *InstrumentationService* and on which thread(s) each *ObservableScope* should be executed.

ObservableScope		
No Attributes		
Operations		
		ObservableGroup
	name	String
create_observable_object	properties	ObservableObjectProperties
	[out] retcode	ReturnCode
		ReturnCode
delete_observable_object	object	ObservableObject
disable_data_collection		ReturnCode
enable_data_collection		ReturnCode
get_name		String
get_observable_objects		ObservableObject[]
get_service		InstrumentationService
is_data_collection_ enabled		ObservableScope
		ObservableObject
lookup_observable_object	name	String
	[out] retcode	ReturnCode

7.3.3.1.1 create_observable_object

This operation shall create or retrieve an ObservableObject instance.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

32

The new *ObservableObject* shall have the specified *name* and it shall be initialized using the specified *properties*. If the creation succeeds, the operation shall return the newly created *ObservableObject* and set *retcode* to RETCODE_OK. If an *ObservableObject* instance with the same *name* already exists in the *ObservableScope*, the operation shall return the existing instance and set *retcode* to RETCODE_NOT_MODIFIED.

If the special value APPINST_OBSERVABLE_OBJECT_PROPERTIES_DEFAULT is passed as the *properties* argument, the operation shall use the value returned by the *get_default_observable_object_properties* operation on the *DefaultConfigurationTable* instance.

If the *observable_schema_name* attribute of the specified *properties* is 'nil' (as specified by the platform [PSM]) or no *ObservableSchema* instance is returned by invoking the *lookup_observable_schema* operation on the enclosing *InstrumentationService* with the specified name, the operation shall fail, returning 'nil' (as specified by the platform [PSM]) and set *retcode* to RETCODE_BAD_PARAMETER.

If the *data_processor_name* attribute of the specified *properties* contains a non-empty string, the operation shall retrieve the specified *DataProcessor*, using the enclosing *InstrumentationService*'s *lookup_data_processor* operation, and pass it to the newly created *ObservableObject*'s *attach_data_processor* operation.

If the *DataProcessor* cannot be found in the *InstrumentationService*, the operation shall not create an *ObservableObject*, return 'nil' (as specified by the platform [PSM]) and set *retcode* to RETCODE_BAD_PARAMETER.

If the *ObservableObject*'s *attach_data_processor* fails, the *create_observable_object* operation shall undo any side effects performed by operation, including deleting the newly created *ObservableObject* if one had been created. In this situation the operation shall return 'nil' (as specified by the platform [PSM]) and set *retcode* to RETCODE_ERROR.

If generation of *Observation* instances is enabled in the specified *properties* (by setting attribute *enable_save_observation* to *True*), after successfully creating the new *ObservableObject* and possibly attaching a *DataProcessor* to it, the operation shall invoke the *ObservableObject*'s *enable_save_observation* operation. If this operation returns a value other than RETCODE_OK, the operation shall undo any side effects performed by operation, including deleting the newly created *ObservableObject* if one had been created. In this situation the operation shall return 'nil' (as specified by the platform [PSM]) and set *retcode* to RETCODE_ERROR.

If the creation fails, the operation shall return 'nil' (as defined by the platform [PSM]) and set *retcode* to RETCODE_ERROR.

Parameter name: The name to assign to the new ObservableObject.

Parameter *properties*: An *ObservableObjectProperties* structure used to configure the new *ObservableObject*. If an *ObservableObject* with the specified *name* already exists, this Parameter is ignored. The value APPINST_OBSERVABLE_OBJECT_PROPERTIES_DEFAULT may be specified in order to use the default value returned by the *DefaultConfigurationTable's get_default_observable_object_properties* operation.

Parameter *retcode*: The operation shall return RETCODE_OK if the new *ObservableObject* was successfully created. RETCODE_NOT_MODIFIED if an existing *ObservableObject* with the same *name* was found locally, RETCODE_PRECONDITION_NOT_MET if data-collection is enabled in the *ObservableScope*, RETCODE_BAD_PARAMETER if values specified for parameters *properties* and/or *name* were incorrect, and RETCODE_ERROR if a *DataProcessor* could not be attached to the *ObservableObject*, if the generation of *Observation* instances could not be enabled on the newly created *ObservableObject* of if there was any other type of error.

Return: The operation shall return an *ObservableObject* in case of success (RETCODE_OK or RETCODE_NOT_MODIFIED), or 'nil' (as defined by the platform [PSM]) in case of error.

7.3.3.1.2 delete_observable_object

This operation shall delete an existing ObservableObject instance from an ObservableScope.

If data-collection is enabled in the *ObsersableScope*, the operation shall do nothing and return RETCODE_PRECONDITION_NOT_MET.

If the *ObservableObject* has a DataProcessor attached, the operation shall do nothing and return RETCODE_PRECONDITION_NOT_MET. .

If the ObservableObject instance is successfully deleted, the operation shall return RETCODE OK.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

The operation shall fail and return RETCODE_BAD_PARAMETER if the *ObservableScope* performing the operation did not create the *ObservableObject* to be deleted.

Parameter schema: the ObservableObject to delete.

Return: The operation shall return RETCODE_OK if the *ObservableObject* was successfully deleted from the *ObservableScope*, RETCODE_PRECONDITION_NOT_MET if data collection is currently enabled in the *ObservableScope* or a *DataProcessor* could not be detached from the *ObservableObject*, RETCODE_BAD_PARAMETER if the specified *ObservableObject* was not created by this *ObservableScope*, and RETCODE_ERROR if any other type of error occurred.

7.3.3.1.3 disable_data_collection

This operation shall disable data-collection in an *ObservableScope*, deactivating its single-threaded execution context. If data-collection is successfully disabled, the operation shall return RETCODE OK.

If data-collection and the *ObservableScope*'s execution context are already disabled, the operation shall do nothing and return RETCODE_NOT_MODIFIED.

If any error prevents data-collection from being disabled, the operation shall return RETCODE_ERROR

Return: The operation shall return RETCODE_OK if data-collection was successfully disabled in the *ObservableScope*, RETCODE_NOT_MODIFIED if data-collection was already disabled, RETCODE_ERROR if any error prevented data-collection from being disabled.

7.3.3.1.4 enable_data_collection

This operation shall enable data-collection in an *ObservableScope*, activating its single-threaded execution context. If data-collection is successfully enabled, the operation shall return RETCODE_OK.

If data-collection and the *ObservableScope*'s execution context are already enabled, the operation shall do nothing and return RETCODE_NOT_MODIFIED.

If any error prevents data-collection from being enabled, the operation shall return RETCODE_ERROR

Return: The operation shall return RETCODE_OK if data-collection was successfully enabled in the *ObservableScope*, RETCODE_NOT_MODIFIED if data-collection was already enabled, RETCODE_ERROR if any error prevented data-collection from being enabled.

7.3.3.1.5 get_name

This operation shall return a string containing the name of an ObservableScope instance.

This operation may be safely invoked while data-collection is enabled in the ObservableScope.

Return: The operation shall return an unmodifiable, non-empty, string.

7.3.3.1.6 get_observable_objects

This operation shall return a collection of all *ObservableObject* instances that have been created in an *ObservableScope*. An empty collection shall be returned if the *ObservableScope* does not contain any *ObservableObject* yet.

This operation may be safely invoked while data-collection is enabled in the ObservableScope.

Return: The operation shall return a collection of ObservableObject instances.

7.3.3.1.7 get_service

This operation shall return the InstrumentationService that created an ObservableScope instance.

This operation may be safely invoked while data-collection is enabled in the ObservableScope.

Return: The operation shall return an InstrumentationService instance.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

34

7.3.3.1.8 is_data_collection_enabled

This operation shall check the current state of data-collection in an ObservableScope.

Return: The operation shall return *True* if the *ObservableScope*'s execution context is currently active and datacollection is enabled, *False* otherwise.

7.3.3.1.9 lookup_observable_object

This operation shall search among the *ObservableObject* instances created in an *ObservableScope* and return the one identified by the specified name.

If an instance by that name is found, the operation shall return it and set retcode to RETCODE_OK.

If no matching instance is found, the operation shall return 'nil' (as defined by the platform [PSM]) and set *retcode* to RETCODE_ERROR.

This operation may be safely invoked while data-collection is enabled in the ObservableScope.

Parameter name: The name of the ObservableObject to lookup.

Parameter *retcode*: The operation shall return RETCODE_OK if a matching *ObservableObject* was found in the *ObservableScope*, and RETCODE_ERROR if no matching instance was found or there was any other type of error.

Return: The operation shall return an *ObservableObject* in case of success (RETCODE_OK), or 'nil' (as defined by the platform [PSM]) otherwise.

7.3.3.2 ObservableObject

An *ObservableObject* represents a source of instrumented application data. Applications may generate samples of instrumented data during their execution by using the interface of *ObservableObject* to associate application data-objects with any field of an *ObservableSchema* and then capture a snapshot of these values in an *Observation*.

An *ObservableObject* shall be associated with a single *ObservableSchema*, which describes the structure and nature of data that can be provided by applications through that *ObservableObject*.

Applications shall use the *ObservableObject* to specify values contained in each field of an *Observation* and then invoke the *ObservableObject*'s *save_observation* operation to store these values in an *Observation*, which may be collected by the *ObservableScope* managing the *ObservableObject*.

Applications may provide data for a specific field using two types of operations:

- A setter operation, called *set_value*, which shall store the specified value (of one of the supported sub-types of *DataValue*) in internal buffers of the *ObservableObject*.
- A binding operation, called *bind_value*, which shall associate the values of a field of the *ObservableObject* with an external data source (represented by a *DataValueSource* instance) contained in the application's data space.

An ObservableObject shall maintain in its internal state any value successfully stored using the *set_value* operation and any reference to external date sources provided using the *bind_value* operation. This allows the values of fields in an ObservableObject to be specified incrementally by the application, before a snapshot is captured in an Observation using the *save_observation* operation.

When *save_observation* is invoked, the values associated with each field by the *ObservableObject* shall be copied to the corresponding fields of the *Observation object* being generated. The value of fields that were bound by *bind_value* shall be determined by sampling the associated external data source at the time the operation *save_observation* is executed.

An ObservableObject shall provide configuration parameters to control the number of Observation objects it may allocate during the application's execution. This limit controls the amount of resources used to store instrumentation data and offers a trade-off between performance and accuracy of the observed behavior. An ObservableObject shall reuse any Observation objects that its ObservableScope returns to it, after processing and distribution, once the maximum number of Observation objects have been allocated. The save_observation operation may fail if all available Observation objects have been allocated and the associated ObservableScope is still currently processing all of them. Application may set a maximum amount of time (ranging from 0 to infinity) that the save_observation operation may block execution of

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1



an application waiting for an Observation object to be made available, before failing.

Generation of *Observation* objects may also be dynamically enabled and disabled by an application. When generation of *Observation* objects is disabled, the *save_observation* operation shall have no effect.

The operations of an *ObservableObject* do not offer safety with respect to invocation from multiple threads of execution for the generation of *Observation* objects. An *ObservableObject's save_observation* shall be used to generate data only from a single thread at a time.

An ObservableObject shall allow invocation of its enable_observation and disable_observation operations from threads concurrent to any other thread using the ObservableObject to generate data. The ObservableObject shall guarantee that the change of status will be eventually propagated to the thread generating data.

ObservableObject		
No Attributes		
Operations	1	
		ReturnCode
attach_data_processor	processor	DataProcessor
		ReturnCode
bind_value <t:datavalue></t:datavalue>	field_index	Integer
	value_source	DataValueSource <t></t>
		DataProcessor
detach_data_processor	[out] retcode	ReturnCode
disable_save_observation		ReturnCode
enable_save_observation		ReturnCode
get_data_processor		DataProcessor
get_name		String
get_observable_schema		ObservableSchema
get_observable_scope		ObservableScope
get_observation_history		Observation[]
is_save_observation_ enabled		Boolean
		Boolean
is_value_bound	field_index	Integer
remove_observation_		ReturnCode
from_history	observation	Observation
save_observation		ReturnCode
set_value <t:datavalue></t:datavalue>		ReturnCode

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

36

	field_index	Integer
	value	Т
		ReturnCode
unbind_value	field_index	Integer

7.3.3.2.1 attach_data_processor

This operation shall attach a *DataProcessor* to an *ObservableObject*. The *DataProcessor* shall be used by the *ObservableScope* that manages the *ObservableObject* to process all *Observation* objects generated by the *ObservableObject*.

If the same *DataProcessor* is already attached to the *ObservableObject*, the operation shall return RETCODE_NOT_MODIFIED.

If another *DataProcessor* is already attached to the *ObservableObject*, the operation shall fail and return RETCODE_PRECONDITION_NOT_MET.

If this is the first *ObservableObject* instance attached to this *DataProcessor* within the enclosing *ObservableScope*, the operation shall invoke *attach_to_observable_scope* operation of the *DataProcessor*, with the following parameters:

• scope: The ObservableScope that created the ObservableObject

The DataProcessorState value returned by the DataProcessor shall be stored by the ObservableScope if it is different than 'nil' (as specified by the platform [PSM]).

If the *attach_to_observable_scope* operation returns a return code different from RETCODE_OK, the *attach_data_processor* operation shall fail and return RETCODE_ERROR.

After having successfully attached the *DataProcessor* to the *ObservableObject*'s *ObservableScope*, the operation shall invoke the *DataProcessor*'s *attach_to_observable_object* operation with the following parameters:

- object: the ObservableObject performing the attach_data_processor operation.
- scope_state: he DataProcessorState value returned when the ObservableScope invoked the DataProcessor's attach_to_observable_scope operation.

The DataProcessorState value returned by the DataProcessor shall be stored by the ObservableObject if it is different than 'nil' (as specified by the platform [PSM]).

If the *attach_to_observable_object* operation returns a return code different from RETCODE_OK, the *attach_data_processor* operation shall fail and return RETCODE_ERROR.

If all operations succeed with return code RETCODE_OK, the *attach_data_processor* operation shall return RETCODE_OK.

This operation may be safely invoked while data-collection is enabled in the enclosing *ObservableScope*. Implementations shall guarantee that the newly attached *DataProcessor* will be eventually used to process the *Observation* instances generated by the *ObservableObject* and collected by the *ObservableScope*'s execution context.

Parameter processor: The DataProcessor to be attached to the ObservableObject.

Return: The operation shall return RETCODE_OK if the *DataProcessor* was successfully attached to the *ObservableObject* (and possibly the enclosing *ObservableScope*), RETCODE_ERROR if any of the *DataProcessor*'s *attach_to_observable_scope* and *attach_to_observable_object* failed, RETCODE_ERROR if any other error prevented the *DataProcessor* from being attached to the *ObservableObject*.

7.3.3.2.2 bind_value<T>

This operation shall create a binding inside an *ObservableObject* instance, between an external data source of type T (represented by a *DataValueSource* instance of type T) and one of the fields of an *ObservableObject*'s *ObservableSchema*. The value reported by the *FieldValueSource* shall be sampled by the *ObservableObject*'s

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

save observation operation and copied to any new Observation.

If the specified *index* does not match the index of any of the *Field* instances contained in the *ObservableObject*'s *ObservableSchema*, the operation shall fail and return RETCODE_BAD_PARAMETER.

If the specified T data type is not compatible with the value of the selected *Field*, the operation shall fail and return RETCODE_ERROR.

The operation shall release any memory that might have been previously required to store a value for the *Field* specified using the *set_value* operation.

Parameter *field_index:* An integer identifying the *index* of the *ObservableSchema*'s *Field* to which the *DataValueSource* must be bound.

Parameter source: a FieldValueSource instance that will be bound to the selected Field.

Return: The operation shall return RETCODE_OK if the specified *source* was successfully bound in the *ObservableObject* and is now associated with the specified *Field* of its *ObservableSchema*, RETCODE_BAD_PARAMETER if the specified *index* does not identify any *Field* of the *ObservableSchema*, RETCODE_ERROR if the specified *source* is of an incompatible data type or if any other error prevented the *ObservableObject* from binding the specified *source*.

7.3.3.2.3 detach_data_processor

This operation shall detach a *DataProcessor* from an *ObservableObject*, causing the enclosing *ObservableScope* to stop using the *DataProcessor* to process any *Observation* instance generated by the *ObservableObject*.

If the *ObservableObject* has no *DataProcessor* instance currently attached to it, the operation shall do nothing and return RETCODE_NOT_MODIFIED.

The operation shall invoke the *DataProcessor*'s *detach_from_observable_object* operation, passing the following parameters:

- *object:* the *ObservableObject* performing the *detach_data_processor* operation.
- scope_state: The DataProcessorState value returned when the enclosing ObservableScope invoked the DataProcessor's attach_to_observable_scope operation.
- object_state: he DataProcessorState value returned when the ObservableObject invoked the DataProcessor's attach_to_observable_object operation.

If this operation returns a value other than RETCODE_OK, the *detach_data_processor* operation shall fail and return *RETCODE_ERROR*.

If this is the last *ObservableObject* instance the *DataProcessor* is attached to within the enclosing *ObservableScope*, the operation shall invoke the *DataProcessor*'s *detach_from_observable_scope* operation with the following parameters:

- scope: the ObservableScope containing the ObservableObject performing the detach_data_processor operation.
- scope_state: the DataProcessorState value returned when the ObservableScope invoked the DataProcessor's attach_to_observable_scope operation.

If this operation returns a value other than RETCODE_OK, the *detach_data_processor* operation shall fail and return *RETCODE_ERROR*.

Implementations are not required to support invocation of this operation while data-collection is enabled in the enclosing *ObservableScope*. Undetermined behavior may arise if a *DataProcessor* instance is detached from an *ObservableObject* while the *ObservableScope* is processing it (and possibly using the *DataProcessor*'s services).

Parameter *retcode:* The operation shall return RETCODE_OK if a *DataProcessor* instance was detached from the *ObservableObject*, RETCODE_NOT_MODIFIED if no *DataProcessor* instance was previously attached to the *ObservableObject*, RETCODE_ERROR if either of the *DataProcessor*'s *detach_from_observable_object* and *detach_from_observable_scope* operations failed, or if any other type of error occurred.

Return: upon success (RETCODE_OK), the operation shall return a *DataProcessor* instance. In any other case, 'nil' (as specified by the platform [PSM]) shall be returned.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

7.3.3.2.4 disable_save_observation

This operation shall disable generation of *Observation* objects from an *ObservableObject*. If generation is successfully disabled, the operation shall return RETCODE_OK.

If generation of *Observation* objects is already disabled, the operation shall do nothing and return RETCODE_NOT_MODIFIED.

If any error prevents the generation of *Observation* instances from being disabled, the operation shall return RETCODE ERROR

Return: The operation shall return RETCODE_OK if generation of *Observation* objects was successfully disabled in the *ObservableObject*, RETCODE_NOT_MODIFIED if generation was already disabled, RETCODE_ERROR if any error prevented generation from being disabled.

7.3.3.2.5 enable_save_observation

This operation shall enable the generation of *Observation* objects in an *ObservableObject*. If generation is successfully enabled, the operation shall return RETCODE_OK.

If generation of *Observation* objects is already enabled, the operation shall do nothing and return RETCODE_NOT_MODIFIED.

If any error prevents generation from being enabled, the operation shall return RETCODE ERROR

Return: The operation shall return RETCODE_OK if generation of *Observation* objects was successfully enabled in the *ObservableObject*, RETCODE_NOT_MODIFIED if generation was already enabled, and RETCODE_ERROR if any error prevented generation from being enabled.

7.3.3.2.6 get_name

This operation shall return a string containing the name of an ObservableObject instance.

Return: The operation shall return an unmodifiable, non-empty, string.

7.3.3.2.7 get_observable_schema

This operation shall return the ObservableSchema associated with the ObservableObject.

Return: The operation shall return the ObservableSchema associated with the ObservableObject.

7.3.3.2.8 get_observable_scope

This operation shall return the ObservableScope that created an ObservableObject instance.

Return: The operation shall return the ObservableScope that created the ObservableObject.

7.3.3.2.9 get_observation_history

This operation shall provide access to an ordered collection of *Observation* objects that have been stored in an *ObservableObject*'s observation history. These *Observation* objects were generated by the *ObservableObject*, collected and processed by its *ObservableScope* and then stored by a *DataProcessor* by using the KEEP flag.

Observation objects contained in the returned collection shall be ordered by increasing value of sequence number.

Only a DataProcessor accessing the ObservableObject within the execution context of an ObservableScope (i.e. in its attach_to_observable_object, detach_from_observable_object and process_observations operations) may safely invoke this operation. Instrumented applications may only safely invoke this operation directly if data-collection is disabled in the ObservableScope that contains the ObservableObject.

The returned collection shall not be modified. *Observation* objects contained in the collection may be individually removed (and returned to the *ObservableObject* for storing new values) by using the *ObservableObject*'s *remove_observation_from_history* operation. In order to retrieve an updated version of the collection (without the removed element), the *get_observation_history* operation needs to be invoked again. It shall be possible to safely iterate

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

over the value returned by get_observation_history and remove Observation instances using remove_observation_from_history.

Return: An unmodifiable collection of *Observation* instances. The collection may be empty if no *Observation* has been saved in the *ObservableObject*'s observation history.

7.3.3.2.10 is_save_observation_enabled

This operation shall check the current state of the generation of Observation instances in an ObservableObject.

Return: The operation shall return *True* if the generation is enabled in the *ObservableObject* and the *save_observation* operation may be used to generate new *Observation* instances, *False* otherwise.

7.3.3.2.11 is_value_bound

This operation shall check whether a *Field* of an *ObservableObject*'s *ObservableSchema* is currently bound to a *DataValueSource*.

If the specified *index* does not match the index of any of the *Field* instances contained in the *ObservableObject*'s *ObservableSchema*, the operation shall fail and return *False*.

Parameter *field_index:* An integer identifying the *index* of the *ObservableSchema*'s *Field* to which the value must be associated.

Return: The operation shall return *True* if the specified *Field* is currently bound to a *DataValueSource*, *False* if the *Field* is not bound or an error occurred while determining the *Field*'s status.

7.3.3.2.12 remove_observation_from_history

This operation shall remove an *Observation* from an *ObservableObject*'s observation history. The *Observation* shall be disposed and the values stored for each *Field* reverted to the defaults specified by each data type, so that it may be used by future invocations of the *save_observation* operation.

If the *Observation* is not currently stored in the *ObservableObject*'s observation history or if the *ObservableObject* did not generate it, the operation shall fail and return RETCODE_BAD_PARAMETER.

If an error occurs while removing the *Observation* from the observation history or while disposing it, the operation shall fail and return RETCODE_ERROR.

It shall be possible to safely invoke this operation while iterating over the elements of the collection returned by operation <u>get_observation_history</u>.

Return: The operation shall return RETCODE_OK if the specified *Observation* was successfully removed and returned to the *ObservableObject* for reuse, RETCODE_BAD_PARAMETER if the *Observation* was not in the observation history or the *ObservableObject* did not generate it, RETCODE_ERROR if any error occurred while removing or disposing the *Observation* or any other part of the operation's implementation.

7.3.3.2.13 save_observation

This operation shall generate an Observation object containing the values that an ObservableObject currently associates with the fields of its ObservableSchema.

If generation of *Observation* objects is disabled in the *ObservableObject*, the operation shall do nothing and return RETCODE_NOT_MODIFIED.

If enabled in the *ObservableObject*'s initialization properties, the operation shall collect a time-stamp of the time at which the operation started and store it in as an *UTCTime* value, which will be copied to the new *Observation*.

The operation shall retrieve an Observation object to store the values by either:

• Reusing an *Observation* object previously allocated by the *ObservableObject* that has not been used to store values yet or that has already been processed by the *ObservableObject*'s *ObservableScope* and returned to the *ObservableObject*.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

40

• Dynamically allocating a new *Observation* object, if the maximum number of *Observation* objects that can be allocated by the *ObservableObject* has not been reached yet.

The operation may block the execution for a configurable amount of time (specified in the *ObservableObject*'s initialization properties) in order to allow the enclosing *ObservableScope* to complete processing of existing *Observation* objects. If no *Observation* is made available during this time (or no wait time is allowed in case of no *Observation* instance available), *save_observation* will fail and return RETCODE_PRECONDITION_NOT_MET.

For each Field instance contained in the ObservableObject's ObservableSchema, the Observation instance shall contain

- The value associated to the *Field* by the latest successful invocations of the *ObservableObject*'s set_value or bind_value operations
- The default value specified by the *Field*'s data type.

For bound fields, the operation shall sample the value of each field by invoking its bound *DataValueSource*'s get_value operation. If an error occurs during the sampling of any bound *DataValueSource*, the operation shall dispose the *Observation* instance, restoring default values for each *Field*, and return RETCODE ERROR.

The operation shall retrieve any memory required to copy the values into the *Observation* object. If an error occurs during the copy of the value of any *Field*, the operation shall dispose the *Observation* object, restoring default values for each *Field* and releasing any memory previously acquired, and return RETCODE_ERROR.

The operation shall assign a sequence number to the new Observation, starting from 1 for each ObservableObject.

After successfully generating the new *Observation*, the operation shall add it to a queue associated with the *ObservableObject*, where the enclosing *ObservableScope* might later extract it for processing, and notify the *ObservableScope* of the new *Observation*. If any error occurs in adding the *Observation* to the queue or notifying the *ObservableScope* of its generation, the operation shall dispose the *Observation* object, restoring default values for each *Field* and releasing any memory previously acquired, and return RETCODE_ERROR.

After successfully notifying the new *Observation* to the *ObservableScope*, the operation shall increment the sequence number assigned to the *Observation* and store the value internally to the *ObservableObject* for the next invocation of *save observation*.

Return: The operation shall return RETCODE_OK if a new *Observation* containing the values of the *ObservableObject* was successfully generated and notified to the enclosing *ObservableScope*, RETCODE_NOT_MODIFIED if the generation of *Observation* objects is disabled in the *ObservableObject*, RETCODE_PRECONDITION_NOT_MET if no *Observation* object could be retrieved or be allocated to store the values, RETCODE_ERROR if any error occurred during the generation of the *Observation*, its notification to the *ObservableScope* or any other part of the operation's implementation.

7.3.3.2.14set_value<T>

This operation shall store a value of type T inside the memory of an *ObservableObject*, associating it with one of the fields of the *ObservableObject*'s *ObservableSchema*. The value shall be copied to any new *Observation* created by the *ObservableObject*'s *save_observation* operation, until a new one is supplied through a new invocation of this operation or the field is bound to an external source using the *bind value* operation.

If the specified *index* does not match the index of any of the *Field* instances contained in the *ObservableObject*'s *ObservableSchema*, the operation shall fail and return RETCODE BAD PARAMETER.

If the specified T data type is not compatible with the value of the selected *Field* and an error occurred while converting it, the operation shall fail and return RETCODE_ERROR.

If the specified *Field* has been currently bound to an external *DataValueSource* by using the *bind_value* operation, the operation shall fail and return RETCODE_PRECONDITION_NOT_MET.

The operation shall retrieve any memory required to store a copy of the specified value independently from the application and to make it available to following invocations of the *ObservableObject*'s *save_observation* operation. The memory may be dynamically allocated or accessed from pre-allocated buffers.

Parameter *field_index:* An integer identifying the *index* of the *ObservableSchema*'s *Field* to which the value must be associated.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

Parameter value: the value to set in the ObservableObject.

Return: The operation shall return RETCODE_OK if the specified value was successfully copied into the *ObservableObject* and is now associated with the specified *Field* of its *ObservableSchema*, RETCODE_BAD_PARAMETER if the specified *index* does not identify any *Field* of the *ObservableSchema*, RETCODE_ERROR if the specified *value* is of an incompatible data type or the *Field* is currently bound to a *DataValueSource* or if any other error prevented the *ObservableObject* from storing the specified *value*.

7.3.3.2.15unbind_value

This operation shall delete an existing binding between a *DataValueSource* and one of the *Fields* of an *ObservableObject*'s *ObservableSchema*. The default value of the *Field*'s data type shall be copied into any new *Observation* created by the *ObservableObject*'s *save_observation* operation, until a new value is supplied using the *set_field* operation or the field is bound to an external source using the *bind_value* operation

If the specified *index* does not match the index of any of the *Field* instances contained in the *ObservableObject*'s *ObservableSchema*, the operation shall fail and return RETCODE_BAD_PARAMETER.

If the selected *Field* is not currently bound to any *FieldValueSource* in the *ObservableObject*, the operation shall do nothing and return RETCODE_NOT_MODIFIED.

If the *Field* is bound to a *DataValueSource*, the operation shall discard the *DataValueSource* and revert the value of the *Field* in the *ObservableObject* to its data type's default value. The operation shall retrieve any memory necessary to store this value.

Parameter *field_index:* An integer identifying the *index* of the *ObservableSchema*'s *Field* to which the value must be associated.

Return: The operation shall return RETCODE_OK if the specified *Field* was successfully unbound from its *DataValueSource*, RETCODE_BAD_PARAMETER if the specified *index* does not identify any *Field* of the *ObservableSchema*, RETCODE_NOT_MODIFIED if the *Field* was not bound to any *DataValueSource*, RETCODE_ERROR if any other error prevented the *Field* from being unbound.

7.3.3.3 DataProcessor

The *DataProcessor* interface shall provide support for the implementation of custom processing of *Observation* objects collected by an *ObservableScope*. Applications shall be able to create instances of *DataProcessor* within an *InstrumentationService*, using its *create_data_processor* operation, and then attach these instances to any *ObservableObject* contained in the *InstrumentationService*, by means of the *ObservableObject*'s *attach_data_processor* operation.

An ObservableScope shall use the DataProcessor that has been attached to an ObservableObject to process all Observation objects collected from that ObservableObject. As detailed in 7.3.3.1, the ObservableScope shall invoke the DataProcessor's process_observations every time Observation objects are collected from an ObservableObject that that DataProcessor is currently attached to.

In order to facilitate the implementation of custom processing functionalities, the instrumentation infrastructure shall provide a *DataProcessor* with convenient *attach* and *detach* callback notifications that allow the *DataProcessor* to associate (and conversely delete) custom processing state associated to any *ObservableScope* and/or *ObservableObject*.

DataProcessor		
No Attributes		
Operations		
attach to		DataProcessorState
observable_object	obj	ObservableObject

Andrea Sorbini 11/9/15 2:53 PM **Deleted:** Beta1

42

	scope_state	DataProcessorState
	[out] retcode	ReturnCode
		DataProcessorState
attach_to_ observable scope	scope	ObservableScope
	[out] retcode	ReturnCode
		ReturnCode
detach_from_	obj	ObservableObject
observable_object	scope_state	DataProcessorState
	obj_state	DataProcessorState
		ReturnCode
<pre>detach_from_ observable_scope</pre>	scope	ObservableScope
	scope_state	DataProcessorState
		ReturnCode
finalize	service	InstrumentationService
get_name		String
		ReturnCode
initialize	service	InstrumentationService
	init_args	DataProcessorArgs
		ReturnCode
process_observations	observations	Observation[]
	obj	ObservableObject
	scope_state	DataProcessorState
	obj_state	DataProcessorState
		ReturnCode
update	service	InstrumentationService
	args	DataProcessorArgs

7.3.3.3.1 attach_to_observable_object

This operation shall be invoked only when a *DataProcessor* is attached to an *ObservableObject* (see 7.3.3.2.1). The invocation of this operation shall notify the *DataProcessor* that it is going to be attached to an *ObservableObject* such that it has the opportunity to reserve any resource it may require.

The *DataProcessor* shall return 'nil' (as defined by the platform [PSM]) and set *retcode* to RETCODE_OK, if it does not need to associate any specific state with the *ObservableObject*. Alternatively, the *DataProcessor* shall return a value of type *DataProcessorState* instead, if explicit state for this *ObservableObject* needs to be maintained across invocations of its *process_observations* operation.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

43 /

The value returned by this operation shall be stored by the *ObservableObject* and passed to later invocations of the *DataProcessor*'s operations.

Parameter obj: The ObservableObject that the DataProcessor is being attached to.

Parameter *scope_state:* The custom processing state associated with the *ObservableScope* that was returned by the *DataProcessor's* interface *attach_to_observable_scope*.

Parameter *retcode*: The operation shall return RETCODE_OK if the *DataProcessor* was successfully attached to the *ObservableObject*, any other return value shall be interpreted as an error and it is up to implementations to define the specific semantics of each one.

Return: the operation shall return 'nil' (as defined by the platform [PSM]) if no state should be associated with the *ObservableObject* or a value of type *DataProcessorState* representing processing state that shall be stored by the instrumentation infrastructure.

7.3.3.3.2 attach_to_observable_scope

This operation shall be invoked when a *DataProcessor* is attached to an *ObservableObject* and it is not yet attached to any other *ObservableObject* instance contained in the same *ObservableScope* (see 7.3.3.2.1). The invocation of this operation shall notify the *DataProcessor* that it is going to be attached to an *ObservableObject* within the specified *ObservableScope* such that it has the opportunity to reserve any resource it may require.

The DataProcessor shall return 'nil' (as defined by the platform [PSM]) and set retcode to RETCODE_OK, if it does not need to associate any specific state with the ObservableScope. The DataProcessor shall return a value of type DataProcessorState instead, if explicit state for this ObservableScope needs to be maintained across invocations of its process_observations operation.

The value returned shall be stored by the ObservableScope and passed to later invocations of the DataProcessor's operations.

Parameter scope: The ObservableScope that the DataProcessor is being attached to.

Parameter *retcode*: The operation shall return RETCODE_OK if the *DataProcessor* was successfully attached to the *ObservableScope*, any other return value shall be interpreted as an error and it is up to implementations to define the specific semantics of each one.

Return: the operation shall return 'nil' (as defined by the platform [PSM]) if no state should be associated with the *ObservableScope* or a value of type *DataProcessorState* representing processing state that shall be stored by the instrumentation infrastructure.

7.3.3.3.3 detach_from_observable_object

This operation shall be invoked when a *DataProcessor* is detached from an *ObservableObject* instance by using the *ObservableObject*'s *detach_data_processor* operation. The implementation of this operation by the *DataProcessor* shall release any resource that had been previously reserved by the *DataProcessor* to create processing state associated with the *ObservableObject*, contained in the *object_state* parameter.

The operation shall return RETCODE_OK if freeing of resources was completed successfully.

Parameter obj: The ObservableObject that the DataProcessor is being detached from.

Parameter *scope_state:* The custom processing state associated with the *ObservableScope* that was returned by the *DataProcessor's* interface *attach_to_observable_scope*.

Parameter *obj_state*: The custom processing state associated with the *ObservableObject* that was returned by the *DataProcessor's* operation *attach_to_observable_object*.

Return: The operation shall return RETCODE_OK if the *DataProcessor* was successfully attached to the *ObservableObject*, any other return value shall be interpreted as an error and it is up to implementations to define the specific semantics of each one.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

44

7.3.3.3.4 detach_from_observable_scope

This operation shall be invoked when a *DataProcessor* is detached from the last *ObservableObject* instance it was attached to within a certain *ObservableScope*. The implementation of this operation by the *DataProcessor* shall release any resource that had been previously reserved by the *DataProcessor* to create processing state associated with the *ObservableScope*, contained in the *scope_state* parameter.

The operation shall return RETCODE_OK if freeing of resources was completed successfully.

Parameter scope: The ObservableScope that the DataProcessor is being detached from.

Parameter *scope_state*: The custom processing state associated with the *ObservableScope* that was returned by the *DataProcessor's* operation *attach_to_observable_scope*.

Return: The operation shall return RETCODE_OK if the *DataProcessor* was successfully attached to the *ObservableScope*, any other return value shall be interpreted as an error and it is up to implementations to define the specific semantics of each one.

7.3.3.3.5 finalize

This operation shall be invoked by an *InstrumentationService*'s *delete_data_processor* operation before the *DataProcessor* is de-allocated (see 7.3.1.2.5). The invocation of this operation shall notify a *DataProcessor* instance that it is going to be deleted by the *InstrumentationService* that created it.

The operation shall finalize and release any resource previously required by the *DataProcessor* to carry out its operations.

This operation shall return RETCODE_OK if all resources used by the *DataProcessor* were successfully finalized. The *InstrumentationService* shall interpret any other return code value as an error, but implementation may return any valid value defined by type *ReturnCode*.

Parameter service: The InstrumentationService instance deleting the DataProcessor.

Return: The operation shall return RETCODE_OK if the finalization of the *DataProcessor*'s resources was successful, any other return value shall be interpreted as an error and it is up to implementations to define the specific semantics of each one.

7.3.3.3.6 get_name

This operation shall return a string containing the name of a DataProcessor.

Return: The operation shall return an unmodifiable non-empty string.

7.3.3.3.7 initialize

This operation shall be invoked by an *InstrumentationService*'s *create_data_processor* operation after the *DataProcessor* has been allocated (see 7.3.1.2.2). The invocation of this operation shall notify a *DataProcessor* instance that it is being created within a certain *InstrumentationService* and provide custom configuration parameters, in the form of a *DataProcessorArgs* value specified in the *DataProcessor's* initialization properties passed to the *InstrumentationService's* create data processor operation

The operation shall initialize any resource required by the *DataProcessor* to carry out its operations within the context of the enclosing *InstrumentationService*.

This operation shall return RETCODE_OK if the initialization was completed successfully. The *InstrumentationService* shall interpret any other return code value as an error, but implementation may return any valid value defined by type *ReturnCode*.

Parameter service: The InstrumentationService instance creating the DataProcessor.

Return: The operation shall return RETCODE_OK if the initialization of the *DataProcessor* was successful, any other return value shall be interpreted as an error and it is up to implementations to define the specific semantics of each one.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

7.3.3.3.8 process_observations

This operation shall process a collection of *Observation* objects generated by an *ObservableObject* to which the *DataProcessor* is attached. The operation may manipulate the values contained in an *Observation*, using the *Observation's get_value* and *set_value* operations, and control its distribution and life cycle, by setting and unsetting the flags contained in the *Observation*.

The operation shall set flag LOCAL to 'set' state for each *Observation* instance that must not be distributed outside of the *InstrumentationService*.

The operation shall set flag KEEP to 'set' state for each *Observation* instance that must not be returned to the original *ObservableObject* that created it, so that it may be used to store new values, but instead added to the *ObservableObject*'s observation history.

This operation may safely iterate over the observation history of each *ObservableObject* it processes by using the *ObservableObject*'s *get_observation_history*. As explained in 7.3.3.2.12, elements may be removed from the observation history if passed to the *remove_from_observation_history* operation.

Parameter observations: a collection of Observation instances that have not been processed yet. It may be empty.

Parameter obj: The ObservableObject that generated the Observation instances to be processed.

Parameter *scope_state:* The custom processing state associated with the *ObservableScope* that was returned by the *DataProcessor's* interface *attach_to_observable_scope*.

Parameter *obj_state*: The custom processing state associated with the *ObservableObject* that was returned by the *DataProcessor's* interface *attach_to_observable_object*.

Return: The operation shall return RETCODE_OK if the *DataProcessor* successfully processed the *ObservableObject's Observation* instances, any other return value shall be interpreted as an error and it is up to implementations to define the specific semantics of each one.

7.3.3.3.9 update

This operation shall be invoked by the instrumentation infrastructure to request the reconfiguration of an existing *DataProcessor* instance. The *DataProcessor* shall adapt its configuration and use the specified *DataProcessorArgs* value for its parameters.

This operation shall return RETCODE_OK if the *DataProcessor's* configuration was successfully updated. The *InstrumentationService* shall interpret any other return code value as an error, but implementation may return any valid value defined by type *ReturnCode*.

Parameter service: The InstrumentationService instance deleting the DataProcessor.

Return: The operation shall return RETCODE_OK if the update of the *DataProcessor* was successful, any other return value shall be interpreted as an error and it is up to implementations to define the specific semantics of each one.

7.3.3.4 DataProcessorArgs

This class is used to provide custom configuration arguments to a DataProcessor.

DataProcessorArgs		
Attributes		
keys String[]		
values	String[]	

7.3.3.4.1 keys

This attribute contains a collection of strings representing keys identifying the nature of the values stored at corresponding indices in the collection contained by the *values* attribute.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

46

7.3.3.4.2 values

This attribute contains a collection of strings representing arguments for the configuration of the DataProcessor instance.

7.3.3.5 DataProcessorState

DataProcessorState shall represent any generic state objects created by a *DataProcessor* instance in its *attach_to_observable_scope* or *attach_to_observable_object* operations. No attribute or operation shall be specified for this class, implementations must map it to a construct available in the target implementation language that will support any custom data returned by a *DataProcessorState* (e.g. a pointer to type void in C or a value of type *Object* in Java).

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

7.3.4 Data Type Module

The Data Type Module is comprised of the following classifiers:

- DataValueKind ٠
- DataValue •
- PrimitiveValue •
- NumericValue •
- SequenceValue • BÔOL
- •
- OCTET
- INT16 • INT32
- INT64 ٠ UINT16
- UINT32 ٠
- UINT64
- FLOAT32
- FLOAT64 ٠
- *FLOAT128*
- CHAR8
- CHAR32
- STRING8
- STRING32
- BOOLSeq
- ٠ OCTETSeq
- INT16Seq
- INT32Seq
- INT64Seq ٠
- UINT16Ŝeq
- UINT32Seq
- UINT64Seq
- FLOAT32Seq •
- FLOAT64Seq
- FLOAT128Seq
- CHAR8Seq
- CHAR32Seq
- STRING8Seq ٠
- . STRING32Seq
- DataValueSource ٠
- ReturnCode
- Time
- UTCTime •

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

48




Figure 10 Data Type Module



7.3.4.1 DataValueKind

The enumeration *DataValueKind* shall provide a list of all basic data-types that Application Instrumentation API supports to represent application data and configuration properties. Each value of defined by the enumeration shall correspond to a concrete data type available in the API.

DataValueKind	DataValue type	Description
TYPE_BOOL	BOOL	Boolean value
TYPE_OCTET	OCTET	8-bit quantity
TYPE_INT16	INT16	16-bit integer value
TYPE_INT32	INT32	32-bit integer value
TYPE_INT64	INT64	64-bit integer value
TYPE_UINT16	UINT16	16-bit unsigned integer value
TYPE_UINT32	UINT32	32-bit unsigned integer value
TYPE_UINT64	UINT64	64-bit unsigned integer value
TYPE_FLOAT32	FLOAT32	IEEE single-precision floating point number
TYPE_FLOAT64	FLOAT64	IEEE double-precision floating point number
TYPE_FLOAT128	FLOAT128	IEEE double-extended floating point number
TYPE_CHAR8	CHAR8	8-bit character
TYPE_CHAR32	CHAR32	32-bit character
TYPE_STRING8	STRING8	8-bit character string
TYPE_STRING32	STRING32	32-bit character string
TYPE_BOOL_SEQ	BOOLSeq	Array of Boolean values
TYPE_OCTET_SEQ	OCTETSeq	Array of 8-bit quantities
TYPE_INT16_SEQ	INT16Seq	Array of 16-bit integer values
TYPE_INT32_SEQ	INT32Seq	Array of 32-bit integer values
TYPE_INT64_SEQ	INT64Seq	Array of 64-bit integer values
TYPE_UINT16_SEQ	UINT16Seq	Array of 16-bit unsigned integer values
TYPE_UINT32_SEQ	UINT32Seq	Array of 32-bit unsigned integer values
TYPE_UINT64_SEQ	UINT64Seq	Array of 64-bit unsigned integer values

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

TYPE_FLOAT32_SEQ	FLOAT32Seq	Array of IEEE single-precision floating point numbers
TYPE_FLOAT64_SEQ	FLOAT64Seq	Array of IEEE double-precision floating point numbers
TYPE_FLOAT128_SEQ	FLOAT128Seq	Array of IEEE double-extended floating point numbers
TYPE_CHAR8_SEQ	CHAR8Seq	Array of 8-bit characters
TYPE_CHAR32_SEQ	CHAR32Seq	Array of 32-bit characters
TYPE_STRING8_SEQ	STRING8Seq	Array of 8-bit character strings
TYPE_STRING32_SEQ	STRING32Seq	Array of 32-bit character strings

7.3.4.2 DataValue

The *DataValue* data type is an abstract type that subsumes all other data types defined by the PIM to represent application data.

DataValue is the base class of a platform-independent hierarchy of data-types, which includes both primitive values, such as numbers, characters and strings, and limited sequences of primitive values.

PSMs are only required to provide representations for concrete sub-types of the type hierarchy. These types will typically mapped to data types natively supported by the target platform to ease integration of the instrumentation in existing applications. The set of supported data types may also be restricted to guarantee easier integration. Custom complex data types will have to be defined if data types not available natively are to be supported on certain target platforms.

7.3.4.3 PrimitiveValue

PrimitiveValue is the base abstract type for primitive values.

7.3.4.4 NumericValue

NumericValue is the base abstract type for all numeric primitive values, which include integers, unsigned integers, and floating-point numbers of different size. The default value for all sub-types of *NumericValue* is 0.

7.3.4.5 SequenceValue<T>

SequenceValue is the base abstract type for all complex values containing a finite collection of primitive values. It defines the minimal interface to access the contained values and determine the length of the sequence.

This class is parameterized on the primitive type of its element, specified as one of the sub-types of *PrimitiveValue*. The operations specified by this class shall be implemented as native operators on target platforms whenever possible. Values may, for example, be represented as native arrays and random access provided using the array operator.

The default value for all sub-types of SequenceValue is 'nil' (as specified by the platform [PSM]).

SequenceValue <t:primitivevalue></t:primitivevalue>		
No Attributes		
Operations		
		Т
get	index	Integer
set		ReturnCode

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

Application Instrumentation, Version 1.0

	index	Integer
	value	Т
length		Integer

7.3.4.5.1 get<T>

This operation shall perform random access on the sequence's elements. If the specified *index* presents a value between 0 and the sequence's *length* -1, the operation shall return the value stored at that position by the collection.

Parameter index: the index of the element to access in the sequence.

Return: the operation shall return the value of type T contained by the sequence at the specified index or the default value specified for type T if the index is not within the boundaries of sequence.

7.3.4.5.2 set<T>

This operation shall store an element at a particular index in the sequence. If the specified *index* presents a value between 0 and the sequence's *length* -1, the operation shall store the specified value at that position in the collection.

Parameter index: the index of the element of the collection to set.

Parameter value: the value of type T to be set at the specified position in the sequence.

Return: The operation shall return RETCODE_OK if the value was successfully set at the requested position of the sequence, RETCODE_BAD_PARAMETER if the specified *index* was not within the boundaries of the sequence, RETCODE_ERROR if any other type of error occurred.

7.3.4.5.3 length

This operation shall return the current length of the sequence.

Return: The operation shall return an integer representing the total number of elements currently stored in the sequence. It may be 0 if no element as been added to the sequence yet.

7.3.4.6 BOOL

The BOOL data type represents a Boolean value. The default value for this type is False.

7.3.4.7 OCTET

The OCTET data type represents an 8-bit value. The default value for this type is $\partial x \partial \partial$.

7.3.4.8 INT16

The INT16 data type represents a 16-bit integer value.

7.3.4.9 INT32

The INT32 data type represents a 32-bit integer value.

7.3.4.10 INT64

The INT64 data type represents a 64-bit integer value.

7.3.4.11 UINT16

The UINT16 data type represents a 16-bit unsigned integer value.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

52

7.3.4.12 UINT32

The UINT32 data type represents a 32-bit unsigned integer value.

7.3.4.13 UINT64

The UINT64 data type represents a 64-bit unsigned integer value.

7.3.4.14 FLOAT32

The FLOAT32 data type represents a 32-bit IEEE floating-point value (as defined by the IEEE 754-2008 specification).

7.3.4.15 FLOAT64

The FLOAT64 data type represents a 64-bit IEEE floating-point value (as defined by the IEEE 754-2008 specification).

7.3.4.16 FLOAT128

The FLOAT128 data type represents a 128-bit IEEE floating-point value (as defined by the IEEE 754-2008 specification).

7.3.4.17 CHAR8

The CHAR8 data type represents an 8-bit character value. The default value for this type is 0x00.

7.3.4.18 CHAR32

The CHAR32 data type represents a wide character value, typically Unicode. The default value for this type is 0x00000000.

7.3.4.19 STRING8

The STRING8 data type represents strings of 8-bit characters. The default value for this type is 'nil' (as specified by the platform [PSM]).

7.3.4.20 STRING32

The STRING32 data type represents strings of wide characters. The default value for this type is 'nil' (as specified by the platform [PSM])

7.3.4.21 BOOLSeq

The BOOLSeq data type represents SequenceValues containing BOOL elements.

7.3.4.22 OCTETSeq

The OCTETSeq data type represents SequenceValues containing OCTET elements.

7.3.4.23 INT16Seq

The INT16Seq data type represents SequenceValues containing INT16 elements.

7.3.4.24 INT32Seq

The INT32Seq data type represents SequenceValues containing INT32 elements.

7.3.4.25 INT64Seq

The INT64Seq data type represents SequenceValues containing INT64 elements.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

7.3.4.26 UINT16Seq

The UINT16Seq data type represents SequenceValues containing UINT16 elements.

7.3.4.27 UINT32Seq

The UINT32Seq data type represents SequenceValues containing UINT32 elements.

7.3.4.28 UINT64Seq

The UINT64Seq data type represents SequenceValues containing UINT64 elements.

7.3.4.29 FLOAT32Seq

The FLOAT32Seq data type represents SequenceValues containing FLOAT32 elements.

7.3.4.30 FLOAT64Seq

The FLOAT64Seq data type represents SequenceValues containing FLOAT64 elements.

7.3.4.31 FLOAT128Seq

The FLOAT128Seq data type represents SequenceValues containing FLOAT128 elements.

7.3.4.32 CHAR8Seq

The CHAR8Seq data type represents SequenceValues containing CHAR8 elements.

7.3.4.33 CHAR32Seq

The CHAR32Seq data type represents SequenceValues containing CHAR32 elements.

7.3.4.34 STRING8Seq

The STRING8Seq data type represents SequenceValues containing STRING8 elements.

7.3.4.35 STRING32Seq

The STRING32Seq data type represents SequenceValues containing STRING32 elements.

7.3.4.36 DataValueSource<T>

A *DataValueSource* shall encapsulates a single value of application data and provide an interface for the instrumentation infrastructure to dynamically sample it, for example when generating an *Observation* from an *ObservableObject* whose fields have been bound using the *bind_value* operation.

DataValueSource <t:datavalue></t:datavalue>		
No Attributes		
Operations		
get_value T		

7.3.4.36.1get_value<T>

This operation shall return the current value of the data source wrapped by the *DataValueSource* instance. The returned value shall be the value contained by the wrapped source as sampled at the time this operation was invoked.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

54

Return: a value of type T representing the current value of the data source wrapped by the *DataValueSource* instance or the default value for type T, if an error occurred while sampling the wrapped data source.

7.3.4.37 ReturnCode

ReturnCode is an enumerated type that is used by methods of the Application Instrumentation API to indicate the outcome of an operation. The following table describes its possible values and provides a description of their meaning with respect to the operation's execution.

VALUE	DESCRIPTION
RETCODE_OK	The requested operation was executed correctly.
RETCODE_ERROR	The operation could not be carried out because an error occurred.
RETCODE_BAD_PARAMETER	The operation could not be carried out because one or more of the supplied arguments did not present acceptable values for the operation.
RETCODE_PRECONDITION_NOT_MET	The operation could not be carried out because one or more of the operation's preconditions were not met at the time the operation was executed.
RETCODE_NOT_MODIFIED	The operation was not performed and target resources were not modified.

All operations of the API that perform non-trivial behavior include an output parameter of type *ReturnCode* (or they return a value of type *ReturnCode* when no other return value is required) that applications can use to control the outcome of the operation.

Any operation may return RETCODE_OK or RETCODE_ERROR. Any operation that takes an input parameter may additionally return RETCODE_BAD_PARAMETER.

Operations that may return any other error code shall state so explicitly in their description.

7.3.4.38 Time

Time is a generic data type that shall represent an interval of time. It is left up to implementation of this specification to define its attributes and operations. The implementing data type shall support the representation of finite and infinite durations of time.

7.3.4.39 UTCTime

UTCTime is a generic data type that shall represent an instant of time using the UTC standard. It is left up to implementation of this specification to define its attributes and operations. The implementing data type shall support the representation of any date that can be expressed using the UTC standard.



Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

7.3.5 Properties Module

The Properties Module is comprised of the following classifiers:

- DefaultConfigurationTable ٠
- InstrumentationServiceProperties •
- ObservableSchemaProperties
- FieldProperties
 ObservableScopeProperties
 ObservableObjectProperties
- DataProcessorProperties

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1




Figure 11 Properties Module

7.3.5.1 DefaultConfigurationTable

The *DefaultConfigurationTable* class shall provide a single location where default configuration properties for each instrumentation entities may be stored and accessed by applications.

The *DefaultConfigurationTable* shall be implemented as a singleton, accessible using the provided *get_instance* static operation.

Any operation that creates an instrumentation entity, and accepts one of the properties structures defined by this module, shall also accept 'nil' (as defined by the platform [PSM]) as the value for the entities initialization properties. In this case, the operation shall use the default value reported for the specific type of properties by one of the methods of the *DefaultConfigurationTable* singleton instance.

DefaultConfigurationTable		
No Attributes		
Operations	1	
get_default_data_ processor_properties		DataProcessorProperties
<pre>get_default_observable_ object_properties</pre>		ObservableObjectProperties
<pre>get_default_observable_ schema_properties</pre>		ObservableSchemaProperties
<pre>get_default_observable_ scope_properties</pre>		ObservableScopeProperties
<pre>get_default_ service_properties</pre>		InstrumentationServiceProperties
is_automatic_service_ creation_enabled		Boolean
set automatic service		ReturnCode
creation	enabled	Boolean
set default data		ReturnCode
processor_properties	properties	DataProcessorProperties
set default observable		ReturnCode
object_properties	properties	ObservableObjectProperties
set default observable		ReturnCode
schema_properties	properties	ObservableSchemaProperties
set default observable		ReturnCode
scope_properties	properties	ObservableScopeProperties
set_default_		ReturnCode

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

58

service properties		
	properties	InstrumentationServiceProperties

7.3.5.1.1 get_default_data_processor_properties

This operation shall return the default DataProcessorProperties instance stored by the DefaultConfigurationTable.

If the operation set_default_service_properties was never called by the application, this operation shall return an instance containing the default values for DataProcessorProperties, as defined by this specification.

Return: an instance of DataProcessorProperties.

7.3.5.1.2 get_default_observable_object_properties

This operation shall return the default ObservableObjectProperties instance stored by the DefaultConfigurationTable.

If the operation set <u>default_observable_object_properties</u> was never called by the application, this operation shall return an instance containing the default values for ObservableObjectProperties, as defined by this specification.

Return: an instance of ObservableObjectProperties.

7.3.5.1.3 get_default_observable_schema_properties

This operation shall return the default ObservableSchemaProperties instance stored by the DefaultConfigurationTable.

If the operation *set_default_observable_schema_properties* was never called by the application, this operation shall return an instance containing the default values for *ObservableSchemaProperties*, as defined by this specification.

Return: an instance of ObservableSchemaProperties.

7.3.5.1.4 get_default_observable_scope_properties

This operation shall return the default ObservableScopeProperties instance stored by the DefaultConfigurationTable.

If the operation *set_default_observable_scope_properties* was never called by the application, this operation shall return an instance containing the default values for *ObservableScopeProperties*, as defined by this specification.

Return: an instance of ObservableScopeProperties.

7.3.5.1.5 get_default_service_properties

This operation shall return the default *InstrumentationServiceProperties* instance stored by the *DefaultConfigurationTable*.

If the operation set_default_service_properties was never called by the application, this operation shall return an instance containing the default values for *InstrumentationServiceProperties*, as defined by this specification.

Return: an instance of InstrumentationServiceProperties.

Parameter properties: the value of InstrumentationServiceProperties to store in the DefaultConfigurationTable.

Return: the operation shall return RETCODE_OK if the specified values were successfully stored inside the *DefaultConfigurationTable*, RETCODE_ERROR if any error occurred.

7.3.5.1.6 is_automatic_service_creation_enabled

This operation shall check whether *InstrumentationService* instances should be automatically created with default *InstrumentationServiceProperties* (as returned by the *get_default_service_properties*) when looked up by name using the *lookup service* operation of the *Infrastructure* class.

If set_automatic_service_creation has never been called yet, this operation shall return False. Otherwise, the operation shall return the last value specified using set_automatic_service_creation.

Return: The operation shall return True if InstrumentationService instances should be automatically created

Application	Instrumentation,	V	ersion 1.	0
-------------	------------------	---	-----------	---

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

7.3.5.1.7 set_automatic_service_creation

This operation shall set whether *InstrumentationService* instances should be automatically created with default *InstrumentationServiceProperties* (as returned by the *get_default_service_properties*) when looked up by name using the *lookup_service* operation of the *Infrastructure* class.

Parameter enabled: a Boolean value specifying whether the property is enabled or not.

Return: The operation shall return RETCODE_OK if the specified value was correctly stored, RETCODE_ERROR if any type of error occurred.

7.3.5.1.8 set_default_data_processor_properties

This operation shall set the default DataProcessorProperties instance stored by the DefaultConfigurationTable.

If the value was successfully saved, this operation shall return RETCODE_OK. If an error prevented the value from being stored in the *DefaultConfigurationTable*, the operation shall fail and return RETCODE_ERROR.

Every successive invocation of *get_default_data_processor_properties* shall return the values saved by this operation, until it is successfully invoked again with different ones.

Parameter properties: the value of DataProcessorProperties to store in the DefaultConfigurationTable.

Return: the operation shall return RETCODE_OK if the specified values were successfully stored inside the *DefaultConfigurationTable*, RETCODE_ERROR if any error occurred.

7.3.5.1.9 set_default_observable_object_properties

This operation shall set the default ObservableObjectProperties instance stored by the DefaultConfigurationTable.

If the value was successfully saved, this operation shall return RETCODE_OK. If an error prevented the value from being stored in the *DefaultConfigurationTable*, the operation shall fail and return RETCODE_ERROR.

Every successive invocation of *get_default_observable_object_properties* shall return the values saved by this operation, until it is successfully invoked again with different ones.

Parameter properties: the value of ObservableObjectProperties to store in the DefaultConfigurationTable.

Return: the operation shall return RETCODE_OK if the specified values were successfully stored inside the *DefaultConfigurationTable*, RETCODE_ERROR if any error occurred.

7.3.5.1.10set_default_observable_schema_properties

This operation shall set the default ObservableSchemaProperties instance stored by the DefaultConfigurationTable.

If the value was successfully saved, this operation shall return RETCODE_OK. If an error prevented the value from being stored in the *DefaultConfigurationTable*, the operation shall fail and return RETCODE_ERROR.

Every successive invocation of *get_default_observable_schema_properties* shall return the values saved by this operation, until it is successfully invoked again with different ones.

Parameter properties: the value of ObservableSchemaProperties to store in the DefaultConfigurationTable.

Return: the operation shall return RETCODE_OK if the specified values were successfully stored inside the *DefaultConfigurationTable*, RETCODE_ERROR if any error occurred.

7.3.5.1.11set_default_observable_scope_properties

This operation shall set the default ObservableScopeProperties instance stored by the DefaultConfigurationTable.

If the value was successfully saved, this operation shall return RETCODE_OK. If an error prevented the value from being stored in the *DefaultConfigurationTable*, the operation shall fail and return RETCODE_ERROR.

Every successive invocation of *get_default_observable_scope_properties* shall return the values saved by this operation, until it is successfully invoked again with different ones.

60

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1 Parameter properties: the value of ObservableScopeProperties to store in the DefaultConfigurationTable.

Return: the operation shall return RETCODE_OK if the specified values were successfully stored inside the *DefaultConfigurationTable*, RETCODE_ERROR if any error occurred.

7.3.5.1.12set_default_observable_schema_properties

This operation shall set the default FieldProperties instance stored by the DefaultConfigurationTable.

If the value was successfully saved, this operation shall return RETCODE_OK. If an error prevented the value from being stored in the *DefaultConfigurationTable*, the operation shall fail and return RETCODE_ERROR.

Every successive invocation of *get_default_field_properties* shall return the values saved by this operation, until it is successfully invoked again with different ones.

Parameter properties: the value of FieldProperties to store in the DefaultConfigurationTable.

Return: the operation shall return RETCODE_OK if the specified values were successfully stored inside the *DefaultConfigurationTable*, RETCODE_ERROR if any error occurred.

7.3.5.1.13set_default_service_properties

This operation shall set the default InstrumentationServiceProperties instance stored by the DefaultConfigurationTable.

If the value was successfully saved, this operation shall return RETCODE_OK. If an error prevented the value from being stored in the *DefaultConfigurationTable*, the operation shall fail and return RETCODE_ERROR.

Every successive invocation of get_default_service_properties shall return the values saved by this operation, until it is successfully invoked again with different ones.

7.3.5.2 InstrumentationServiceProperties

This class shall define all configuration properties that may be used to control the initialization of an *InstrumentationService* and its functionalities.

InstrumentationServiceProperties	
110010000000000000000000000000000000000	

Attributes No attributes

7.3.5.3 ObservableSchemaProperties

This class shall define all configuration properties that may be used to control the initialization of an ObservableSchema and its functionalities.

	ObservableSchemaProperties
Attributes	
No attributes	

7.3.5.4 FieldProperties

This class defines the properties of a *Field* instance and allows their specification when creating the *Field* in an *ObservableSchema*.

FieldProperties

Application Instrumentation, Version 1.0

Deleted: Beta1

61 /

ndrea Sorbini 11/9/15 2

Attributes		
type	DataValueKind	
max_length	Integer	
string_max_length	Integer	

7.3.5.4.1 type

This attribute specifies the type of *DataValue* that can be stored in a *Field*. The default value of this attribute is TYPE_INT32.

7.3.5.4.2 max_length

This attribute specifies the maximum length of a single value contained in a Field. The default value of this attribute is 1.

7.3.5.4.3 string_max_length

This attribute specifies the maximum number of single values that can be contained in a *Field*. The default value of this attribute is 0.

7.3.5.5 ObservableScopeProperties

This class shall define all configuration properties that may be used to control the initialization of an *ObservableScope* and its functionalities.

ObservableScopeProperties	
Attributes	
enable_data_collection	Boolean

7.3.5.5.1 enable_data_collection

This attribute controls whether data-collection in the *ObservableScope* will be enabled automatically upon initialization or if applications must enable it manually. If *True* is specified, data-collection will be enabled by invoking operation *ObservableScope::enable_data_collection*. The default value of this attribute is *True*.

7.3.5.6 ObservableObjectProperties

This class shall define all configuration properties that may be used to control the initialization of an ObservableObject and its functionalities.

ObservableObjectProperties		
Attributes		
enable_save_observation	Boolean	
take_observation_timestamp	Boolean	
<pre>max_allocation_blocking_time</pre>	Time	
data_processor_name	String	
allocated_observations_initial	Integer	
allocated_observations_max	Integer	

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

62

7.3.5.6.1 enable_save_observation

If this attribute is set to *True*, an *ObservableObject* will enable the generation of *Observation* instances as soon as it is initialized using operation *ObservableObject::enable_save_observation*. If this attribute is *False*, applications must enable generation of *Observation* instances explicitly.

The default value for this attribute is True.

7.3.5.6.2 take_observation_timestamp

If this attribute is set to True, an *ObservableObject* will take a time-stamp of the current time when generating a new *Observation* and store in the new *Observation* instance as an *UTCTime* value.

The default value for this attribute is True.

7.3.5.6.3 allocated_observations_initial

This attribute controls how many *Observation* instances an *ObservableObject* should initially allocate. The default value for this attribute is 1.

7.3.5.6.4 allocated_observations_max

This attribute controls how many *Observation* instances an *ObservableObject* can allocate at the most. This value must be greater or equal than *allocated_observations_initial*. This attribute can be set to -1 to indicate that an unlimited number of *Observation* instances can be allocated if required to store new values from the *ObservableObject*.

The default value for this attribute is -1.

7.3.5.6.5 max_allocation_blocking_time

This attribute defines the maximum period of time that an *ObservableObject* can block the execution of an application thread during the execution of its *save_observation* operation, after the maximum number of *Observation* instances that can be allocated as been reached and no *Observation* instance is available to store the new values. The value shall be represented by type *Time*.

The default value for this attribute is a period of length 0.

7.3.5.6.6 data_processor_name

This attribute specifies the name of an optional *DataProcessor* that will be used by the *ObservableScope* managing the *ObservableObject* to process all *Observation* instances it creates.

The default value for this attribute is 'nil'.

7.3.5.7 DataProcessorProperties

This class is a placeholder for properties that each PSM may need to specify for the proper initialization of a *DataProcessor* instance.

DataProcessorProperties	
Attributes	
init_args	DataProcessorArgs

7.3.5.7.1 init_args

This attribute contains an optional instance of *DataProcessorArgs* that will be passed to the *DataProcessor*'s *initialize* method when the new *DataProcessor* instance is initialized.



63

Andrea Sorbini 11/9/15 2 Deleted: Beta1

7.4 Instrumentation Domain

7.4.1 Distributed Architecture

An *Instrumentation Domain* is an abstract service layer that interconnects instrumented applications with remote monitoring applications. It models a distributed instrumentation infrastructure and encapsulates its underlying communication infrastructure, providing all functionalities required by remote applications to interact with the local instrumentation of each monitored application.

An *Instrumentation Domain* allows applications to access *Observations* generated using *ObservableObjects* and published by an *ObservableScope*. It also exposes a *Remote Service Interface* that can be used to perform dynamic reconfiguration of the remote instrumentation entities.

An *Instrumentation Domain* must define a naming scheme to allow remote applications to identify specific instrumentation entities in the distributed infrastructure. This scheme may leverage the names assigned by the API to each entity and used within the local instrumentation to uniquely reference them. If this were the case, some additional strategy, such as also considering host-specific information, should be considered to avoid potential name clashes between multiple instrumented applications in the same *Instrumentation Domain*.

7.4.2 Data Distribution Model

Applications interact with the *Instrumentation Domain* to access observations of data generated by instrumented applications.

An *Instrumentation Domain* receives processed *Observation* objects from *ObservableScope* instances and it implements the communication logic required for their distribution. Once an *Observation* has been successfully handed to the *Instrumentation Domain*, an *ObservableScope* can safely recycle it for new contents. If future external consumers must access the *Observation*, it is the *Instrumentation Domain*'s responsibility to store its values and meta-data information.

Transformations may be applied to the data in order to map it to the technology selected for the implementation of the distribution to remote consumers.

The interface offered to consumers for accessing the data depends on the selected communication technology.

7.4.3 Addressing of Instrumentation Entities

Since the *Instrumentation Domain* enables applications to re-configure remote instrumentation entities and access the observations they generate, each implementation shall define how instrumentation entities residing on distributed instrumented application may be uniquely identified by a remote application.

The *Application Instrumentation API* assigns each entity a name, which is constrained to be unique within the context of the entity that created it. This naming support must be leveraged to correctly address entities in an *Instrumentation Domain*.

The following table summarizes how each type of entity is uniquely identified in the *Instrumentation Domain*. Implementations shall allow applications to identify entity using this information. How the information contained in each identifying tuple is concretely expressed by the application is left unspecified. As an example, an ad-hoc URI scheme may be defined to properly address entities in a concise manner.

The identifiers are presented in the form of tuples of strings.

Type of Entity	Identifier
InstrumentationService	(ID of host; name)
ObservableSchema	(ID of InstrumentationService; name)

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

64

DataProcessor	(ID of InstrumentationService; name)
ObservableScope	(ID of InstrumentationService; name)
ObservableObject	(ID of ObservableScope; name)

7.4.4 Remote Service Interface

An *Instrumentation Domain* lets applications interact with the instrumentation entities of instrumented applications through a remote service interface.

The following sub-clauses provide a high-level description of the operations that shall be supported through this interface by implementations of an *Instrumentation Domain*.

Each Platform Specific Model (PSM) must specify how this interface is exposed to applications and how the remote interaction is implemented.

In particular, different platforms may support different invocation semantics for the operations. Depending on the naming scheme adopted to reference remote entities and the support of the underlying communication architecture, a platform [PSM] may support invocation of these operations on multiple instrumentation entities, from multiple *InstrumentationService* instances at a time. Other implementations may adopt a 1 to 1 invocation semantic, more similar to classic Remote Procedure Call or Remote Method Invocation architectures.

7.4.4.1 Description of operations

The description of each operation summarizes the actions performed by the local instrumentation of an instrumented application when an operation is requested to the *Instrumentation Domain*.

The input and output parameters of each operation are described in a qualitative way, leaving their formal definition to implementations. Similarly to the Application Instrumentation API, non-trivial operations are assumed to have a *ReturnCode* output parameter that can be used to convey the outcome of the operation.

Most operations take an input parameter specifying a reference to an instrumentation entity. This instrumentation entity will be the target of the operation and control the actual operations performed by the local instrumentation.

As mentioned in 7.4.3, a way to uniquely identify instrumentation entities created by each instrumented application is assumed to be available. All operations shall fail and return RETCODE_BAD_PARAMETER if the target entity is not found in the local instrumentation of an application.

Each implementation may map input and output data required by each operation in different ways and adopt different strategies to perform the operations.

7.4.4.1.1 Check Save Observation Status

This operation shall allow a remote application to verify whether the generation of new *Observation* objects is enabled in one or more *ObservableObject* instances. The remote application must specify the target *ObservableObject* instances on which to perform the verification.

For each referenced *ObservableObject* instance found within the local instrumentation that is performing the operation, the result shall include a tuple of the form:

(ID of ObservableObject, RETCODE_OK, status)

Status is the result of invoking operation is_save_observation_enabled on the ObservableObject.

If the remote application specifies the identifier of an *InstrumentationService* and/or an *ObservableScope* as the target for this operation, the result shall include information as if the operation had been invoked on all *ObservableObject* instances contained by the referenced entity (i.e. all *ObservableObject* instances created by an *ObservableScope* or all *ObservableObject* instances created by every *ObservableScope* instance created by the *InstrumentationService*).

For each entity included in the operation's target that is not found within the local instrumentation, the result shall

Applicatior	Instrumentation,	7	ersion/	1.0
-------------	------------------	---	---------	-----

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

include a tuple of the form:

(ID of entity, RETCODE_BAD_PARAMETER)

If an error occurred while analyzing an entity (e.g. determining the *ObservableObject* instances it contains or verifying the status of an *ObservableObject*), the result shall include a tuple of the form:

(ID of entity, RETCODE_ERROR)

Parameter *target*: A collection of identifiers of entities in the local instrumentation; the referenced entities may be of type *InstrumentationService*, *ObservableScope*, *ObservableObject*.

Return: In case of success, this operation shall return a tuple of the form (ID of *ObservableObject*, RETCODE_OK, *status*) for each *ObservableObject* instance referenced by *target* whose status was successfully verified in the local instrumentation, where *status* is the Boolean value returned by invoking *is_save_observation_enabled* on the *ObservableObject*. In case of failure, the operation shall return a tuple of the form (ID of entity, RETCODE_BAD_PARAMETER) for each entity referenced by *target* that was not found in the local instrumentation, and a tuple of the form (ID of entity, RETCODE_ERROR) for each entity for which error occurred while performing the operation. In case of failure, implementations may also return a *status* value, which shall be ignored by applications receiving the result.

7.4.4.1.2 Enable Save Observation

This operation shall allow a remote application to enable the generation of *Observation* samples on one or more *ObservableObject* instances. The remote application must specify the target *ObservableObject* instances on which to perform the operation.

For each referenced *ObservableObject* instance found within the local instrumentation that is performing the operation, the operation shall invoke the *ObservableObject*'s *enable_save_observation* operation and include a tuple of the following form in the result:

(ID of ObservableObject, retcode)

Retcode is the result value returned by the invocation of enable_save_observation on the ObservableObject.

If the remote application specifies the identifier of an *InstrumentationService* and/or an *ObservableScope* as the target for this operation, the operation shall target all *ObservableObject* instances contained by the referenced entity (i.e. all *ObservableObject* instances created by an *ObservableScope* or all *ObservableObject* instances created by every *ObservableScope* instance created by the *InstrumentationService*) and include a tuple for each *ObservableObject* in its result.

For each entity included in the operation's *target* that is not found within the local instrumentation, the result shall include a tuple of the form:

(ID of entity, RETCODE_BAD_PARAMETER)

If an error occurred while analyzing an entity (e.g. determining the *ObservableObject* instances it contains or enabling generation of *Observation* samples on an *ObservableObject*), the result shall include a tuple of the form:

(ID of entity, RETCODE_ERROR)

Parameter *target*: A collection of identifiers of entities in the local instrumentation; the referenced entities may be of type *InstrumentationService*, *ObservableScope*, *ObservableObject*.

Return: In case of success, this operation shall return a tuple of the form (ID of *ObservableObject*, *retcode*) for each *ObservableObject* instance referenced by *target*, where *retcode* is the value returned by invoking *enable_save_observation* on the *ObservableObject*. In case of failure, the operation shall return a tuple of the form (ID of entity, RETCODE_BAD_PARAMETER) for each entity referenced by *target* that was not found in the local instrumentation, and a tuple of the form (ID of entity, RETCODE_ERROR) for each entity for which an error occurred while performing the operation.

7.4.4.1.3 Disable Save Observation

This operation shall allow a remote application to disable the generation of Observation samples on one or more

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

66

ObservableObject instances. The remote application must specify the target *ObservableObject* instances on which to perform the operation.

For each referenced *ObservableObject* instance found within the local instrumentation that is performing the operation, the operation shall invoke the *ObservableObject*'s *disable_save_observation* operation and include a tuple of the following form in the result:

(ID of ObservableObject, retcode)

Retcode is the result value returned by the invocation of enable_save_observation on the ObservableObject.

If the remote application specifies the identifier of an *InstrumentationService* and/or an *ObservableScope* as the target for this operation, the operation shall target all *ObservableObject* instances contained by the referenced entity (i.e. all *ObservableObject* instances created by an *ObservableScope* or all *ObservableObject* instances created by every *ObservableScope* instance created by the *InstrumentationService*) and include a tuple for each *ObservableObject* in its result.

For each entity included in the operation's *target* that is not found within the local instrumentation, the result shall include a tuple of the form:

(ID of entity, RETCODE BAD PARAMETER)

If an error occurred while analyzing an entity (e.g. determining the *ObservableObject* instances it contains or disabling generation of *Observation* samples on an *ObservableObject*), the result shall include a tuple of the form:

(ID of entity, RETCODE_ERROR)

Parameter *target*: A collection of identifiers of entities in the local instrumentation; the referenced entities may be of type *InstrumentationService*, *ObservableScope*, *ObservableObject*.

Return: In case of success, this operation shall return a tuple of the form (ID of *ObservableObject*, *retcode*) for each *ObservableObject* instance referenced by *target*, where *retcode* is the value returned by invoking *disable_save_observation* on the *ObservableObject*. In case of failure, the operation shall return a tuple of the form (ID of entity, RETCODE_BAD_PARAMETER) for each entity referenced by *target* that was not found in the local instrumentation, and a tuple of the form (ID of entity, RETCODE_ERROR) for each entity for which an error occurred while performing the operation.

7.4.4.1.4 Check Data Collection Status

This operation shall allow a remote application to verify if data collection is currently enabled in one or more *ObservableScope* instances. The remote application must specify the target *ObservableScope* instances on which to perform the verification.

For each referenced *ObservableScope* instance found within the local instrumentation that is performing the operation, the operation shall invoke the *ObservableScope*'s *is_data_collection_enabeld* operation and include a tuple of the following form in the result:

(ID of ObservableScope, RETCODE_OK, status)

Status is the result value returned by the invocation of *is_data_collection_enabled* on the *ObservableScope*.

If the remote application includes the identifier of an *InstrumentationService* in the target of this operation, the operation shall target all *ObservableScope* instances contained by the referenced entity (i.e. all *ObservableScope* instances created by the *InstrumentationService*) and include a tuple for each *ObservableScope* in its result.

For each entity included in the operation's *target* that is not found within the local instrumentation, the result shall include a tuple of the form:

(ID of entity, RETCODE_BAD_PARAMETER)

If an error occurred while analyzing an entity (e.g. determining the *ObservableScope* instances it contains or verifying the status of data collection on an *ObservableScope*), the result shall include a tuple of the form:

(ID of entity, RETCODE_ERROR)

Parameter target: A collection of identifiers of entities in the local instrumentation; the referenced entities may be of

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

type InstrumentationService, ObservableScope.

Return: In case of success, this operation shall return a tuple of the form (ID of *ObservableScope*, RETCODE_OK, *status*) for each *ObservableScope* instance referenced by *target*, where *status* is the value returned by invoking *is_data_collection_enabled* on the *ObservableScope*. In case of failure, the operation shall return a tuple of the form (ID of entity, RETCODE_BAD_PARAMETER) for each entity referenced by *target* that was not found in the local instrumentation, and a tuple of the form (ID of entity, RETCODE_ERROR) for each entity for which an error occurred while performing the operation.

7.4.4.1.5 Enable Data Collection

This operation shall allow a remote application to enable data collection on one or more *ObservableScope* instances. The remote application must specify the target *ObservableScope* instances on which to perform the operation.

For each referenced *ObservableScope* instance found within the local instrumentation that is performing the operation, the operation shall invoke the *ObservableScope*'s *enable_data_collection* operation and include a tuple of the following form in the result:

(ID of ObservableScope, retcode)

Retcode is the result value returned by the invocation of enable data collection on the ObservableScope.

If the remote application includes the identifier of an *InstrumentationService* in the target of this operation, the operation shall target all *ObservableScope* instances contained by the referenced entity (i.e. all *ObservableScope* instances created by the *InstrumentationService*) and include a tuple for each *ObservableScope* in its result.

For each entity included in the operation's *target* that is not found within the local instrumentation, the result shall include a tuple of the form:

(ID of entity, RETCODE_BAD_PARAMETER)

If an error occurred while analyzing an entity (e.g. determining the *ObservableScope* instances it contains or enabling data collection on an *ObservableScope*), the result shall include a tuple of the form:

(ID of entity, RETCODE_ERROR)

Parameter *target*: A collection of identifiers of entities in the local instrumentation; the referenced entities may be of type *InstrumentationService*, *ObservableScope*.

Return: In case of success, this operation shall return a tuple of the form (ID of *ObservableScope*, *retcode*) for each *ObservableScope* instance referenced by *target*, where *retcode* is the value returned by invoking *enable_data_collection* on the *ObservableScope*. In case of failure, the operation shall return a tuple of the form (ID of entity, RETCODE_BAD_PARAMETER) for each entity referenced by *target* that was not found in the local instrumentation, and a tuple of the form (ID of entity, RETCODE_ERROR) for each entity for which an error occurred while performing the operation.

7.4.4.1.6 Disable Data Collection

This operation shall allow a remote application to disable data collection on one or more *ObservableScope* instances. The remote application must specify the target *ObservableScope* instances on which to perform the operation.

For each referenced *ObservableScope* instance found within the local instrumentation that is performing the operation, the operation shall invoke the *ObservableScope*'s *disable_data_collection* operation and include a tuple of the following form in the result:

(ID of ObservableScope, retcode)

Retcode is the result value returned by the invocation of disable_data_collection on the ObservableScope.

If the remote application includes the identifier of an *InstrumentationService* in the target of this operation, the operation shall target all *ObservableScope* instances contained by the referenced entity (i.e. all *ObservableScope* instances created by the *InstrumentationService*) and include a tuple for each *ObservableScope* in its result.

For each entity included in the operation's *target* that is not found within the local instrumentation, the result shall include a tuple of the form:

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

68

(ID of entity, RETCODE_BAD_PARAMETER)

If an error occurred while analyzing an entity (e.g. determining the *ObservableScope* instances it contains or disabling data collection on an *ObservableScope*), the result shall include a tuple of the form:

(ID of entity, RETCODE ERROR)

Parameter *target*: A collection of identifiers of entities in the local instrumentation; the referenced entities may be of type *InstrumentationService*, *ObservableScope*.

Return: In case of success, this operation shall return a tuple of the form (ID of *ObservableScope*, *retcode*) for each *ObservableScope* instance referenced by *target*, where *retcode* is the value returned by invoking *disable_data_collection* on the *ObservableScope*. In case of failure, the operation shall return a tuple of the form (ID of entity, RETCODE_BAD_PARAMETER) for each entity referenced by *target* that was not found in the local instrumentation, and a tuple of the form (ID of entity, RETCODE_ERROR) for each entity for which an error occurred while performing the operation.

7.4.4.1.7 Update DataProcessor

This operation shall allow a remote application to update the configuration of one or more *DataProcessor* instances. The remote application must specify the identifiers of the *DataProcessor* instances on which to perform the operation.

For each referenced *DataProcessor* instance found within the local instrumentation that is performing the operation, the operation shall invoke the *DataProcessor*'s *update* operation passing the *DataProcessorArgs* value specified by the remote application. The result shall include a tuple of the following form:

(ID of *DataProcessor*, *retcode*)

Retcode is the result value returned by the invocation of update on the DataProcessor with the specified arguments.

If the remote application includes the identifier of an *InstrumentationService* in the target of this operation, the operation shall target all *DataProcessor* instances contained by the referenced entity (i.e. all *DataProcessor* instances created by the *InstrumentationService*) and include a tuple for each *DataProcessor* in its result.

For each entity included in the operation's *target* that is not found within the local instrumentation, the result shall include a tuple of the form:

(ID of entity, RETCODE_BAD_PARAMETER)

If an error occurred while analyzing an entity (e.g. determining the *ObservableScope* instances it contains or disabling data collection on an *ObservableScope*), the result shall include a tuple of the form:

(ID of entity, RETCODE_ERROR)

Parameter *target*: A collection of identifiers of entities in the local instrumentation; the referenced entities may be of type *InstrumentationService*, *DataProcessor*.

Parameter *args:* an instance of *DataProcessorArgs* that will be passed to each referenced *DataProcessor*'s *update* operation.

Return: In case of success, this operation shall return a tuple of the form (ID of *DataProcessor*, *retcode*) for each *DataProcessor* instance referenced by *target*, where *retcode* is the value returned by invoking *update* on the *DataProcessor* with the specified argument. In case of failure, the operation shall return a tuple of the form (ID of entity, RETCODE_BAD_PARAMETER) for each entity referenced by *target* that was not found in the local instrumentation, and a tuple of the form (ID of entity, RETCODE_ERROR) for each entity for which an error occurred while performing the operation.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

8 Platform Specific Model (PSM)

8.1 Application Instrumentation API PSMs

8.1.1 C PSM

8.1.1.1 PIM to PSM Mapping Rules

8.1.1.1.1 Naming conventions

The name of all functions and data-types defined by the API shall start with the prefix "AppInst_".

The name of classifier that only present data attributes (i.e. Value Types) shall be terminated with the suffix "_t".

8.1.1.1.2 Interfaces Types

All classifiers of the PIM that only define methods in their description shall be mapped to opaque data-types.

The operations defined by each type shall be mapped to C functions that prepend the name of the entity to the operation's name. All non-static functions shall take as the first parameter a "self" parameter of the type of the entity, representing the instance on which the operation is being invoked. Static operations shall not take a "self" parameter.

8.1.1.1.3 Value Types

Classifiers of the PIM that define only public data attributes in their description and no operation shall be mapped to C *struct* data-types.

A macro shall be defined for each one of these data-types, which shall be used to by applications to properly initialize the attributes to their default values.

When required, implementation may include support functions to properly handle initialization and finalization of any type that requires dynamic allocation of memory to store its values (e.g. *DataProcessorArgs*).

8.1.1.1.4 Enumeration Types

All enumeration types shall be mapped to *enum* types. Values of the enumeration shall be prepended with the "APPINST_" prefix.

8.1.1.1.5 Supported DataValue Types

Each concrete sub-class of *DataValue* defined by the *Application Instrumentation API*'s PIM shall be mapped to a native C types. Abstract types of the *DataValue* hierarchy shall not be mapped to specific C types.

The following table illustrates how each supported type is mapped.

DataValue type	С Туре
BOOL	unsigned char
OCTET	unsigned char
INT16	short
INT32	long
INT64	long long
UINT6	unsigned short

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

70

UINT32	unsigned long
UINT64	unsigned long long
FLOAT32	float
FLOAT64	double
FLOAT128	long double
CHAR8	char
CHAR32	wchar_t
STRING8	char*
STRING32	wchar_t*
BOOLSeq	unsigned char*
OCTETSeq	unsigned char*
INT16Seq	short*
INT32Seq	long*
INT64Seq	long long*
UINT6Seq	unsigned short*
UINT32Seq	unsigned long*
UINT64Seq	unsigned long long*
FLOAT32Seq	float*
FLOAT64Seq	double*
FLOAT128Seq	long double*
CHAR8Seq	char*
CHAR32Seq	wchar_t*
STRING8Seq	char**
STRING32Seq	wchar_t**

In order to correctly represent the BOOL type, two macros, APPINST_BOOL_TRUE and APPINST_BOOL_FALSE, shall be defined to represent its two possible values.

8.1.1.1.6 Function Signatures

All output parameters will be mapped to inout parameters in C passed by reference to the function. The caller must supply a pointer to an object of the appropriate type where the output value will be stored. The value NULL may be passed in place of a pointer to indicate that the output parameter is not of interest to the caller. The operation shall thus ignore the parameter.

For each collection returned by a function, the function's signature shall include an inout parameter of type UINT32 that will store the length of the retuned collection. For each collection accepted as input parameter, the function's signature shall include an in parameter of type UINT32 specifying the length of the supplied collection.

Parameters of type *String* shall be mapped to STRING8 values. Parameters of type *Boolean* shall be mapped to BOOL values.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

8.1.1.1.7 DataValueSource

The type *DataValueSource* that defines the source of a bound field in an *ObservableObject* shall be mapped to a C pointer of type *void*. The *get_value* operation shall be implemented by casting the pointer to the expected type (the C data-type that maps the *DataValueSource*'s type T) and the use of the indirection operator (*).

8.1.1.1.8 DataProcessor

Each operation defined by the *DataProcessor* interface shall be mapped to a function pointer type. When implementing the interface, an application shall define a function with the appropriate signature for each of the operations.

The implementation of each operation that will be used by a new *DataProcessor* instance shall be specified in the *DataProcessorProperties* value specified at the creation of the *DataProcessor*.

The *DataProcessorProperties* class shall be extended to include attributes of the appropriate function pointer type and string attributes for each of the operations of the *DataProcessor* interface. The following attributes will be added to *DataProcessorProperties*:

- initialize_fn: function pointer to the implementation of the initialize operation
- *finalize_fn*: function pointer to the implementation of the *finalize* operation.
- *update_fn*: function pointer to the implementation of the *update* operation.
- attach_to_observable_scope_fn: function pointer to the implementation of the attach_to_observable_scope operation.
- detach_from_observable_scope_fn: function pointer to the implementation of the detach_from_observable_scope operation.
- attach_to_observable_object_fn: function pointer to the implementation of the attach_to_observable_object operation.
- detach_from_observable_object_fn: function pointer to the implementation of the detach_from_observable_object operation.
- process_observations_fn: function pointer to the implementation of the process_observations operation.

The DataProcessorState class is mapped to a C pointer of type void. The instrumentation infrastructure shall treat values of this type as opaque and delegate any management of memory associated with them to the application.

8.1.2 Java PSM

8.1.2.1 PIM to PSM Mapping Rules

8.1.2.1.1 Packages Organization

All modules in the PIM are mapped to package org.omg.appinst.

8.1.2.1.2 Naming Conventions

All names of operations replace the "underscore-based" naming convention used by the PIM in favor of the "Camelcase" convention, which is more familiar to Java developers. For example, operation "my_class_operation" in the PIM will be mapped to operation "myClassOperation" in the Java PSM.

8.1.2.1.3 Entity representation

All entities in the PIM are mapped to Java interfaces.

8.1.2.1.4 Data type support

The set of supported sub-types of *PrimitiveValue* is limited to those that can be mapped to data types natively supported by the Java platform. This limitation also affects the supported sub-types of *SequenceValue*, which are similarly limited

72

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1 to collections of native primitive types.

Each supported type is mapped to both a native primitive type and its corresponding primitive wrapper class.

Supported sub-types of SequenceValue are instead mapped to both an array of a primitive type and an array of its primitive wrapper class. The API operations support the specification of value in any of these two forms and as a java.util.list.Collection of the correct primitive wrapper class. Implementation are allowed to operate internal conversions between these formats to a selected internal representation, although they should state when conversions may take place and provide at least one optimized representation.

DataValue type	Java Type
BOOL	boolean
OCTET	byte
INT16	short
INT32	int
INT64	long
UINT6	NOT SUPPORTED
UINT32	NOT SUPPORTED
UINT64	NOT SUPPORTED
FLOAT32	float
FLOAT64	double
FLOAT128	NOT SUPPORTED
CHAR8	char
CHAR32	char
STRING8	String
STRING32	String
BOOLSeq	<pre>boolean[], Boolean[], Collection<boolean></boolean></pre>
OCTETSeq	<pre>byte[], Byte[], Collection<byte></byte></pre>
INT16Seq	Short[], Short[], Collection <short></short>
INT32Seq	<pre>Integer[], Integer[], Collection<integer></integer></pre>
INT64Seq	Long[], Long[], Collection <long></long>
UINT6Seq	NOT SUPPORTED
UINT32Seq	NOT SUPPORTED
UINT64Seq	NOT SUPPORTED
FLOAT32Seq	<pre>float[], Float[], Collection<float></float></pre>
FLOAT64Seq	<pre>double[], Double[], Collection<double></double></pre>
FLOAT128Seq	NOT SUPPORTED

The following tables lists concrete sub-types of *DataValue* and their mapping to Java types:

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

CHAR8Seq	<pre>char[], Character[], Collection<character></character></pre>
CHAR32Seq	<pre>char[], Character[], Collection<character></character></pre>
STRING8Seq	String[], Collection <string></string>
STRING32Seq	<pre>String[], Collection<string></string></pre>

8.1.2.1.5 Return Codes

Type ReturnCode is mapped to an enum and an exception class.

Operations of the PIM declaring a *ReturnCode* output parameter throw a *ReturnCodeException* in case the *ReturnCode* is not RETCODE_OK.

Operations that declare a ReturnCode return value present the same return value in the PSM too.

8.1.2.1.6 Collection return values

An array of the mapped type is returned by operations of the PIM that return a collection of elements. Implementations may operate a transformation between their internal representations of the collections to the array form, for example by using the *toArray* operation of one of the classes of the *java.util.list* package.

For performance reasons, an overloaded version of the operation is also provided, which accepts an input array where the result returned by the operation will be stored. Only the elements that can fit in the length of the array will be returned.

8.1.2.1.7 Factory methods

Factory methods that create instrumentation entities and accept properties objects to configure them also present an overloaded version of the method, which does not declare the properties parameter. These methods will use the default properties and avoid the caller to have to specify a *null* argument in order to request the default values.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

74

8.2 Instrumentation Domain PSMs

8.2.1 OGM Data Distribution Service

8.2.1.1 PIM to PSM Mapping Rules

8.2.1.1.1 Data type representation

The following table illustrates how sub-classes of *DataValue* are mapped to IDL data types:

Instrumentation Data Type	IDL Data Type	
BOOL	boolean	
OCTET	octet	
INT16	short	
INT32	long	
INT64	long long	
UINT6	unsigned short	
UINT32	unsigned long	
UINT64	unsigned long long	
FLOAT32	float	
FLOAT64	double	
FLOAT128	long double	
CHAR8	char	
CHAR32	wchar	
STRING8	string	
STRING32	wstring	
BOOLSeq	sequence <boolean></boolean>	
OCTETSeq	sequence <octet></octet>	
INT16Seq	sequence <short></short>	
INT32Seq	sequence <long></long>	
INT64Seq	sequence <long long=""></long>	
UINT6Seq	sequence <unsigned short=""></unsigned>	
UINT32Seq	sequence <unsigned long=""></unsigned>	
UINT64Seq	sequence <unsigned long=""></unsigned>	
FLOAT32Seq	sequence <float></float>	

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

FLOAT64Seq	sequence <double></double>
FLOAT128Seq	sequence <long double=""></long>
CHAR8Seq	sequence <char></char>
CHAR32Seq	sequence <wchar></wchar>
STRING8Seq	sequence <string></string>
STRING32Seq	sequence <wstring></wstring>

8.2.1.1.2 Instrumentation entities

Instrumentation entities defined by the API are uniquely associated with entities in the DDS middleware.

API entity	Middleware entity
InstrumentationService	DDS_DomainParticipant
ObservableScope	DDS_Publisher and one DDS_DataWriter for each ObservableSchema of contained ObservableObject instances
ObservableSchema	DDS data-type and a DDS_Topic
ObservableObject	Instance on DDS_Topic

The instance associated with an *ObservableObject* is identified by the following attributes:

- Host Identifier
- Name of the InstrumentationService
- Name of the ObservableScope
- Name of the ObservableObject

It is up to the user to guarantee that *ObservableObject* from multiple application map to separate instances in the *DDS_Topic* associated with their *ObservableSchema*.

8.2.1.1.3 Local instrumentation operations

This sub-clause defines the operations performed by the data-distribution middleware in response to operations requested by an application using the Application Instrumentation API.

The mappings are presented in terms of "events" in the local instrumentation and corresponding operations carried out by the middleware.

API action	Middleware action
A new InstrumentationService is created	A DDS_DomainParticipant is created and uniquely associated with the InstrumentationService/
An InstrumentationService is deleted	The DDS_DomainParticipant associated with the InstrumentationService and all its contained entities are deleted.
An ObservableSchema is activated in an InstrumentationService	1. A DDS data-type is created by mapping the <i>ObservableSchema</i> with the rules described in 8.2.1.1.4

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

76

	2. The DDS data-type is registered on the DDS_DomainParticipant associated with the InstrumentationService, using the ObservableSchema's name
	3. A new DDS_Topic is created using the registered data-type and it is uniquely associated with the ObservableSchema; the name of the topic is derived by prefixing the ObservableSchema's name with the string "AppInst::"
An ObservableScope is created	A DDS_Publisher is created in the DDS_DomainParticipant associated with the InstrumentationService; the publisher is uniquely associated with the ObservableScope.
An ObservableScope is deleted	The DDS_Publisher associated with the ObservableScope is deleted, along with all its contained DDS_DataWriter.
An <i>ObservableObject</i> is created	A DDS_DataWriter to the DDS_Topic associated with the ObservableObject's ObservableSchema is created in the DDS_Publisher associated with the ObservableScope containing the ObservableObject, if it does not exist already;
	A new instance, uniquely associated with the ObservableObject, is registered in the ObservableSchema's DDS_DataWriter.
	The instance associated with the <i>ObservableObject</i> is disposed.
An ObservableObject is deleted	If no other ObservableObject of the same ObservableSchema exists within the enclosing ObservableScope, DDS_DataWriter for the ObservableSchema is deleted.
	1. The Observation is converted to a sample of the <i>ObservableSchema's</i> DDS data-type.
An ObservableScope distributes an Observation to the Instrumentation Domain	2. The sample is written to the DDS Global Data Space using the <i>DDS_DataWriter</i> associated with the <i>ObservableGroup</i> containing the <i>ObservableObject</i> that generated the <i>Observation</i> .

8.2.1.1.4 ObservableSchema

Each ObservableSchema is mapped to a complex DDS data-type. The *Field* entries contained in the ObservableSchema are converted to single attributes. A key attribute identifying the ObservableObject that generated the Observation is automatically added to the data-type.

The key attribute is added first to the generated type and it can be described in the following way, using IDL:

typedef string<MAX_STRING_LEN> SupportedString;

struct ObservationSource { SupportedString host_id; //@key SupportedString service; //@key SupportedString scope; //@key

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

77 /

SupportedString object; //@key

}

struct ObservationHeader {

ObservationSource source; //@key long sequence_number;

};

MAX_STRING_LEN is left unspecified.

The data-type resulting from the mapping of an example ObservationSchema named "Foo" can be generically represented in IDL as:

struct Foo { ObservationHeader header; //@key //<field mappings >

};

Fields are added to the DDS data-type according to the creation order in their ObservableSchema. Each field is mapped to a corresponding entry with the same name and type determined using the table in 8.2.1.1.1.

8.2.1.1.4.1 Quality of Service of associated DDS Topic

The DDS Topic created for an ObservableSchema shall be configured with the following default Quality of Service (QoS) configuration

QoS Property	Default Value
Durability	TRANSIENT_LOCAL
Deadline	Infinite
Latency Budget	0
Ownership	EXCLUSIVE
Ownership Strength	0
Liveliness	AUTOMATIC
Time-based Filter	0
Reliability	RELIABLE
Transport Priority	0
Lifespan	Infinite
Destination Order	BY_SOURCE_TIMESTAMP
History	KEEP_ALL
Resource Limits (max_samples, max_instances, max_samples_per_instance)	(LENTGH_UNLIMITED, LENTGH_UNLIMITED, LENTGH_UNLIMITED)

Andrea Sorbini 11/9/15 2:<u>53 PN</u> Deleted: Beta1

Writer Data Life-cycle (autodispose_unregistered_instances)	(True)
Reader Data Life-cycle (autopurge_nowriter_samples_delay, autopurge_disposed_samples_delay)	(Infinite, Infinite)
User Data	None

8.2.1.1.5 Extensions to ObservableSchemaProperties

The following attributes shall be added to *ObservableSchemaProperties* to allow configuration of the Quality of Service properties of every *DataWriter* publishing *Observation* samples from *ObservableObject* instances of a certain *ObservableSchema*.

ObservableSchemaProperties	
Attributes	
qos_reliability	String
qos_history	String
qos_history_depth	Integer
<pre>qos_resource_limits_max_samples</pre>	Integer
<pre>qos_resource_limits_max_instances</pre>	Integer
<pre>qos_resource_limits_max_samples_ per_instance</pre>	Integer

8.2.1.1.5.1 qos_reliability

This attribute shall set the *Reliability* QoS policy of any *DataWriter* associated with the *ObservableSchema*. Values of this attribute shall be interpreted according to the following table. The default value for this attribute shall be "RELIABLE".

Value	QoS Policy Value
"RELIABLE"	RELIABLE
"BEST_EFFORT"	BEST_EFFORT
any other value	error

8.2.1.1.5.2 qos_history

This attribute shall set the *History* QoS policy of any *DataWriter* associated with the *ObservableSchema*. Values of this attribute shall be interpreted according to the following table. The default value for this attribute shall be "KEEP_ALL".

Value	QoS Policy Value
"KEEP_ALL"	KEEP_ALL

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1



"KEEP_LAST"	KEEP_LAST
any other value	error

8.2.1.1.5.3 qos_history_depth

This attribute shall specify the depth property of the History QoS policy for any DataWriter associated with an ObservableSchema. The default value for this attribute is 0.

8.2.1.1.5.4 qos_resource_limits_max_samples

This attribute shall set the max_samples property of the ResourceLimits QoS policy of any DataWriter associated with the ObservableSchema. The default value for this attribute shall be -1, to indicate "LENTGH_UNLIMITED".

8.2.1.1.5.5 qos_resource_limits_max_instances

This attribute shall set the max_instances property of the ResourceLimits QoS policy of any DataWriter associated with the ObservableSchema. The default value for this attribute shall be -1, to indicate "LENTGH_UNLIMITED".

8.2.1.1.5.6 qos_resource_limits_max_samples_per_instance

This attribute shall set the max_samples_per_instance property of the ResourceLimits QoS policy of any DataWriter associated with the ObservableSchema. The default value for this attribute shall be -1, to indicate "LENTGH_UNLIMITED".

8.2.1.2 Remote Service Interface

The Remote Service Interface provided by the Instrumentation Domain to remote application can be implemented using two DDS topics to receive operation requests and output their outcome from each local instrumentation in the distributed system.

These topics have a fixed name and corresponding data-types, one for operation requests and one for responses.

The data-type for requests and responses may be represented in IDL as:

const long MAX_STRING_LEN = 255; const long MAX_SEQ_SIZE = 255;

typedef string<MAX_STRING_LEN> SupportedString; typedef sequence<SupportedString, MAX_SEQ_SIZE> SupportedStringSeq;

typedef SupportedString InstrumentationId;

typedef SupportedString RequesterId;

typedef long RequestId;

```
enum RequestType {

APPINST_OPERATION_CHECK_SAVE_OBSERVATION,

APPINST_OPERATION_ENABLE_SAVE_OBSERVATION,

APPINST_OPERATION_DISABLE_SAVE_OBSERVATION,
   APPINST_OPERATION_CHECK_DATA_COLLECTION,
   APPINST OPERATION ENABLE DATA COLLECTION, APPINST OPERATION DISABLE DATA COLLECTION,
   APPINST_OPERATION_UPDATE_DATA_PROCESSOR
}:
```

typedef SupportedStringSeq RequestArgsKeys;

typedef SupportedStringSeq RequestArgsValues;

typedef SupportedStringSeq RequestOutcomeKeys;

drea Sorbini 11/9/15 2:53 Deleted: Beta1

typedef SupportedStringSeq RequestOutcomeValues;

struct RemoteServiceRequest {

InstrumentationId instrumentation_id; //uniquely identifies the target instrumentation RequesterId requester_id; //uniquely identifies the application that request the operation RequestId request_id; //uniquely identifies the request with respect to its requester RequestType request_type; //indicates which operation should be performed by the service RequestArgsKeys request_args_keys; //names of the argument to be passed to the operation RequestArgsValues request_args_values; //arguments to be passed to the operation

};

};

struct RemoteServiceResponse {

InstrumentationId instrumentation_id; //instrumentation where the request was handled RequesterId requester_id; //application that generated the request RequestId request_id; //id assigned to the request by the requester RequestOutcomeKeys request_outcome_keys; //name of output values of the operation RequestOutcomeValues request_outcome_values; //output values of the operation

The two Topics used to implement the Remote Service Interface shall have the following names and data types:

Type of topic	Name	Data Type
Requests	AppInst_RemoteServiceRequests	RemoteServiceRequest
Responses	AppInst_RemoteServiceResponses	RemoteServiceResponse

8.2.1.2.1.1 Quality of Service of associated DDS Topics

The DDS Topics created to implement the Remote Service Interface shall be configured with the following default Quality of Service (QoS) configuration

QoS Property	Default Value
Durability	TRANSIENT_LOCAL
Deadline	Infinite
Latency Budget	0
Ownership	EXCLUSIVE
Ownership Strength	0
Liveliness	AUTOMATIC
Time-based Filter	0
Reliability	RELIABLE
Transport Priority	0
Lifespan	Infinite
Destination Order	BY_SOURCE_TIMESTAMP

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

Application Instrumentation, Version 1.0

History	KEEP_ALL
Resource Limits (max_samples, max_instances, max_samples_per_instance)	(LENTGH_UNLIMITED, LENTGH_UNLIMITED, LENTGH_UNLIMITED)
Writer Data Life-cycle (autodispose_unregistered_instances)	(True)
Reader Data Life-cycle (autopurge_nowriter_samples_delay, autopurge_disposed_samples_delay)	(Infinite, Infinite)
User Data	None

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

9 Instrumentation Example (Non-normative)

This clause presents a complete example of a software system instrumented using the Application Instrumentation API. The example is included specification to provide better understanding of the scope of this specification and how it may be effectively used to instrument applications. It is not to be considered part of the normative specification.

The following sub-clauses are laid out as follows:

- Example Overview: presents the example distributed system and its instrumentation requirements.
- Instrumentation Configuration: describes how the instrumentation requirements of the system may be modeled using the Application Instrumentation API.

9.1 Example Overview

The software system chosen for the example instrumentation is a radar track-management system. This kind of application usually has near real-time or real-time requirements, with critical need for minimizing the instrumentation's intrusiveness into the system's resources.

The instrumentation presented in the example includes a variety of information extracted from the application. These different types of information will provide the opportunity to show how the API may be leveraged to easily expose application data to remote consumers.

9.1.1 Instrumented System

The software system used in this example is a generic radar track-management system, described only in a qualitative way that includes a general description of each software component.

No assumption is made on the implementation platform of the system. Behavior of each component is presented in a programming language independent way, providing an abstract description of the module's purpose.

Figure 12 shows a possible architecture for the example system.




Figure 12 Example Track-Management System

The system comprises four types of components:

- *Radar*: hardware radar equipment and attached control software, which periodically produces data samples containing the latest measurements.
- Track Manager: a software component responsible for monitoring data samples produced by the Radar; the
 component detects new objects in the measurements and creates new tracks in its state; it correlates new data
 samples with existing objects and updates the associated track's status; finally it marks tracks as disposed once
 their objects are not detected by the Radar anymore; track data is produced in output so that it may consumed by

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

other components in the system.

- *GUI*: a display application used by end users of the system to monitor the state of the *Track Manager* and observe track data in real-time.
- System Log: a logging component, which records radar and track data for off-line analysis and general auditing of the system.

Each component is a software module that runs as an independent application on a physical system. An application communicates with other applications through a network infrastructure.

Each application accepts a set of configuration parameters. Parameters are specified at start-up and possibly updated during the execution of the system through some kind of remote configuration interface. The available configuration parameters depend on the software component. They include resources allocated to each application, such as memory storage, threads, and network bandwidth, and other parameters related to the specific role of each component.

Each application can consume and produce data, exchanging information through the network with other applications in the system. Components that produce data include the *Radar* and the *Track Manager*, which will operate on a periodic basis, with more or less stringent requirements on the maximum latency allowed between successive updates produced in output. Components that consume information (*Track Manager, GUI, System Log*) can all be abstracted as some processing logic that must be executed whenever the remote producers make new samples available.

9.1.2 Instrumentation Requirements

The components of the track-management system in the example are assumed to be operating under near real-time/realtime requirements. The system is expected to be able to consume a certain amount of radar measurements and produce track information in output with a guaranteed update rate.

These requirements make the monitoring of the performance of each component of critical importance. On-line monitoring of the system's performance is leveraged during the development and testing stages of the system. There it can help with exposing bottlenecks in the processing pipeline, optimizing configuration parameters and debugging the system.

The monitoring infrastructure is also useful once the system is deployed into production. Monitoring information may be accessed when suspicious behavior is observed in the system. Data extracted by the instrumentation may provide helpful hindsight on the operations of each application in the system and help identify unexpected problems.

The following table describes the information that will be extracted via instrumentation from the system.

Type of Information	Description
Module Performance	The timing and details of the operations performed by each component of the system must be monitored; the information should include initial and final time when an operation was carried out, the number of data samples processed by the operation and their size
Track Processing Throughput	The <i>Track Manager</i> represents the core component of the system and its performance in processing track information must be monitored by computing the throughput of the updates to each track and the total aggregated throughput.
Application Configuration	Since each component's behavior depends on its configuration parameters, it is useful to be able to inspect the actual parameters used by an application and to monitor any changes that

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

84

may occur to them over the application's execution.

All types of information shall be updated whenever they change in the instrumented applications. Aggregated values of relevant statistics shall also be provided, offering monitoring applications with averages over different time spans and tracking of min/max values for each stream.

9.2 Instrumentation Configuration

This sub-clause presents a possible configuration of the instrumentation used by the example track-management system, described using the constructs and concepts of the Application Instrumentation API.

First, the *ObservableSchemas* that describe the information that will be produced by the instrumentation are presented. Then *ObservableScopes* and *ObservableObjects* used to produce information from the instrumented applications are described and finally the *DataProcessors* that will process collected *Observations* and control their distribution to remote monitoring applications.

9.2.1 Instrumentation Service

A single *InstrumentationService* will be created for each instrumented application. The *InstrumentationService* will be named after a unique, alphanumeric identifier assigned to the application.

9.2.2 Data Types

Each data-type used to describe monitored application data must be described by an ObservableSchema. This sub-clause describes all ObservableSchemas required to model the instrumented information of the system.

The ObservableSchemas include both Fields meant to be filled by instrumented applications and Fields that will be used by DataProcessors to store additional information computed from the one provided by the applications. Computed Fields are marked with an italic font in the tables describing each ObservableSchema's Fields.

9.2.2.1 Module Performance

Performances of the instrumented applications are abstractly modeled through the number and size of items processed by each "operation" performed by the software modules contained in the applications. As introduced in 9.1.1, applications operate in periodic loops, where they typically receive data from their inputs and process it, possibly generating output in response. Nevertheless, data may be internally passed through several processing modules, each one performing some operation whose performance should be tracked by the instrumentation.

The *OperationLog ObservableSchema* models the performance of each operation, providing fields to store the name of the operation, its timing information, and data about the items it processed.

Observations of this ObservableSchema will be processed by the instrumentation to produce an aggregated performance analysis of each software module. The ModulePerformance ObservableSchema contains only computed Fields, which will provide the average, minimum and maximum values of the performance of single operations.

Observations of *OperationLog* can be kept local to instrumented application to avoid burdening monitoring applications, and the interconnecting network infrastructure, with unnecessary data. Only aggregated performance will be distributed outside of the application's instrumentation.

OperationLog	ObservableSchema			
	OperationLog			
Field Name Field Type Description	Field Name	Field Type	Description	

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

module_name	STRING8	Name of the software module that performed the operation.
operation_name	STRING8	Name of the operation performed by the software module.
time_in	UINT64	Time when the operation started.
time_out	UINT64	Time when the operation was completed.
processed_items	UINT32	Number of items processed by the operation.
processed_items_size	UINT64	Total size of the items processed by the operation.

ObservableSchema			
ModulePerformance			
Field Name	Field Type	Description	
module_name	STRING8	Name of the software module.	
operations_total	UINT64	Total number of operations performed by the module.	
time_total	UINT64	Total time taken by operations performed by the module.	
operation_duration_avg	FLOAT64	Average time required to perform a single operation.	
processed_items_total	UINT64	Total number of items processed by the module.	
processed_items_avg	FLOAT64	Running average of the number of items processed by each operation performed by the module.	
processed_items_min	UINT32	Minimum number of items processed by the module in a single operation.	
processed_items_max	UINT32	Maximum number of items processed by the module in a single operation.	
processed_items_size_ total	UINT64	Total size of the items processed by the module.	
processed_items_size_ avg	FLOAT64	Running average of the size of the items processed by the module in a single operation.	

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

processed_items_size_ min	UINT64	Minimum size of items processed by the module in a single operation.
processed_items_size_ max	UINT64	Maximum size of items processed by the module in a single operation.

9.2.2.2 Track Update Throughput

This ObservableSchema is used to describe the current state maintained by the Track Manager of each single track discovered from the radar measurements. Observations of this ObservableSchema will be generated whenever a track's status on the Track Manager is updated and they will be used to compute throughput of the track managing logic.

The information modeled by this *ObservableSchema* is only used by the local instrumentation installed in the *Track Manager* to compute the application's throughput. *Observations* will not be distributed to remote monitoring applications, which will only consume the generated throughput information.

The track update throughput will be automatically computed from *Observations* of the *TrackState ObservableSchema* produced by the instrumented applications.

Throughput will be calculated for each single track managed by the *Track Manager* as well as an aggregated statistic that includes all tracks. The *TrackThroughput ObservableSchema* models the throughput information for a single track, while *ObservableSchema AggregatedTrackThroughput* models the aggregated throughput of the processing of updates to all tracks in the system. Both *ObservableSchema* contain computed *Fields* to store running average, minimum, and maximum values of each type of throughput.

ObservableSchema		
TrackState		
Field Name Field Type Description		
track_number	INT32	A unique identifier assigned by the system to each track.
update_time	UINT64	Time when the track's state was last updated.
track_discovered	BOOL	A boolean value signaling that a track has just been discovered and updated for the first time.
track_deleted	BOOL	A boolean value signaling that the track has been deleted and updated for the last time.

ObservableSchema				
TrackThroughput				
Field Name Field Type Description				

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

tracks_count	UINT64	Total number of tracks currently managed by the system.
track_number	INT32	The unique identifier of the last track to be updated.
update_time	UINT64	Time of the last update made to the state of one of the tracks.
throughput	FLOAT64	The total update throughput currently measured for all tracks managed by the system.
throughput_avg	FLOAT64	Running average of the total update throughput.
throughput_min	FLOAT64	Minimum total update throughput.
throughput_max	FLOAT64	Maximum total update throughput.

9.2.2.3 Application Configuration

The configuration of applications in the track-management system is contained in a text file, which is loaded by the application at start-up. No assumption is made on the format of the configuration file's contents.

ObservableSchema		
ApplicationConfiguration		
Field Name	Field Type	Description
config_file_src	STRING8	A string, possibly following an URI scheme, identifying the source where the application read its configuration parameters (file, database, network location, etc.).
config_file_contents	STRING8	Contents of the configuration file read by the application.
system_name	STRING8	Name of the host where the application is deployed.
cpu_count	UINT16	Total number of CPU allocated to the application.
run_mode	INT16	How the application should operate (test, training, live, etc.).
thread_pool_mode	INT16	How the thread pool allocated to the application should be managed (dynamic, fixed-size, etc.).

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

88

thread_pool_initial	UINT16	The initial size of the application's thread pool.
thread_pool_max	UINT16	The maximum number of threads that can be allocated to the application's thread pool.
memory_alloc_mode	INT16	How memory allocation should be managed by the application (pre-allocate, dynamic, etc.).
memory_alloc_initial	UINT64	The initial memory allocated to the application.
memory_alloc_max	UINT64	The maximum amount of memory that can be allocated to the application.

9.2.3 Data Collection

In order to generate data that may be accessed by remote consumers, instrumented applications must create *ObservableScope* and *ObservableObject* instances. *ObservableObjects* will be used to store data and generate *Observations*, while their enclosing *ObservableScopes* will collect these *Observations*, pass them through a *DataProcessor*, and possibly distribute them to the remote monitoring applications.

Since an *ObservableScope* defines an independent, single-threaded, data processing context for the *Observations* of all *ObserableObjects* it contains, it is a good usage pattern to map only instrumented information that should be correlated together to the same *ObservableScope*. This will avoid tying uncorrelated *Observations*, which may be processed independently, to the same execution context, thus serializing their processing unnecessarily. *ObservableObjects* that represent unrelated information should be placed into separate *ObservableScope*, so that their *Observations* may be processed in separate threads if the implementation supports it. Even if processing is implemented using a single thread, the resulting serialization will be equal to the one that would have resulted from placing all *ObservableObjects* into the same *ObservableObjects*.

For this reason, this example instrumentation adopts three separate *ObservableScope*, one for each category of instrumented information that will be collected from the system:

- *Module Performance*: this *ObservableScope* will contain *ObservableObjects* that generate *Observations* related to the application's operative performance.
- *Track Update Throughput:* this *ObservableScope* will contain *ObservableObjects* that generate *Observations* on the state of track processing and its throughput.
- Application Configuration: this ObservableScope will contain ObservableObjects that generate Observations of the configuration parameters of the application.

The following sub-clauses will describe the purpose of each *ObservableScope*, the *ObservableObjects* that will be created, and how they will be used by the application and the instrumentation.

9.2.3.1 Module Performance

A single ObservableScope is dedicated to the monitoring of the performance of the instrumented applications modules.

Within this ObservableScope, two ObservableObjects, of ObservableSchemas OperationLog and ModulePerformance respectively, are created for each module registered with the instrumented application. This choice is made to allow separate modules to access their dedicated ObservableObjects independently of other modules, possibly from within a concurrent execution context. Sharing ObservableObject instances between concurrent application threads could lead to unexpected behavior, since the ObservableObject interface offers only safe multi-thread access from a single application

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

thread and the execution context of its ObservableScope.

If the number, and names, of modules used by the application are known at start-up, *ObservableObject* instances may be created immediately during the initialization of the instrumentation. If the application is allowed to load new modules dynamically, new *ObservableObjects* can also be created dynamically, provided data collection is first disabled on the *ObservableObjects* associated with other modules. If the *Observation* allocation is properly configured, the loss of data should me minimal once the *ObservableObject* has been created and data collection is enabled again in the *ObservableScope*.

Note that the code of the software modules will only access the *ObservableObjects* to generate *OperationLog Observations*. *ObservableObjects* of the *ModulePerformance ObservableSchema* will be used by a *DataProcessor* to automatically compute the aggregated statistics from the single operation ones.

ObservableScope ModulePerformanceMonitor		
ObservableObject Name	ObservableSchema	Description
<module_name>_ operations_log</module_name>	OperationLog	Produces logs of every (high level) operation performed by the software module with name < <i>module_name</i> >.
<module_name>_ module_performance</module_name>	ModulePerformance	Produces aggregated statistics for the software module with name <module_name>, computed by a DataProcessor from the Observations of ObservableObject <module_name>_operations_log</module_name></module_name>

9.2.3.2 Track Update Throughput

An ObservableScope is dedicated to the collection of Observations of track updates and the computation of the resulting update throughput.

Two ObservableObjects are created within this ObservableScope, each one producing data about multiple tracks.

An ObservableObject of type TrackState will be used to produce Observations whenever a track is updated. A DataProcessor will pick up these Observations to compute the total resulting throughput. The results will be produced via the other ObservableObject, of types TrackThroughput.

The choice of not creating an *ObservableObject* per track to generate the track update logs and the single track throughput statistics is motivated by the typically great number of tracks managed by a system of this type during its life-cycle. Dedicating an *ObservableObject* to a single track would cause the number of *ObservableObjects* to explode. The associated overhead caused by the creations, and possibly deletion, of the *ObservableObject* would require an unacceptable cost from the application's performance.

Similarly to 9.2.3.1, it is best to consider the creation of multiple *ObservableObjects* only if they must be accessed from different application contexts. It is assumed in this case that the track management will occur in a single-threaded software module. If that were not to be the case, than multiple *TrackState ObservableObjects* should be created, to safely collect information from multiple sources.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

90

ObservableScope

TrackThrougputMonitor

ObservableObject Name	ObservableSchema	Description
track_state_log	TrackState	Produces logs of every updated made to a track.
track_throughput	TrackThroughput	Produces throughput information, computed by a <i>DataProcessor</i> from the <i>Observations</i> of <i>ObservableObject track_state_log</i> .

9.2.3.3 Application Configuration

An *ObservableScope* is dedicated to the collection of *Observations* of the configuration parameters of each instrumented application.

The ObservableScope contains a single ObservableObject of type ApplicationConfiguration, which will be used by the application to produce snapshots of its configuration parameters, when it is first loaded and whenever they are modified during its execution.

ObservableScope		
AppConfigMonitor		
ObservableObject Name	ObservableSchema	Description
app_config	Application Configuration	Produces logs of the configuration parameters loaded by the instrumented applications, at start- up and whenever they are modified.

9.2.4 Data Processing

One of the advantages offered by the Application Instrumentation API over manual instrumentation of an application is the support offered for easy manipulation and control of collected data by means of the *DataProcessor* interface.

This example makes use of *DataProcessors* to automatically compute interesting information from the *Observations* generated by the code of instrumented applications. While the implementation of the custom processing function may be considered an additional cost of the instrumentation, it is a one-time cost that may greatly reduce the intrusiveness of the instrumentation into the application code (by limiting the additional logic that must be added to the application to generated the required information, which is instead encapsulated by the *DataProcessor*), and it may also be typically reused in instrumenting multiple applications (as long as the same *ObservableSchema* are used and *ObservableObjects* are accessed with the same semantics by the applications).

Moreover, several processing functions can be sufficiently generalized so that they might be implemented independently of the *ObservableSchema* of the *Observation*. These operations are presented in 9.2.4.1.

The following sub-clauses present processing operation specific to each type of instrumented information.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

9.2.4.1 General Processing

Some processing operations are sufficiently general that they can be made independent of the *ObservableSchema* of an *Observation* and only depend on specific *Fields* to be available to provide input to the operation and store its output.

In this example, these operation include:

- Computation of the cumulative running average of a Field.
- Tracking of the minimum and maximum value of a Field.
- Computation of the throughput of track update events.

The description of each operation presents a general algorithm for its computation, characterizes its inputs and outputs in terms of *Fields*, and defines that necessary state that must be stored to correctly carry out the processing.

9.2.4.1.1 Running Average

Input Fields

• latest_val: the latest value that must be used to update the average.

Output Fields

• current_avg: the cumulative running average of all values.

Processing State:

- last_avg: a floating point value, initialized to 0, containing the last average value computed.
- total_items: an integer value, initialized to 0, counting the number of values averaged so far.

Algorithm:

- Compute the current average using the formula:
 - o current_avg = (latest_value + total_items * latest_avg) / (total_items + 1)
- Increment total_items by one unit.
 - o total_items += 1
 - Store the latest average value.
 - o last_avg = current_avg

9.2.4.1.2 Min/Max

Input Fields

•

• latest_val: the latest value that must be used to update the average.

Output Fields

- min: the minimum value observed so far.
- max: the maximum value observed so far.

Processing State:

- **current_min:** a floating point or integer value (depending on the type of **latest_val**), initialized to its type's maximum value, containing the minimum value observed so far.
- current_max: a floating point or integer value (depending on the type of latest_val), initialized to its type's

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

92

minimum value, containing the maximum value observed so far.

Algorithm:

- Check and update minimum:
 - o if (latest_val < current_min) min = latest_val</pre>
- Check and update minimum:
 - o if (latest_val > current_max) max = latest_val
- Store the latest state for the next value.
 - \circ current_min = min
 - o current_max = max

9.2.4.1.3 Throughput

Input Fields

• update_time: time-stamp of the latest event

Output Fields

• current_troughput: the current throughput of the monitored events.

Processing State:

• last_update_time: the time-stamp of the last event processed.

Algorithm:

٠

- Calculate the period of time elapsed between this event and the previous:
 - o elapsed_time = update_time last_update_time
 - Compute the instant throughput in number of events per unit of time:
 - o current_throughput = 1 / elapsed_time
- Store the event's time for following processing:
 - o last_update_time = update_time

9.2.4.2 Module Performance

An implementation of the *DataProcessor* interface will be created to properly handle the computation of performance information about a module.

An instance of this type of *DataProcessor* will be attached to all *ObservableObjects* of type *OperationLog* contained in *ObservableScope ModulePerformanceMonitor*.

When processing an *Observation* produced by one of these *ObservableObjects*, the *DataProcessor* will be responsible for computing the following values:

- Duration of the operation logged by the *Observation*, computed as the difference between fields *time_out* and *time_in*
- The average duration of all operations logged so far.
- The total sum of items processed by all operations logged so far.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

93 /

- The average number of items processed by a single logged operation.
- The minimum and maximum number of items processed by a single logged operation so far.
- The total sum of the size of the items processed by all operation logged so far.
- The average size of items processed by a single logged operation.
- The minimum and maximum number of items processed by a single logged operation so far.

All values can be computed by using the generic processing functions presented in 9.2.4.1 on *Fields* contained in the *Observations*.

The DataProcessor will attach a data structure of type OperationLogProcessingState (described in the table at the end of the sub-clause) to every ObservableObject of type OperationLog to maintain the necessary processing state between successive invocations of its process_observations operation on the same ObservableObject.

The results computed at each iteration will be stored in the *ObservableObject* of type *ModulePerformance* associated with the same module. After storing the results in the *ObservableObject*, the *DataProcessor* will generate an *Observation* of it that will be distributed to remote applications without further processing. No *DataProcessor* is attached to *ObservableObjects* of type *ModulePerformance*.

All Observations of type OperationLog are marked with flag LOCAL and they are not distributed to remote applications.

OperationLogProcessingState		
Field Name	Field Type	Description
total_operations	UINT64	A counter of the total number of operations logged, used when computing all running averages.
last_duration_avg	FLOAT64	The last value computed for the average duration of a single operation.
processed_items_total	UINT64	The total sum of items processed by logged operations.
processed_items_avg	FLOAT64	The last value computed for the average number of items processed by a single operation.
processed_items_min	UINT64	The current minimum number of processed items observed so far in a single operation.
processed_items_max	UINT64	The current maximum number of processed items observed so far in a single operation.
processed_items_size_total	UINT64	The total sum of the size of items processed by logged operations.
processed_items_size_avg	FLOAT64	The last value computed for the average size of items processed by a

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

		single operation.
processed_items_size_min	UINT64	The current minimum size of items processed observed so far in a single operation.
processed_items_size_max	UINT64	The current maximum size of items processed observed so far in a single operation.

9.2.4.3 Track Update Throughput

An implementation of the *DataProcessor* interface will be created to compute the throughput of track updates carried out by the system.

An instance of this type of *DataProcessor* will be attached to all *ObservableObjects* of type *TrackState* contained in *ObservableScope TrackThroughputMonitor*.

When processing an *Observation* produced by one of these *ObservableObjects*, the *DataProcessor* will be responsible for computing the following values:

- Total number of tracks currently managed by the system; this number is increased whenever an Observation with track_discovered set to True is processed, and decreased whenever an Observation with track_deleted set to True is received instead.
- The current throughput of track state updates carried out by the systems.
- The average value for the computed throughput.
- The minimum/maximum throughput values observed so far.

Similarly to module performance, all values can be computed by using the generic processing functions presented in 9.2.4.1 on *Fields* contained in the *Observations*.

The DataProcessor will attach a data structure of type TrackThroughputProcessingState (described in the table at the end of the sub-clause) to the ObservableObject of type TrackState to maintain the necessary processing state between successive invocations of its process_observations operation on the ObservableObject.

The results computed at each iteration will be stored in the *ObservableObject* of type *TrackThroughput*. After storing the results in the *ObservableObject*, the *DataProcessor* will generate an *Observation* of it that will be distributed to remote applications without further processing. No *DataProcessor* is attached to *ObservableObjects* of type *TrackThroughput*.

All Observations of type TrackState are marked with flag LOCAL and they are not distributed to remote applications.

TrackThroughputProcessingState		
Field Name	Field Type	Description
tracks_count	UINT64	Total number of tracks currently managed by the system.
total_updates	UINT64	Total number of track state updates received so far.
last_update_time	UINT64	Time of the last update.

Application Instrumentation, Version 1.0

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

throughput_avg	FLOAT64	The last value computed for the average throughput of update events.
throughput_min	FLOAT64	The current minimum throughput value observed so far.
throughput_max	FLOAT64	The current maximum throughput value observed so far.

Andrea Sorbini 11/9/15 2:53 PM Deleted: Beta1

Page 1: [1] Deleted	Andrea Carbini	11/0/15 10:44 AM
Page 1: [1] Deleted	Andrea Sorbini	11/9/15 10:44 AM
		June
Page 1: [1] Deleted	Andrea Sorbini	11/9/15 10:44 AM
		June
Page 1: [2] Formatted	Andrea Sorbini	11/9/15 2:30 PM
Default Paragraph Font, Font:Time	s New Roman, 7 pt, Not Bold	
Page 1: [2] Formatted	Andrea Sorbini	11/9/15 2:30 PM
Default Paragraph Font, Font:Time		11/0/10 1100 111
	· · · · · · · · · · · · · · · · · · ·	
Page 1: [2] Formatted	Andrea Sorbini	11/9/15 2:30 PM
Default Paragraph Font, Font: Time	es New Roman, 7 pt, Not Bold	
Page 1: [3] Formatted	Andrea Sorbini	11/9/15 2:30 PM
Font:9 pt		
Page 1: [3] Formatted	Andrea Sorbini	11/9/15 2:30 PM
Font:9 pt		
Page 1: [3] Formatted	Andrea Sorbini	11/9/15 2:30 PM
Font:9 pt		11, 5, 15 2.50 1 M
Page 1: [4] Formatted	Andrea Sorbini	11/9/15 2:30 PM
Font:9 pt		
Page 1: [4] Formatted	Andrea Sorbini	11/9/15 2:30 PM
Font:9 pt		
Page 1: [5] Formatted	Andrea Sorbini	11/9/15 2:30 PM
Font:9 pt		
Page 1: [5] Formatted	Andrea Sorbini	11/9/15 2:30 PM
Font:9 pt		11/3/13 2.30 m
r.		
Page 1: [6] Deleted	Andrea Sorbini	11/9/15 10:48 AM
submission		
Page 1: [6] Deleted	Andrea Sorbini	11/9/15 10:48 AM
submission		
Page 1: [6] Deleted	Andrea Sorbini	11/9/15 10:48 AM
submission		, , == =====
Page 1: [6] Deleted	Andrea Sorbini	11/9/15 10:48 AM
ge II [0] Deleted		11/3/13 10:40 AM

submission

Page 1: [6] Deleted	Andrea Sorbini	11/9/15 10:48 AM
submission		
Page 1: [6] Deleted	Andrea Sorbini	11/9/15 10:48 AM
submission		
Page 1: [6] Deleted	Andrea Sorbini	11/9/15 10:48 AM
submission		
Page 1: [7] Deleted	Andrea Sorbini	11/9/15 2:25 PM
September		
Page 1: [7] Deleted	Andrea Sorbini	11/9/15 2:25 PM
September		
Page 1: [7] Deleted	Andrea Sorbini	11/9/15 2:25 PM
Q and any have		

September