

Semantics of Business Vocabulary and Business Rules (SBVR)

Version 1.2 - with change bars

OMG Document Number: formal/2013-11-05 Standard document URL: http://www.omg.org/spec/SBVR/1.2/PDF Normative Machine Consumable Files: http://www.omg.org/spec/SBVR/20120601 http://www.omg.org/spec/SBVR/20120601/SBVR-model.xml

http://www.omg.org/spec/SBVR/20120601/SBVR.xsd http://www.omg.org/spec/SBVR/20120601/SBVR.xml Copyright © 2005-2007, Business Rule Solutions, LLC Copyright © 2005-2007, Business Semantics Ltd Copyright © 2005-2007, Fujitsu Ltd Copyright © 2005-2007, Hendryx & Associates Copyright © 2005-2007, LibRT Copyright © 2005-2007, KnowGravity Inc Copyright © 2005-2007, Model Systems Copyright © 2005-2007, Neumont University Copyright © 1997-2013, Object Management Group Copyright © 2005-2007, Unisys Corporation

USE OF SPECIFICATION - TERMS, CONDITIONS & NOTICES

The material in this document details an Object Management Group specification in accordance with the terms, conditions and notices set forth below. This document does not represent a commitment to implement any portion of this specification in any company's products. The information contained in this document is subject to change without notice.

LICENSES

The companies listed above have granted to the Object Management Group, Inc. (OMG) a nonexclusive, royalty-free, paid up, worldwide license to copy and distribute this document and to modify this document and distribute copies of the modified version. Each of the copyright holders listed above has agreed that no person shall be deemed to have infringed the copyright in the included material of any such copyright holder by reason of having used the specification set forth herein or having conformed any computer software to the specification.

Subject to all of the terms and conditions below, the owners of the copyright in this specification hereby grant you a fully-paid up, non-exclusive, nontransferable, perpetual, worldwide license (without the right to sublicense), to use this specification to create and distribute software and special purpose specifications that are based upon this specification, and to use, copy, and distribute this specification as provided under the Copyright Act; provided that: (1) both the copyright notice identified above and this permission notice appear on any copies of this specification; (2) the use of the specifications is for informational purposes and will not be copied or posted on any network computer or broadcast in any media and will not be otherwise resold or transferred for commercial purposes; and (3) no modifications are made to this specification. This limited permission automatically terminates without notice if you breach any of these terms or conditions. Upon termination, you will destroy immediately any copies of the specifications in your possession or control.

PATENTS

The attention of adopters is directed to the possibility that compliance with or adoption of OMG specifications may require use of an invention covered by patent rights. OMG shall not be responsible for identifying patents for which a license may be required by any OMG specification, or for conducting legal inquiries into the legal validity or scope of those patents that are brought to its attention. OMG specifications are prospective and advisory only. Prospective users are responsible for protecting themselves against liability for infringement of patents.

GENERAL USE RESTRICTIONS

Any unauthorized use of this specification may violate copyright laws, trademark laws, and communications regulations and statutes. This document contains information which is protected by copyright. All Rights Reserved. No part of this work covered by copyright herein may be reproduced or used in any form or by any means--graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems--without permission of the copyright owner.

DISCLAIMER OF WARRANTY

WHILE THIS PUBLICATION IS BELIEVED TO BE ACCURATE, IT IS PROVIDED "AS IS" AND MAY CONTAIN ERRORS OR MISPRINTS. THE OBJECT MANAGEMENT GROUP AND THE COMPANIES LISTED ABOVE MAKE NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS PUBLICATION, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF TITLE OR OWNERSHIP, IMPLIED WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR USE. IN NO EVENT SHALL THE OBJECT MANAGEMENT GROUP OR ANY OF THE COMPANIES LISTED ABOVE BE LIABLE FOR ERRORS CONTAINED HEREIN OR FOR DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL, RELIANCE OR COVER DAMAGES, INCLUDING LOSS OF PROFITS, REVENUE, DATA OR USE, INCURRED BY ANY USER OR ANY THIRD PARTY IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS MATERIAL, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

The entire risk as to the quality and performance of software developed using this specification is borne by you. This disclaimer of warranty constitutes an essential part of the license granted to you to use this specification.

RESTRICTED RIGHTS LEGEND

Use, duplication or disclosure by the U.S. Government is subject to the restrictions set forth in subparagraph (c) (1) (ii) of The Rights in Technical Data and Computer Software Clause at DFARS 252.227-7013 or in subparagraph (c)(1) and (2) of the Commercial Computer Software - Restricted Rights clauses at 48 C.F.R. 52.227-19 or as specified in 48 C.F.R. 227-7202-2 of the DoD F.A.R. Supplement and its successors, or as specified in 48 C.F.R. 12.212 of the Federal Acquisition Regulations and its successors, as applicable. The specification copyright owners are as indicated above and may be contacted through the Object Management Group, 109 Highland Avenue, Needham, MA 02494, U.S.A.

TRADEMARKS

IMM®, MDA®, Model Driven Architecture®, UML®, UML Cube logo®, OMG Logo®, CORBA® and XMI® are registered trademarks of the Object Management Group, Inc., and Object Management GroupTM, OMGTM, Unified Modeling LanguageTM, Model Driven Architecture LogoTM, Model Driven Architecture DiagramTM, CORBA logosTM, XMI LogoTM, CWMTM, CWM LogoTM, IIOPTM, MOFTM, OMG Interface Definition Language (IDL)TM, and OMG SysMLTM are trademarks of the Object Management Group. All other products or company names mentioned are used for identification purposes only, and may be trademarks of their respective owners.

COMPLIANCE

The copyright holders listed above acknowledge that the Object Management Group (acting itself or through its designees) is and shall at all times be the sole entity that may authorize developers, suppliers and sellers of computer software to use certification marks, trademarks or other special designations to indicate compliance with these materials. Software developed under the terms of this license may claim compliance or conformance with this specification if and only if the software compliance is of a nature fully matching the applicable compliance points as stated in the specification. Software developed only partially matching the applicable compliance points may claim only that the software was based on this specification, but may not claim compliance or conformance with this specification. In the event that testing suites are implemented or approved by Object Management Group, Inc., software developed using this specification may claim compliance or conformance with the specification only if the software satisfactorily completes the testing suites.

OMG's Issue Reporting Procedure

All OMG specifications are subject to continuous review and improvement. As part of this process we encourage readers to report any ambiguities, inconsistencies, or inaccuracies they may find by completing the Issue Reporting Form listed on the main web page *http://www.omg.org*, under Documents, Report a Bug/Issue (http://www.omg.org/report_issue.htm).

Table of Contents

Preface	vii
Part I - Introduction	1
1 Scope	3
 1.1 General 1.2 Applicability 1.3 SBVR Specification Files 1.4 Terminological Dictionaries and Rulebooks 1.5 Usage of an SBVR Content Model 1.6 For SBVR Tool Vendors 	3 3 4 4
2 Conformance	5
 2.1 Support for an SBVR Concept	6 7 7 8 8 8 8
2.5 Conformance of an SBVR Processor	
3 Normative References	10
4 Terms and Definitions	11
5 Symbols	12
6 Additional Information	
 6.1 Changes to Adopted OMG Specifications 6.2 How to Read this Specification	12 12 13
Part II - Business Vocabulary+Rules for Business	
Vocabulary+Rules	
7 Vocabulary Registration Vocabulary	17

	7.1 Vocabulary Registration Vocabulary	
	7.1.1 Vocabularies Presented in this Document	
	7.1.2 External Vocabularies and Namespaces	
8 Mea	ning and Representation Vocabulary	19
	8.1 General	19
	8.2 Meanings	
	8.2.1 Concepts	
	8.2.2 Propositions	
	8.2.3 Questions	
	8.3 Expressions	
	8.4 Representations	
	8.4.1 Designations	
	8.4.2 Definitions	
	8.4.3 Statements	
	8.4.4 Verb Concept Wordings 8.4.5 Namespaces	
	8.5 Reference Schemes	
	8.6 Extensions	
	8.6.1 Relating Meaning to Extension	
	8.6.2 Necessities Concerning Extension	
	8.7 Elementary Concepts	
9 Logi	ical Formulation of Semantics Vocabulary	
Ŭ	9.1 General	
	9.2 Semantic Formulations	
	9.3 Logical Formulations	
	9.3.1 Variables and Bindings	
	9.3.2 Atomic Formulations	
	9.3.3 Instantiation Formulations	
	9.3.4 Modal Formulations	62
	9.3.5 Logical Operations	
	9.3.6 Quantifications	
	9.3.7 Objectifications	
	9.3.8 Projecting Formulations 9.3.9 Nominalizations of Propositions and Questions	
	9.4 Projections	
10 Pro	oviding Semantic and Logical Foundations for	
	siness Vocabulary and Rules	
	-	
	10.1 General	
	10.2 Logical Foundations for SBVR	
	10.0.1 CDV/D Formal Craunding Madel Laters and the	∩ 4
	10.2.1 SBVR Formal Grounding Model Interpretation	
	10.2.2 Formal Logic & Mathematics in General	117
	10.2.2 Formal Logic & Mathematics in General 10.3 Formal Logic Interpretation Placed on SBVR Terms	117 128
	10.2.2 Formal Logic & Mathematics in General	

		10.4.2 Enforcing a Restricted Higher Order Interpretation 10.4.3 Enforcing a First Order Interpretation	
11 Bus	sines	s Vocabulary	
	11 1	General	139
		Business Meaning	
	11.2	11.2.1 Communities, Meanings & Vocabularies	
		11.2.2 Concepts & Characteristics	
		11.2.3 Kinds of Definition	
		11.2.4 Conceptualization Decisions	. 153
		11.2.5 Concept System Structure	
	11.3		
		11.3.1 Symbolization	
		11.3.2 Forms of Business Representation	. 166
12 Bus	ines	s Rules	171
		Vocabulary for Describing Business Rules	
	12.2	Categories of Guidance	
		12.2.1 Guidance	
		12.2.2 Rules	
		12.2.3 Enforcement	
	123	Statements of Guidance	
	12.0	12.3.1 Categories of Business Statement	
		12.3.2 Business Statements	
	12 4	Fundamental Principles for Elements of Guidance	
		12.4.1 The Severability Principle	
		12.4.2 The Accommodation Principle	
		12.4.3 The Wholeness Principle	
	12.5	Accommodations, Exceptions and Authorizations	186
		12.5.1 Relating Elements of Guidance to States of Affairs	
		12.5.2 Authorizations	
		12.5.3 Exceptions	
	40.0	12.5.4 Approaches to Capturing Accommodations, Exceptions and Authorizations	
		Relating Structural Rules to Concepts	
	12.7	Creation and Adoption of Elements of Guidance	-
		12.7.1 General	
13 SB\	/R's	Use of MOF and XMI	195
	13.1	General	195
	13.2	SBVR's Use of MOF	195
		13.2.1 Metamodels	
		13.2.2 SBVR Content Models	
	13.3	MOF Model Elements for SBVR	
		13.3.1 MOF Packages for SBVR Vocabulary Namespaces	
		13.3.2 MOF Classes for SBVR Noun Concepts	
		13.3.3 MOF Boolean Attributes for SBVR Characteristics	
		13.3.4 MOF Associations for SBVR Binary Verb Concepts	.201

13	3.3.5 MOF Attributes for SBVR Roles of Verb Concepts	202
	3.3.6 MOF Classes for SBVR Ternary Verb Concepts	
13	3.3.7 Data Values	203
	3.3.8 XMI Names	
13.4 U	sing MOF to Represent Semantics	204
13	3.4.1 Multiclassification	204
13	3.4.2 Open World Assumption	205
13.5 Ex	xample SBVR Content Model	205
13.6 Th	he SBVR Content Model for SBVR	208
13.7 XI	MI for the SBVR Model of SBVR	209
13	3.7.1 XML Patterns for Vocabularies	210
13	3.7.2 XML Patterns for General Concepts	211
	3.7.3 XML Patterns for Individual Noun Concepts	
	3.7.4 XML Patterns for Verb Concepts	
	3.7.5 XML Patterns for Sets of Elements of Guidance (Rule Sets)	
13	3.7.6 XML Patterns for Guidance Statements	216
14 Index of V	ocabulary Entries (Informative)	219
15 Supporting	g Documents	231
15 1 G	eneral	231
	BVR XMI Metamodel	
	BVR XMI Metamodel XML Schema	
	BVR Content Model for SBVR	
Part III - Anne	exes	.233
Annex A - SBV	/R Structured English	235
Annex B - SBV	/R Structured English Patterns	255
	e of UML Notation in a Business Context to Represent	
		005
SBV	/R-Style Vocabularies	265
Annex D - Add	litional References	. 273
		0

Stand-alone Annexes

Annex E - Overview of the Approach see http://www.omg.org/cgi-bin/doc?formal/2013-11	-06
Annex F - The Business Rules Approach see http://www.omg.org/cgi-bin/doc?formal/2013-11	-07
Annex G - EU-Rent Example see http://www.omg.org/cgi-bin/doc?formal/2013-11	-08

Annex H - The RuleSpeak[®] Business Rule Notation see http://www.omg.org/cgi-bin/doc?formal/2013-11-09

- Annex I Concept Diagram Graphic Notation see http://www.omg.org/cgi-bin/doc?formal/2013-11-10
- Annex J The ORM Notation for Verbalizing Facts and Business Rules see http://www.omg.org/cgi-bin/doc?formal/2013-11-11
- Annex K Mappings and Relationships to Other Initiatives see http://www.omg.org/cgi-bin/doc?formal/2013-11-12
- Annex L ORM Examples Related to the Logical Foundations for SBVR see http://www.omg.org/cgi-bin/doc?formal/2013-11-13
- Annex M A Conceptual Overview of SBVR and the NIAM2007 Procedure to Specify a Conceptual Schema see http://www.omg.org/cgi-bin/doc?formal/2013-11-15

Preface

About the Object Management Group

OMG

Founded in 1989, the Object Management Group, Inc. (OMG) is an open membership, not-for-profit computer industry standards consortium that produces and maintains computer industry specifications for interoperable, portable and reusable enterprise applications in distributed, heterogeneous environments. Membership includes Information Technology vendors, end users, government agencies and academia.

OMG member companies write, adopt, and maintain its specifications following a mature, open process. OMG's specifications implement the Model Driven Architecture® (MDA®), maximizing ROI through a full-lifecycle approach to enterprise integration that covers multiple operating systems, programming languages, middleware and networking infrastructures, and software development environments. OMG's specifications include: UML® (Unified Modeling Language™); CORBA® (Common Object Request Broker Architecture); CWMTM (Common Warehouse Metamodel); and industry-specific standards for dozens of vertical markets.

More information on the OMG is available at <u>http://www.omg.org/</u>.

OMG Specifications

As noted, OMG specifications address middleware, modeling, and vertical domain frameworks. A listing of all OMG Specifications is available from the OMG website at:

http://www.omg.org/spec/index.htm

Specifications are organized by the following categories:

Business Modeling Specifications

Middleware Specifications

- CORBA/IIOP
- Data Distribution Services
- Specialized CORBA

IDL/Language Mapping Specifications

Modeling and Metadata Specifications

- UML, MOF, CWM, XMI
- UML Profile

Modernization Specifications

Platform Independent Model (PIM), Platform Specific Model (PSM), Interface Specifications

- CORBAServices
- CORBAFacilities

OMG Domain Specifications

CORBA Embedded Intelligence Specifications

CORBA Security Specifications

All of OMG's formal specifications may be downloaded without charge from our website. (Products implementing OMG specifications are available from individual suppliers.) Copies of specifications, available in PostScript and PDF format, may be obtained from the Specifications Catalog cited above or by contacting the Object Management Group, Inc. at:

OMG Headquarters 109 Highland Avenue Needham, MA 02494 USA Tel: +1-781-444-0404 Fax: +1-781-444-0320 Email: <u>pubs@omg.org</u>

Certain OMG specifications are also available as ISO standards. Please consult <u>http://www.iso.org.</u>

Issues

The reader is encouraged to report any technical or editing issues/problems with this specification to <u>http://www.omg.org/</u> <u>report_issue.htm</u>.

Part I - Introduction

This part includes Scope, Conformance, Normative References, Terms and Definitions, Symbols, and Additional Information.

1 Scope

1.1 General

This specification defines the vocabulary and rules (see Clauses 7, 8, 9, 11, and 12) for documenting the semantics of business vocabularies and business rules for the exchange of business vocabularies and business rules among organizations and between software tools.

This specification is interpretable in predicate logic with a small extension using modal operators. It supports linguistic analysis of text for business vocabularies and business rules, with the linguistic analysis itself being outside the scope of this specification.

1.2 Applicability

The SBVR specification is applicable to the domain of business vocabularies and business rules of all kinds of business activities in all kinds of organizations. It provides an unambiguous, meaning-centric, multilingual, and semantically rich capability for defining meanings of the language used by people in an industry, profession, discipline, field of study, or organization.

This specification is conceptualized optimally for business people rather than automated processing. It is designed to be used for business purposes, independent of information systems designs to serve these business purposes:

- Unambiguous definition of the meaning of business concepts and business rules, consistently across all the terms, names and other representations used to express them, and across the natural languages in which those representations are expressed, so that they are not easily misunderstood either by "ordinary business people" or by lawyers.
- Expression of the meanings of concepts and business rules in the wordings used by business people, who may belong to different communities, so that each expression wording is uniquely associated with one meaning in a given context.
- Transformation of the meanings of concepts and business rules as expressed by humans into forms that are suitable to be processed by tools, and vice versa.
- Interpretation of the meanings of concepts and business rules in order to discover inconsistencies and gaps within an SBVR Content Model (see 2.4) using logic-based techniques.
- Application of the meanings of concepts and business rules to real-world business situations in order to enable reproducible decisions and to identify conformant and non-conformant business behavior.
- Exchange of the meanings of concepts and business rules between humans and tools as well as between tools without losing information about the essence of those meanings.

1.3 SBVR Specification Files

This specification provides that SBVR business vocabulary and business rule content is exchanged among organizations and between software tools in "SBVR Content Model" files (see 13.2.2). The full SBVR vocabulary and rules (see Clauses 7, 8, 9, 11 & 12) for documenting the semantics of business vocabularies and business rules contained in the "SBVR Content Model for SBVR" file (see 13.2.1), which is an example of an SBVR Content Model exchange document.

The MOF/XMI XML Schema for SBVR Content Model exchange documents (e.g., sub clause 15.4) is the "SBVR XML Schema" file (see Clause 13 Intro and 15.3). This SBVR XML Schema is generated from the SBVR XMI Metamodel file based on transform rules in Clause 13 and the OMG XMI Specification.

This specification also provides an "SBVR XMI Metamodel" file (see sub clauses 13.1 and 15.2) that is generated from the content of Clauses 8, 9, 11 & 12 based on transform rules in Clause 13 and Annex C.

1.4 Terminological Dictionaries and Rulebooks

The capability has two major areas of support:

• SBVR Terminological Dictionary: the business vocabulary part of an SBVR Content Model. As with all kinds of dictionaries, it contains business data content that defines terms and other representations, including definitional business rules.

Dictionaries in general are not metamodels. Dictionaries have no metamodel levels. All terms in a dictionary - including the terms that define the dictionary content itself - are at the same level. Dictionaries are easily and naturally extendable, as happens all the time in the culture. This is also true for SBVR Content Models.

• SBVR Rulebook: an SBVR Content Model that includes behavioral guidance. It comprises an SBVR Terminological Dictionary and business data content that defines elements of guidance, including behavioral business rules.

An SBVR Content Model documents the meaning of terms and other representations that business authors intend when they use them in their business communications, as evidenced in their written documentation, such as contracts, product/ service specifications, and governance and regulatory compliance documents. Such documents are the authoritative source for the content of an SBVR Content Model.

1.5 Usage of an SBVR Content Model

Concepts in an SBVR Content Model can have as members in their extension only things that are in the real or planned world of the organization. The extension of each of these concepts never contains anything in the SBVR Content Model. The terms and other representations in an SBVR Content Model name and describe the concepts.

SBVR Content Models focus exclusively on defining meaning and the expressions that represent meaning. They do not concern themselves with or contain assertions of the truth-value of propositions. Such concerns and assertions are outside the scope of SBVR and belong to the domain of data and rules enforcement. While putting business vocabulary in a published SBVR Business Vocabulary and business rules in a published SBVR Rulebook is often used by organizations to communicate that, in fact, this vocabulary is the vocabulary in use and these rules are the rules in force, such assertions are outside the scope of the SBVR XMI metamodel. For example, an organization could propose rules in a rulebook that are never put into force. SBVR Content Models therefore do not contain any kind of business data except business vocabulary and business rules content.

While this specification contains the SBVR XMI Metamodel for interchanging the documentation of business vocabulary and business rules content, the SBVR XMI Metamodel is not a metamodel for any form of data model, message model, business information, or model designed for reasoning over business information. A transformation is required to bridge from an SBVR Content Model to a data model, message model, business information, model for reasoning over business information, or any other IT system model.

An SBVR Content Model provides all the business semantics needed as input to such transformations by IT staff into information system designs, using a combination of decisions from system architects and Platform Independent Model designers together with software tool function. By use of URIs, SBVR Content Models can provide the business intent of any data element for which business vocabulary has been defined.

In SBVR Content Models the key relationship is between meanings in the business vocabulary / rulebook and things in the world of the business; whereas in IT systems the key relationship is between classes in the data/reasoning model and recorded business data in some form.

1.6 For SBVR Tool Vendors

The SBVR XMI Metamodel file is provided as part of this specification (see 15.2).

The SBVR XML Schema file is also provided as part of this specification (see 15.3).

SBVR tools generate and process SBVR Content Model exchange documents that validate according to the "SBVR XML Schema" files of sub clause 15.3. The "SBVR Content Model for SBVR" file of sub clause 15.4 can be used as an example SBVR Content Model exchange document.

The "SBVR XMI Metamodel" file of sub clause 15.2 is a machine-readable metamodel that may be employed in the development of SBVR tools.

2 Conformance

2.1 General

This specification defines conformance for an SBVR Content Model exchange document, for software that produces SBVR Content Model exchange documents, and for software that processes SBVR Content Model exchange documents.

Conformance of software is defined in terms of:

- the nature of its use of SBVR
- its support for SBVR concepts that are defined in Clauses 8, 9, 11, and 12 of this specification.

All references to "conceptual schema" and "fact model" in this clause are references to their use in Clause 13 "SBVR's Use of MOF and XMI."

2.2 Support for an SBVR Concept

A software tool supports an SBVR concept if and only if all of the following hold:

- The software tool uses the representations specified in Clause 15 for that concept in any SBVR Content Model exchange document it produces. It may use other representations of the same concept for other purposes, including other forms of exchange documents.
- The software tool interprets the specified representation of the concept as having the meaning given by the Definition of that concept in this specification, and interprets instances of the concept as having the associated characteristics.
- No Necessity concerning that concept that is given in this specification is violated by any fact in any fact model maintained by the software tool nor in any SBVR Content Model exchange document it produces.

Note: The requirement to interpret an instance as having the associated characteristics should not be interpreted to require a conforming processor to use any elaborate reasoning to determine characteristics that may be implied by the facts provided, even when those implications are stated as Necessities in SBVR. The intent of the requirement is that what the tool does with the instance is consistent with the SBVR interpretation of the facts provided.

Use of Reference Schemes given in this specification is recommended, but not required.

Note, Example, and Dictionary Basis elements of the "glossary entry" for the concept in this specification are purely informative. All other elements are to be understood as giving the meaning and required characteristics of the concept. The glossary entry also specifies the representation of the concept that is used in this specification, while Clauses 13 and 15 specify the representation of the concept in exchange documents conforming to this specification.

Note: A concept is a meaning. Support for an SBVR concept is about using that meaning appropriately in the operation of the tool, and representing that meaning using the corresponding SBVR designator in SBVR Content Model exchange documents. The internal designations and other representations for the meaning, and the representation of that meaning in other exchange documents are not concerns of this specification.

2.3 Compliance Points

For conforming software, this specification defines four compliance points. A conforming software tool may conform to the compliance points as specified in 2.5 and 2.6. For every conforming software tool, a claim of conformance shall specify the compliance points to which conformance of the tool is claimed. The sub clauses of this clause define the compliance points. Figure 2.1 shows the relationship of the compliance points in terms of the UML packages to which they correspond.




Figure 2.1

2.3.1 Meaning and Representation

A software tool that conforms to this compliance point shall support all of the concepts in the Meaning And Representation Vocabulary specified in Clause 8. This corresponds to support for UML Package "Meaning and Representation Vocabulary."

2.3.2 Logical Formulation of Semantics

A software tool that conforms to this compliance point shall support (as defined in 2.2) all of the concepts in the Logical Formulation of Semantics Vocabulary specified in Clause 9. This corresponds to support for UML Package "Logical Formulation of Semantics Vocabulary."

2.3.3 Business Vocabulary

A software tool that conforms to this compliance point shall support (as defined in 2.2) all of the concepts in the Business Vocabulary specified in Clause 11. This corresponds to support for UML Package "Vocabulary for Describing Business Vocabularies."

2.3.4 Business Rules

A software tool that conforms to this compliance point shall support (as defined in 2.2) all of the concepts in the Business Rules Vocabulary specified in Clause 12 and all of the concepts in the Business Vocabulary specified in Clause 11. This corresponds to support for UML Package "Vocabulary for Describing Business Rules."

2.3.5 Restricted Higher Order Logic (Additional Conformance)

An SBVR Content Model exchange document that conforms to this compliance point shall satisfy the requirement stated in sub clause 10.4.1 and 10.4.2.

A software tool that conforms to this compliance point shall conform as an SBVR producer (see 2.5) and shall produce no exchange file that does not conform to this compliance point, as defined above.

2.3.6 First Order Logic (Additional Conformance)

An SBVR Content Model exchange document that conforms to this compliance point shall satisfy the requirement stated in sub clause 10.4.1 and 10.4.3.

A software tool that conforms to this compliance point shall conform as an SBVR producer (see 2.5) and shall produce no exchange file that does not conform to this compliance point, as defined above.

2.4 Conformance of an SBVR Content Model Exchange Document

An exchange document that conforms to this specification (an "SBVR Content Model exchange document") shall be an XML document that represents a 'fact model' as specified in Clause 13 "SBVR's Use of MOF and XMI."

The fact model shall be based on the conceptual schema specified in sub clause 13.5 - the "SBVR model of SBVR." The exchange document shall identify its document type as one of the XML Schemas specified in sub clause 15.3, using the URI for that schema specified in 15.4.

Note: A business vocabulary or a business conceptual schema can be stated as a fact model that conforms to one of the conceptual schemas in Clause 15. The conformance of a fact model to a business conceptual schema so defined could be specified by the business that owns it, following the pattern of this specification. But this specification only defines conformance rules and Necessities for the concepts defined in the SBVR conceptual schema. Specifying the real requirements for conformance to a business-defined schema is beyond the scope of SBVR.

The body of facts represented in the fact model shall not contradict any Necessity in the SBVR conceptual schema. However, no concept is closed in the SBVR conceptual schema. A conforming fact model need not identify all things that necessarily exist, and a conforming fact model need not include a fact that expresses every necessary property of a thing that is referenced in the fact model. No Necessity should be interpreted as a requirement for inclusion of a fact in the fact model.

EXAMPLE

There is a rule that every statement expresses exactly one proposition. A fact model that includes that a given statement expresses two different propositions is not conformant. But a conforming document can include a statement without relating the statement to a proposition, even though the proposition necessarily exists.

Note: If a use of SBVR for exchange between tools requires that certain kinds of things or facts be fully represented in the exchange document, the SBVR conceptual schema can be extended for that purpose by adding the facts that particular concepts are closed or particular fact types are internally closed (see Clause 13).

An exchange document that conforms to this specification may include representations of instances of any class (noun concept) or association (verb concept) that is defined in Clauses 8, 9, 11, or 12.

Note: Not every conforming processor will support all of the concepts that can appear in a conforming SBVR document. Every conforming processor, however, is required to accept every conforming document. See 2.6.

For an XML exchange document that involves multiple namespaces, conformance to this specification is only defined for that part of the exchange document that uses the SBVR namespaces defined in this specification.

Note: The document type of a conforming XML exchange document need not be one of the XML schemas defined in Clause 15. For example, the document schema may include an SBVR schema as a subordinate namespace. Similarly, the SBVR schemas permit items like 'definitions' to have formal representations defined by other XML schemas.

2.5 Conformance of an SBVR Producer

A software tool that conforms as an SBVR producer shall produce exchange documents that conform to this specification as specified in 2.4.

An SBVR producer may be able to produce representations of instances of any concepts specified in Clauses 8, 9, 11, and 12. An SBVR producer is not required to be able to produce a representation of instances of any specific concept defined in this specification.

For a conforming SBVR producer, a claim of conformance shall identify the SBVR concepts for which it can produce representations of instances. It is recommended, but not required, that an SBVR producer be able to produce representations of instances of all of the concepts for one or more of the compliance points specified in 2.3.

Note: A conforming SBVR producer may be able to produce representations of instances of some but not all of the concepts defined for a compliance point. For such a software tool, support for the entire compliance point cannot be claimed, but its ability to produce representations of instances of the specific concepts it supports should be documented.

Note: As indicated in 2.4, an SBVR producer may produce instances of concepts not defined in SBVR as well. In such a case, the SBVR fact model would be only a part of the exchange document.

An SBVR producer shall support (as defined in 2.2) all of the SBVR concepts for which it is able to produce representations of instances.

An SBVR producer shall not convey in the exchange document the intent of an SBVR concept by using a representation that is not specified herein.

2.6 Conformance of an SBVR Processor

A software tool that conforms as an SBVR processor shall accept any exchange document that conforms to this specification as specified in 2.4. The interpretation it makes of any fact contained in the exchange document depends on whether the software tool supports the concepts associated with that fact (see below).

Note: Accepting a valid exchange document is distinguished from rejecting the document as not processable and using none of the information in it. A tool can accept a document and nonetheless discard much of the information in it. Accepting is also distinguished from supporting instances of concepts found in the exchange document, which refers to interpreting all facts about instances of the concept properly into the internal models and functions of the tool (See 2.2).

For an SBVR processor, the SBVR compliance points (see 2.3) to which it claims conformance shall be documented.

Every SBVR processor shall be able to accept representations of facts about instances of all SBVR concepts, whether they are associated with a compliance point for which conformance is claimed or not. Every SBVR processor shall be able to accept each of the SBVR Content Model exchange documents listed in 15.4.

Every SBVR processor shall conform to the Meaning and Representation compliance point, as specified in 2.3.1. That is, it shall support (as defined in 2.2) instances of all concepts specified in the Meaning and Representation Vocabulary.

An SBVR processor for which conformance to any other compliance point specified in sub clause 2.3 is claimed shall support instances of all concepts specified in the SBVR vocabulary associated with that compliance point.

Note: Depending on what the SBVR processor actually does with the SBVR fact model, there may be SBVR concepts for which there is no valid use in the function of the tool. For example, a tool that converts an SBVR fact model to some other modeling language or rules language may find that there are SBVR concepts that have no image in the target language. In such a case, the proper support for the SBVR concept may be to do nothing with it.

When an SBVR processor encounters a representation of an instance of a concept for which conformance is not claimed (including concepts that are not SBVR concepts), the processor may choose to do any of the following:

- ignore the instance;
- support the instance, and the SBVR concept it instantiates;
- interpret the instance via internal concepts that are not SBVR concepts per se.

An SBVR processor may, but need not, provide a warning when it encounters a representation of an instance it does not support.

3 Normative References

The following normative documents contain provisions which, through reference in this text, constitute provisions of this specification. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply.

- Berners-Lee, T., R. Fielding, L. Masinter. IETF RFC 2396: Uniform Resource Identifiers (URI): Generic Syntax, August 1998.
- International Organization for Standardization (ISO) : ISO 639-2. *Codes for the Representation of Names of Languages, Part 2*: Alpha-3 Code. Library of Congress, 2002.
- International Organization for Standardization (ISO) : 1087-1. *Terminology work Vocabulary Part 1: Theory and Application*
- *Meta Object Facility (MOF) Core Specification*, v2.0 (http://www.omg.org/docs/formal/06-01-01.pdf).
- *MOF 2.0/XMI Mapping Specification, v2.1* (http://www.omg.org/docs/formal/05-09-01.pdf).

- International Organization for Standardization (ISO) : ISO 6093. Information processing Representation of numerical values in character strings for information interchange. 1985.
- OMG UML 2 Infrastructure, v2.1.1 (http://www.omg.org/docs/formal/07-02-04.pdf).
- The Cambridge Dictionary of Philosophy, 2nd ed. Cambridge University Press, 1999.
- The New Oxford Dictionary of English.
- The Oxford Dictionary of English.
- Unicode 4.0.0 specification : Glossary (http://www.unicode.org/versions/Unicode4.0.0/b1.pdf).

4 Terms and Definitions

For the purposes of this specification, the terms and definitions given in the normative reference and the following apply.

SBVR

shorthand for Semantics of Business Vocabulary and Business Rules.

SBVR Vocabularies

the vocabularies that make up SBVR itself, for talking about semantics, vocabulary, and rules.

Business Vocabulary

A vocabulary that is under business jurisdiction.

Business Rule

a rule that is under business jurisdiction.

Business Vocabulary+Rules

a business vocabulary plus a set of business rules specified in terms of that business vocabulary.

SBVR XMI Metamodel

the MOF model created from the combination of SBVR's Logical Formulation of Semantics Vocabulary, Vocabulary for Describing Business Vocabularies, and Vocabulary for Describing Business Rules.

Terminological Dictionary

a collection of representations including at least one designation or definition of each of a set of concepts from one or more specific subject fields, together with other specifications of those concepts.

Vocabulary

a set of designations (such as terms and names) and verb concept wordings primarily drawn from a single language to express concepts within a body of shared meanings. Note that this specification does not use the word "vocabulary" to refer to a dictionary or to any other sort of collection of terminological data.

5 Symbols

FL The indicated term is to be interpreted in formal logic. Terms without this symbol are not interpreted in formal logic.

Figures in Clauses 8, 9, 11, and 12 depict the SBVR XMI Metamodel using notational conventions described in Clause 13. For the purpose of visualizing vocabularies, Annex C describes a non-normative interpretation of those same figures and of figures in Annex G. Other non-normative notations used in Clauses 7 through 12 are explained in Annexes A and H.

6 Additional Information

6.1 Changes to Adopted OMG Specifications

This specification does not require or request any change to any other OMG specification.

6.2 How to Read this Specification

This specification describes a vocabulary, or actually a set of vocabularies, using terminological entries. Each entry includes a definition, along with other specifications such as notes and examples. Often, the entries include rules (necessities) about the particular item being defined.

The sequencing of the clauses in this specification reflects the inherent logical order of the subject matter itself. Later clauses build semantically on the earlier ones. The initial clauses are therefore rather 'deep' in terms of SBVR's grounding in formal logics and linguistics. Only after these clauses are presented do clauses more relevant to day-to-day business communication and business rules emerge.

This overall form of presentation, essential for a vocabulary standard, unfortunately means the material is rather difficult to approach. A figure presented for each sub-vocabulary does help illustrate its structure; however, no continuous 'narrative' or explanation is appropriate.

6.2.1 About the Annexes

For that reason, the first-time general reader is urged to start with some of the non-normative Annexes, which do provide full explanation of the material, as well as context and purpose.

- Annex E, Overview of the Approach, is strongly recommended in that regard. It provides a general introduction to the fundamental concepts and approach of SBVR.
- Annex F, The Business Rules Approach, explains the core ideas and principles of business rules, which underpin SBVR's origin and focus. This short Annex is strongly recommended for readers who are unfamiliar with this area.

Good preparation for reading the specification is becoming familiar with the notation (non-normative) used to present the entries.

- Annex A, SBVR Structured English, provides comprehensive explanation in that regard.
- Annex B, SBVR Structured English Patterns, explains how to verbalize terminological entries.

General practitioners will find the following sections of significant interest.

- Annex G, EU-Rent Example, provides a comprehensive case study, with a robust vocabulary and set of business rules fully worked through. Examples from EU-Rent are used widely in both the specification and Annexes to provide on-going commonality.
- Annex H, The RuleSpeak^R Business Rule Notation, presents a widely-used, business-friendly syntax for expressing business rules.
- Annex I, Concept Diagram Graphic Notation, offers suggestions for how an SBVR vocabulary can be diagrammed.
- Annex C, Use of UML Notation in a Business Context to Represent SBVR-style Vocabularies, is of special interest to practitioners familiar with UML diagramming.

Object-Role Modeling (ORM)-related Annexes:

- Annex J, The ORM Notation for Verbalizing Facts and Business Rules, provides an introduction to the ORM approach. ORM contributes heavily to the theoretical underpinnings of SBVR, and represents some of the best practices in factbased vocabulary and rule development.
- Annex L, ORM Examples Related to the Logical Foundations for SBVR, provides supplemental ORM material further clarifying the normative material, Logical Foundations for SBVR.

For those specialists and researchers interested in standards and/or in the formal logics underpinning of SBVR, the following material is of special interest.

• Annex K, Mappings and Relationships to Other Initiatives, addresses where and how SBVR fits with other software and standards initiatives.

For practitioners interested in a methodology supporting SBVR, used productively in industry for over 30 years, the factoriented approach NIAM2007 offers interesting advice.

- Annex M a Conceptual Overview of SBVR and the NIAM2007 Procedure to Specify a Conceptual Schema.
- Annex D, Additional References, provides supplemental sources relevant to the formal underpinnings of SBVR.

6.2.2 About the Normative Specification

The rest of this document contains the technical content of this specification. As background for this specification, readers are encouraged to first read:

Clauses 7-15 contain clauses for the SBVR vocabularies and rules that are the foundation for the SBVR XMI Metamodel.

Clauses 7-15 address different audiences. Four of the clauses are directly tied to conformance points, which are listed in Clause 2. Clause 7 gives names to the SBVR Vocabularies and to some other vocabularies and namespaces used by SBVR. Clause 8 provides the Meaning and Representation Vocabulary, which covers different kinds of meaning and representations. It is the foundation for the rest of the specification. Clause 9 provides the Logical Formulation of Semantics Vocabulary, which is the SBVR way to formulate semantics. It is not a vocabulary for business people but, rather, for detailed descriptions of the meanings of business words and statements. Clause 10 shows the formal logics and mathematical underpinnings of SBVR. Numerous concepts in clauses 8 and 9 are marked with the symbol 'FL' indicating that they are mapped to formal logics concepts in 10.

Clauses 11 and 12 provide (respectively) the Vocabulary for Describing Business Vocabularies and the Vocabulary for Describing Business Rules, which are for use in business to describe vocabularies and terminological dictionaries (11) and business rules (12).

Clause 13 specifies how SBVR uses MOF and XMI. Clause 14 is an index of vocabulary entries in Clauses 7-13. Clause 15 lists supporting documents, such as an XMI-based XML schema for the SBVR XMI Metamodel.

Clauses 7-15 use SBVR Structured English to define the SBVR vocabularies and rules. Annex A describes how the Structured English is interpreted such that SBVR is specified in terms of itself.

Much of the material in Part II is illustrated by examples in the annexes, especially Annex G.

Although the clauses are organized in a logical manner and can be read sequentially, this is a reference specification and is intended to be read in a non-sequential manner. Consequently, extensive cross-references are provided to facilitate browsing and search.

6.3 Acknowledgements

The following companies submitted and/or supported parts of this specification:

- Adaptive
- Automated Reasoning Corporation
- Business Rule Solutions, LLC
- Business Rules Group
- Business Semantics Ltd
- Fujitsu Ltd
- Hendryx & Associates
- Hewlett-Packard Company
- InConcept
- LibRT
- KnowGravity Inc
- MEGA
- Model Systems
- Neumont University
- Perpetual Data Systems
- PNA Group
- Sandia National Laboratories
- The Rule Markup Initiative
- Unisys Corporation
- X-Change Technologies Group

Part II - Business Vocabulary+Rules for Business Vocabulary+Rules

This part contains the SBVR vocabularies and rules that are the foundation for the SBVR XMI Metamodel. The clauses of Part II address different audiences.

Clause 7 gives names to the SBVR Vocabularies and to some other vocabularies and namespaces used by SBVR. Clause 8 provides the <u>Meaning and Representation Vocabulary</u>, which covers different kinds of meaning and representations. It is the foundation for the rest of the specification. Clause 9 provides the <u>Logical Formulation of Semantics Vocabulary</u>, which is the SBVR way to formulate semantics. It is not a vocabulary for business people, but rather, for detailed descriptions of the meanings of business words and statements. Clause 10 shows the formal logics and mathematical underpinnings of SBVR. Numerous concepts in clauses 8 and 9 are marked with the symbol 'FL' indicating that they are mapped to formal logics concepts in Clause 10.

Clauses 11 and 12 provide (respectively) the vocabulary for <u>Describing Business Vocabularies</u> and the <u>Vocabulary for</u> <u>Describing Business Rules</u>, which are for use in business to describe vocabularies and terminological dictionaries (11) and business rules (12).

Clause 13 specifies how SBVR uses MOF and XMI. Clause 14 is an index of vocabulary entries in Part II. Clause 15 lists supporting documents, such as an XMI-based XML schema for the SBVR XMI Metamodel.

Part II uses SBVR Structured English to define the SBVR vocabularies and rules. Annex A describes how the Structured English is interpreted such that SBVR is specified in terms of itself. Although the Structured English is non-normative, its use in Clauses 7 through 12 has a normative interpretation described in subclause 13.6. Examples are in natural language and use no particular notation except where noted.

Much of the material in Part II is illustrated by examples in the annexes, especially Annex G.

7 Vocabulary Registration Vocabulary

7.1 Vocabulary Registration Vocabulary

This sub clause gives names of vocabularies and namespaces. Each one is either provided by SBVR or is external to SBVR but formally referenced.

Vocabulary Registration Vocabulary	
Language:	English

7.1.1 Vocabularies Presented in this Document

Vocabulary Registration	/ocabulary
General Concept:	vocabulary
Note:	This clause.
Meaning and Representat	tion Vocabulary
General Concept:	vocabulary
Note:	See Clause 8 - Meaning and Representation Vocabulary.
Logical Formulation of Se	emantics Vocabulary
General Concept:	vocabulary
Note:	See Clause 9 - Logical Formulation of Semantics Vocabulary.
Formal Logic and Mathen	natics Vocabulary
General Concept:	vocabulary
Note:	See Clause 10 - Providing Semantic and Logical Foundations for Business Vocabulary and Rules.
Vocabulary for Describing	g Business Vocabularies
General Concept:	vocabulary
Note:	See Clause 11 - Business Vocabulary.
Vocabulary for Describing	g Business Rules
General Concept:	vocabulary
Note:	See Clause 12 - Business Rules.
SBVR Vocabulary	
Definition:	vocabulary that is a combination of the following: Meaning and Representation Vocabulary, Logical Formulation of Semantics Vocabulary, Vocabulary for Describing Business Vocabularies, and Vocabulary for Describing Business Rules

7.1.2 External Vocabularies and Namespaces

ISO 1087-1 (English)

Definition:

the vocabulary for the English language specified in [ISO1087-1]

ISO 6093 Number Namespace

Definition:	the namespace of designations of decimal numbers specified in [ISO6093]
Namespace URI:	urn:iso:std:iso:6093:clause:8
ISO 639-2 (English)	
Definition:	the vocabulary of English language names of languages specified in [ISO639-2] available at <u>http://www.loc.gov/standards/iso639-2/englangn.html</u>
Namespace URI:	http://www.loc.gov/standards/iso639-2/php/English_list.php
ISO 639-2 (Alpha-3 Code)	
Definition:	the <u>vocabulary</u> of 3-letter codes for languages specified in [ISO639-2] available at <u>http://www.loc.gov/standards/iso639-2/langcodes.html</u>
Namespace URI:	http://www.loc.gov/standards/iso639-2/php/code_list.php
UML 2 Infrastructure	
Definition:	the <u>namespace</u> of designations for UML 2 Infrastructure concepts as defined by [UML2infr].
Unicode Glossary Definition:	the vocabulary presented in [Unicode4].
Uniform Resource Identifier	s Vocabulary

Definition:

the vocabulary presented in [IETF RFC 2396].

8 Meaning and Representation Vocabulary

8.1 General

The primary subjects of the <u>Meaning and Representation Vocabulary</u> fit between two other relevant subject areas described below.

- 1. **Expression** things used to communicate (e.g., sounds, text, diagrams, gestures), but apart from their meaning one expression can have many meanings.
- 2. **Representation** the connection between expression and a meaning. Each representation ties one expression to one meaning.
- 3. Meaning what is meant by a word (a concept) or by a statement (a proposition) how we think about things.
- 4. **Extension** the things to which meanings refer, which can be anything (even expressions, representations, and meanings when they are the subjects of our discourse).

Following are examples of how some things, like "driver," cross through each subject area.

Extension	Meaning	Representation	Expression
The actual drivers of motor vehicles	Concept 'driver' — how we think of drivers, what characterizes them	Designation of the concept 'driver' by the signifier "driver"	The character sequence "driver"
		Definition of the concept 'driver' as "operator of a motor vehicle"	The character sequence "operator of a motor vehicle"
The actual City of Los Angeles, California – a real place	Individual noun concept 'Los Angeles' — how we think of that city, what distinguishes it from other places	'Los Angeles' as a designation for the individual noun concept of 'Los Angeles'	The character sequence "Los Angeles"
For each car that is out of service, its actually being out of service	Characteristic applicable to a car, what is meant by a car being out of service	Verb concept wording ' <u>car</u> is out of service' as a template for the characteristic with ' <u>car</u> ' being a placeholder	The text " <u>car</u> is out of service"
The actual state of affairs of it being obligatory in the EU- Rent business that it not rent to a barred driver	Proposition — the meaning of the statement "EU-Rent must not rent to a barred driver"	The statement, "EU-Rent must not rent to a barred driver," having the proposition as its meaning	The character sequence "EU-Rent must not rent to a barred driver"

Another subject area of this vocabulary is reference schemes, which are ways people use information about something to identify it. For example, a city in the United States is identified by a name combined with the state it is in. The state is identified by its name or by a two-letter state code.

Representations provide a reference scheme for concepts and propositions because they are always tied to exactly one expression and to exactly one meaning. On the other hand, a single expression can have multiple meanings, a concept can

have multiple expressions, a thing can be an instance of many concepts, and a proposition can be meant by many equivalent expressions.

A single representation can be tied to many speech acts, or to a single speech act, depending on how its expression is identified. For example, if the expression is a text or a sequence of words independent of any particular act of writing or speaking, the representation is independent in the same way. Conversely, if the expression is identified as belonging to a specific speech act, then the representation is tied to that speech act also.

Note: in the glossary entries below, the words "Concept Type: <u>role</u>" indicate that a general concept being defined is a role. Because it is a general concept, it is necessarily a situational role and is not a verb concept role.

The <u>Meaning and Representation Vocabulary</u> is not presented alphabetically. It is organized by subjects presented in the following order.

- 1. Meanings
 - a. Concepts
 - b. Propositions
 - c. Questions
- 2. Expressions
- 3. Representations
- 4. Reference Schemes
- 5. Extensions
- 6. Elementary Concepts


Meaning and Representation Vocabulary

English

Language:

Semantics of Business Vocabulary and Business Rules, v1.2

8.2 Meanings



This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

<u>meaning</u>

Definition:

what is meant by a word, sign, statement, or description; what someone intends to express or what someone understands

8.2.1 Concepts

<u>concept</u>

Source:	ISO 1087-1 (English) (3.2.1) ['concept']
Definition:	unit of knowledge created by a unique combination of characteristics
General Concept:	meaning
Reference Scheme:	a designation of the concept

noun concept

Definition:	<u>concept</u> that is the meaning of a noun or noun phrase
Concept Type:	concept type
Reference Scheme:	a closed projection that defines the noun concept

general concept

I

Synonym:	general noun concept
Definition:	noun concept that classifies things on the basis of their common properties

FL

FL

Source:	based on ISO 1087-1 (English) (3.2.3) ['general concept']
Concept Type:	concept type
Necessity:	The set of characteristics that are incorporated by a general concept is not the set of characteristics that are incorporated by another general concept.
Note:	A general concept incorporates a set of characteristics which are a unique combination that distinguishes that general concept from all other general concepts. See ' <u>concept</u> <i>incorporates</i> <u>characteristic</u> '. If a general concept A and a general concept B have the very same incorporated characteristics, they are the same concept. If they have the very same necessary characteristics, they are logically equivalent and they denote the same things in all possible worlds.
Example:	the concept 'rental car' corresponding to cars that are rented
Example:	the concept 'car', the concept 'number', the concept 'person'
<u>concept type</u>	FL
Definition:	general concept that specializes the concept 'concept'
Note:	A <u>concept</u> is related to a <u>concept type</u> by being an <u>instance</u> of the <u>concept type</u> .
Example:	verb concept, role, concept type
role	FL
Definition:	noun concept that corresponds to things based on their playing a part, assuming a function or being used in some situation
Concept Type:	concept type
Example:	the role 'drop-off location' of the verb concept 'shipment has drop-off location'
Example:	the <u>role</u> ' <u>shipment</u> ' of the verb concept ' <u>shipment</u> has <u>drop-off location</u> ', which should not be confused with the general concept ' <u>shipment</u> ' (which generalizes the role)
Example:	the <u>role</u> 'sum' – a <u>role</u> of a number in relation to a set of numbers
Note:	A role can be a general concept or a verb concept role. A role is always understood with respect to actualities of a particular verb concept or to other particular situations.
verb concept role	
Definition:	<u>role</u> that specifically characterizes its instances by their involvement in an actuality that is an instance of a given <u>verb concept</u>
Concept Type:	concept type
Reference Scheme:	a <u>placeholder</u> that represents the verb concept role
Reference Scheme:	a variable that maps to the verb concept role
Reference Scheme:	a characteristic that has the verb concept role
Necessity:	Each verb concept role is in exactly one verb concept.
Necessity:	No verb concept role is a general concept.
Note:	A verb concept role is fundamentally understood as a point of involvement in actualities that correspond to a verb concept. Its incorporated characteristics come from the verb concept - what the verb concept requires of instances of the role. It is possible that two verb concept roles incorporate the same characteristics, such as when a binary verb concept means the same

thing when roles are reversed, as in 'person is married to person'.

verb concept

<u>verb concept</u>	FL
Definition:	<u>concept</u> that specializes the <u>concept</u> 'state of affairs' and that is the meaning of a verb phrase that involves one or more <u>verb concept roles</u>
Dictionary Basis:	[SubeGFOL]: Propositional function, [GFOL] Predicate
Note:	A propositional function becomes a proposition when it is closed; it is closed by binding it to a logical constant (an individual noun concept) or a quantified variable (that ranges over some possibly qualified noun concept).
Note:	Each instance of a <u>verb concept</u> is a <u>state of affairs</u> . For each instance, each <u>role</u> of the <u>verb</u> <u>concept</u> is one point of involvement of something in that state of affairs.
Note:	Two verb concept definitions define the same verb concept if they reveal the same incorporated characteristics and the same verb concept roles.
Concept Type:	concept type
Necessity:	Each verb concept has at least one verb concept role.
Necessity:	Each proposition that is created by binding all the verb concept roles of a given verb concept means what the definition of the verb concept defines it to mean.
Necessity:	The <u>definition</u> that <i>represents</i> each <u>verb concept</u> is consistent with and defines exactly the complete <u>set</u> of <u>propositions</u> that can be created by quantifying each <u>verb concept role</u> of the <u>verb concept</u>
Note:	A verb concept role is played by a thing in the domain of discourse - the world of interest. A verb concept is 'bound' by specifying the thing(s) that play the verb concept role. Linguistically those things can be specified by a quantified noun phrase or by an individual noun concept or by a pronoun that refers to a specific thing.
Reference Scheme:	a verb concept wording of the verb concept
Reference Scheme:	a closed projection that defines the verb concept
<u>general verb concept</u>	FL
Definition:	verb concept that has at least one open verb concept role that has not been closed with an individual noun concept
Concept Type:	concept type
unitary verb concept	FL
Definition:	general verb concept that has exactly one instance in a possible world at a given time
Necessity:	Each role of a unitary verb concept ranges over a unitary noun concept.
Necessity:	At least one role of a unitary verb concept ranges over a unitary noun concept that is a general concept.
Note:	Unitary verb concepts allow individual states of affairs that are needed in a business vocabulary to be included in a body of shared meanings.
Note:	Changes in the extensions of the unitary noun concepts that fill the roles of a unitary verb concept cause the unitary verb concept to correspond to a different state of affairs.
Example:	"The President (<i>a situational role</i>) flies to the alternate seat of government (<i>a situational role</i>) on Air Force One (<i>a situational role</i>)". The single state of affairs in the extension changes as, over time, different people, places and aircraft fill the roles.
Example:	"the consolidated global account (<i>a situational role</i>) is filed in the base currency (<i>a situational role</i>) in the compliant format (<i>a situational role</i>)" specializes the verb concept "account is filed in currency in acceptable format". It defines the unitary verb concept that currently has the extension "the consolidated global account is filed in Swiss Francs in XBRL"

individual verb concept

Concept Type:	verb concept, proposition
Definition:	verb concept that has each verb concept role closed by an individual noun concept and that corresponds to exactly one state of affairs in all possible worlds at all (relevant) times
Definition:	proposition that is derived by closing each role of a verb concept with an individual noun concept
Note:	Individual verb concepts allow individual states of affairs that are needed in a business vocabulary to be included in a body of shared meanings.
Necessity:	Each role of an individual verb concept is filled by an individual noun concept.
Example:	"EU-Rent was incorporated in Luxembourg in 1991" and "EU-Corp was incorporated in Geneva in 1993" are individual verb concepts that are derived from the verb concept "company was incorporated in jurisdiction in calendar year".
Example:	"EU-Corp has owned EU-Rent since 1993" is an individual verb concept that is derived from the verb concept "company has owned company since calendar year".
<u>characteristic</u>	FI
Definition:	verb concept that has exactly one role
Source:	ISO 1087-1 (English) (3.2.4) ['characteristic']
Definition:	abstraction of a property of an object [thing] or of a set of objects
Synonym:	unary verb concept
Example:	The <u>verb concept</u> ' <u>shipment</u> is late' whose instances are actualities of shipments being late. There is one instance of the verb concept for each shipment that is late.
Note:	A characteristic always has exactly one role, but it can be defined using verb concepts having multiple roles.
Example:	The <u>characteristic</u> ' <u>driver</u> is of age' with this definition: "the age of the driver is at least the EU-Rent Minimum Driving Age." The semantic formulation of this definition appears in the introduction to Clause 9 - Logical Formulation of Semantics Vocabulary.
binary verb concept	FL
Definition:	verb concept that has exactly 2 roles
Example:	The <u>verb concept</u> ' <u>shipment</u> has <u>drop-off location</u> ' whose instances are actualities of shipments having drop-off locations.
Example:	The <u>verb concept</u> ' <u>number</u> is greater than <u>number</u> ' whose instances are actualities of numbers being greater than other numbers, there being one instance for every pair of numbers where one is greater than the other.
Note:	A verb concept can have two roles that seem to be identical (e.g., 'person is married to person' where each role can be called 'spouse'). Even though they incorporate the same characterstics, they are distinct in that they indicate two distinct points of involvement in each actuality the verb concept corresponds to.
unitary noun concept	

Synonym:	unitary concept
Concept Type:	role
Definition:	noun concept that corresponds to at most one thing at a time
Concept Type:	<u>concept type</u>

FL

Note:	A unitary noun concept has at most one instance at any given time in a given possible world, but the instance can change over time.
Note:	Different definite descriptions of the same thing can represent different unitary noun concepts that correspond to that thing.
Example:	The unitary noun concept 'Air Force One': the airplane that is carrying the President of the United States, which may be a different aircraft at different times.

individual noun concept

Synonym:	individual concept
Dictionary Basis:	ISO 1087-1 (English) (3.2.2) ['individual concept']
Definition:	noun concept that corresponds to at most one thing in all possible worlds
Concept Type:	concept type
Necessity:	No individual noun concept is a general concept.
Necessity:	No individual noun concept is a verb concept role.
Note:	Individual noun concepts are unitary noun concepts whose extensions are necessarily invariant across all possible worlds.
Note:	While each referring individual noun concept has at most one and the same instance in all possible worlds, there can be multiple individual noun concepts that correspond to the same thing. Different definite descriptions of the same individual thing can represent different individual noun concepts that correspond to that thing. If an individual noun concept does not correspond to any thing in some world, it does not correspond to any thing in any possible world.
Note:	A full understanding of 'individual noun concept' requires a full understanding of the Necessities in sub clause 8.6.2 "Necessities Concerning Extension."
Example:	The individual noun concept 'California' whose one instance is an individual state in the United States of America.

 \mathbf{FL}

8.2.1.1 About Concepts




Figure 8.2

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

<u>concept₁ specializes c</u>	oncept ₂	FL
Definition:	the <u>concept</u> ₁ incorporates each characteristic that is incorporated by the <u>concept</u> ₂ plus at least one differentiator	
Synonymous Form:	<u>concept₂ generalizes concept₁</u>	
Note:	The extension of a concept that specializes another is always a subset of the extension of the other, but not necessarily a proper subset. The differentiator that makes one concept more specific than the other is conceptual and does not necessarily restrict the extension of the concept.	:
Example:	The <u>noun concept</u> 'whole number' specializes the <u>noun concept</u> 'integer', the differentiat being that whole numbers are nonnegative.	or
Example:	The <u>individual noun concept</u> 'Los Angeles' specializes the <u>concept</u> 'city', the differentiat being that Los Angeles is one particular city in California.	or

concept₁ is coextensive with concept₂

Definition:	the extension of the concept ₁ is always the extension of the concept ₂
Note:	Semantic integrations between communities often involve recognizing where different concepts (having different intensions) have the same extensions in all possible worlds. Also, it is possible that concepts employing different methods of conceptualization have the same extension in all cases. For example, a noun concept that specializes the concept 'actuality' can be coextensive with a verb concept.
Example:	The individual noun concept defined as "the thirtieth president of the United States" is coextensive with a general concept defined as "president of the United States in 1925". The

FL

two concepts have the same extension (which includes only Calvin Coolidge) but they are different concepts.

concept incorporates characteristic

concept incorpora	tes <u>characteristic</u>
Definition:	the <u>characteristic</u> is an abstraction of a <u>property</u> of each instance of the <u>concept</u> and is one of the characteristics that makes up the <u>concept</u>
Note:	Every characteristic incorporated by a concept is a necessary characteristic of the concept, but not every necessary characteristic of the concept is incorporated by the concept. Only those that are part of what makes up the concept are considered to be incorporated. Given an intensional definition of a concept, incorporated characteristics include all of these:
	1. characteristics incorporated by the definition's more general concept (recursively)
	2. the definition's delimiting characteristics
	3. characteristics intrinsic to the delimiting characteristics (see example below)
	4. any conjunctive combination of any of the characteristics above
	Given an extensional definition, one that uses disjunction, characteristics that are found on each side of the disjunction are incorporated characteristics. Two definitions can define the same general concept by producing the same set of incorporated characteristics. The two definitions can directly identify different sets of incorporated characteristics (1 and 2 above) that are sufficient to determine the others (3 and 4 above). The way incorporated characteristics fall into 1 through 4 above can differ from one definition to another while producing the same overall set.
Example:	The concept "wrecked rental car", defined as "rental car that is nonoperational due to being in an accident", incorporates the following characteristics:
	 characteristics incorporated by the more general concept 'rental car' - e.g., being a car, being a vehicle, being rentable, and (combining them all) being a rental car
	2. the delimiting characteristic: being nonoperational due to being in an accident
	3. characteristics intrinsic to the delimiting characteristics - e.g., being nonoperational and having been in an accident
	 all conjunctive combinations of the characteristics given above - e.g., being a nonoperational vehicle, being a wrecked car
Example:	The <u>concept</u> 'qualified driver' incorporates the <u>characteristic</u> ' <u>driver</u> is licensed' because it is necessary (by the definition of 'qualified driver') that each qualified driver is licensed.
role ranges over g	eneral concept
Definition:	each characteristic that is incorporated by the general concept is incorporated by the

Definition:	each <u>characteristic</u> that is incorporated by the <u>general concept</u> is incorporated by the <u>role</u>
Note:	Saying that a role ranges over a general concept is similar to saying the role specializes the general concept in that the role incorporates every characteristic incorporated by the general concept, and therefore, each instance of the role is necessarily an instance of the general concept. But "ranges over" is different in that it allows that both the role and the general concept incorporate the same characteristics - the general concept can incorporate a characteristic that its instances fill that role.
Note:	Sometimes a role can be played by instances of any of a variety of types. For example, a role 'customer' might range over "person or organization". This is not a case of a role ranging over multiple general concepts. Rather, it is a case of a role ranging over a single general concept

	that is defined extensionally. In this case the single general concept is defined as "person or organization". In contrast, saying a role ranges over multiple general concepts means that any thing that fills the role is always an instance of each of those general concepts. It is equivalent to saying the role ranges over a single, possibly anonymous, general concept whose incorporated characteristics are the union of those incorporated by the multiple general concepts.
Note:	A general concept ranged over by a role can be a situational role.
Example:	The role ' <u>company</u> ' of the verb concept ' <u>company</u> employs <u>person</u> ' ranges over the general concept 'company'

verb concept has role

Definition:the role is an abstraction of a thing playing a part in an instance of the verb conceptSynonymous Form:verb concept role is in verb concept

8.2.2 Propositions




Figure 8.3

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

FL

proposition

proposition	E.F.
Definition:	meaning of a declarative sentence that is not a paradox and that is invariant through all the paraphrases and translations of the sentence including synonymous closed logical formulations
Note:	A wff is a special case of statement in which there are no free occurrences of any variable, i.e., either it has constants in place of variables, or its variables are bound, or both.
Source:	[SubeGFOL]: proposition (2 & 3), Wff, Closed Wff
Necessity:	It is necessary that each proposition that is created by binding all the verb concept roles of a given verb concept means what the definition of the very concept defines it to mean.
Note:	A verb concept role is played by a thing in the domain of discourse - the world of interest. A verb concept is 'bound' by specifying the thing(s) that play the verb concept role. Linguistically those things can be specified by a quantified noun phrase or by an individual noun concept or an expression or a pronoun that refers to a specific thing.
Note:	A proposition is always either true or false with respect to a possible world regardless of whether its truth value is known or is of interest.
Note:	Clause 9.2, Logical Formulations, describes one of the ways to understand the logical structure of propositions, including how concepts, such as individual noun concepts, general concepts, verb concepts and roles, fit into that structure.
Note:	The word "proposition" has two common meanings: first, a statement that affirms or denies something, and second, the meaning of such a statement. The concept 'proposition' is here defined in the second sense and should not be confused with the statement of a proposition.
Note:	The truth-value of the proposition is separate from the proposition (i.e., the meaning of the statement). The proposition means the same thing in every possible world, but the truth-value may be different in different possible worlds and is not necessarily relevant to every use of the proposition. Documenting the truth-value of a proposition is out of scope for SBVR and belongs to the domain of data management or rules enforcement.
Reference Scheme:	a closed logical formulation that means the proposition
Reference Scheme:	a statement of the proposition
proposition is true	FL
Definition:	the state of affairs that the proposition corresponds to is actual
Note:	A proposition is true if and only the state of affairs to which it corresponds is actual, regardless of whether that state of affairs has been actual in the past or will be actual in the future.
Note:	A proposition can be true with respect to one possible world and false with respect to another. See "possible world" in Clause 10.
proposition is false	FL
Definition:	the state of affairs that the proposition corresponds to is not actual
fact	FL
Definition:	proposition that is taken as true
Note:	How one ascertains what is true, whether by assertion, observation, or other means, is outside the scope of this specification. However, taking a proposition as true must be consistent with epistemic commitment. The concept 'fact' is here defined to be consistent with the operations of truth-functional logic, which produce results based on true and false.
proposition is necess	sarily true
	•

Definition:

I

the proposition corresponds to an actuality in all possible worlds

Note:	A proposition is considered to be necessarily true if it is true by definition - the defin relevant concepts make it logically impossible for the proposition to be false.	itions of
proposition is pos	ssibly true	
Definition:	the proposition corresponds to an actuality in some possible world	
	it is possible that the proposition corresponds to an actuality	
proposition is obl	igated to be true	FL
Definition:	the proposition corresponds to an actuality in all acceptable worlds	
Note:	The concept 'acceptable world' is described in Clause 10.	
proposition is obl	igated to be false	FL
Definition:	the proposition does not correspond to an <u>actuality</u> in any acceptable world	
proposition is per	mitted to be true	FL
Definition:	the proposition is not obligated to be false	
Note:	The concept 'acceptable world' is described in Clause 10.	
8.2.3 Question	S	

<u>question</u>

I

I

Definition:	meaning of an interrogatory
Note:	The word "question" has two common meanings: first, a written or spoken expression of inquiry, and second, the meaning of such an inquiry. By the second definition, a single question could be asked in two languages. But by the first definition, using two language results in two expressions, and therefore, two questions. The concept 'question' is here defined in the second sense (meaning) and should not be confused with the expression or representation of a question.
Reference Scheme:	a closed projection that means the question

8.3 Expressions

expression

Definition:	something that expresses or communicates, but considered independently of its interpretation
Example:	the sequence of characters "car"
Example:	the sequence of speech sounds (t), (r), and (\overline{e})
Example:	a smile
Example:	a diagram
Example:	The entire text of a book

<u>text</u>

Source:	Unicode 4.0.0 Glossary ['Character Sequence']
General Concept:	expression
Note:	The <u>concept</u> ' <u>text</u> ' has no explicit <u>reference scheme</u> , but rather, is used as a target for reference schemes.

Note:	A detailed vocabulary concerning text is provided by the Unicode specification. Taking the concept 'text' from the Unicode specification does not mean that a text is a Unicode encoding, but rather, it implies that a text can be represented by a Unicode encoding in electronic communications. Unicode encodings provide the common means of text representation in word processors, mail systems, the Internet, and so on. The encodings tend to be invisible to people writing and reading the text.
Note:	A text is taken as a sequence of characters. Interpretation of markup is not addressed by this document.
<u>URI</u>	
Source:	Uniform Resource Identifiers Vocabulary ['URI']
Definition:	text that identifies a resource as specified by [IETF RFC 2396]
Synonym:	uniform resource identifier
Note:	The <u>concept</u> ' <u>URI</u> ' is introduced into this specification in order to provide a universal context for reference schemes.

8.4 Representations




Figure 8.4

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

expression represents meaning

representation

Definition:	actuality that a given expression represents a given meaning
Necessity:	Each representation has exactly one expression.
Necessity:	Each representation represents exactly one meaning.

representation has expression

representation represents meaning

Synonymous Form:	meaning has representation
Synonymous Form:	representation has meaning

8.4.1 Designations

designation

Source:	ISO 1087-1 (English) (3.4.1) ['designation']
Definition:	representation of a concept by a sign which denotes it

Note:	In common usage, the signifier of a designation is used to refer to the instances of the designated concept. The designation, as defined here and in ISO 1087-1, does not refer to those instances directly, but relates the signifier to the concept. See 'concept has instance' in 8.6.1.
Necessity:	Each designation represents a concept.
Reference Scheme:	the signifier of the designation and a namespace that includes the designation
Reference Scheme:	A verb concept wording that demonstrates the designation
Reference Scheme:	the signifier of the designation and the concept that is represented by the designation
<u>signifier</u>	
Definition:	expression that is a linguistic unit or pattern, such as a succession of speech sounds, written symbols or gestures, used in a designation of a concept
Concept Type:	role
Example:	the sequence of characters "car" used in a <u>designation</u> of the <u>concept</u> 'automobile' or used in a <u>designation</u> of the <u>concept</u> 'railroad car'
Example:	the sequence of speech sounds (t), (r), and (\overline{e}) used in a <u>designation</u> of the <u>concept</u> 'tree'

The graphic "€" used in a <u>designation</u> of the <u>concept</u> 'Euro'

designation has signifier

Example:

Definition: the signifier is the expression of the designation

concept has designation

Definition:	the designation represents the concept

8.4.2 Definitions

definition

Source:	ISO 1087-1 (English) (3.3.1) ['definition']
Definition:	<u>representation</u> of a <u>concept</u> by a descriptive statement [<u>expression</u>] which serves to differentiate it from related concepts
Definition:	<u>representation</u> (as through a word or phrase) expressing the essential nature of a person or thing or class of persons or of things : an answer to the question "what is x?" or "what is an x?"
Necessity:	Each <u>definition</u> represents a <u>concept</u> .
Reference Scheme:	the expression of the definition and a closed projection that formalizes the definition
Note:	' <u>definition</u> ' is used in SBVR in the sense of the formal term "definiens."

concept has definition

Definition:

the definition represents the concept

8.4.3 Statements

statement

Definition:	<u>representation</u> of a proposition by an <u>expression</u> that is non-paradoxical and meaningful and that is a simple sentence with one declarative clause, or a complex sentence or group of sentences that together contain one or more declarative clauses
Necessity:	Each statement expresses exactly one proposition.
Reference Scheme:	the expression of the statement and a closed logical formulation that formalizes the statement
Note:	A statement combines a single expression with a single meaning of that expression. If an expression is an ambiguous sentence, one that represents two different propositions, each of the two representations is considered to be a separate statement. See ' <u>expression</u> <i>is unambiguous to</i> <u>speech community</u> ' in 11.3.1.4.
Note:	A paradoxical expression is not an expression of a statement. A paradox is independent of whether or not the truth-value is known.
Note:	In sentences each declarative clause represents individually a given proposition that is its meaning. Complex sentences and groups of multiple sentences can also represent a single proposition. The terms "sentence" and "clause" are used in SBVR with their most common grammatical meaning
Note:	Including a statement of a proposition in a descriptive example does not assert the truth of the proposition. It is simply an illustrative example of the concept. This is unlike including a statement of the same proposition in a factbase which, by definition, includes an assertion of "taken to be true."
Necessity:	Each statement that represents a given proposition and each closed logical formulation that means that given proposition must be synonymous, and both individually and together with all the others determine the proposition i.e., the meaning.
Note:	How the meaning of a statement is determined depends on the natural language in which it is expressed. SBVR defines how to determine the meaning of a closed logical formulation.

statement expresses proposition

Definition:	the statement represents the proposition
Synonymous Form:	proposition has statement

8.4.4 Verb Concept Wordings

The concepts defined in this sub clause are intended to provide a means of representing syntactic elements of a language that are used to represent verb concepts in statements and definitions. The elements defined here are intentionally minimal and may or may not be adequate for specific languages.




Figure 8.5

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

verb concept wording

Definition:	representation of a verb concept by an expression that has a syntactic structure involving a signifier for the verb concept and signifiers for its verb concept roles
Note:	The word concept wording relates to a signifier for the verb concept by ' <u>verb concept</u> wording demonstrates designation. The verb concept wording relates to signifiers for the verb concept roles by <u>verb concept wording</u> has <u>placeholder</u> '.
Note:	A verb concept wording is not a designation for a verb concept. It is a syntactic structure of expressions that is a pattern for using a designation of the verb concept in definitions and statements.
Necessity:	Each verb concept wording represents exactly one verb concept.
Necessity:	Each verb concept wording has at least one placeholder.
Necessity:	At most one role of a verb concept that has a verb concept wording is not represented by a placeholder of the verb concept wording.
Necessity:	No verb concept wording is a designation.
Necessity:	Each verb concept wording demonstrates at most one designation.
Necessity:	If a <u>designation</u> is demonstrated by a <u>verb concept wording</u> of a <u>verb concept</u> then the <u>verb concept</u> has the <u>designation</u> .
Example:	The <u>verb concept wording</u> ' <u>customer</u> rents <u>car</u> ' demonstrates the <u>designation</u> 'rents' and has two placeholders. One <u>placeholder</u> uses the <u>designation</u> 'customer' and is at the <u>starting</u> <u>character position</u> 1. The other <u>placeholder</u> uses the <u>designation</u> 'car' and is at the <u>starting</u> <u>character position</u> 16.
Example:	The <u>verb concept wording</u> ' <u>driver</u> of <u>car</u> ' demonstrates a <u>designation</u> 'of' and has two placeholders, one using the <u>designation</u> 'driver' at the <u>starting character position</u> 1, and the other using the <u>designation</u> 'car' at the <u>starting character position</u> 11.
Example:	The <u>verb concept wording</u> ' <u>country</u> charges <u>tax rate</u> on <u>date</u> ' demonstrates the <u>designation</u> 'charges on' that represents the same <u>verb concept</u> as the <u>verb concept wording</u> .

Note:	Recognizing how a statement such as, "A customer must rent at most one car", fits the pattern or template of a verb concept wording, such as ' <u>customer</u> rents <u>car</u> ', is part of the process of language parsing and interpretation and is not covered by this specification.
Note:	In some languages, verb concept wordings occur that involve only a positioning of placeholders with no other designation — no verb or preposition.
Reference Scheme:	the expression of the verb concept wording and a namespace that includes the verb concept wording

verb concept has verb concept wording

Definition:	the <u>expression</u> of the <u>verb concept wording</u> represents the <u>verb concept</u> as a
	grammatical structure of expressions in some language
Definition:	the verb concept wording represents the verb concept

verb concept wording demonstrates designation

Definition:	the verb concept wording shows a pattern of using the <u>designation</u> , which is of the same verb concept in an <u>expression</u>
Note:	If a verb concept wording demonstrates a designation, the signifier of that designation is what is seen in the expression of the verb concept wording when placeholder expressions have been removed. See 'verb symbol' and 'verb concept wording incorporates verb symbol' in Clause 11.

verb concept wording has placeholder

Definition:	the <u>placeholder</u> indicates a place for expression of what fills a <u>role</u> in the <u>verb concept</u> wording
Synonymous Form:	<u>placeholder</u> is in <u>verb concept wording</u>
entential form	

S

Definition:	<u>verb concept wording</u> that is a pattern or template that can be used for stating a proposition based on a verb concept
Example:	'car is used in rental agreement' is a sentential form of a binary verb concept.
Example:	' <u>car</u> is unavailable' is a <u>sentential form</u> of a <u>characteristic</u> .
Example:	Assuming there is a role 'renter' ranging over the concept 'customer', the following can all be alternative sentential forms of the same verb concept:
	<u>car</u> has <u>renter</u>
	<u>customer</u> rents <u>car</u>
	<u>car</u> is rented by <u>customer</u>
	<u>renter</u> rents <u>car</u>
Necessity:	Each role of the verb concept that has a sentential form is represented by a placeholder of the sentential form.
<u>noun form</u>	
Definition:	verb concept wording that acts as a noun rather than forming a proposition
Note:	A noun form can have a placeholder for each role of a verb concept, in which case the noun

A noun form can have a placeholder for each role of a verb concept, in which case the noun form result comes from the role the first placeholder is for. A noun form can also have one less placeholder than there are roles, in which case the noun form result comes from the role that no placeholder is for.

Example:	' <u>transferred car</u> of <u>car transfer</u> ' for the verb concept ' <u>car transfer</u> has <u>transferred car</u> '. This form yields a transferred car.
Example:	' <u>number</u> 'for the verb concept ' <u>number</u> has <u>absolute value</u> '. The form yields the absolute value of the number.
Example:	$number_1 + number_2$ for the verb concept $number_1 + number_2 = number_3$. This form yields the third number (the sum of adding the first two numbers).
Example:	'transferring <u>rental car</u> ' for the verb concept ' <u>car transfer</u> has <u>transferred car</u> '. This form yields the car transfer, which is an action. Gerunds are used in noun forms like this for actions, events, and states. They are used in sentences like this: "A rental car must be cleaned before transferring the rental car."
placeholder	
Definition:	<u>designation</u> of a verb concept role within a verb concept wording marking a place where, in uses of the verb concept wording, an expression denotes what fills the verb concept role
Necessity:	Each placeholder is in exactly one verb concept wording.
Necessity:	Each placeholder represents exactly one verb concept role.
Necessity:	Each placeholder of each verb concept wording of a verb concept represents a verb concept role of the verb concept.
Necessity:	Each placeholder has at most one starting character position.
Necessity:	Each placeholder of a verb concept wording that has a text has a starting character position.
Reference Scheme:	the verb concept wording that has the placeholder and the expression of the placeholder and the starting character position of the placeholder
Note:	The expression of a placeholder often consists of the signifier of a designation used by the placeholder, but it can include other things such as delimiting characters (as in '[proposition] is true') or a subscript (as in 'proposition1 is true') by which the placeholder can be distinguished within the verb concept wording that has it. A placeholder need not use a designation (as in ' is true').

starting character position

Definition:	positive integer that is an ordinal position where a text starts within an encompassing text
Concept Type:	role

placeholder is at starting character position

Definition:	the expression of the <u>placeholder</u> is textual and occurs within a textual expression of a verb concept wording starting at the <u>starting character position</u>
Synonymous Form:	placeholder has starting character position
Note:	If a placeholder is at a starting position within a verb concept wording, then the expression of the placeholder exactly matches the characters in the expression of the verb concept wording, character for character, from the starting character position through the full length of the placeholder's expression. Placeholders' expressions do not overlap each other within the expression of a verb concept wording. If the verb concept wording demonstrates a designation, the designation's signifier appears within the part or parts of the verb concept wording's expression that are not occupied by placeholders.
Note:	See 13.7.4 for detailed examples showing various aspects of verb concept wordings, placeholders, and their starting character positions.

placeholder uses designation

Definition:	the expression of the <u>placeholder</u> incorporates the signifier of the <u>designation</u> thereby indicating that that verb concept role represented by the <u>placeholder</u> ranges over the concept represented by the <u>designation</u>
Note:	The means by which a placeholder incorporates a designation depends on convention. SBVR does not require a particular convention, but it uses one described in Annex A, SBVR Structured English.
Example:	The ' <u>proposition</u> ' placeholder in the verb concept wording ' <u>proposition</u> is true' uses the designation 'proposition'. The statement, "A fact is true," is understood to use that verb concept wording because a fact is a proposition, but "A line is true" is not recognized as using that verb concept wording because a line is not a proposition.
Example:	Consider two verb concept wordings for the same verb concept: 'rental is returned on date' and 'rental has return date'. The second placeholders of the two forms represent the same role, but they use different designations ('date' and 'return date'). If "Rental 876" denotes a rental, then the statement, "Rental 876 is returned on 30 June 2006," is understood to use the first verb concept wording because "30 June 2006" is understood to denote a date, but the statement, "Rental 879 has 30 June 2006," is not understood to use the second verb concept wording because "30 June 2006" is not understood to denote a return date (only a date). "Rental 879 has the return date 30 June 2006" uses the second verb concept wording.
Example:	In the verb concept wording 'rental car ₁ replaces rental car ₂ ', both placeholders ('rental car ₁ ' and 'rental car ₂ ') use the same designation, 'rental car'.

8.4.5 Namespaces




Figure 8.6

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

namespace

Definition:	collection of designations and/or verb concept wordings that are distinguishable from each
	other by uniqueness of designator or form
Reference Scheme:	a URI of the namespace

namespace1 incorporates namespace2

Definition: each <u>designation</u> and <u>verb concept wording</u> in the <u>namespace</u>₂ is in the <u>namespace</u>₁, and if the <u>namespace</u>₁ is a <u>vocabulary namespace</u>, each <u>attributive namespace</u> within the <u>namespace</u>₂ is incorporated into an <u>attributive namespace</u> in the <u>namespace</u>₁ for the same <u>subject concept</u>

designation is in namespace

Definition:	the <u>namespace</u> contains the <u>designation</u> such that the signifier of the <u>designation</u> is the
	signifier of no other designation in the namespace
Synonymous Form:	namespace contains designation

verb concept wording is in namespace

Definition:	the <u>namespace</u> contains the <u>verb concept wording</u> such that it is distinguishable from every other verb concept wording in the <u>namespace</u>
Synonymous Form:	namespace contains verb concept wording
Note:	The distinguishability of a verb concept wording from others within a namespace is based on how a use of the verb concept wording is recognized. Distinguishability considers positions of placeholders, meanings of designations used by placeholders and the expression of the verb concept wording excluding expressions of placeholders.
Example:	The verb concept wording ' <u>proposition</u> is true' (with placeholder ' <u>proposition</u> ') is indistinguishable from '[proposition] is true' (with placeholder '[proposition]') because both placeholders use a designation of the same concept ('proposition'), but those two forms are distinguishable from ' <u>line</u> is true' (with placeholder ' <u>line</u> ') because 'proposition' and 'line' designate different concepts.

<u>namespace</u> has <u>URI</u>

Definition:	the URI uniquely identifies the namespace
Necessity:	Each URI is the URI of at most one namespace.

vocabulary namespace

Definition:

<u>namespace</u> that is derived from a <u>vocabulary</u>

attributive namespace

Definition:	<u>namespace</u> that contains designations recognizable in the context of being attributed to instances of a particular concept
Necessity:	Each attributive namespace is for exactly one subject concept.
Reference Scheme:	a vocabulary namespace that includes the attributive namespace and the subject concept that has the attributive namespace
Note:	A <u>designation</u> in an <u>attributive namespace</u> typically represents a <u>role</u> of a <u>binary verb</u> <u>concept</u> . In English, such a designation can typically be used with any of several attributive forms, such as " has" or " of". A <u>designation</u> in an <u>attributive namespace</u> can

	also represent a <u>characteristic</u> . Different languages have different attributive forms - different grammatical structures relating a subject to something attributed to it.
Example:	Given an <u>attributive namespace</u> for the <u>subject concept</u> 'rental', a <u>designation</u> 'drop-off date' can be used in any of several attributive forms: "rental has drop-off date," "drop-off date of rental," "rental's drop-off date," "drop-off date is of rental," etc.
Example:	Given an <u>attributive namespace</u> for the <u>subject concept</u> 'rental', the <u>designation</u> 'assigned' for the <u>characteristic</u> ' <u>rental</u> is assigned' is recognized where it applies to a rental, as in "assigned rental."

attributive namespace is for subject concept

Definition:	the designations in the <u>attributive namespace</u> are for concepts attributable to instances of
	the subject concept
Synonymous Form:	concept has attributive namespace

subject concept

Definition:	<u>concept</u> that provides a context for recognizing designations used to attribute properties to instances of the <u>concept</u>
Concept Type:	role
Example:	In the phrase, "each rental's drop-off date," the concept 'rental' is a subject concept with respect to recognizing the designation 'drop-off date' representing a role in a verb concept that relates a rental to its drop-off date.
Example:	In the phrase, "an assigned rental," the concept 'rental' is a subject concept with respect to recognizing the designation 'assigned' representing a characteristic attributable to rentals ('rental is assigned').

attributive namespace is within vocabulary namespace

Definition:	the <u>attributive namespace</u> is a section of the <u>vocabulary namespace</u> attributable to the <u>concept</u> that has the <u>attributive namespace</u>	
Synonymous Form:	vocabulary namespace includes attributive namespace	
language		
Definition:	system of arbitrary signals (such as voice sounds or written symbols) and rules for combining them as used by a nation, people, or other distinct community	
Source:	based on AH	
Note:	A language can be a natural language or an unnatural one, such as a computer language or a system of mathematical symbols.	
Note:	A language is often identified by its name. ISO provides names of many languages in <u>ISO 639-2</u> (English) and provides short (at most 3 letters) language-independent codes in <u>ISO 639-2</u> (Alpha-3 Code).	
Example:	English, French, German, Arabic	
Example:	Moroccan Arabic (a dialect of Arabic)	
Example:	Unified Modeling Language (a graphical modeling language)	

vocabulary namespace is for language

Definition:	each representation in the	vocabulary namespace	is for expression in the language

8.5 Reference Schemes




Figure 8.7

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

reference scheme

Definition:	chosen way of identifying instances of a given concept
Note:	A <u>reference scheme</u> is a way of referring to instances of a <u>concept</u> by way of related things that are either lexical or are otherwise identifiable. A reference scheme usually uses one or more verb concept roles of binary verb concepts in order to identify an instance of a concept from facts about the instance. A reference scheme can also use one or more characteristics.
Note:	A <u>reference scheme</u> can be partial or complete. It is complete if it can always be used to refer to every instance of a concept. An overall complete reference scheme for a concept can result from there being multiple partial reference schemes for that concept, its more general concepts, and its categories.
Note:	Choice of reference schemes must be based on uniqueness (providing an identifier that refers to exactly one thing), but it should consider more than uniqueness. It should also consider permanence – if the actualities considered by the scheme change often, then references can become invalid. A reference scheme should also not lead into an inescapable reference cycle where things only identify each other, but should lead either directly or indirectly to an expression. It should also consider convenience and relevance from a business perspective.
Note:	A verb concept role is used in a reference scheme in either of two ways. A simple use of a verb concept role involves a single instance of the verb concept role in each reference based on the scheme. An extensional use of a verb concept role involves the entire set of related instances of the verb concept role in each reference based on the scheme.
Note:	A reference scheme implies that there is uniqueness – that whatever facts are used to reference an individual thing uniquely identify that one thing.
Reference Scheme:	the set of verb concept roles that are simply used by the reference scheme and the set of verb concept roles that are extensionally used by the reference scheme and the set of characteristics that are used by the reference scheme

 \mathbf{FL}

reference scheme is for concept

Definition:	instances of the <u>concept</u> can be identified using the <u>reference scheme</u>
Synonymous Form:	concept has reference scheme
Necessity:	Each reference scheme is for at least one concept.

reference scheme simply uses verb concept role

Definition:	any given <u>instance</u> of the <u>verb concept role</u> , which is of a <u>binary verb concept</u> , serves as identification or partial identification of an <u>instance</u> of the <u>concept</u> having the <u>reference</u> <u>scheme</u> where the given <u>instance</u> is related by way of the <u>binary verb concept</u> that has the <u>verb concept role</u>
Synonymous Form:	reference scheme has simply used role
Necessity:	Each verb concept role that is simply used by a reference scheme is in a binary verb concept.
Example:	A reference scheme for 'car model' simply uses the ' <u>name</u> ' role of the binary verb concept ' <u>car</u> <u>model</u> has <u>name</u> '. An example of a reference based on this reference scheme identifies a particular car model as having the name "Chevrolet Cavalier." The meaning of the reference is an individual noun concept having this definition: the car model that has the name "Chevrolet Cavalier."

reference scheme extensionally uses verb concept role

Definition:	a set of instances of the verb concept role, which is of a binary verb concept, serves as identification or partial identification of an <u>instance</u> of the <u>concept</u> having the <u>reference</u> <u>scheme</u> where the set is the set of all instances of the <u>verb concept role</u> related by way o the <u>binary verb concept</u> that has the <u>verb concept role</u>	
Synonymous Form:	reference scheme has extensionally used role	
Necessity:	Each verb concept role that is extensionally used by a reference scheme is in a bina verb concept.	ry
Example:	The reference scheme given above for the concept ' <u>reference scheme</u> ' itself exemplifies extensional use of roles. Any particular reference scheme can be identified by the combinati of what roles it simply uses, what roles it extensionally uses, and what characteristics it uses For example, the reference scheme for 'car model' (in the example above) is identified by the facts that it simply uses only the ' <u>name</u> ' role of the binary verb concept ' <u>car model</u> has <u>nam</u> it extensionally uses no roles and it uses no characteristics.	s. he
reference scheme us	es <u>characteristic</u>	FL

Definition:	having or not having the <u>characteristic</u> serves as identification or partial identification of an <u>instance</u> of the <u>concept</u> having the <u>reference scheme</u>
Synonymous Form:	reference scheme has identifying characteristic
Note:	Reference schemes generally use a characteristic only in combination with one or more roles of binary verb concepts such that facts of those types about any referenced thing reduce the number matching instances down to two, one instance having the characteristic and not the other. A reference scheme using no more than a characteristic works only for the unusual case of a concept that always has at most two instances.

Semantics of Business Vocabulary and Business Rules, v1.2

 \mathbf{FL}

 $_{\rm FL}$

Example:

A concept 'tire position', which has only four instances, has a reference scheme that uses two characteristics, '<u>tire position</u> is in front' and '<u>tire position</u> is on the right'. Any of the four positions can be identified by knowing whether or not it is in front and whether or not it is on the right. The meaning of a reference based on this scheme is an individual noun concept having the more general concept 'tire position' and having a delimiting characteristic that is either being in front or not being in front and another delimiting characteristic that is either being on the right or not being on the right.

8.6 **Extensions**




Figure 8.8

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

state of affairs

ate of affairs		
Definition:	event, activity, situation, or circumstance	
Reference Scheme:	a proposition that corresponds to the state of affairs	
Reference Scheme:	an individual noun concept that corresponds to the state of affairs	
Necessity:	No state of affairs is a proposition	
Note:	Any representation of a proposition may be used to denote the state(s) of affairs that it corresponds to. A proposition statement serves as a definite description for the state of affair that the proposition corresponds to.	S
Note:	Some general noun concepts have extensions that are states of affairs; for example, the extension of 'car being damaged during rental; is the states of affairs of rented cars being returned from rental damaged. A given state of affairs of this kind can be referenced by an individual noun concept (based on the general noun concept) such as 'the car referenced by VIN xxxxx being damaged during the rental referenced by contract number yyyyyy'.	
Note:	A <u>state of affairs</u> can be possible or impossible. Some of the possible ones are actualities. <u>proposition</u> corresponds to a <u>state of affairs</u> . A <u>state of affairs</u> either occurs or does not	

	occur, whereas a proposition is either true or false. A state of affairs is not a meaning. It is a thing that exists and can be an instance of a concept, even if it does not happen.
Example:	EU-Rent owning 10,000 rental cars is a state of affairs to which the proposition "EU-Rent owns 10,000 rental cars", corresponds.
Example:	It being obligatory that each rental have at most three additional drivers is a state of affairs to which the rule, "Each rental must have at most three additional drivers", corresponds.

proposition corresponds to state of affairs

General Concept:	'meaning corresponds to thing'
Definition:	the state of affairs is posited by the proposition and if the state of affairs were actual, the proposition would be true
Note:	 If the proposition is a simple proposition formulated using a single main verb, then the state of affairs can be understood as an instance of that verb concept that involves in each verb concept role of that verb concept the thing or things specified by the proposition as filling that verb concept role. If the proposition is formulated using a more complex formulation involving implication, conjunction, or disjunction, the relationship between the propositions are determined to be true or false, as specified in Clauses 9 and 10. But ultimately each of those is based on the correspondence of the state of affairs to individual verb concepts.

statement denotes state of affairs

the <u>statement</u> *indicates* the <u>state of affairs</u> that is posited by the <u>proposition</u> that is expressed by the <u>statement</u>

state of affairs is actual

Definition:

Definition:	the state of affairs happens (i.e., takes place, obtains)
Note:	The meaning of 'is actual' should not be confused with logical existence, which just means being something that is of interest in the universe of discourse. A potential state of affairs can 'exist' as a 'thing' in the universe of discourse and thereby be involved in relationships to other things (e.g., plans, desires, fears, expectations, perceptions, etc.) even if it is not actual, even if it never happens. A plan for, desire for, fear of, etc. a state of affairs is a different thing in the universe of discourse from the state of affairs itself that is planned for, desired or feared. The plan, desire fear, etc. can move between being actual and not actual. The state of affairs that is planned, desired or feared is corresponded to by a different proposition; it can, independently of the plan, desire or fear, also move between being actual and not actual.
Note:	If a state of affairs is perceivable (<i>real</i>) in a possible world, it is actual. If it is only conceivable (<i>planned, talked about</i>) and not perceivable in a possible world, it is not actual.
Example:	"The EU-Rent London-Heathrow Branch wants to be profitable". Even when that branch is unprofitable, the previous statement can correspond to an actuality that involves the desired state of affairs that the EU-Rent London-Heathrow Branch is profitable. The desired state of affairs exists as an object of desire and planning regardless of whether there is ever an actual state of profitability. It exists and is involved in an actuality (an instance of the verb concept 'company wants state of affairs') even when the branch is unprofitable. The nature of the desired state of affairs is that it is a 'desired state of affairs' - conceived but not perceived. The actual state of affairs that the EU-Rent London-Heathrow Branch is profitable exists only when the branch is profitable. The nature of the actual state of affairs, if it exists, is that it is a happening in the world. It is perceived, as well as being conceived.

 $_{\rm FL}$

state of affairs

ate of affairs		FL
Definition:	state of affairs that is actual	
Note:	Actualities are states of affairs that actually happen, as distinct from states of affairs that do happen but nevertheless exist as subjects of discourse and can be imagined or planned.	n't
Example:	Consider two unitary noun concepts, the first defined as " <u>state of affairs</u> " that EU-Rent London-Heathrow Branch is profitable" and the second defined as " <u>actuality</u> " that EU-Ren London-Heathrow Branch is profitable. The two definitions use the same objectification. Th first concept always has an instance, regardless of profitability. The second concept has an instance (the same instance) only if the branch is profitable.	
ate of affairs invol	Ives thing <i>in</i> role	FL

state of affairs involves thing in role

Definition:	the thing plays the role in the state of affairs, and, if the role is a verb concept role and the state of affairs is an actuality, the state of affairs is an instance of the verb concept that has the role
Synonymous Form:	thing fills role in state of affairs
Note:	If the role is a general concept, it is necessarily a <u>situational role</u> and the state of affairs is a "situation" for which the role is defined (See 11.2.5).
Note:	This verb concept is used to capture the fact of involvement of a thing in an actuality that is an instance of a verb concept, or more generally, in a state of affairs whether or not it is an actuality.
<u>extension</u>	FL
Source:	ISO 1087-1 (English) (3.2.8) ['extension']
Definition:	totality of objects [every thing] to which a <u>concept</u> corresponds
Concept Type:	role
General Concept:	set
<u>instance</u>	FL
Definition:	thing that is in an extension of a concept
Concept Type:	role

Relating Meaning to Extension 8.6.1

Example:

This sub clause introduces the concepts that comprise one leg, 'meaning corresponds to thing', of the Semiotic/Semantic Triangle which was first introduced by Charles Sanders Peirce at the beginning of the twentieth century and later by (Ogden and Richards 1923). See "Ontology, Metadata, and Semiotics" [Sowa].

instance of the individual noun concept 'Los Angeles.'

The actual City of Los Angeles is an instance of the concept 'city.' It is also the one




Figure 8.9

The Semiotic/Semantic Triangle is the theoretic basis for SBVR's linguistics-based architecture in general and for the fundamental separation of representation (expression) from meanings in SBVR's architecture. Being a linguisitic-based standard the instances of concepts are the things in the universe of discourse, i.e., the world of the organization that uses the SBVR Business Vocabulary, and not concepts in the SBVR model.

meaning corresponds to thing

	Definition:	the thing is conceptualized by and is consistent with the meaning	
	Note:	A concept corresponds to each instance of the concept. A proposition corresponds to a staffairs (which might or might not be actual). A proposition that is true corresponds to an actuality.	
	Note:	For some kinds of meanings this is a many-to-many relationship. For others it is many-t	o-one.
:0	ncept has extension		FL

concept has extension

Definition: the extension is the set of things to which the concept corresponds

concept has instance

Definition.

the concept corresponds to the instance

8.6.2 Necessities Concerning Extension

The following statements of necessity apply to the relationships between a meaning and its extension. Other necessities stated in the context of the Meaning and Representation Vocabulary concern meanings and their representations. But the following necessities are about the correspondence of meanings to things in the universe of discourse.

FL

Necessity:	Each concept has exactly one extension.
Necessity:	A thing is an instance of a concept if and only if the thing is in the extension of the concept.
Necessity:	Each instance of a verb concept is an actuality.
Necessity:	Each proposition corresponds to exactly one state of affairs.
Necessity:	Each proposition that is true corresponds to exactly one actuality.
Necessity:	Each actuality that is an instance of a verb concept involves some thing in each role of the verb concept.
Necessity:	Each thing that fills a role in an actuality is an instance of the role.
Necessity:	An actuality is an instance of a verb concept if the actuality involves a thing in a role of the verb concept.
Necessity:	If a <u>concept</u> incorporates a <u>characteristic</u> then each <u>instance</u> of the <u>concept</u> is an instance of the <u>role</u> of the <u>characteristic</u> .
Necessity:	If a concept ₁ is coextensive with a concept ₂ then the extension of the concept ₁ is the extension of the concept ₂ .
Necessity:	Each instance of a role that ranges over a general concept is an instance of the general concept.
Necessity:	A thing is an instance of a verb concept role if and only if the thing fills the verb concept role in an actuality.
Necessity:	A thing fills a verb concept role in an actuality if and only if the actuality is an instance of the verb concept that has the verb concept role.
Necessity:	Each individual noun concept that corresponds to a thing always corresponds to that thing.
Necessity:	Each individual noun concept corresponds to at most one thing.

I

8.7 Elementary Concepts




Figure 8.10

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

thing		
Source:	ISO 1087-1 (English) (3.1.1) ['object']	
Definition:	anything perceivable or conceivable	
Note:	Every other <u>concept</u> implicitly specializes the <u>concept</u> ' <u>thing</u> '.	
Reference Scheme:	an individual noun concept that corresponds to the thing	
<u>thing₁ is thing₂</u>		FL
Definition:	The <u>thing</u> and the <u>thing</u> are the same <u>thing</u>	
<u>set</u>		FL
Definition:	collection of zero or more things considered together without regard to order or repetition	
thing is in set		FL
Definition:	the <u>thing</u> is an element of the <u>set</u>	
Synonymous Form:	set includes thing	
Synonymous Form:	set has element	
set has cardinality		FL
Definition:	the <u>cardinality</u> is the number of distinct elements in the <u>set</u>	
Necessity:	Each set has at most one cardinality.	

cardinality

quantity

Note:

umanty	E E
Definition:	nonnegative integer that is the number of distinct elements in a given set or collection
Concept Type:	role
Note:	The means of distinguishing things as elements of a set is dependent on the kind of thing and the viewpoint taken in constructing each kind of set. Reference schemes may be used in this regard.
antity	
Definition:	the aspect in which a thing is measurable in terms of greater, less, or equal [MWU]
General Concept:	noun concept

The concept <u>quantity</u> can be elaborated into mathematical systems, such as integers and real numbers, and into systems of measures. This specification elaborates only the concepts for integer, because they are commonly used in structural rules. For measurement systems and units of measure there are accepted vocabularies and perhaps standard ontologies, but the specification of such a vocabulary is beyond the scope of this specification.

quantity1 equals quantity2

Definition:	the <u>quantity</u> is mathematically equivalent to the <u>quantity</u>
Synonymous Form:	<u>quantity₁ is equal to quantity₂</u>

quantity₁ is less than quantity₂

Definition:	the <u>quantity</u> is mathematically less than the <u>quantity</u> $\frac{1}{2}$	
Synonymous Form:	<u>quantity₂ is greater than quantity₁</u>	
number		
Definition:	<u>quantity</u> belonging to an abstract mathematical system and subject to laws of succession, addition, and multiplication	
Dictionary Basis:	An arithmetical value, expressed by a word, symbol, or figure, representing a particular quantity and used in counting and making calculations [ODE: "number," 1]	
Note:	The ISO 6093 Number Namespace has designations for decimal numbers.	
integer		FL
Definition:	number that has no fractional part	
nonnegative integer		FL
Definition:	integer that is greater than or equal to zero	
positive integer		FL
Definition:	nonnegative integer that is not zero	

9 Logical Formulation of Semantics Vocabulary

9.1 General

The vocabulary in this clause is not intended for use by business people in general, but rather, it is a vocabulary used to describe the formal semantic structures of business discourse. It is not for discussing business, but for discussing the semantic structures underlying business communications of concepts, propositions and questions. For example, a typical business person does not tend to talk about quantifications, but he expresses quantifications in almost every statement he makes. He doesn't tend to talk about conjunctions, disjunctions, logical negations, antecedents and consequents, but these are all part of the formulation of his thinking. The vocabulary in this clause is for talking about these conceptual devices that people use all the time.

Semantic formulations are not representations or expressions of meaning. Rather, they are structures of meaning – the logical composition of meaning.

Business rules are generally expressed in natural language, although some rules are at times illustrated graphically. SBVR does not provide a logic language for restating business rules in some other language that business people don't use. Rather, SBVR provides a means for describing the structure of the meaning of rules expressed in the natural language that business people use. Semantic formulations are not expressions or statements. They are structures that make up meaning. Using SBVR, the meaning of a definition or statement is communicated as facts about the semantic formulation of the meaning, not as a restatement of the meaning in a formal language.

There are two kinds of semantic formulations. The first kind, logical formulation, structures propositions, both simple and complex. Specializations of that kind are given for various logical operations, quantifications, atomic formulations based on verb concepts and other formulations for special purposes such as objectifications and nominalizations.

The second kind of semantic formulation is projection. It structures intensions as sets of things that satisfy constraints. Projections formulate definitions, aggregations, and questions.

Semantic formulations are recursive. Several kinds of semantic formulations embed other semantic formulations. Logic variables are introduced by quantifications (a kind of logical formulation) and projections so that embedded formulations can refer to instances of concepts. A logic variable used in a formulation is free within that formulation if it is not introduced within that formulation. A formulation is closed if no variable is free within it. Only a closed semantic formulation can formulate a meaning. If a formulation has a variable that is free within it, then it can be part of a larger formulation of a meaning (one that introduces the variable) but it does not by itself formulate a meaning.

The hierarchical composition of semantic formulations is seen in the following example of a very simple business rule. The rule is stated in different ways but is one rule having one meaning. Many other statements are possible.

- A rental must have at most three additional drivers.
- It is obligatory that each rental has at most three additional drivers.

Below is a representation of a semantic formulation of the rule above as sentences that convey the full structure of the rule. Note that different semantic formulations are possible for the same meaning. Two semantic formulations can be determined to have the same meaning either by logical analysis or by assertion (as a matter of definition). A single formulation is shown below.

The rule is a proposition meant by an obligation formulation.

- . That obligation formulation embeds a universal quantification.
- . . The universal quantification introduces a first variable.
- ... The first variable ranges over the concept 'rental'.

- . . The universal quantification scopes over an at-most-n quantification.
- ... The at-most-n quantification has the maximum cardinality 3.
- ... The at-most-n quantification introduces a second variable.
- The second variable ranges over the concept 'additional driver'.
- ... The at-most-n quantification scopes over an atomic formulation.
- The atomic formulation is based on the verb concept 'rental has additional driver'.
- The atomic formulation has a role binding.
- The role binding is of the role 'rental' of the verb concept.
- The role binding binds to the first variable.
- The atomic formulation has a second role binding.
- The second role binding is of the role 'additional driver' of the verb concept.
- The second role binding binds to the second variable.

Note that designations like 'rental' and 'additional driver' represent concepts. The semantic formulations involve the concepts themselves, so identifying the concept 'rental' by another designation (such as from another language) does not change the formulation.

The indentation in the example shows a hierarchical structure in which a semantic formulation at one level operates on, applies a modality to, or quantifies over one or more semantic formulations at the next lower level. Each kind of logical formulation, including modal formulations, quantifications, and logical operations, can be embedded in other semantic formulations to any depth and in almost any combination.

Within the one atomic formulation in the example are bindings to two variables. The variables are free within the atomic formulation because they are introduced outside of it (higher in the hierarchical structure). For this reason, the atomic formulation has no meaning. But the obligation formulation has a meaning (the rule) and so does the universal quantification within the obligation formulation because both are closed.

Semantic formulations are further exemplified for a simple definition of a characteristic, "driver is of age."

Definition: the age of the driver is at least the EU-Rent Minimum Driving Age

Below is a representation of a semantic formulation of the definition. Note that different semantic formulations are possible. A single formulation is shown below.

- The characteristic is defined by a projection.
- . The projection is on a first variable.
- . . The first variable ranges over the concept 'driver'.
- . . The first variable maps to the one role of the characteristic.
- . The projection is constrained by a first universal quantification.
- . . The first universal quantification introduces a second variable.
- ... The second variable ranges over the concept 'age'.
- ... The second variable is unitary.
- ... The second variable is restricted by an atomic formulation.
- The atomic formulation is based on the verb concept 'driver has age'.
- The atomic formulation has a role binding.
- The role binding is of the role '<u>driver</u>' of the verb concept.
- The role binding binds to the first variable.
- The atomic formulation has a second role binding.
- The second role binding is of the role 'age' of the verb concept.
- The second role binding binds to the second variable.

. . The first universal quantification scopes over a second universal quantification.

- ... The second universal quantification introduces a third variable.
- The third variable ranges over the concept 'EU-Rent Minimum Driving Age'.
- The third variable is unitary.
- ... The second universal quantification scopes over an atomic formulation.
- The atomic formulation is based on the verb concept 'quantity₁ \geq quantity₂'.
- The atomic formulation has a role binding.
- The role binding is of the role ' $\underline{quantity}_1$ ' of the verb concept.
- The role binding binds to the second variable.
- The atomic formulation has a second role binding.
- The second role binding is of the role ' $\frac{\text{quantity}_2}{\text{quantity}_2}$ ' of the verb concept.
- The second role binding binds to the third variable.

The projection that defines the characteristic is on a single variable. A projection defining a binary verb concept is on two variables, one mapped to each role. Note that the definition of the characteristic above uses two binary verb concepts, but all of the roles of those verb concepts are bound to variables introduced by the projection or by formulations within in, so the projection is closed and conveys a meaning.

SBVR does not attempt to provide special semantic formulations for tenses or the variety of ways states and events can relate to each other with respect to time or can be related to times, periods, and durations. However, an objectification is a logical formulation that enables a state or event indicated propositionally to be the subject or object of other propositions. An encompassing formulation can relate a state or event indicated using an objectification to points in time, periods, and durations, or to another state or event (possibly also identified using an objectification) with respect to time (e.g., occurring after or occurring before). The specific relations of interest can be defined as verb concepts. SBVR's treatment of time in relation to states and events allows temporal relations to be defined generically and orthogonally to the many verb concepts whose extensions change over time.

A propositional nominalization is similar to an objectification. It is a kind of logical formulation that structures the meaning represented by a mention of a statement or proposition as opposed to a use of it. Other similar types of formulations structure meanings represented by mention of concepts, questions, and answers. Furthermore, rules about change often involve noun concept nominalizations, which are special formulations that allow a concept to be a subject or object of a proposition in much the same way that proposition nominalization allows a proposition to be a subject or object.

Semantic formulations are structures, and as such, are identified structurally as finite directed graphs. The reference schemes for semantic formulations and their parts take into account their entire structure. In some cases, a transitive closure of a reference scheme shows partial loops (partial in the sense that only a part of a reference scheme loops back, never all of it). This approach allows parts of a closed formulation to be identified by what it is in its particular context while, at the same time, contributing to the unique identity of the formulation that contains it.

Logical Formulation of Semantics Vocabulary

Language:

Included Vocabulary:

English Meaning and Representation Vocabulary

9.2 Semantic Formulations




Figure 9.1

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

semantic formulation

Definition:

Note:

conceptual structure of meaning

The definitions of several specializations of 'semantic formulation' explain what meaning is formulated. A meaning is directly formulated only for a closed semantic formulation. In the case of variables being free within a semantic formulation, a meaning is formulated with respect there being exactly one referent thing given for each free variable.

closed semantic formulation Definition: semantic formulation that includes no variable without binding

closed semantic formulation formulates meaning

Definition: the meaning is structured by the closed semantic formulation

 \mathbf{FL}

FL

9.3 Logical Formulations




Figure 9.2


This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

logical formulation		FL
Definition:	semantic formulation that formulates a proposition	
Necessity:	Each logical formulation is an instance of exactly one logical formulation kind.	
logical formulation kin	<u>d</u>	FL
Definition:	<u>general concept</u> that specializes the <u>concept</u> 'logical formulation' and that classifies a <u>logical formulation</u> based on the presence or absence of a main logical operation or quantification	1
Note:	The absence of a main logical operator occurs for an <u>atomic formulation</u> or <u>instantiation</u> <u>formulation</u> .	
Example:	logical negation, conjunction, universal quantification	
<u>closed logical formula</u>	tion	FL
Definition:	logical formulation that is a closed semantic formulation	
Necessity:	Each meaning formulated by a closed logical formulation is a proposition.	
Necessity:	Each closed logical formulation means exactly one proposition.	
Necessity:	Each closed logical formulation that formalizes a statement means the proposition the is expressed by the statement.	at

<u>closed logical for</u>	mulation means proposition FL
Definition:	the closed logical formulation formulates the proposition
closed logical for	mulation formalizes statement
Definition:	the closed logical formulation means the proposition that is expressed by the statement and the closed logical formulation refers to the concepts represented in the statement
Example:	If 'barred driver' is defined as "person that must not drive a car," then the statements "Ralph is a barred Driver" and "Ralph is a person that must not drive a car" express the same proposition. But those two statements are formalized differently: one in reference to 'barred driver' and the other in reference to 'person', 'car', and ' <u>person</u> drives <u>car</u> '. The two

formulations are different but mean the same proposition.

9.3.1 Variables and Bindings



This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

variable

Definition:	reference to an element of a set, whose referent may vary or is unknown
Note:	The set of referents of a variable is defined by the two verb concepts 'variable ranges over concept' and 'logical formulation restricts variable'. The set is limited to instances of the concept, if given. If the variable is restricted by a logical formulation, the set is further limited to those things for which the meaning formulated by that logical formulation is true when the thing is substituted for each occurrence of the variable in the formulation. If there is no concept and no restricting logical formulation the set includes every thing.
Necessity:	Each variable ranges over at most one concept.
Necessity:	Each variable is restricted by at most one logical formulation.
Reference Scheme:	a <u>quantification</u> that <i>introduces</i> the <u>variable</u> and the set of <u>concepts</u> that are ranged over by the <u>variable</u> and the set of <u>logical formulations</u> that restrict the variable and whether the <u>variable</u> is unitary

FL

Reference Scheme: a projection that *is on* the <u>variable</u> and a projection <u>position</u> of the <u>variable</u> and the set of <u>concepts</u> that are ranged over by the <u>variable</u> and the set of <u>logical formulations</u> that restrict the variable and whether the <u>variable</u> *is unitary*.

variable ranges over concept

Definition:	each referent of the variable is an instance of the concept
Synonymous Form:	variable has ranged-over concept

logical formulation restricts variable

Definition:	for each referent of the <u>variable</u> , the meaning formulated by the <u>logical formulation</u> is true when the referent is substituted for each occurrence of the <u>variable</u> in the <u>logical formulation</u>
Synonymous Form:	variable has restricting formulation
Note:	The meaning of the <u>logical formulation</u> is true for every actual referent of the variable. The things for which the meaning of the logical formulation is false are not considered to be referents of the variable.
Note:	A logical formulation restricts a variable in the same way that a concept ranged over by the variable restricts the variable. It limits what the variable refers to. A restrictive clause in a statement is generally formulated as a logical formulation that restricts a variable. A variable restricted by a logical formulation is, except in rare cases, a free variable of the logical formulation.
Example:	"Each rental car that is inoperable is unavailable." In the formulation below, a variable ranges over the concept 'rental car' and is restricted by an atomic formulation based on the verb concept ' <u>vehicle</u> is inoperable'. Referents of the variable are thereby restricted to being rental cars and to being vehicles that are inoperable.
Example:	 The proposition is meant by a universal quantification. The universal quantification introduces a variable. The variable ranges over the concept 'rental car'. The variable is restricted by an atomic formulation. The atomic formulation is based on the verb concept '<u>vehicle</u> is inoperable'. The '<u>vehicle</u>' role is bound to the variable. The universal quantification scopes over an atomic formulation. The atomic formulation is based on the verb concept '<u>rental car</u> is unavailable'. The atomic formulation is based on the verb concept '<u>rental car</u> is unavailable'.
<u>variable</u> is unitary	FL
Definition:	the <u>variable</u> is meant to have exactly one referent in the context where the <u>variable</u> is introduced
Note:	This characteristic is used particularly in the formulation of definite descriptions.

If a set projection is on one variable and that variable is unitary, then the projection is meant to have exactly one result. For any other projection on a unitary variable, the projection is meant to have one referent for that variable for each combination of referents of other variables (including auxiliary variables) in the same projection.

If a unitary variable is introduced by a universal quantification, the variable ranges over a concept and is restricted by a logical formulation, then the quantification is satisfied if:

1. the unitary variable has exactly one referent, an instance of the concept, for which the restricting logical formulation is satisfied.

 \mathbf{FL}

	2. the logical formulation that the universal quantification scopes over is also satisfied for that one referent.
	An exactly-one quantification introducing a non-unitary variable is satisfied differently:
	1. the variable has at least one referent, an instance of the concept, for which the restricting logical formulation is satisfied.
	2. the logical formulation that the exactly-one quantification scopes over is satisfied for exactly one referent from 1 above.
Example:	Given the individual noun concept 'London-Heathrow Branch' defined as "the EU-Rent branch located at London-Heathrow Airport," the definition can be formulated as a projection on a variable that ranges over the concept 'EU-Rent branch'. The variable is unitary indicating the sense of the definite article "the." Based on this formulation, the concept 'London- Heathrow Branch' is understood to be an individual noun concept. If the variable is not made unitary, then the formulation captures only the characteristic of being located at London- Heathrow Airport without any indication of the intended meaning that there is exactly one such branch.
Example:	A sensible projection formulating "the renter of a given rental" is on a unitary variable (renter) and has an auxiliary variable (rental). The rental variable being unitary indicates there is exactly one renter for each rental. But a set projection formulating "renter of at least one rental" is not on a unitary variable because the variable for rental is introduced within the logical formulation that constrains the projection and not by the projection itself. The projection result can include multiple renters and does not relate these to particular rentals.
Example:	A possible formulation of the rule, "The pick-up location of each rental must be a EU-Rent branch," has a variable for 'pick-up location' that is unitary with respect to each rental as indicated by the use of the definite article "the." The possible formulation is an obligation formulation that embeds a universal quantification introducing a variable ranging over the concept "rental" and that embeds a second universal quantification introducing a second variable which is restricted by an atomic formulation based on the verb concept 'rental has pick-up location'. That second variable is unitary indicating that exactly one pick-up location is meant for each rental. The second universal quantification applies the obligation formulation to the pick-up location being a EU-Rent branch. The overall formulation applies the obligation formulation to there being one pick-up branch per rental, which is understood structurally as what is meant in the expression of the rule and not part of the obligation.
	Note that if the universal quantifications of the formulation above are reversed such that a quantification introducing the variable for 'pick-up location' embeds the quantification introducing the variable for 'rental', then the variable for 'pick-up rental' is not unitary because it would have multiple referents (one for each distinct pick-up location). Such a formulation would not properly capture the sense of the rule statement.
variable is free within	semantic formulation FL
Definition:	the semantic formulation employs the variable, but does not introduce it
Synonymous Form:	semantic formulation includes variable without binding
bindable target Definition:	variable, expression or individual noun concept

Note:	The meaning of binding to a variable from a logical formulation, such as an atomic formulation, is that a referent of the variable is the thing involved in or considered by the formulation.
Note:	The meaning of binding to an individual noun concept from a logical formulation is that the formulation refers to the one instance of the individual noun concept. A difference between binding to an individual noun concept and binding to a variable that ranges over the individual noun concept is that a variable can be further restricted by a logical formulation giving it the possibility of refering to nothing.
Note:	The meaning of binding to an expression (such as a text or graphic) from a logical formulation is that the formulation refers to the expression itself without regard to any meaning the expression might have.
Example:	"The text 'EU-Rent' is inscribed on each EU-Rent vehicle." A logical formulation of this proposition involves a binding to the text "EU-Rent," which simply refers to that expression, not to the individual noun concept 'EU-Rent' nor to any representation of it. The logical formulation also involves a binding to a variable that ranges over the concept 'EU-Rent vehicle'.
	 The proposition is meant by a universal quantification. The universal quantification introduces a variable. The variable ranges over the concept 'EU-Rent vehicle'. The universal quantification scopes over an atomic formulation. The atomic formulation is based on the verb concept <u>'expression</u> is inscribed on <u>object</u>'. The '<u>expression</u>' role is bound to the text "EU-Rent." The '<u>object</u>' role is bound to the variable
Example:	"The logo Element is inscribed on each EU-Rent vehicle." This example is the same as
	the one above except that the 'expression' role is bound to the logo Element.

9.3.2 Atomic Formulations




Figure 9.4

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

atomic formulation

Definition:	logical formulation that is based on a verb concept and that has a role binding of each role of the verb concept and that formulates the meaning: there is an actuality that involves in each role of the verb concept the thing to which the bindable target of the corresponding role binding refers
Concept Type:	logical formulation kind
Necessity:	Each atomic formulation is based on exactly one verb concept.
Reference Scheme:	the set of role bindings of the atomic formulation
Note:	The meaning invoked by an atomic formulation puts each referent of each role binding in its respective verb concept role. Where a verb concept role ranges over some general concept, that meaning implies (as a separate secondary meaning) that the referent of the role binding for that role is an instance of the general concept.
Example:	 "EU-Rent purchases from General Motors Company." The statement is formulated by an atomic formulation. The atomic formulation is based on the verb concept 'company purchases from vendor'. The atomic formulation has a first role binding. The first role binding is of the role 'company' of the verb concept. The first role binding binds to the individual noun concept 'EU-Rent'. The atomic formulation has a second role binding. The second role binding is of the role 'vendor' of the verb concept. The second role binding binds to the individual noun concept 'General Motors Company'.
atomic formulation h	as <u>role binding</u> FL
Definition:	the <u>atomic formulation</u> includes the <u>role binding</u> for a particular <u>role</u> of the <u>verb concept</u> that is the basis of the <u>atomic formulation</u>

Synonymous Form: role binding occurs in atomic formulation

 $_{\rm FL}$

atomic formulation is	FL based on verb concept
Definition:	the meaning invoked by the atomic formulation is that of the verb concept
Synonymous Form:	verb concept underlies atomic formulation
role binding	FL
Definition:	connection of an atomic formulation to a bindable target
Necessity:	Each role binding occurs in exactly one atomic formulation.
Necessity:	Each role binding is of a role of the verb concept that underlies the atomic formulation that has the role binding.
Necessity:	Each role binding binds to exactly one bindable target.
Necessity:	Each role binding is of exactly one verb concept role.
Necessity:	Each variable that is referenced by a role binding of an atomic formulation is free within the atomic formulation.
Reference Scheme:	the <u>bindable target</u> that is referenced by the <u>role binding</u> and the <u>verb concept role</u> that has the <u>role binding</u>
role binding binds to	bindable target
Definition:	the <u>bindable target</u> provides what thing fills the verb concept role that has the <u>role binding</u> in the meaning formulated by the atomic formulation that has the <u>role binding</u>
Synonymous Form:	role binding references bindable target

verb concept role has role binding

Definition:

the <u>role binding</u> is a binding of the <u>verb concept role</u>, which is of the <u>verb concept</u> that underlies an <u>atomic formulation</u>

9.3.3 Instantiation Formulations




Figure 9.5

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

instantiation formulation

Definition:	logical formulation that considers a <u>concept</u> and binds to a <u>bindable target</u> and that formulates the meaning: the thing to which the <u>bindable target</u> refers is an <u>instance</u> of the <u>concept</u>
Concept Type:	logical formulation kind
Necessity:	Each instantiation formulation considers exactly one concept.
Necessity:	Each instantiation formulation binds to exactly one bindable target.

FL

Necessity:	Each variable that is bound to an instantiation formulation is free within the instantiation formulation.
Reference Scheme:	the bindable target that is bound to the instantiation formulation and the concept that is considered by the instantiation formulation
Note:	An <u>instantiation formulation</u> is equivalent to an <u>existential quantification</u> that introduces a <u>variable</u> ranging over the <u>concept</u> considered by the <u>instantiation formulation</u> and that scopes over an <u>atomic formulation</u> based on the <u>verb concept</u> 'thing <i>is</i> thing' where one <u>role</u> <u>binding</u> is to the <u>variable</u> and the other is to the <u>bindable target</u> bound to the <u>instantiation</u> formulation.
Example:	"EU-Rent is a car rental company." The statement is formulated by an instantiation formulation. . The instantiation formulation considers the concept "car rental company". . The instantiation formulation binds to the individual noun concept 'EU-Rent'.

instantiation formulation considers concept

Definition:	the instantiation formulation classifies things to be an instance of the concept
	¥ +

instantiation formulation binds to bindable target

Definition:	the <u>bindable target</u> indicates what <u>thing</u> is being classified by the <u>instantiation formulation</u>
Synonymous Form:	bindable target is bound to instantiation formulation

9.3.4 Modal Formulations




Figure 9.6

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

modal formulation

Definition:	logical formulation that formulates that the meaning of another logical formulation has a particular relationship to possible worlds or to acceptable worlds
Necessity:	Each modal formulation embeds exactly one logical formulation.
Necessity:	Each <u>variable</u> that is free within a <u>logical formulation</u> that is embedded in a <u>modal</u> formulation is free within the modal formulation.

 \mathbf{FL}

FL

 \mathbf{FL}

Example: "EU-Rent may purchase from General Motors Company." The statement is formulated by a permissibility formulation (a kind of modal formulation) that embeds the entire formulation shown in the previous sub clause in the example under 'atomic formulation' - the formulation of "EU-Rent purchases from General Motors Company." The meaning of the permissibility formulation is that EU-Rent purchases from General Motors Company in some possible world.

modal formulation embeds logical formulation

Definition[.] the modal formulation formulates that the meaning of the logical formulation has a particular relationship to possible worlds or to acceptable worlds logical formulation is embedded in modal formulation Synonymous Form: necessity formulation Definition: modal formulation that formulates that the meaning of its embedded logical formulation is true in all possible worlds logical formulation kind Concept Type:

Reference Scheme: the logical formulation that is embedded in the necessity formulation

obligation formulation

Definition:	modal formulation that formulates that the meaning of its embedded logical formulation is
	true in all acceptable worlds
Concept Type:	logical formulation kind
Reference Scheme:	the logical formulation that is embedded in the obligation formulation
Example:	A rental may be open only if an estimated rental charge is provisionally charged for the rental". The same rule can be stated this way: "It is prohibited that a rental is open if an estimated rental charge is not provisionally charged for the rental."
	Both statements can be formulated in the same way:
	The rule is a proposition meant by an obligation formulation.
	. The obligation formulation embeds a logical negation
	. The logical operand of the logical negation is a universal quantification.
	The universal quantification introduces a first variable.
	The first variable ranges over the concept 'rental'.
	The universal quantification scopes over an implication.
	The consequent of the implication is an atomic formulation.
	The atomic formulation is based on the verb concept ' <u>rental</u> is open'.
	The ' <u>rental</u> ' role is bound to the first variable.
	The antecedent of the implication is an existential quantification.
	The existential quantification introduces a second variable.
	The second variable ranges over the concept 'estimated rental charge'.
	The existential quantification scopes over a logical negation.
	The logical operand of the logical negation is an atomic formulation.
	The atomic formulation is based on the verb concept
	<u>'estimated rental charge</u> is provisionally charged for <u>rental</u> '.
	The ' <u>rental</u> ' role is bound to the first variable.

FL

FL

permissibility formulation

Definition:	modal formulation that formulates that the meaning of its embedded logical formulation is permitted to be true
Concept Type:	logical formulation kind
Reference Scheme:	the logical formulation that is embedded in the permissibility formulation

possibility formulation

ossibility formulation	FL
Definition:	modal formulation that formulates that the meaning of its embedded logical formulation is
	true in some possible world
Concept Type:	logical formulation kind
Reference Scheme:	the logical formulation that is embedded in the possibility formulation

 \mathbf{FL}

9.3.5 Logical Operations




Figure 9.7

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

logical operation		FL
Definition:	logical formulation that formulates a meaning based on only the truth or falseness of the meanings of one or more other logical formulations (its logical operands)	
Necessity:	Each logical operation has at least one logical operand.	
Necessity:	Each variable that is free within a logical operand of a logical operation is free within the logical operation.	n
logical operand		FL
Definition:	logical formulation upon which a given logical operation operates	
Concept Type:	role	

logical operation has l	oqical operand
Definition:	the logical operation operates on the logical operand
binary logical operatio	PN FL
Definition:	logical operation that operates on two logical operands
Necessity:	Each binary logical operation has exactly one logical operand 1.
Necessity:	Each binary logical operation has exactly one logical operand 2.
Note:	Distinct roles are defined for the two operands of a binary logical operation even though there is no significant difference between the roles for some operations, such as for conjunction. The one distinction that remains, however, is that the roles are distinct from each other, and this distinction is important where an operation has the same logical formulation filling both roles, such as in 'p and p' or 'p if and only if p'.
logical operand 1	FL
Definition:	logical operand that is the first of at least two operands to a logical operation
Concept Type:	role
Necessity:	Each logical operation has at most one logical operand 1.
logical operand 2	FL
Definition:	logical operand that is the second of at least two operands to a logical operation
Concept Type:	role
Necessity:	Each logical operation has at most one logical operand 2.
binary logical operatio	n has logical operand 1
Definition:	the binary logical operation operates on the logical operand 1
binary logical operatio	n has logical operand 2
Definition:	the binary logical operation operates on the logical operand 2
<u>conjunction</u>	FL
Definition:	binary logical operation that formulates that the meaning of each of its logical operands is
	true
Concept Type:	logical formulation kind
Reference Scheme:	the logical operand 1 of the conjunction and the logical operand 2 of the conjunction
<u>disjunction</u>	FL
Definition:	binary logical operation that formulates that the meaning of at least one of its logical operands is true
Concept Type:	logical formulation kind
Synonym:	inclusive disjunction
Reference Scheme:	the logical operand 1 of the disjunction and the logical operand 2 of the disjunction
equivalence	FL
Definition:	binary logical operation that formulates that the meaning of its logical operands are either all true or all false
Concept Type:	logical formulation kind

Synonym:	material equivalence	
Reference Scheme:	the logical operand 1 of the equivalence and the logical operand 2 of the equivalence	<u>e</u>
exclusive disjunction	F	Ľ
Definition:	binary logical operation that formulates that the meaning of one logical operand is true and the meaning of the other logical operand is false	d
Concept Type:	logical formulation kind	
Reference Scheme:	the <u>logical operand 1</u> of the <u>exclusive disjunction</u> and the <u>logical operand 2</u> of the <u>exclusive disjunction</u>	
implication	F	Ľ
Definition:	binary logical operation that operates on an <u>antecedent</u> and a <u>consequent</u> and that formulates that the meaning of the <u>consequent</u> is true if the meaning of the <u>antecedent</u> is true	
Concept Type:	logical formulation kind	
Synonym:	material implication	
Necessity:	Each implication has exactly one antecedent.	
Necessity:	Each implication has exactly one consequent.	
Reference Scheme:	the antecedent of the implication and the consequent of the implication	
antecedent	F	Ľ
Definition:	<u>logical operand</u> that is the condition considered by a <u>logical operation</u> such as an <u>implication</u> (e.g., what is meant by the p in "if p then q ")	
Concept Type:	role	
<u>consequent</u>	F	Ľ
Definition:	<u>logical operand</u> that is the implied or result operand to a <u>logical operation</u> such as an <u>implication</u> (e.g., what is meant by the q in "if p then q ")	
Concept Type:	role	
implication has antec	redent	ΓL
Definition:	the antecedent is the logical operand 1 of the implication	
implication has conse	equent	ΓL
Definition:	the consequent is the logical operand 2 of the implication	
logical negation	म	ΓL
Definition:	logical operation that has exactly one logical operand and that formulates that the meaning of the logical operand is false	g
Concept Type:	logical formulation kind	
Necessity:	Each logical negation has exactly one logical operand.	
Reference Scheme:	the logical operand of the logical negation	

nand formulation

Definition:	binary logical operation that formulates that the meaning of at least one of its logical operands is false	
Concept Type:	logical formulation kind	
Reference Scheme:	the logical operand 1 of the nand formulation and the logical operand 2 of the nanc formulation	ł
or formulation		FL

nor formulation

Definition:	binary logical operation that formulates that the meaning of each of its logical operands is false
Concept Type:	logical formulation kind
Reference Scheme:	the logical operand 1 of the nor formulation and the logical operand 2 of the nor formulation

whether-or-not formulation

Definition[.] binary logical operation that has a consequent and an inconsequent and that formulates that the meaning the consequent is true regardless of the meaning the inconsequent logical formulation kind Concept Type: Each whether-or-not formulation has exactly one consequent. Necessity: Necessity: Each whether-or-not formulation has exactly one inconsequent. Reference Scheme: the consequent of the whether-or-not formulation and the inconsequent of the whether-or-not formulation inconsequent FL Definition: logical operand that is an operand irrelevant to the logical result of a logical operation such as of a whether-or-not formulation Concept Type: role whether-or-not formulation has consequent \mathbf{FL} Definition: the consequent is the logical operand 1 of the whether-or-not formulation

whether-or-not formulation has inconsequent

Definition: the inconsequent is the logical operand 2 of the whether-or-not formulation FL

FL

9.3.6 Quantifications




Figure 9.8

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

<u>quantification</u>	FL
Definition:	<u>logical formulation</u> that introduces a <u>variable</u> and that has either the meaning: all referents of the variable satisfy a <u>scope formulation</u> ; or the meaning: a bounded number of referents of the <u>variable</u> exist and satisfy a <u>scope formulation</u> , if there is one
Note:	A referent of the introduced variable satisfies a scope formulation if the meaning formulated by the scope formulation is true with every occurrence of the variable interpreted as referring to the referent.
Note:	If a quantification scopes over no logical formulation, the meaning is that the bounded number of referents exist.
Note:	Quantifications other than universal quantification and existential quantification involve cardinalities in a way that requires distinguishability of the things a variable refers to - a means

Semantics of Business Vocabulary and Business Rules, v1.2

	to determine when one thing is not the same thing as another thing. For example, the quantification meant by "at least 2" in "EU-Rent owns at least 2 cars" means that there exists a first car and a second car and the first car is not the second car - the two cars are distinct. Physical things tend to be distinguished intuitively by having different physical locations at any point in time, but abstract things are indistinguishable without distinguishing properties. Reference schemes provide distinguishability and are often particularly important for abstract things.
Necessity:	Each quantification introduces exactly one variable.
Necessity:	Each variable is introduced by at most one quantification.
Necessity:	Each quantification scopes over at most one logical formulation.
Necessity:	A <u>variable</u> that is free within a <u>logical formulation</u> that is scoped over by a <u>quantification</u> is free within the <u>quantification</u> if and only if the <u>quantification</u> does not introduce the <u>variable</u> .
Necessity:	A <u>variable</u> that is free within a <u>logical formulation</u> that restricts a <u>variable</u> that is introduced by a <u>quantification</u> is free within the <u>quantification</u> if and only if the <u>quantification</u> does not introduce the <u>variable</u> .
Example:	 "Each car model is supplied by a car manufacturer". The proposition is meant by a universal quantification. The universal quantification introduces a first variable. The first variable ranges over the concept 'car model'. The universal quantification scopes over an existential quantification. The existential quantification introduces a second variable. The second variable ranges over the concept 'car manufacturer'. The existential quantification scopes over an atomic formulation. The atomic formulation is based on the verb concept 'car manufacturer' is bound to the second variable. The 'car manufacturer' role is bound to the first variable.

quantification introduces variable

Definition:	the <u>quantification</u> binds the <u>variable</u> such that it is not free within the <u>quantification</u>
Note:	For each referent of the variable the scope formulation, if there is one, is considered with every
	occurrence of the variable interpreted as referring to the referent.

quantification scopes over logical formulation

Definition:	each referent of the variable introduced by the <u>quantification</u> satisfies the <u>logical</u> <u>formulation</u> if the meaning formulated by the scope formulation is true with every occurrence of the variable interpreted as referring to the referent
Synonymous Form:	quantification has scope formulation
Note:	A <u>quantification</u> other than a <u>universal quantification</u> does not necessarily scope over a logical formulation (e.g., formulation of "some customer exists" can simply be an existential quantification introducing a variable that ranges over the concept 'customer').
Note:	If a quantification scopes over a logical formulation, the variable introduced by the quantification is a free variable of that logical formulation, except in the rare case of a vacuous quantification.

 $_{\rm FL}$

 \mathbf{FL}

scope formulation

Definition:	logical formulation that a given quantification scopes over
Concept Type:	role

universal quantification

Definition:	<u>quantification</u> that scopes over a <u>logical formulation</u> and that has the meaning: for each referent of the <u>variable</u> introduced by the <u>quantification</u> the meaning formulated by the <u>logical formulation</u> for the referent is true
Concept Type:	logical formulation kind
Necessity:	Each universal quantification scopes over a logical formulation.
Reference Scheme:	the logical formulation that is scoped over by the universal quantification and the variable that is introduced by the universal quantification

existential quantification

	E 11
at-least-n quantification that has the minimum cardinality 1	
An existential quantification, unlike other at-least-n quantifications, does not require distinguishability of referents.	
the set of logical formulations that are scoped over by the existential quantification a the variable that is introduced by the existential quantification	and
	An existential quantification, unlike other at-least-n quantifications, does not require distinguishability of referents. the set of logical formulations that are scoped over by the existential quantification a

maximum cardinality

Definition:	nonnegative integer that is an upper bound in a quantification (such as an
	at-most-n quantification)
Concept Type:	role

minimum cardinality

Definition:	nonnegative integer that is a lower bound in a quantification (such as an
	at-least-n quantification)
Concept Type:	<u>role</u>

at-least-n quantification

Definition:	<u>quantification</u> that has a <u>minimum cardinality</u> and that has the meaning: the number of referents of the <u>variable</u> introduced by the <u>quantification</u> that exist and that satisfy a <u>scope</u> <u>formulation</u> , if there is one, is not less than the <u>minimum cardinality</u> , and if the <u>minimum</u> <u>cardinality</u> is greater than one, the referents are distinct <u>logical formulation kind</u>
Note:	For a minimum cardinality of 1, distinctness of referents is irrelevant.
Necessity:	Each at-least-n quantification has exactly one minimum cardinality.
Necessity:	The minimum cardinality of each at-least-n quantification is a positive integer.
Reference Scheme:	the minimum cardinality of the <u>at-least-n quantification</u> and the set of <u>logical</u> formulations that are scoped over by the <u>at-least-n quantification</u> and the <u>variable</u> that is introduced by the <u>at-least-n quantification</u>

at-least-n quantification has minimum cardinality

Definition: the <u>at-least-n quantification</u> is satisfied by the <u>minimum cardinality</u> or greater

Semantics of Business Vocabulary and Business Rules, v1.2

FL

 \mathbf{FL}

FL

FL

FL

FL

at-most-n quantification

Definition:	<u>quantification</u> that has a <u>maximum cardinality</u> and that has the meaning: the number of distinct referents of the <u>variable</u> introduced by the <u>quantification</u> that exist and that satisfy a <u>scope formulation</u> , if there is one, is not greater than the <u>maximum cardinality</u>	
Concept Type:	logical formulation kind	
Necessity:	Each at-most-n quantification has exactly one maximum cardinality.	
Necessity:	The maximum cardinality of each at-most-n quantification is a positive integer.	
Reference Scheme:	the maximum cardinality of the at-most-n quantification and the set of logical formulations that are scoped over by the at-most-n quantification and the variable tha is introduced by the at-most-n quantification	t
Example:	"Each rental must have at most three additional drivers." See the introduction to Clause 9 for semantic formulation of this rule.	a
at-most-n quantificati	on has maximum cardinality	Ľ

at-most-one quantification

Definition:	at-most-n quantification that has the maximum cardinality 1	
Note:	A number of referents is at most one if and only if every referent is the same referent.	
Reference Scheme:	the set of logical formulations that are scoped over by the at-most-one quantification	
	and the variable that is introduced by the at-most-one quantification	

exactly-n quantification

Definition:	<u>quantification</u> that has a <u>cardinality</u> and that has the meaning: the number of referents of the <u>variable</u> introduced by the <u>quantification</u> that exist and that satisfy a <u>scope formulation</u> , if there is one, equals the <u>cardinality</u>
Necessity:	Each exactly-n quantification has exactly one cardinality.
Necessity:	The cardinality of each exactly-n quantification is a positive integer.
Reference Scheme:	the <u>cardinality</u> of the <u>exactly-n quantification</u> and the set of <u>logical formulations</u> that are scoped over by the <u>exactly-n quantification</u> and the <u>variable</u> that is introduced by the <u>exactly-n quantification</u>
Note:	An <u>exactly-n quantification</u> is logically equivalent to a <u>conjunction</u> of an <u>at-least-n</u> <u>quantification</u> and an <u>at-most-n quantification</u> using the <u>cardinality</u> as <u>minimum</u> <u>cardinality</u> and <u>maximum cardinality</u> respectively.

exactly-n quantification has cardinality

Definition: the <u>exactly-n quantification</u> is satisfied only by the <u>cardinality</u>

exactly-one quantification

Definition:	exactly-n quantification that has the cardinality 1
Note:	A number of referents is exactly one if and only if there is a referent and every referent is that same referent.
Concept Type:	logical formulation kind
Reference Scheme:	the set of logical formulations that are scoped over by the exactly-one quantification and the variable that is introduced by the exactly-one quantification

 $_{\rm FL}$

 $_{\rm FL}$

 \mathbf{FL}

 \mathbf{FL}

 $_{\rm FL}$

numeric range guantification

Definition:	<u>quantification</u> that has a <u>minimum cardinality</u> and a <u>maximum cardinality</u> greater than the <u>minimum cardinality</u> and that has the meaning: the number of referents of the <u>variable</u> introduced by the <u>quantification</u> that exist and that satisfy a <u>scope formulation</u> , if there is one, is not less than the <u>minimum cardinality</u> and is not greater than the <u>maximum</u> <u>cardinality</u>
Concept Type:	logical formulation kind
Necessity:	Each numeric range quantification has exactly one maximum cardinality.
Necessity:	Each numeric range quantification has exactly one minimum cardinality.
Necessity:	The minimum cardinality of each numeric range quantification is less than the maximum cardinality of the numeric range quantification.
Reference Scheme:	the minimum cardinality of the numeric range quantification and the maximum cardinality of the numeric range quantification and the set of logical formulations that are scoped over by the numeric range quantification and the variable that is introduced by the numeric range quantification
Note:	A <u>numeric range quantification</u> is logically equivalent to a <u>conjunction</u> of an <u>at-least-n</u> <u>quantification</u> and an <u>at-most-n quantification</u> using the <u>minimum cardinality</u> and <u>maximum cardinality</u> respectively.

numeric range quantification has maximum cardinality

Definition: the <u>numeric range quantification</u> cannot be satisfied by a number greater than the <u>maximum cardinality</u>

numeric range quantification has minimum cardinality

Definition:

the <u>numeric range quantification</u> cannot be satisfied by a number less than the <u>minimum</u> <u>cardinality</u>

9.3.7 Objectifications




Figure 9.9

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

FL

 \mathbf{FL}

objectification

<u>jectification</u>	FL
Definition:	<u>logical formulation</u> that involves a <u>bindable target</u> and a considered <u>logical formulation</u> and that formulates the meaning: the thing to which the <u>bindable target</u> refers is a <u>state of affairs</u> to which the meaning of the considered <u>logical formulation</u> corresponds
Concept Type:	logical formulation kind
Note:	An objectification is similar to an instantiation formulation in that it is satisfied by a correspondence of a referent thing to a meaning. For an instantiation formulation the meaning is a concept. For an objectification the meaning is a proposition.
Necessity:	Each objectification considers exactly one logical formulation.
Necessity:	Each objectification binds to exactly one bindable target.
Necessity:	Each variable that is bound to an objectification is free within the objectification.
Necessity:	Each variable that is free within the logical formulation that is considered by an objectification is free within the objectification.
Reference Scheme:	the <u>bindable target</u> that is bound to the <u>objectification</u> and the <u>logical formulation</u> that is considered by the <u>objectification</u>
Example:	 'late return' defined as "actuality that a given rental is returned late". The concept 'late return' is defined by a closed projection. The projection is on a first variable. The first variable ranges over the concept 'actuality'. The projection has an auxiliary variable. The auxiliary variable ranges over the concept 'rental'. The projection is constrained by an objectification. The objectification binds to the first variable. The objectification considers an atomic formulation. The atomic formulation is based on the characteristic 'rental is returned late'. The 'rental' role is bound to the auxiliary variable.
Example:	 "EU-Rent reviews each corporate account at EU-Rent Headquarters". The statement above could be formulated using a ternary verb concept 'company reviews account at place', but such a verb concept is not likely represented in a business vocabulary because it mixes two orthogonal binary verb concepts: 'company reviews account' and 'state of affairs occurs at place'. The formulation below uses the two binary verb concepts and employs an objectification to tie them together. The statement is formulated by a universal quantification. The quantification introduces a first variable. The first variable ranges over the concept 'corporate account'. The quantification scopes over an existential quantification. The second variable ranges over the concept 'state of affairs'. The second variable is restricted by an objectification. The objectification binds to the second variable. The objectification considers an atomic formulation. The 'company' role is bound to the first variable. The 'account' role is bound to the first variable. The atomic formulation is based on the verb concept 'company reviews account'. The 'account' role is bound to the first variable. The 'account' role is bound to the first variable. The 'account' role is bound to the second variable. The 'account' role is bound to the second variable. The 'account' role is bound to the first variable. The 'account' role is bound to the first variable. The 'account' role is bound to the second variable. The 'account' role is bound to the second variable. The 'account' role is bound to the second variable. The 'account' role is bound to the second variable. The 'account' role is bound to the second variable. The 'account' role is bound to the second variable. The 'account' role is bound to the second variable. The 'account' role is bound to the s

Example:	"EU-Rent has reviewed each corporate account". The verb concept ' <u>company</u> reviews <u>account</u> ' can be used to formulate the meaning of ' <u>company</u> has reviewed <u>account</u> ' (the present perfect tense) by using an objectification along with a generic verb concept for the present perfect tense, ' <u>state of affairs</u> has occurred'. A formulation of the example statement is similar to that of the previous example but uses the verb concept ' <u>state of affairs</u> has occurred' rather than ' <u>state of affairs</u> occurs at <u>place</u> '.
Example:	"EU-Rent privately reviews each corporate account". A formulation of the example statement is similar to that of the previous two examples, but uses the verb concept ' <u>state of affairs</u> occurs privately'.
Example:	"If a rental car is returned late because the car has a mechanical breakdown" In a possible formulation of this example, objectifications of "the car has a mechanical breakdown" and "the rental car is returned late" respectively formulate something for each role of the verb concept 'actuality causes actuality'.

objectification considers logical formulation

Definition: the <u>objectification</u> is of the state or event that corresponds to the meaning of the <u>logical</u> formulation

objectification binds to bindable target

Definition:the bindable target indicates the referent state or event identified by the objectificationSynonymous Form:bindable target is bound to objectification

9.3.8 Projecting Formulations




Figure 9.10

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

FL

projecting formulation

Definition:	logical formulation of a referent thing considered with respect to a particular projection
Necessity:	Each projecting formulation has exactly one projection.
Necessity:	Each projecting formulation binds to exactly one bindable target.
Necessity:	Each variable that is bound to a projecting formulation is free within the projecting formulation.
Necessity:	Each variable that is free within the projection of a projecting formulation is free within the projecting formulation.
Note:	The concept 'projecting formulation' is abstract. See its specializations for semantics.
Example:	See 'aggregation formulation', 'question nominalization', and 'answer nominalization'.

projecting formulation has projection

Definition:	the projecting formulation is based on the projection
-------------	---

projecting formulation binds to bindable target

Definition:	the <u>bindable target</u> indicates the referent <u>thing</u> considered by the <u>projecting formulation</u>
Synonymous Form:	bindable target is bound to projecting formulation

aggregation formulation

Definition:	projecting formulation that formulates the meaning: the thing to which the <u>bindable target</u> bound to the <u>projecting formulation</u> refers is the result of the <u>projection</u> of the <u>projecting</u> <u>formulation</u>
Note:	The aggregation formulation is used primarily to associate a variable with a set of things, involvements, or actualities that satisfy some condition. That is, it formulates natural language expressions of the form: "let $\langle variable \rangle$ be the set of all things <i>t</i> such that $\langle some \ condition \ involving t \rangle$," so that $\langle variable \rangle$ can then be used in other formulations regarding the set. The $\langle condition \ involving t \rangle$ often includes some free variable introduced in the context in which the formulation is used.
Concept Type:	logical formulation kind
Necessity:	The projection of each aggregation formulation is on exactly one variable.
Reference Scheme:	the <u>bindable target</u> that is bound to the <u>aggregation formulation</u> and the <u>projection</u> of the <u>aggregation formulation</u>
Example:	 "The number of rental cars stored at a given branch must not exceed the car storage capacity of the branch." This example considers the number of elements in a set (the set of rental cars stored at a branch). The projection of an aggregation formulation is used to define that set, and the aggregation formulation restricts the third variable below so that its referent is that set. The statement is formulated by an obligation formulation. The obligation formulation embeds a first universal quantification. The first universal quantification introduces a first variable. The first variable ranges over the concept 'branch'. The second universal quantification introduces a second variable. The second variable ranges over the concept 'number'. The second variable is unitary. The second variable is restricted by a third universal quantification.

 \mathbf{FL}

 \mathbf{FL}

 $_{\rm FL}$

 \mathbf{FL}

The third variable ranges over the concept 'set'.
The third variable is unitary.
The third variable is restricted by an aggregation formulation.
The aggregation formulation binds to the third variable.
The aggregation formulation considers a projection.
The projection is on a fourth variable.
The fourth variable ranges over the concept 'rental car'.
The projection is constrained by an atomic formulation.
The atomic formulation is based on the verb concept
' <u>rental car</u> is stored at <u>branch</u> '.
The 'rental car' role is bound to the fourth variable.
The ' <u>branch</u> ' role is bound to the first variable.
The third universal quantification scopes over an atomic formulation.
The atomic formulation is based on the verb concept 'set has number'.
The 'set' role is bound to the third variable.
The ' <u>number</u> ' role is bound to the second variable.
The second universal quantification scopes a fourth universal quantification.
The fourth universal quantification introduces a fifth variable.
The fifth variable ranges over the concept 'car storage capacity'.
The fifth variable is unitary.
The fifth variable is restricted by an atomic formulation.
The atomic formulation is based on the verb concept
'branch has car storage capacity'.
The ' <u>branch</u> ' role is bound to the first variable.
The 'car storage capacity' role is bound to the fifth variable.
The fourth universal quantification scopes over a logical negation.
The logical operand of the logical negation is an atomic formulation.
The atomic formulation is based on the verb concept 'number ₁ exceeds $\underline{number_2}$ '.
The ' <u>number</u> ₁ ' role is bound to the second variable.
The ' <u>number</u> ' role is bound to the fifth variable.

noun concept nominalization

oun concept nominalization FL		
Definition:	projecting formulation that formulates the meaning: the thing to which the <u>bindable target</u> bound to the <u>projecting formulation</u> refers is a <u>noun concept</u> that is defined by the <u>projection</u> of the <u>projecting formulation</u>	
Concept Type:	logical formulation kind	
Necessity:	The projection of each noun concept nominalization is on exactly one variable.	
Note:	In the case of variables being free within a projection of a noun concept nominalization, the projection is considered to define a noun concept only in the context of there being a referent thing given for each free variable.	
Note:	Nouns are generally used to refer to things in the extension of the noun concept meant by the noun. Less commonly, a noun is used to mention a noun concept itself. This is referred to as a "mention" of the concept as opposed to a "use."	
Reference Scheme:	the <u>bindable target</u> that is bound to the noun concept nominalization and the projection of the noun concept nominalization	

Example:	 "SUV' is a vehicle type". In this example, the noun concept 'SUV' is mentioned as a concept rather than used to refer to SUVs. The statement is formulated by an existential quantification. The existential quantification introduces a unitary variable. The unitary variable ranges over the concept 'noun concept'. The unitary variable is restricted by a noun concept nominalization. The noun concept nominalization binds to the unitary variable. The noun concept nominalization considers a projection. The projection is on one projection variable. The projection variable ranges over the noun concept 'SUV'. The existential quantification scopes over an instantiation formulation. The instantiation formulation binds to the unitary variable.
Example:	 "No rental's pick-up branch changes". The statement is formulated by a logical negation. The logical operand of the logical negation is an existential quantification. The quantification introduces a first variable. The first variable ranges over the concept 'rental'. The quantification scopes over a second existential quantification. The quantification ranges over a second variable, which is unitary. The second variable ranges over the concept 'unitary noun concept'. The second variable is restricted by a noun concept nominalization. The noun concept nominalization binds to the second variable. The projection is on a third variable, which is unitary. The third variable ranges over the concept 'pick-up branch'. The projection is constrained by an atomic formulation. The atomic formulation is based on the verb concept 'rental has pick-up branch'. The second quantification scopes over an atomic formulation. The second quantification scopes over an atomic formulation. The second quantification is based on the verb concept 'unitary noun concept* changes'. The second quantification scopes over an atomic formulation. The atomic formulation is based on the verb concept 'unitary noun concept* changes'. The second quantification scopes over an atomic formulation. The second quantificati

verb concept nominalization

Definition:	projecting formulation that formulates the meaning: the thing to which the <u>bindable target</u> bound to the <u>projecting formulation</u> refers is a <u>verb concept</u> that is defined by the <u>projection</u> of the <u>projecting formulation</u>
Concept Type:	logical formulation kind
Reference Scheme:	the <u>bindable target</u> that is bound to the <u>verb concept nominalization</u> and the <u>projection</u> of the <u>verb concept nominalization</u>
Note:	A verb concept nominalization formulates the (anonymous) verb concept defined by a projection. In most uses of verb concept nominalizations, the bindable target is a unitary variable, and the effect is to define the variable to refer to the anonymous verb concept defined by the projection. It is the only referent for which the verb concept nominalization will hold.
Note:	In the case of variables being free within a projection of a verb concept nominalization, the projection is considered to define a verb concept only in the context of there being a referent thing substituted for each free variable.

 $_{\rm FL}$

Note:	More information about how a projection defines a verb concept is in the entry for ' <u>closed</u> <u>projection</u> <u>defines verb concept</u> '. A verb concept nominalization nominalizes only a verb concept, not its roles.
Example:	"Being established by a rental booking is a characteristic attributed to each advance rental". The characteristic expressed as "being established by a rental booking" is nominalized within the statement.
	The statement is formulated by a universal quantification.
	. The universal quantification introduces a first variable.
	. The first variable ranges over the concept 'advance rental'.
	. The universal quantification scopes over a first existential quantification.
	The first existential quantification introduces a second variable.
	The second variable ranges over the concept 'characteristic'.
	The second variable is restricted by an atomic formulation.
	The atomic formulation is based on the verb concept 'characteristic is attributed to thing'.
	The ' <u>characteristic</u> ' role is bound to the second variable.
	The ' <u>thing</u> ' role is bound to the first variable.
	. The first existential quantification scopes over a verb concept nominalization.
	The verb concept nominalization binds to the second variable.
	The verb concept nominalization considers a projection.
	The projection is on a third variable.
	The projection is constrained by a second existential quantification.
	The second existential quantification introduces a fourth variable.
	The fourth variable ranges over the concept 'rental booking'.
	The second existential quantification scopes over an atomic formulation.
	The atomic formulation is based on the verb concept
	'rental booking establishes advanced rental'.
	The ' <u>rental booking</u> ' role is bound to the fourth variable.
	The 'advanced rental' role is bound to the third variable.

9.3.9 Nominalizations of Propositions and Questions




Figure 9.11

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

proposition nominalization

position nominali	zation FL
Definition:	logical formulation that involves a <u>bindable target</u> and a considered <u>logical formulation</u> and that formulates the meaning: the thing to which the <u>bindable target</u> refers is the <u>proposition</u>
	that is formulated by the considered logical formulation
Concept Type:	logical formulation kind
Necessity:	Each proposition nominalization considers exactly one logical formulation.
Necessity:	Each proposition nominalization binds to exactly one bindable target.
Necessity:	Each variable that is bound to a proposition nominalization is free within the proposition nominalization.
Necessity:	Each <u>variable</u> that is free within the logical formulation that is considered by a proposition nominalization is free within the proposition nominalization.
Note:	A closed logical formulation means exactly one proposition. An open logical formulation does not mean any proposition. In the case of variables being free within a considered logical formulation, the formulation is considered to mean a proposition only in the context of there being a referent thing given for each free variable.
Note:	The truth of a nominalized proposition is not relevant to the satisfaction of the proposition nominalization.
Reference Scheme:	the <u>bindable target that is bound to the proposition nominalization</u> and the <u>logical</u> formulation that is considered by the proposition nominalization
Example:	"Each EU-Rent branch posts a sign stating that no personal checks are accepted by the branch".The statement is formalized by a universal quantification.The universal quantification is on a first variable.The variable ranges over the concept 'EU-Rent branch'.
	 The universal quantification scopes over an existential quantification. The existential quantification introduces a second variable. The second variable ranges over the concept 'sign'.
	The second variable is restricted by a second existential quantification. The second existential quantification introduces a third variable. The third variable ranges over the concept 'proposition'.
	The third variable is restricted by a proposition nominalization.
	The proposition nominalization binds to the third variable
	The proposition nominalization considers a logical negation.
	'branch accepts monetary instrument'.
	The 'branch' role is bound to the first variable.
	The 'monetary instrument' role is bound to the fourth variable.
	The second existential quantification scopes over an atomic formulation.
	The atomic formulation is based on the verb concept 'sign states proposition'.
	The 'sign' role is bound to the second variable.
	The ' <u>proposition</u> ' role is bound to the third variable.
	The first existential quantification scopes over an atomic formulation. The atomic formulation is based on the verb concept ' <u>branch</u> posts <u>sign</u> '.
	The atomic formation is bused on the verb concept <u>branch</u> posts <u>organ</u> .

- The 'branch' role is bound to the first variable.
- The 'sign' role is bound to the second variable.

proposition nominalization considers logical formulation

Definition: the proposition nominalization nominalizes the proposition whose meaning is formulated by the logical formulation

proposition nominalization binds to bindable target

Definition:	the <u>bindable target</u> indicates the referent proposition identified by the <u>proposition</u>
	nominalization
Synonymous Form:	bindable target is bound to proposition nominalization

question nominalization

Definition:	projecting formulation that formulates the meaning: the thing to which the <u>bindable target</u> bound to the <u>projecting formulation</u> refers is the <u>question</u> that is meant by the <u>projection</u> of the <u>projecting formulation</u>
Concept Type:	logical formulation kind
Note:	See ' <u>closed projection</u> <i>means</i> <u>question</u> ' for an explanation and examples of how questions are formulated.
Note:	A closed projection means at most one question. In the case of variables being free within a projection, the projection is considered to mean a question only in the context of there being a referent thing given for each free variable.
Reference Scheme:	the <u>bindable target</u> that is bound to the <u>question nominalization</u> and the <u>projection</u> of the <u>question nominalization</u>
Example:	 "An agent asks each customer what car model the customer prefers". The statement is formulated by a universal quantification. The quantification introduces a first variable. The first variable ranges over the concept 'customer'. The quantification scopes over an existential quantification. The existential quantification introduces a second variable. The second variable ranges over the concept 'agent'. The existential quantification scopes over a second existential quantification. The second variable ranges over the concept 'agent'. The existential quantification scopes over a second existential quantification. The second existential quantification introduces a third variable. The third variable ranges over the concept 'question'. The third variable is restricted by a question nominalization. The question nominalization binds to the third variable. The projection is on a fourth variable. The variable ranges over the concept 'car model'. The projection is constrained by an atomic formulation. The 'person' role is bound to the first variable. The 'car model' role is bound to the fourth variable. The 'action formulation is based on the verb concept 'person prefers car model'. The atomic formulation is based on the verb concept 'person₁ asks person₂ question'. The 'person₁' role is bound to the first variable. The 'person₁' role is bound to the first variable. The 'person₁' role is bound to the first variable. The 'person₁' role is bound to the first variable. The 'person₁' role is bound to the first variable. The 'person₁' role is bound to the first variable. The 'person₁' role is bound to the first variable. The 'person₁' role is bound to the first variable. The 'person₁' role is bound to the first variable. The 'perso

FL

 $_{\rm FL}$

answer nominalization

Definition:	projecting formulation that formulates the meaning: the thing to which the <u>bindable target</u> bound to the <u>projecting formulation</u> refers is a <u>proposition</u> that is true and that completely and correctly answers the question meant by the <u>projection</u> of the <u>projecting formulation</u>
Concept Type:	logical formulation kind
Note:	See ' <u>closed projection</u> <i>means</i> <u>question</u> ' for an explanation and examples of how questions are formulated.
Note:	In the case of variables being free within a projection, the projection is considered to mean a question only in the context of there being a referent thing given for each free variable.
Note:	A thing referred to by a bindable target bound to an answer nominalization is a satisfactory proposition if it correctly and completely holds the result of the answer nominalization's projection. A satisfying proposition incorporates the meaning formulated by the projection in the context of there being a referent thing given for each free variable of the projection. Further, the satisfying proposition refers to each referent of each variable in the projection. If the projection result has multiple elements, a satisfying proposition holds them all, conjunctively. If the projection result is empty, a satisfying projection indicates that it is empty.
Note:	Each reference in a satisfying answer should use a defined reference scheme.
Reference Scheme:	the <u>bindable target</u> that is bound to the <u>answer nominalization</u> and the <u>projection</u> of the <u>answer nominalization</u>
Example:	 "An agent tells each customer what special offer is available to the customer". The statement is formulated by a universal quantification. The quantification introduces a first variable. The first variable ranges over the concept 'customer'. The quantification scopes over an existential quantification. The existential quantification introduces a second variable. The second variable ranges over the concept 'agent'. The second variable ranges over the concept 'agent'. The second variable ranges over the concept 'agent'. The second existential quantification introduces a third variable. The third variable ranges over the concept 'proposition'. The third variable is restricted by an answer nominalization. The answer nominalization binds to the third variable. The answer nominalization considers a projection. The projection is on a fourth variable. The projection is constrained by an atomic formulation. The atomic formulation is based on the verb concept 'special offer is available to customer'. The special offer' role is bound to the fourth variable. The second existential quantification scopes over an atomic formulation. The second existential quantification scopes over a natomic formulation. The projection is based on the verb concept 'person₁ tells person₂ proposition'. The second existential quantification scopes over an atomic formulation. The special offer is bound to the first variable. The special offer is bound to the first variable. The special proposition' role is bound to the first variable. The special proposition' role is bound to the first variable. The special proposition' role is bound to the first variable. The special proposition' role is bound to the first variable. The 'person₁' role is bound to the first variable. The 'per

If exactly two special offers (Gold Customer Discount and Free One-level Upgrade) are available to a customer having customer id '9876', a satisfying answer for that customer would be the proposition meant by the statement: "The special offers available to the customer having the customer id '9876' are the Gold Customer Discount and the Free One-level Upgrade."

9.4 Projections




Figure 9.12

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

projection

Definition:	<u>semantic formulation</u> that introduces one or more variables corresponding to involvements in actualities and that is possibly constrained by a logical formulation and that projects one or more of those variables
Necessity:	Each projection is on at least one variable.
Necessity:	Each projection is constrained by at most one logical formulation.

Necessity:	A <u>variable</u> that is free within a <u>logical formulation</u> that constrains a <u>projection</u> is free within the <u>projection</u> if and only if the <u>projection</u> is not on the <u>variable</u> and the <u>variable</u> is not an <u>auxiliary variable</u> of the <u>projection</u> .
Necessity:	No projection is a logical formulation.
Necessity:	A variable that is in a projection is not free within the projection.
Necessity:	A <u>variable</u> that is free within a <u>logical formulation</u> that restricts another <u>variable</u> that is in a <u>projection</u> is free within the <u>projection</u> .
Necessity:	A <u>variable</u> that is free within a <u>logical formulation</u> that restricts an <u>auxiliary variable</u> of a <u>projection</u> is free within the <u>projection</u> if and only if the <u>variable</u> is not the <u>auxiliary</u> <u>variable</u> .
Note:	A restriction on a variable introduced by a projection cannot involve any other variable introduced by the projection.
Reference Scheme:	the set of <u>variables</u> that are in the projection and the set of <u>auxiliary variables</u> of the projection and the set of <u>logical formulations</u> that constrain the projection
Note:	A projection is a structure of meaning used in formulating different kinds of meanings. Each is explained separately. See the following entries: ' <u>closed projection</u> <i>defines</i> <u>noun</u> <u>concept</u> ', ' <u>closed projection</u> <i>defines</i> <u>verb</u> <u>concept</u> ' and ' <u>closed</u> <u>projection</u> <u>means</u> <u>question</u> '. Also, projections are incorporated into projecting formulations, which include 'aggregation formulation', ' <u>noun</u> <u>concept</u> <u>nominalization</u> ', ' <u>verb</u> <u>concept</u> <u>nominalization</u> ', ' <u>question</u> <u>nominalization</u> ', and ' <u>answer</u> <u>nominalization</u> ' each of which is explained separately with examples in previous sub clauses.
Note:	A projection introduces one or more variables corresponding to involvements in actualities. If the projection is constrained by a logical formulation, then for each combination of variables, one referent for each variable, the actuality is that the meaning of the constraining formulation is true. If the projection has no constraining formulation, then for each combination of variables, one referent for each variable, the actuality is that the referents exist.
	That is, the basic meaning of a projection is a verb concept in which all of the variables introduced by the projection correspond to roles. The basic meaning corresponds to actualities for which the following proposition holds: t_1 is a valid referent of v_1 [AND t_2 is a valid referent of v_2
	 AND t _n is a valid referent of v _n] [AND S(t ₁ ,, t _n)]
	where $v_1,, v_n$ are the variables introduced by the projection, $t_1,, t_n$ are things, and $S(t_1,, t_n)$ is the proposition formulated by the logical formulation that constrains the projection, if any, with those things substituted for the occurrences of the corresponding variables.
	The meaning of a projection in some uses, however, can be restricted to refer to the involvements of the things in the roles (denoted by the projection variables) in those actualities, or to the things that have those involvements.
Note:	Projections introduce variables in two ways: projection variables (variables that the projection 'is on') and auxiliary variables. Both correspond to involvements in the actualities that correspond to the basic meaning, but the result of a projection includes only the involvements that correspond to the projection variables. Auxiliary variables are used in selecting the actualities that correspond to the projection, but are not part of the intent of the projection itself.

projection is on variable

<u>ojection</u> is on <u>variable</u>	e FL
Definition:	the projection introduces the variable such that satisfying referents of the variable are in the result of the projection
Synonymous Form:	variable is in projection
Synonymous Form:	projection has projection variable
Necessity:	No variable that is in a projection is introduced by a quantification.

projection has auxiliary variable

Definition:	the <u>auxiliary variable</u> is introduced by the <u>projection</u> , but is left out of the result of the <u>projection</u> thereby giving the possibility of duplicates in a result
Necessity:	No auxiliary variable is introduced by a quantification.
Necessity:	No <u>projection</u> is on an <u>auxiliary variable</u> .
Necessity:	Each projection that has an auxiliary variable is constrained by a logical formulation.

logical formulation constrains projection

logical formulation co	onstrains projection	FL
Definition:	the logical formulation determines which referents of the variables introduced by the projection are in the result of the projection	
Synonymous Form:	projection has constraining formulation	
Note:	A logical formulation that constrains a projection restricts the results of the projection. If there is no constraining logical formulation, then there is no restriction other than what is on variables in the projection.	re
auxiliary variable		FL
Definition:	variable that is introduced by a projection, but which is left out of the result of the projection thereby giving the possibility of duplicate results	<u>n</u>
Necessity:	Each auxiliary variable is of exactly one projection.	
Reference Scheme:	a projection that has the auxiliary variable and a projection position of the auxiliary variable and the set of concepts that are ranged over by the auxiliary variable and th set of logical formulations that restrict the auxiliary variable and whether the auxiliary variable is unitary	
projection position		FL
Definition:	positive integer that distinguishes a variable introduced by a projection from others introduced by the same projection	
Concept Type:	role	
variable has projectio	on position	FL
Definition:	the variable is introduced by a projection and has the unique projection position among the set of variables introduced by that projection	ıe
Necessity:	Each variable has at most one projection position.	
Necessity:	Each variable that is in a projection has exactly one projection position.	

- Each variable that is in a projection has exactly one projection position.
- Necessity: Each auxiliary variable has exactly one projection position.

set projection	FL
Definition:	<u>projection</u> that has no auxiliary variable
Example:	A <u>projection</u> formalizing the expression, "customers that are preferred," is on a single <u>variable</u> (customer). There is no <u>auxiliary variable</u> , so the result is necessarily a set.
bag projection	FL
Definition:	projection that has an auxiliary variable
Note:	A bag projection treats the resulting set of actualities as a set of the corresponding involvements of referents of the projection variables in roles in those actualities. A thing that participates in those involvements may participate in more than one involvement and therefore have multiple "occurrences" in the projection result. In many cases, the use of the projection reduces the set of involvements to the set of things involved (and ignores the fact of multiple occurrence). But in some cases the distinguished involvements/occurrences are important.
Example:	A <u>projection</u> formalizing the expression, "account balances of customers that are preferred," is on a <u>variable</u> (account balance) and has an <u>auxiliary variable</u> (customer). Only balances are in the result, but there can be duplicates where multiple customers have the same balance.
closed projection	FL
Definition:	projection that is a closed semantic formulation
Example:	A projection formalizing the expression, "customers that are preferred," is closed – there is no

A <u>projection</u> formalizing the expression, "customers that are preferred," is closed – there is no variable that is not introduced. But within a formulation of the expression, "Each branch must report the number of car models offered by the branch," the <u>projection</u> of "car models offered by the branch" is open because it binds to a <u>variable</u> (branch) that is introduced outside of the <u>projection</u>.

closed projection formalizes definition

Definition:	the <u>definition</u> conveys the meaning formulated by the <u>closed projection</u> and the <u>closed</u> <u>projection</u> refers to the concepts represented in the <u>definition</u>
Example:	The one concept 'local car movement' can be defined as "one-way car movement that is in- area" or as "car movement that is in-area and that is not round-trip." Both definitions have the same meaning, but one is formalized in reference to the noun concept 'one-way car movement' (defined as "car movement that is not round-trip") and the other in reference to the characteristic ' <u>car movement</u> is round-trip'. The two formulations are different but mean the same noun concept.
Necessity:	Each closed projection that formalizes a definition of a noun concept defines the noun concept.
Necessity:	Each closed projection that formalizes a definition of a verb concept defines the verb concept.

closed projection defines noun concept

Definition:the closed projection is on exactly one variable and the closed projection formulates a set
of incorporated characteristics sufficient to determine the noun conceptNecessity:Each closed projection that defines a noun concept is on at most one variable.Necessity:If a closed projection that defines a noun concept is a set projection that is on a
variable that is unitary then the noun concept is an individual noun concept.Note:A closed projection defines a noun concept by formulating a set of incorporated characteristics
that determine the noun concept. These incorporated characteristics include:

 \mathbf{FL}

	1. All characteristics of the ranged-over concept of the projection variable of the projection, if there is one.
	2. If a logical formulation restricts the projection variable, the meaning of that formulation with respect to the projection variable.
	3. If the projection has a constraining formulation and the projection has no auxiliary variable, the meaning of the constraining formulation with respect to the projection variable.
	4. If the projection has a constraining formulation and the projection has an auxiliary variable, the characteristic of being involved in an actuality that corresponds to the "basic meaning" of the projection.
Note:	When a projection defines a noun concept, it restricts the basic meaning (the set of corresponding actualities) to the involvements in those actualities that are denoted by the projection variable, and further to the things participating in those involvements – the things that play the corresponding role. If there are auxiliary variables, a given thing may participate in more than one such involvement. In many cases, however, the projection introduces only one variable and the actualities are of things having a particular property. If a projection that defines a general concept has an auxiliary variable, the general concept incorporates the characteristic of being involved in an actuality that also involves a referent of the auxiliary variable, as if the auxiliary variable is existentially quantified. The characterization is from the perspective of a referent of the auxiliary variable.
Example:	 The general concept 'wrecked car' defined as "car that is disabled by an accident" A closed projection defines the general concept. The projection is on a first variable. The first variable ranges over the concept 'car'. The projection is constrained by an existential quantification. The quantification is on a second variable. The second variable ranges over the concept 'accident'. The quantification scopes over an atomic formulation. The atomic formulation is based on the verb concept 'accident disables <u>vehicle</u>'. The 'accident' role is bound to the second variable. The 'yehicle' role is bound to the first variable.

closed projection defines verb concept

Definition:	the <u>closed projection</u> is on one variable for each role of the <u>verb concept</u> and the <u>closed</u> <u>projection</u> identifies enough characteristics incorporated by the <u>verb concept</u> that all of its incorporated characteristics can be determined
Necessity:	If a <u>closed projection</u> defines a <u>verb concept</u> and the <u>closed projection</u> defines a <u>noun</u> <u>concept</u> then the <u>verb concept</u> is a <u>characteristic</u> and the <u>role</u> of the <u>characteristic</u> is coextensive with the <u>noun concept</u> .
Note:	If a closed projection defines a verb concept, each variable introduced by the projection, including auxiliary variables, is understood as a point of involvement in actualities that are instances of the verb concept. If the projection has a constraining formulation, the meaning of the verb concept for each combination of referents, one for each variable, is the proposition meant by the logical formulation. If no logical formulation constrains the projection, then the meaning of the verb concept for each combination of referents is that the referents all exist.
Note:	 A verb concept defined by a closed projection incorporates the following characteristics: All characteristics of the concept 'actuality'. Each instance of the verb concept involves exactly one thing in each role of the verb concept – see 'variable maps to verb concept role' below.

	3. If the projection has a constraining formulation and the projection has no auxiliary variable, the meaning of the constraining formulation with respect to the projection variables.
	4. If the projection has a constraining formulation and the projection has an auxiliary variable, the meaning of the constraining formulation with respect to the projection variables and of involving a given referent of each auxiliary variable of the projection in its corresponding role of the "base meaning."
Example:	The characteristic ' <u>car</u> is wrecked' defined as "the <u>car</u> is disabled by an accident." The closed projection given in the example under ' <u>closed projection</u> <i>defines</i> <u>noun concept</u> ' above as defining 'wrecked car' also defines this characteristic. The difference between the characteristic and the noun concept is that the extension of the noun concept is the set of wrecked cars while the extension of the characteristic is the set of actualities that a given car is wrecked. Elements of the two extensions are related one-to-one.
Example:	 The binary verb concept 'accident disables <u>vehicle</u>' defined as "the <u>accident</u> causes the <u>vehicle</u> to be nonoperational". The binary verb concept is defined by a closed projection. The projection is on a first variable. The first variable ranges over the concept 'vehicle'. The projection is on a second variable. The second variable ranges over the concept 'accident'. The projection is constrained by an existential quantification. The existential quantification is on a third variable. The third variable is restricted by an objectification. The objectification binds to the third variable. The atomic formulation is based on the verb concept 'vehicle is nonoperational'. The existential quantification scopes over an atomic formulation. The atomic formulation is based on the verb concept 'event causes <u>state of affairs</u>'.
	The ' <u>vehicle</u> ' role is bound to the first variable. The existential quantification scopes over an atomic formulation.

variable maps to verb concept role

<u>ariable</u> maps to <u>verb</u>	riable maps to verb concept role		
Definition:	the <u>variable</u> is in a <u>closed projection</u> that defines the <u>verb concept</u> that has the <u>verb</u> <u>concept role</u> such that for each element in the projection result the referent of the variable is involved in the <u>verb concept role</u> in a corresponding <u>actuality</u> in the <u>extension</u> of the <u>verb</u> <u>concept</u>		
Synonymous Form:	verb concept role is mapped from variable		
Necessity:	If a <u>closed projection</u> defines a <u>verb concept</u> then each <u>role</u> of the <u>verb concept</u> is mapped from exactly one <u>variable</u> that is in the <u>closed projection</u> and each <u>variable</u> that is in the <u>closed projection</u> maps to exactly one <u>role</u> of the <u>verb concept</u> .		
Necessity:	A <u>variable</u> maps to a <u>verb concept role</u> only if a <u>closed projection</u> that is on the <u>variable</u> defines a <u>verb concept</u> that has the <u>verb concept role</u> .		
Necessity:	Each variable maps to at most one verb concept role.		
Note:	A verb concept role that is mapped from a projection variable of a closed projection incorporates the following characteristics (which are the same as if a general concept is defined by the projection with the one modification that all other introduced variables are auxiliary): 1. All characteristics of the ranged-over concept of the variable, if there is one.		

	2. If a logical formulation restricts the variable, the meaning of that formulation with respect to the variable.
	3. If the projection has a constraining formulation, the characteristic of being involved as a referent of the variable in a given actuality denoted by the constraining formulation.
Example:	The ' <u>car</u> ' role of the characteristic ' <u>car</u> is wrecked' in the example above under ' <u>closed</u> <u>projection</u> <i>defines</i> <u>verb</u> <u>concept</u> ' is mapped from the one variable in the closed projection that defines the characteristic. Note that the role incorporates the same characteristics as the noun concept 'wrecked car', and is therefore coextensive with it.
Example:	In the binary verb concept 'accident disables <u>vehicle</u> ' in the example above under ' <u>closed</u> <u>projection</u> <i>defines</i> <u>verb</u> <u>concept</u> ', the ' <u>accident</u> ' role is mapped from the first variable and the ' <u>vehicle</u> ' role is mapped from the second variable in the projection that defines the binary verb concept.
closed projection	means <u>question</u>
Definition:	the <u>closed projection</u> formulates the <u>question</u> such that the result of the <u>projection</u> answers the <u>question</u>
Necessity:	Each closed projection means at most one question.
Note:	A question using an interrogative operator such as 'what', 'when', 'where', 'why', or 'how' is generally formulated by a projection on a variable that ranges over a concept that matches the operator. The interrogative 'what' is often used with a designation of a noun concept such as in "What car is available?" in which case the variable ranges over the noun concept 'car'. For each of the other operators the variable ranges over a noun concept fitting to that operator as if 'what' had been used with a designation for that concept. Examples of the correspondence of interrogative operators to noun concepts is shown below.
	"When is a car available?" What <u>time</u>
	"How is a car driven?" What <u>method</u>
	"Where is a car?" What <u>location</u>
	"Who can drive a car?" What <u>person</u>
	"Why is a car available?" What <u>cause</u>
	Note that definition of these nouns (underlined above) is outside the scope of SBVR.
	However, the concept 'cause' is a role that ranges over the concept 'actuality' so an answer to
	a 'why' question is often formulated using an objectification (the last example under
	'objectification' considers one actuality as a cause of another).

Note:A true/false question is typically nominalized using the interrogative operator 'whether' as in
"The customer asked whether a car is available," but is asked (in English) with no such
operator: "Is a car available?". The meaning of 'whether' in this context is "What truth-value
does this proposition have?". The formulation of such a question is a projection on a variable
that ranges over a characteristic type (here called 'truth-value') whose instances are the
characteristics 'proposition is true' and 'proposition is false'. The projection is constrained
by the truth-value being that of the proposition "a car is available" formulated using
proposition nominalization.Example:"Is a car available"?
The question is meant by a closed projection.

- . The projection is on a unitary variable.
- . . The variable ranges over the concept 'truth-value'.
- . The projection is constrained by a universal quantification.
- . . The universal quantification introduces a second unitary variable.

The second variable ranges over the concept 'proposition'.
The second variable is restricted by a proposition nominalization.
The proposition nominalization binds to the second variable.
The proposition nominalization considers an existential quantification.
The existential quantification introduces a third variable.
The variable ranges over the concept 'car'.
The variable ranges over the concept 'car'.
The existential quantification is based on the verb concept 'car is available'.
The universal quantification scopes over an atomic formulation.
The atomic formulation is based on the verb concept 'proposition has truth-value'.
The 'proposition' role is bound to the second variable.
The 'proposition' role is bound to the first variable.
An auxiliary variable of a closed projection that means a question is relevant to formulating the meaning of the question, but the question is answered without identifying referents of the

auxiliary variable.

Note:

10 Providing Semantic and Logical Foundations for Business Vocabulary and Rules

10.1 General

This clause lists and explains foundational concepts taken from respected works on formal logics and mathematics. A mapping is then shown from the concepts in the SBVR Vocabularies in Clauses 7, 8, 9, 11, and 12 to these foundational concepts.

Sub clause 10.1 provides a formal semantics for the concepts in the SBVR Vocabularies in Clauses 7, 8, 9, 11, and 12. Clause 10.3 provides the mapping of the concepts in the SBVR Vocabularies in Clauses 7, 8, 9, 11, and 12 to ISO Common Logic and to OWL/ODM.

10.2 Logical Foundations for SBVR

10.2.1 SBVR Formal Grounding Model Interpretation

10.2.1.1 Introduction

A conceptual model includes both a conceptual schema and a population of facts that conform to the schema. A conceptual model may cover any desired time span, and contain facts concerning the past, present, or future. This notion is distinct from changes made to a conceptual model. Any change to a conceptual model, including any change to any fact in the fact population, creates a different conceptual model. Each conceptual model is distinct and independent, although there may be relationships between conceptual models that share the same conceptual schema.

'Facts' are one of the primary building blocks of the formal interpretation of SBVR presented here. A 'Ground Fact' is of a particular 'Fact Type.' The lowest level logical unit in SBVR – an 'Atomic Formulation' – is a logical formulation based directly upon a verb concept, involving no logical operation. An atomic formulation may be considered as an invocation of a predicate.

The formal interpretation of SBVR presented here makes no distinction about how facts are known: for example, whether they are asserted as 'ground facts' or obtained by inference. Inferences can be performed within a particular fact model. The formal interpretation of SBVR presented here does not define any kind of inference that can be made between fact models.

Control over the order in which inferences can be made is a common feature in the automation of inference, as found, for example, in rules engines. SBVR deals with declarative rules expressed from a business perspective. Transitions between fact models and the mechanization of those rules in an automated system are outside the scope of SBVR.

Closed-world assumptions are often used in automated systems, such as the well-known 'negation by failure' in the Prolog language. The business orientation of SBVR makes it natural to assume open-world semantics by default. For example, if we assume that 'Customers' have some unary fact such as 'Credit OK' then we cannot assume anything like 'Credit not OK' in the absence of this fact. The formal interpretation of SBVR presented here permits fact types to be explicitly identified as closed where this makes business sense. For example, it may be appropriate to infer 'Credit not OK' for a subset of customers' identified as 'Credit-Checked Customers' in the absence of a 'Credit OK' fact.

The detailed definition of SBVR uses the vocabulary defined in SBVR – in other words, SBVR is defined in terms of itself. This inevitably makes the SBVR vocabularies higher order, but this does not force any modeler to produce exclusively higher-

order models. The formal interpretation of SBVR presented here can be used to produce first order interpretations for SBVR vocabulaires if that is what is desired by the modeler.

The SBVR (Semantics of Business Vocabulary and Business Rules) vocabularies are used to describe business vocabularies and business rules that may be expressed either informally or formally. Business rule expressions are classified as formal only if they are expressed purely in terms of noun concepts and verb concepts, as well as certain logical/ mathematical operators, quantifiers, etc. The following discussion of business rule semantics is confined to formal statements of business rules. (A closer definition of terms is given as needed later throughout this clause.)

The rest of this clause is structured as follows. 10.2.1.2 provides some basic background and terminology, explaining our usage of terms such as "schema," "model," and "fact." 10.2.1.3 reviews the approach to choosing open or closed world semantics. 10.2.1.4 provides an overview of the use of quantifiers as well as alethic or deontic modal operators in specifying business rules. 10.2.1.5 and 10.2.1.6 respectively discuss the formal semantics for static, alethic constraints and static, deontic constraints. 10.2.1.7 considers derivation rules. 10.2.1.8 examines dynamic constraints. 10.2.1.9 reviews the option for using higher-order logic.

10.2.1.2 Facts, Schemas, and Models

For any given business, the "universe of discourse" indicates those aspects of the business that are of interest. The term "business domain" is commonly used in the modeling community, with equivalent meaning. A "model," in the sense used here, is a structure intended to describe a business domain, and is composed of a conceptual *schema* (fact structure) and a *population* of ground facts (see later). A *fact* is a proposition taken to be true by the business. Population facts are restricted to elementary and existential facts (see later).

Instantiated roles of facts refer to individuals (such as "Employee 123" or "the sales department"). These individuals are considered as being of a particular type (such as "Employee" or "Department") where *type* denotes "set of possible individuals."

SBVR's 'general concept', 'individual noun concept' and 'verb concept' are three kinds of concept (unit of knowledge created by a unique combination of characteristics [per ISO-1087-1]). Each is a kind of meaning – respectively, the meaning of an improper noun phrase, the meaning of a proper noun and the meaning of a verb phrase in the context of a declarative sentence. Instances of verb concepts are actualities that involve things that exist in the universe of discourse. These instances are not propositions. In contrast, the logical underpinnings of these three kinds of concepts are 'type of individual', singleton 'type of individual', and 'fact type', respectively.

- General concepts logically map to types of individual. Each type of individual is a set of possible instances of the general concept according to a set of possible existential facts that can be formulated based on reference schemes.
- Individual noun concepts logically map to singleton types of individuals. Each single type of individual has exactly one element, which is the instance of the individual noun concept.

Verb concepts map to fact types, each fact type being a set of possible ground facts that can be formulated based on the verb concept and that use reference schemes to identify, for each fact, each thing that fills each role.

The conceptual schema declares the *concepts, fact types* (kinds of facts, such as "Employee works for Department") and *rules* relevant to the business domain.

The terms 'rule' and 'business rule,' in the senses used here, are defined in 12.2.2. Rules are effectively higher-level facts (i.e., facts about propositions), and in a loose sense are also sometimes considered under the generic term 'fact.' For clarity, the term "ground fact" is used here to explicitly exclude such (meta) facts.

Constraints are used to define bounds, borders, or limits on fact populations, and may be static or dynamic. A *static constraint* imposes a restriction on what fact populations are possible or permitted, for each fact population taken individually.

Static constraint

Each Employee was born on at most one Date

A dynamic constraint imposes a restriction on transitions between fact populations.

Dynamic constraint

A person's marital status may change from single to married, but not from divorced to single

Derivation rules indicate how the population of a fact type may be derived from the populations of one or more fact types or how a type of individual may be defined in terms of other types of individuals and fact types.

Derivation rules

Person₁ is an uncle of Person₂ if Person₁ is a brother of **some** Person₃ who is a parent of Person₂,

Each Australian is a Person who is a citizen of Country 'AU.'

A model of the kind considered here is a *fact model*, not a process model. The term *knowledge base* is sometimes used to reflect this focus (on what is known, as opposed to what must be done). At least two kinds of fact model may be specified: reality models; and in-practice models. Although both these models use the same set of fact types, they may differ in the constraints imposed on those fact types. A *reality model* of a business domain is intended to reflect the constraints that actually apply to the business domain in the real world. An *in-practice model* of a business domain reflects the constraints that the business chooses in practice to impose on its knowledge of the business domain.

Suppose the following two fact types are of interest: Employee was born on Date; Employee has PhoneNumber. In the real world, each employee is born, and may have more than one phone number. Hence the reality model includes the constraint "**Each** Employee was born on **at least one** Date" and allows that "**It is possible that the same** Employee has **more than one** PhoneNumber." Now suppose that the business decides to make it optional whether it knows an employee's birth date. Suppose also that the business is interested in knowing at most one phone number for any given employee. In this case, the in-practice model excludes the reality constraint "**Each** Employee was born on **at least one** Date," but it includes the following constraint that doesn't apply in the reality model: **Each** Employee has **at most one** PhoneNumber.

Constraint differences between reality and in-practice models have some restrictions (for instance, in-practice uniqueness constraints need to be at least as strong as the corresponding real world uniqueness constraints, and if a fact type role is optional in the real world it is optional in the in-practice world, but the converse need not apply).

Reality schemas are sometimes constructed first to help determine in-practice schemas. Although a population may be added to any schema to form a model, it is common to add populations only to in-practice schemas. So in-practice models are more common than reality models. The possibility of incomplete knowledge arises for both reality and in-practice models but is

more prevalent with in-practice models since these tend to include more optional aspects. Adoption of open or closed world assumptions is discussed in 10.2.1.3.

Example of incomplete knowledge

The business might know just some of a given employee's phone numbers

We use the term "fact model" or "knowledge base" in a broad sense. Conceptually, the fact model is represented by a set of sentences, each of which connotes either a rule or a ground fact. The fact model may be fully automated (as in, say, a database system), manual (as in, say, a paper record system), or semi-automated. The knowledge may even be stored in human memory (belonging to the business domain experts who may be collectively regarded as the authoritative source of those business facts that are of interest). However, the knowledge must ultimately be expressible by sentences communicated between humans.

A fact model is a conceptual model of the business domain, using a suitable high level vocabulary and language that is readily understood by the business domain experts. Typically this language will be a formal subset of a natural language. In particular, the language is not a machine-oriented technical language (such as C# or Java) that might be used to implement a system to enforce at least some of the business rules included in the model. Business domain models are meant to capture the relevant business rules, not to implement them. Whether a given business rule is implemented at all, or how it might be implemented (automated, semi-automated, or manual) are not issues here. Typically however, it is expected that many business rules specified in a business domain model will likely be enforced in an automated way; and in such cases, the rules need to be formally expressed.

Any fact model passes through a sequence of *states*, each of which includes a set of *ground facts*, which are either elementary or existential. Roughly speaking, an *elementary fact* is a declaration that an individual has a property, or that one or more individuals participate in a relationship, where the fact cannot be split into simpler facts with the same individuals (without information loss).

Examples of elementary facts

The Country named 'Australia' is large

The President named 'Bill Clinton' was born in the State named 'Arkansas'

An elementary fact may be treated as an instantiation of a typed, irreducible predicate of interest to the business, except that multiple fact type readings using different predicates, possibly based on different orderings of the individuals, are considered to express the same fact if they mean the same. Individuals are typically denoted by definite descriptions.

The sentences (1) and (2) below express the same fact:

(1) The President named 'Bill Clinton' was born in the State that has the State Name 'Arkansas.'

(2) The State that has the State Name 'Arkansas' is the birthplace of the Presedent named 'Bill Clinton.'

"The President named 'Bill Clinton'" is treated here as shorthand for "The President who has the President Name 'Bill Clinton'".

Instead of definite descriptions, proper names may be used if they function as individual constants in the business domain. Lexical individuals denote themselves. Individual constants may also be introduced as abbreviations of definite descriptions.

Example of a self-denoting lexical individual The country code 'US'

We use the term "fact" in the sense of "proposition taken to be true by the business" (i.e., the business members are prepared to act as if they believed the proposition is true; their attitude toward the proposition is one of epistemic commitment). This sense of epistemic commitment does not require any special interpretation of logical operators, or use of epistemic or doxastic logic. The logical connectives (and, or, not, if-then, etc.) may be interpreted just like truth functional operators (conjunction, disjunction, negation, material implication, etc.) in 2-valued classical logic. An *existential fact* is used to simply assert the existence of an individual,

Example of an existential fact There is a Country that has the Country Code 'US'

A fact type may be identified by one or more fact type readings that declare typed predicates.

Examples of fact type readings
The President named 'Mary McAleese' governs the Country that has the Country Name 'Ireland' is an instance of the fact type
President governs Country
The Country that has the Country Name 'Ireland' is governed by the President named 'Mary McAleese' is an instance of the fact type

Country is governed by President

Sub clause 10.2.1 uses initial capitals to denote types of individuals (other styles may be used for this purpose), and in general allows predicates in mixfix notation.

Example of mixfix notation
President visited Country on Date

More conventional but less readable syntaxes may also be used.

Example of more conventional notation President governs Country may be expressed as governs(*x*:President; *y*:Country)

Each predicate has a fixed arity, so variadic predicates are not supported.

For example, the unary "smokes" predicate in 'Person smokes' is considered to be different from the binary "smokes" predicate in 'Person smokes Cigar Brand.'

Note that we do not identify untyped predicates simply by their name and arity.

For example, the "has" in 'Person has Disease' is considered to be a different predicate from the "has" in 'Disease has Cure.'

The fact model includes both the conceptual schema and the ground fact population (set of fact instances that instantiate the fact types in the schema). The conceptual schema includes a generic component and a domain-specific component. The generic component is common to all conceptual schemas: this includes relevant axioms from logic and mathematics¹. The domain-specific component includes the concept definitions and declarations of the ground fact types and business rules relevant to the specific business domain.

Trivially, each fact model includes existential facts to declare the existence of generic constants such as numbers, but we ignore these in our discussion, confining the use of "population" to the domain-specific population of interest. With that understanding, the fact model at any point in time may be declared as a set of sentences that collectively express the conceptual schema and the fact population of the domain-specific fact types in the conceptual schema.

Although in practice the conceptual schema may evolve over time (if the business domain changes its structure or scope of interest) we ignore schema evolution here, treating the conceptual schema as fixed. Schema evolution may be handled as a metametalevel concern. Model exchange must be enabled between a system supporting SBVR and other systems identified as desirable targets for interoperability. Any exchange of a fact model takes place at a given point in time, and at that time the conceptual schema is fixed (later exchanges may be used to update the fact model as required). Also, when a necessity is originally stated, the intent is that by default the rule should stay in force.

In contrast to the conceptual schema, the (domain-specific) fact population is typically highly variable.

For example, the fact type "Employee works on Project" may initially have no instances, but over time thousands of employees may be added or removed from various project teams.

Figure 10.1 provides a simplified picture of this situation, indicating that the fact model of sentences expressing population facts (instances of domain-specific fact types) is a varset (variable-set) whose population at any given time is a set of facts.




Figure 10.1 - Evolution of the fact model (schema plus ground fact instances)

^{1.} For a detailed discussion of one way to formalize this, see [Halp1989]. A fact model is specified as a set of sentences in a language based on predicate logic with identity. An interpretation is defined in the usual way (e.g., each predicate symbol maps onto a relation over the domain of individuals) and a model (not the same as fact model) is an interpretation where all the sentences are true.

The fact model may be initially empty or pre-populated with some facts. The fact model may expand or shrink over time as facts are added or removed from it. At any point in time, the fact model includes a set of facts. Figure 10.2 depicts this situation in more detail, using a labeled box to denote a fact instance (f1 = fact 1, etc.).




Figure 10.2- Evolution of the ground fact population

In treating a fact model as a varset of facts that typically changes over time, we allow facts to be added or deleted (see Figure 10.2). We might delete a fact because we revise our decision on whether it is (taken to be) true (for instance, we might discover a mistake), or because we decide that fact is no longer of interest. Now consider the following description by [Anto2001] of non-monotonic logic.

The term "non-monotonic logic" covers a family of formal frameworks devised to capture and represent *defeasible inference*, i.e., that kind of inference of everyday life in which reasoners draw conclusions tentatively, reserving the right to retract them in the light of further information. Such inferences are called "non-monotonic" because the set of conclusions warranted on the basis of a given knowledge base does not increase (in fact, it can shrink) with the size of the knowledge base itself. This is in contrast to classical (first-order) logic, whose inferences, being deductively valid, can never be "undone" by new information.

On the surface, it would appear that we are committing to a non-monotonic logic, given that we allow facts to be deleted in going from one state to another. However it seems reasonable to formalize those business rules that are static constraints in terms of classical, non-monotonic logic.

For example, we might formalize the static constraint that each person was born on some date as an SBVR logical formulation of the formula $\forall x$:Person $\exists y$:Date x was born on y.

In classifying the rule as a static constraint, we assert that it is true for each state of the fact model, taken individually. This seems to be enough, from the point of view of exchanging fact models, which always involves just one state at that time. Note also that the characterization of fact models as variable sets of sentences does not claim that propositions change their truth value over time. We regard propositions to be atemporal: they are timelessly true or false, so never change their truth value.

At least superficially, it is possible that a sentence in one fact model state expresses a different proposition from that expressed by the same sentence in another fact model state. For example, the meaning of time-deictic sentence occurrences depends on the time they were uttered or inscribed.

For instance, given the static constraint that each person lives in at most one country, we might assert for the fact model state 1 that Terry lives in Australia, for fact model state 2 we delete "Terry lives in Australia" and add that Terry lives in Utah, and for fact model state 3 we delete "Terry lives in Utah" and add that Terry lives in Australia. This does not involve any change in proposition truth values, because different propositions were being asserted in the different states. Here the verb phrase "lives in" means "currently lives in," where 'currently" may be unpacked into a time-indexed expression that includes the time of that fact model state.

10.2.1.3 Open/Closed World Semantics

Adopting *closed world* semantics basically means that all relevant facts are known (either as primitives – not defined in terms of other things – or derivable). So if a proposition cannot be proved true, it is assumed to be false. This *closed world assumption* entails *negation by failure*, since failure to find a fact implies its negation. *Open world semantics* allows that some knowledge may be incomplete; so if a proposition and its negation are both absent, it is unknown whether the proposition is true.

In modeling any given business domain, attention can be restricted to propositions *of interest* to that domain. If a proposition is not relevant to that domain, it is not included as a fact there, but we do not assume it is false; rather we simply dismiss it from consideration. For any business domain, we have a *finite set of types of individuals and fact types* (typed predicates), and any type of individual or fact type outside this set is simply disregarded.

It is a practical issue whether one's knowledge pertaining to the population of a given fact type is complete or not, since this may impact how the business derives other facts (e.g., negations) or how it reacts to query results (e.g., whether to treat "not" as "not the case" or merely "not known to be the case"). So we regard the issue of open/closed world semantics to be relevant to the fact model itself, not just automated implementations of the fact model.

Many implementations treat "not" in the closed-world sense of either "not known" (as a primitive or derivable fact), i.e., negation as failure, or "not known as a primitive fact," i.e., semi-positive negation. For instance, Prolog-based rule engines rely on negation by failure, and the "not" in SQL means "not recorded in a base table or derivable in a view."

SQL example,

Figure 10-3 depicts the relational schema and a sample population for a database fragment used to store the employee number and name of each employee, as well as the cars they drive (if any).

employee (<u>empNr</u> , empName)	Employee		Drives	
	empNr	empName	empNr	carRegNr
↑				
I				
Drives (<u>empNr. carRegNr</u>)	1 2 3	John Smith Ann Jones John Smith	1 2 3	ABC123 AAA246 DEF001

Figure 10.3 - A sample database storing some facts about employees

Suppose we want to know the employee number and name of each employee. In SQL we might formulate this query as **select** * **from** Employee, which returns the three rows of data shown in the Employee table. This result returns the employee number and name of those employees referenced in the database. Whether this includes all the employees in the business domain depends on whether the database is complete with respect to the population of the elementary fact type Employee has EmployeeName. If it is complete, the fact type is closed, and we may treat the SQL query as equivalent to our intended query about the business domain. If it is not complete, then the fact type is open, and we may need to take into account that there may be more employees than listed in the result.

Knowledge about completeness is typically not stored in databases, although in principle it could be. Users typically adopt the closed world assumption when interpreting data in relational databases. If independently of the database system they know how complete the data is, they may take that into account in deciding how completely the query results from the database system relate to the real world of their business domain.

Suppose we want to know the employee number of each employee who does not drive a car for the database shown in Figure 10-3. In SQL we might formulate this query as **select** empNr **from** Employee **where** empNr **not in** (**select** empNr **from** Drives). This returns just one employee number (viz. 3). Whether this covers all the non-driver employees in the business domain depends on whether the population of the two fact types (Employee has EmployeeName and Employee drives Car) is complete or not. Again, this knowledge about completeness could be stored in the database, but typically isn't, in which case users need to rely on their own knowledge about completeness to decide whether the data returned is complete or not.

The approach adopted here is fact-based (as opposed to attribute-based), where each fact type is modeled as a type of relationship, never as an attribute. Annex J provides extended examples of fact types expressed in this way using a popular fact-based modeling approach.

Example fact-based representation of a database schema

The information structure implied by the database schema shown in Figure 10-3 can be expressed as a set of fact types and constraints as follows, using the capitalized mixfix notational style described earlier:

Types of individuals

Employee

Car

Employee Number

Employee Name

Car Registration Number

(Note that here Employee and Car represent the kind of real world individuals that typically change state. Employee Number, Employee Name and Car Registration Number represent simple self-identifying lexical constants.)

Fact types

Employee has Employee Number

Employee has Employee Name

Car has Car Registration Number

Employee drives Car

Constraints

Each Employee has exactly one Employee Number.

For each Employee Number, at most one Employee has that Employee Number.

Each Employee has exactly one Employee Name.

Each Car has exactly one Car Registration Number.

For each Car Registration Number, at most one Car has that Car Registration Number.

It is possible that the same Employee drives more than one Car and that more than one Employee drives the same Car.

Completeness claims about a schema can be clarified by referring to whether fact type roles are mandatory and whether instances of fact type roles are unique. A fact type role is mandatory if, for each state of the fact model, each instance in the population of the associated type of individual must play that fact type role. A fact type role (or combination of fact type roles) is unique if, for each state of the fact model, each individual that instantiates the fact type role (or each sequence of individuals that instantiates the fact type role sequence) does so once only.

In the schema given above:

each Employee has exactly one Employee Name (mandatory fact type role) but it is optional whether an Employee drives a car.

each Employee has exactly one Employee Name: the Employee fact type role is unique in this fact type but the Employee Name fact type role is not (an Employee has only one Employee Name, but the same Employee Name could refer to more than one Employee).

To consider completeness claims, we can express additional requirements in terms of the fact model populations of types of individuals and the sequences of fact type roles they play in the population of fact types. A schema, as described earlier, is useful for clarifying the conditions under which completeness claims may be made.

Referring again to the Employee-Car schema, for any state of the fact model, let pop(I) denote the fact model population of the type of individual *I* in that state, and let pop(F) denote the fact model population of the fact type role sequence for the fact type *F* in that state. If the fact model is complete with regard to capturing the real world business domain, then for each state of the fact model the following three additional conditions are satisfied:

(1) pop(Employee)	set of employees in the (real world) business domain (at that time)
(2) non (Cor)	- act of care in the husiness domain

(2) pop(Car) = set of cars in the business domain

(3) pop(Employee drives Car)= set of (employee, car) pairs from $pop(Employee) \times pop(Car)$ where that employee drives that car in the business domain.

Requirements (1) and (2) declare that the fact model population of the Employee and Car types of individuals always matches that of the business domain being modeled. We may regard this as asserting the closed world assumption for those types of individuals. Requirement (3) asserts that for those employees and cars that are included in the fact model, if they drive a car then this fact is known. In combination, requirements (1) - (3) entail the closed world assumption for the drives fact type (if an employee drives a car in the business domain, this is known in the fact model).

Given the schema, and requirement (1), the closed world assumption is implied for the employee name fact type. This follows because of the mandatory and uniqueness constraints on the first fact type role (employee is closed, so we have all the employees; having a name is mandatory, so we have at least one name for each employee; the uniqueness constraint means that each employee has at most one name; so for all employees we now have all their names). Note that open world semantics still applies to the employee name fact type; in the presence of (1) and the constraints, this is equivalent to closed world semantics for that fact type.

For any given schema, the business might have complete knowledge about some parts and incomplete knowledge about other parts. So in practice, a mixture of open and closed world assumptions may apply. We use the term "*local closure*" (or "relative closure") for the application of the closed world assumption to just some parts of the overall schema. One might assume open world semantics by default, and then apply local closure to specific parts as desired; or alternatively, assume closed world semantics by default and then apply "local openness." We adopt the former approach as it seems more realistic when modeling real business domains.

Closure (i.e., local closure) may be explicitly asserted for any type of individual, on a one-by-one basis, to declare that for each state the fact model population agrees with that of the population of that type of individual in the actual business domain. The relevant meta-fact type is: "type of individual is closed." It may be reasonable to assume closure for types of individual by default, but it seems unrealistic to assume closure for predicates.

Closure may also be asserted for fact types. *Semi-closure* is with respect to the fact model population of the types of individual playing a fact type role in the predicate. If closure has also been declared for these types, then (full) closure also holds for the fact type (i.e., closure with respect to the domain population of the types of individuals). The relevant meta-fact types are: "fact type is semi-closed" and "fact type is closed." The meta-fact type "concept is closed" applies to both types of individuals and fact types, since both are concepts.

As seen earlier, closure for a fact type is sometimes implied. A *functional fact type role* is the complete argument of a uniqueness constraint. For schemas whose functional fact type roles are also functional in the business domain, the following implications hold. If a predicate includes a mandatory, functional fact type role, then that predicate is semi-closed by implication (as in the employee name example earlier). This result may be generalized to the case of a mandatory fact type role that has a frequency constraint of exactly *n* (although some attribute-based approaches do not deal reliably with various n-ary cases). If a type of individual has a set of functional fact type roles that are disjunctively mandatory and mutually

exclusive (in other words, they are spanned by an exclusive-or constraint), then the predicates that include those fact type roles are semi-closed by implication. If the type of individual has also been declared complete in such cases, then (full) closure applies.

For many fact types in a business domain, especially those without functional fact type roles, it is impractical to include all the negative instances as primitive facts.

For example, for the fact type "Employee drives Car," there might be many thousands of cars, so one would normally not explicitly include negated facts such as "Employee 1 does **not** drive Car 'AAA246'."

In some cases however, especially with functional fact type roles or when the population is small, it is practical to include negated facts as base facts.

Example

To provide a concrete example of the alternative, we can consider the characteristic 'Person smokes,' and three instances of Person: Fred, Sue, and Tom (for simplicity we will ignore reference schemes and assume that a person may be identified by their first name).

Assume that we know that Fred smokes. If we use open-world semantics, then it is unknown whether Sue or Tom smoke. If we apply closed world semantics, then the absence of facts that Sue or Tom smoke entails that they don't smoke.

If, for each Person, it is known whether that person smokes or not, then we could adopt one of two approaches to model our business domain.

(a) Use two characteristics, such as 'Person smokes' and 'Person is a nonsmoker,' with an exclusive-or constraint between the fact types. In other words, a Person must play one fact type role or the other, but cannot play both.

(b) Use a binary fact type such as 'Person has Smoker Status' where Smoker Status is indicated by some suitable code such as 'S' or 'NS' (for smoker or nonsmoker respectively), together with the constraint that a Person has exactly one Smoker Status.

In each of these cases, negated facts are explicitly treated as primitive facts and the predicates are given open world semantics. Semi-closure is implied because of the constraints.

Now consider a business domain where we know that Fred smokes, and that Sue doesn't smoke, but are unsure whether Tom smokes. In this case we have three alternative approaches that we could consider.

(a) Use two characteristics, such as 'Person smokes' and 'Person is a nonsmoker,' with an exclusion constraint between the fact types. In other words, a Person may play one fact type role or the other (but not both) or may play neither fact type role. For the given scenario, we would have the facts 'Fred smokes,' 'Sue is a nonsmoker' and no information for Tom.

(b) Use a binary fact type such as 'Person has Smoker Status' where Smoker Status is indicated by some suitable code such as 'S' or 'NS' (for smoker or nonsmoker respectively), together with the constraint that a Person has zero or one Smoker Status value. For the given scenario we would have the facts 'Fred has Smoker Status 'S," 'Sue has Smoker Status 'NS," and no information for Tom.

(c) Use a binary fact type such as 'Person has Smoker Status' where Smoker Status is indicated by some suitable code such as 'S,' 'NS,' or '?' (for smoker, nonsmoker, or unknown, respectively), together with the constraint that a Person has exactly one Smoker Status. In this case we treat the 'unknown' value ('?') like any other value using 2-valued logic, rather than adopt a generic null based on 3-valued logic, as in SQL. For the given scenario we would have the facts "Fred has Smoker Status 'S,'" "Sue has Smoker Status 'NS,'" and "Tom has Smoker Status '?'."

The above discussion indicates some ways of declaring and inferring various kinds of closure in the underlying fact model, based on a default, open world semantics. Here, all business rules that are parsed as formal are given a logical formulation based on the fact types in the underlying model. When people formulate queries on the model population, they may either adopt whatever closure guarantees are formally captured in the model, or instead informally rely on their own knowledge about closure to decide whether the data returned is complete or not. Such informal knowledge is outside the fact model, and does not impact the formal semantics of the logical formulation used in exchanging fact models.

In addition to specifying fact models at a conceptual level, languages may be defined for querying these models directly at a conceptual level. These may include features such as the ability to specify projections in the scope of negation, as well as projections in the scope of the "whether-or-not" operator which is used to perform conceptual left outer joins [Bloe1996. Bloe1997]. Further details are outside the scope of this sub clause.

10.2.1.4 Quantifiers and Modalities

Static constraints apply to each state of the fact model, taken individually. These may typically be expressed as logical formulations that are equivalent to formulae in 2-valued, first-order predicate calculus with identity. The 2-valued restriction applies because the fact types on which the rules are based are elementary (irreducible), so their instances never involve nulls. For convenience, we can use mixfix notation for predicates, and predefine some numeric quantifiers in addition to \forall and \exists . Table 10.1 summarizes the pre-defined quantifiers.

Table 10.1- Quantifiers

Symbol	Example	Name	Meaning
\forall	$\forall x$	Universal Quantifier	For each and every <i>x</i> , taken one at a time
Э	$\exists x$	Existential Quan- tifier	At least one x
∃ ¹	$\exists^1 x$	Exactly-one quantifier	There is exactly one (at least one and at most one) <i>x</i>
∃01	$\exists^{01}x$	At-most-one quantifier	There is at most one <i>x</i>

Table 10.1- Quantifiers

∃ ⁰ⁿ	∃ ⁰² <i>x</i>	At-most-n	There is at most <i>n x</i>
(<i>n</i> ≥ 1)		quantifier	<i>Note: n</i> is always instantiated by a number 3 1. So this is really a set of quantifiers (<i>n</i> = 1, etc.)
∃ ⁿ	∃ ² x	At-least-n	There is at least <i>n x</i>
(<i>n</i> ≥ 1)		quantifier	<i>Note: n</i> is always instantiated by a number ³ 1. So this is really a set of quantifiers ($n = 1$, etc.)
\exists^n	$\exists^2 x$	Exactly- <i>n</i>	There is at exactly (at least and at most) $n x$
(<i>n</i> ≥ 1)		quantifier	<i>Note: n</i> is always instantiated by a number ³ 1.
			So this is really a set of quantifiers ($n = 1$, etc.)
∃ ^{<i>nm</i>}	∃ ²⁵ x	Numeric range	There is at least <i>n</i> and at most <i>m x</i>
(<i>n</i> ≥ 1, <i>m</i> ≥ 2)		quantifier	

The additional existential quantifiers are easily defined in terms of the standard quantifiers.

For example, the exactly-two quantifier \exists^2 may be defined as follows. Let x, x_1 , x_2 be individual variables and Φx be a well formed formula with no free occurrences of x_1 , x_2 . Then:

 $\exists^2 x \ \Phi x \ =_{\mathsf{df}} \ \exists x_1 \exists x_2 \ [\Phi x_1 \ \& \ \Phi x_2 \ \& \ x_1 \neq x_2 \ \& \ \forall y (\Phi y \supset (y = x_1 \lor y = x_2))]$

Definition schemas for the other quantifiers may be found on page 4-11 of [Halp1989].

The rule formulations covered here may use any of the basic alethic or deontic modal operators shown in Table 10.2. These modal operators are treated as proposition-forming operators on propositions (rather than actions). Other equivalent readings may be used in whatever concrete syntax is used to originally declare the logical rule (e.g., "necessary" might be replaced by "required," and "obligatory" might be replaced by "ought to be the case"). Derived modal operators may also be used in the surface syntax, but are translated into the basic modal operators plus negation (\sim).

For example, "It is impossible that p" is defined as "It is not possible that p" ($\sim \Diamond p$), and "It is forbidden that p" is defined as "It is not permitted that p" ($Fp =_{df} \sim Pp$).

Table 10.2 - Modalities

Modality		Modal Formula	Modal Formula		applying modal negation rules = (Logically Equivalent) Modal Formula	
		Formula	Reading (Verbalized as):	Formula	Reading (Verbalized as):	
alethic	necessity	□p	It is necessary that <i>p</i>	~\$~p	It is not possible that not p	
	the negation of necessity: non-necessity	~□ <i>p</i>	It is not necessary that <i>p</i>	<i></i> \$~ <i>p</i>	It is possible that not <i>p</i>	
	possibility	¢₽	It is possible that p	~ □ ~p	It is not necessary that not p	
	the negation of possibility: impossibility	~\\$p	It is not possible that <i>p</i> It is impossible that <i>p</i>	□~p	It is necessary that not p	
	contingency	<i>\$p</i> & ~□ <i>p</i>	It is possible but not necessary that <i>p</i>	~(~ ◊p ∨ □p)	It is neither impossible nor necessary that p	
deontic	obligation	O p	It is obligatory that $ p $	~ P ~p	It is not permitted that not $ p $	
	the negation of obligation: non-obligation	~ O p	It is not obligatory that <i>p</i>	P ~p	It is permitted that not <i>p</i>	
	permission	P p	It is permitted that <i>p</i>	~ 0 ~p	It is not obligatory that not $ p $	
	the negation of permission: prohibition	~ P p F p	It is not permitted that p It is prohibited that p It is forbidden that p	0~р	It is obligatory that not p	
	optionality	Р р & ~ О р	It is permitted but not obligatory that p	~ (~ P p v O p)	It is neither prohibited nor obligatory that $ p $	

Table Legend:

	necessity	=	logically equivalent
\diamond	possibility	&	and
0	obligation	v	or (inclusive-or)
Р	permission	~	not
F	forbidden	p	some proposition

The following *modal negation rules* apply: it is not necessary that = it is possible that not $(\sim \Box p = \Diamond \sim p)$; it is not possible that = it is necessary that not $(\sim \Diamond p = \Box \sim p)$; it is not obligatory that = it is permitted that it is not the case that $(\sim Op = P \sim p)$; it is not permitted that = it is obligatory that it is not the case that $(\sim Pp = O \sim p)$. In principle, these rules could be used with double negation to get by with just one alethic and one deontic operator (e.g., $\Diamond p$ could be defined as $\sim \Box \sim p$, and Pp could be defined as $\sim O \sim p$).

Every constraint has an associated modality, determined by the logical modal operator that functions explicitly or implicitly as its main operator. We can distinguish between positive, negative, and default verbalizations of constraints. In positive verbalizations, an alethic modality of necessity is often assumed (if no modality is explicitly specified), but may be explicitly prepended.

For example, the following static constraint

C1 Each Person was born in at most one Country.

may be explicitly verbalized with an alethic modality thus:

C1' It is necessary that each Person was born in at most one Country.

We interpret this in terms of *possible world semantics*, as introduced by Saul Kripke and other logicians in the 1950s. A proposition is necessarily true if and only if it is true in all possible worlds. With respect to a *static constraint* declared for a given business domain, a possible world corresponds to a *state of the fact model* that might exist at some point in time.

The constraint C1 in the example above means that for each state of the fact model, each instance in the population of Person is born in at most one country.

A proposition is possible if and only if it is true in at least one possible world. A proposition is impossible if and only if it is true in no possible world (i.e., it is false in all possible worlds).

In the example above, constraint C1 may be reformulated as the following negative verbalization: C1" It is impossible that the same Person was born in more than one Country.

In practice, both positive and negative verbalizations are useful for validating constraints with domain experts, especially when illustrated with sample populations that provide satisfying examples or counter-examples respectively. The approach described here does not stipulate a high level language for rule verbalization, so many alternative verbalizations may be used.

Many business constraints are deontic rather than alethic in nature. To avoid confusion, we recommend that, when declaring a deontic constraint, the deontic modality always be explicitly included.

Consider the following static, deontic constraint.

C2 It is obligatory that each Person is a husband of at most one Person.

If this rule were instead expressed simply as "**each** Person is a husband of **at most one** Person," it would not be obvious that a deontic interpretation was intended. The deontic version indicates a condition that *ought* to be satisfied, while recognizing that the condition *might* not be satisfied. Including the obligation operator makes the rule much weaker than a necessity claim, since it allows that there could be some states of the fact model where a person is a husband of more than one wife (excluding same-sex unions from instances of the husband relationship). For such cases of polygamy, it is important to know the facts indicating that the person has multiple wives. Rather than reject this possibility, we allow it and then typically perform an action that is designed to minimize the chance of such a situation arising again (e.g., send a message to inform legal authorities about the situation).

Constraint C2 may be reformulated as either of the following negative verbalizations:

C2' It is forbidden that the same Person is a husband of more than one Person.

C2" It is not permitted that the same Person is a husband of more than one Person.

In practice, most statements of business rules include only one modal operator, and this operator is the main operator of the whole rule statement. For these cases, we simply tag the constraint as being of the modality corresponding to its main operator, without committing to any particular modal logic. Apart from this modality tag, there are some basic modal properties that may be used in transforming the original high level expression of the rule into a standard logical formulation. At a minimum, these include the modal negation rules.

We also make use of equivalences that allow one to move the modal operator to the front of the formula.

For example, suppose the user formulates rule C1 instead as:

For each Person, it is necessary that that Person was born in at most one Country.

The modal operator is now embedded in the scope of a universal quantifier. To transform this rule formulation to a standard logical formulation that classifies the rule as an alethic necessity, we move the modal operator before the universal quantifier, to give:

It is necessary that each Person was born in at most one Country.

For such tasks, we assume that the Barcan formulae and their converses apply, so that \Box and \forall are commutative, as are \Diamond and \exists . In other words:

 $\forall x \square Fx \equiv \square \forall xFx$

 $\exists x \Diamond \mathsf{F} x \equiv \Diamond \exists x \mathsf{F} x$

While these commutativity results are valid for all normal, alethic modal logics, some philosophical concerns have been raised about these equivalences (e.g., see sub clauses 4.6-4.8 of [Girl2000]).

As a deontic example, suppose the user formulates rule C2 instead as:

For each Person, it is obligatory that that Person is a husband of at most one Person.

Using a deontic variant of the Barcan equivalences, we commute the \forall and **O** operators, thus transforming the rule formulation into the deontic obligation:

It is obligatory that each Person is a husband of at most one Person.

So far, our rule examples have included just one modal operator, which (perhaps after transformation) also turns out to be the main operator. Ignoring dynamic aspects, we may handle such cases without needing to commit to the formal semantics of any specific modal logic. The only impact of tagging a rule as a necessity or obligation is on the rule enforcement policy. Enforcement of a necessity rule should never allow the necessity rule to be violated. Enforcement of an obligation rule should allow states that do not satisfy the obligation rule, and take some other remedial action: the precise action to be taken is not specified in SBVR, as it is out of scope. At any rate, a business person ought to be able to specify a deontic rule first at a high level, without committing at that time to the precise action to be taken if the condition is not satisfied; of course, the action still needs to be specified later in refining the rule to make it fully operational.

10.2.1.5 Static, Alethic Constraints

Rule formulations may make use of two alethic modal operators: $\Box = it$ is necessary that; $\Diamond = it$ is possible that. Static constraints are treated as alethic necessities by default, where each state of the fact model corresponds to a possible world...

Given the fact type Person was born in Country, the constraint "**Each** Person was born in **at most one** Country" may be captured by an SBVR logical formulation that may be automatically translated to the formula $\forall x$:Person $\exists^{0..1}y$:Country *x* was born in *y*. This formula is understood to be true for each state of the knowledgebase. Pragmatically, the rule is understood to apply to all future states of the fact model, until the rule is revoked or changed. This understanding could be made explicit by prepending the formula with \Box to yield the modal formula $\Box \forall x$:Person $\exists^{0..1}y$:Country *x* was born in *y*.

For compliance with Common Logic, formulae such as those in the preceding example could then be treated as irregular expressions, with the modal necessity operator treated as an uninterpreted symbol (e.g., using "[N]" for \Box). However we leave this understanding as implicit, and do *not* commit to any particular modal logic.

For the model theory, we omit the necessity operator from the formula. Instead, we merely tag the rule as a necessity. The implementation impact of the alethic necessity tag is that any attempted change that would cause the model of the business domain to violate the constraint must be dealt with in a way that ensures the constraint is still satisfied (e.g., reject the change, or take some compensatory action).

Typically, the only modal operator in an explicit rule formulation is \Box , and this is at the front of the rule formulation. This common case was covered earlier. If an alethic modal operator is placed elsewhere in the rule formulation, we first try to "normalize" it by moving the modal operator to the front, using transformation rules such as the modal negation rules ($\sim \Box p \equiv \Diamond \sim p$; $\sim \Diamond p \equiv \Box \sim p$) and/or the Barcan formulae and their converses ($\forall x \Box \Phi x \equiv \Box \forall x \Phi x \text{ and } \exists x \Diamond \Phi x \equiv \Diamond \exists x \Phi x, \text{ i.e., } \Box \text{ and } \forall \text{ are commutative, as are } \Diamond \text{ and } \exists$).

For example, the embedded formulation " $\forall x$:Person $\Box \exists^{0..1}y$:Country *x* was born in *y*" (**For each** Person, **it is necessary that that** Person was born in **at most one** Country.) may be transformed into " $\Box \forall x$:Person $\exists^{0..1}y$:Country *x* was born in *y*" (**It is necessary that each** Person was born in **at most one** Country.).

We also allow use of the following equivalences: $\Box \Box p \equiv \Box p$; $\Diamond \Diamond p \equiv \Diamond p$; $\Box \Diamond \Box \Diamond p \equiv \Box \Diamond p$; $\Diamond \Box \Diamond \Box p \equiv \Diamond \Box p$. These hold in S4, but not in some modal logics, e.g., K or T [Girl2000, p. 35].

To make life interesting, SBVR also allows a single rule formulation to include multiple occurrences of modal operators, including the nesting of a modal operator within the scope of another modal operator. While this expressibility may be needed to capture some real business rules, it complicates attempts to provide a formal semantics.

In extremely rare cases, a formula for a static rule might contain an embedded alethic modality that cannot be eliminated by transformation. For such cases, we could retain the modal operator in the rule formulation and adopt the formal semantics of a particular modal logic. There are many normal modal logics to choose from (e.g., K, K4, KB, K5, DT, DB, D4, D5, T, Br, S4, S5) as well as many non-normal modal logics (e.g., C2, ED2, E2, S0.5, S2, S3). For a discussion of these logics, and their inter-relationships, see [Girl2000] (esp. pp. 48, 82). For SBVR, if we decide to retain the embedded alethic operator for such cases, we choose S4 for the formal semantics. The possibility of schema evolution along with changes to necessity constraints may seem to violate S4, where the accessibility relationship between possible worlds is transitive, but we resolve this by treating such evolution as a metametalevel concern. Alternatively, we may handle such very rare cases by moving the embedded alethic operators down to domain-level predicates (e.g., is necessary) in a similar fashion to the way we deal with embedded deontics (see later).

10.2.1.6 Static, Deontic Constraints

Constraint formulations may make use of the standard deontic modal operators (O = it is obligatory that; P = it is permitted that) as well as F = it is forbidden that (defined as $\sim P$, i.e., "It is not permitted that").

If the rule formulation includes exactly one deontic operator, O, and this is at the front, then the rule may be formalized as Op, where p is a first-order formula that is tagged as obligatory (rather than necessary). For the purposes of this sub clause, this tag is assigned only the following informal semantics: it ought to be the case that p (for all future states of the fact model, until the constraint is revoked or changed). The implementation impact is that it is possible to have a state in which the rule is violated (i.e., not satisfied), in which case some appropriate action (currently unspecified) ought to be taken to help reduce the chance of future violations.

From a model-theoretic perspective, a model is an interpretation where each *non-deontic* formula evaluates to true, and the model is classified as a *permitted model* if the p in each deontic formula (of the form Op) evaluates to true, otherwise the model is a *forbidden model* (though it is still a model). Note that this approach removes any need to assign a truth value to expressions of the form Op.

For example, suppose the fact type Person is a husband of Person is declared to be many to many, but that each role of this fact type has a deontic uniqueness constraint to indicate that the fact type *ought* to be 1:1. The deontic constraint on the husband fact type role verbalizes as: **It is obligatory that each** Person is a husband of **at most one** Person. This formalizes as $O\forall x$:Person $\exists^{0..1}y$:Person x is a husband of y, which may be captured by entering the rule body as $\forall x$:Person $\exists^{0..1}y$:Person x is a husband of y and tagging the rule body as deontic. The other deontic constraint (each wife should have at most one husband) may be handled in a similar way. A more detailed treatment of this example is included in Annex J.

Note that some formulae allowed by SBVR are illegal in some deontic logics (e.g., iterating modal operators such as *OPp* is forbidden in von Wright's deontic logic), and deontic logic itself is "rife with disagreements about what should be the case" [Girl2000, p. 173].

If a deontic modal operator is embedded later in the rule formulation, we first try to "normalize" the formula by moving the modal operator to the front, using transformation rules such as $p \supset Oq := O(p \supset q)$ or deontic counterparts to the Barcan formulae.

In some cases, a formula for a static rule might contain an embedded deontic modality that cannot be eliminated by transformation. In this case, we still allow the business user to express the rule at a high level using such embedded deontic operators, but *where possible* we transform the formula to a first-order formula without modalities by *replacing the modal operators by predicates at the business domain level*. These predicates (e.g., is forbidden) are treated like any other predicate in the domain, except that their names are reserved, and they are given some basic additional formal semantics to capture the deontic modal negation rules: it is not obligatory that = it is permitted that it is not the case that ($\sim \mathbf{O}p = \mathbf{P} \sim p$); it is not permitted that = it is obligatory that it is not the case that ($\sim \mathbf{P}p = \mathbf{O} \sim p$). For example, these rules entail an exclusion constraint between the predicates is forbidden and is permitted.

This latter approach may also be used as an alternative to tagging a rule body as deontic, thereby (where possible) moving deontic aspects out of the metamodel and into the business domain model.

For example, consider the following rule:

Car rentals ought not be issued to people who are barred drivers at the time the rental was issued.

This deontic constraint may be captured by the following textual constraint on the domain fact type CarRental is forbidden:

CarRental is forbidden if

CarRental was issued at Time and

CarRental was issued to Person and

Person is a barred driver at Time.

The fact type Person is a barred driver at Time is derived from other fact types (Person was barred at Time, Person was unbarred at Time) using the derivation rule:

Person is a barred driver at Time₁ iff

Person was barred at **a** Time₂ <= Time₁ and

Person was **not** unbarred at **a** Time₃ **between** Time₂ **and** Time₁.

The deontic constraint may be formalized by the first-order formula: $\forall x$:CarRental $\forall y$:Person $\forall t$:Time [(x was issued at *t* & x was issued to *y* & *y* is a barred driver at *t*) \supset x is forbidden]. This schema allows for the possible existence of forbidden car rentals; if desired, some fact types could be added to describe actions (e.g., sending messages) to be taken in reaction to such an event.

As a second example, consider the following deontic rule:

It is forbidden that more than three people are on the EU-Rent Board.

Suppose the underlying schema includes the fact type: Person is on Board. This may be used to define the derived fact type Board has NrMembers using the derivation rule: nrMembers **of** Board = **count each** Person **who** is on Board. Objectify this derived fact type as BoardHavingSize, and then add the fact type BoardHavingSize is forbidden. The deontic constraint may now be captured by the following textual constraint on the derived fact type:

BoardHavingSize is forbidden if

BoardHavingSize is of a Board

that has BoardName 'EU-Rent Board'

and has NrMembers > 3.

As a third example, our earlier schema for current marriage may be recast by objectifying the fact type Person is a husband of Person as CurrentMarriage, and recognizing the link fact types Person is a husband in CurrentMarriage and Person is a wife in CurrentMarriage. The deontic constraints may now be formulated as textual constraints on the fact type CurrentMarriage is forbidden as follows:

CurrentMarriage is forbidden if

a Person₁ **who** is a husband in CurrentMarriage

is a husband of more than one Person₂.

CurrentMarriage is forbidden if

a Person₁ who is a wife in CurrentMarriage

is a wife of more than one Person₂.

Extended treatments of the examples above are provided in Annex J.

The approach to objectification described here works for those cases where a fact (proposition taken to be true) is being objectified (which covers the usual cases of nominalization, including the EU-Rent Board and current marriage examples discussed earlier), but it does not handle cases where no factual claim is being made of the proposition.

SBVR is intended to cater for rules that embed possibly non-factual propositions. However, there does not appear to be any simple solution to providing explicit, formal semantics for such rules.

As a nasty example, consider the following business rule:

It is not permitted that some department adopts a rule that says it is obligatory that each employee of that department is male.

This example includes the mention (rather than use) of an open proposition in the scope of an embedded deontic operator. One possible, though weak, solution is to rely on reserved domain predicates to carry much of the semantics implicitly. For example, suppose the schema includes the following fact types: Person is male; Person works for Department; Department adopts Logic Rule. Objectify Department adopts Rule as RuleAdoption, and add the following fact types: RuleAdoption is forbidden; Rule obligates the actualization of PossibleAllMaleState; PossibleAllMaleState is actual. This uses the special predicates "obligates the actualization of" and "is actual," as well as a type of individual "PossibleAllMaleState" which includes all conceivable all-male-states of departments, whether actual or not. The derived fact type PossibleAllMaleState is actual may be defined using the derivation rule:

PossibleAllMaleState is actual iff

PossibleAllMaleState is of a Department and

each Person who works for that Department is male.

i.e., $\forall x$:PossibleAllMaleState [x is actual = $\exists y$:Department (x is of y & $\forall z$:Person (z works for y $\supset z$ is male))]. The deontic constraint may now be captured by the following textual constraint on the fact type RuleAdoption is forbidden:

RuleAdoption is forbidden if

RuleAdoption is by a Department

and is of a Rule

that obligates the actualization of a PossibleAllMaleState

that is of the same Department.

i.e., $\forall x$:RuleAdoption $\forall y$:Department $\forall z$:Rule $\forall w$:PossibleAllMaleState [(x is by y & x is of z & z obligates the actualization of w & w is of y) $\supset x$ is forbidden]

The formalization of the deontic constraint works, because the relevant instance of PossibleAllMaleState exists, regardless of whether or not the relevant depart actually is all male. The "obligates the actualization of" and "is actual" predicates embed a lot of semantics, which is left implicit. While the connection between these predicates is left informal, the derivation rule for PossibleAllMaleState is actual provides enough semantics to enable human readers to understand the intent. An extended treatment of this example is provided in Annex J.

Alternatively, we could capture the structure of the rule using the current semantic formulation machinery, and then adopt one of two extremes: (1) treat the rule overall as an uninterpreted sentence, or informal comment, for which humans are to provide the semantics; (2) translate the semantic formulation directly into higher-order logic, which permits logical formulations (which connote propositions) to be predicated over. The complexity and implementation overhead of option (2) would seem to be very substantial.

We could try to push such cases down to first-order logic by providing the equivalent of the semantic formulation machinery as a predefined package that may be imported into a domain model, and then identifying propositions by means of a structured logical formulation. But that seems a fudge, because in order to assign formal semantics to such expressions, we must effectively adopt the higher-order logic proposal mentioned in the previous paragraph.

Pat Hayes has indicated his intent to add support for reification as an extension to Common Logic at some future date. This support is intended to cater for objectification of propositions that are already being asserted as facts (i.e., propositions being used), as well as propositions for which no factual claim is made (i.e., propositions being mentioned). When available, his treatment for the latter case may offer a better solution for the problem under consideration. His intent is to allow quantification and predication over propositions (or expressions that declare propositions), regardless of whether truth claims are being asserted of those propositions, while still retaining a first-order approach. We might be able to adopt whatever he proposes in this regard to provide a formal semantics for such problematic rules.

10.2.1.7 Derivation Rules

The formal interpretation of SBVR presented here supports rules for deriving types of individuals (subtype definitions) or fact types using either 'if-and-only-if' (equivalence) formulations for full derivation, or 'if' for partial derivation. A subtype may be fully derived (defined in terms of fact type roles played by its supertype), asserted (without a derivation rule), or partly derived.

Here is one simple example of each kind of derivation rule, stated first using a high-level textual language, as described earlier, and then recast as a predicate logic formula. The transformation from a semantic formulation structure in a high level language into predicate logic is straightforward.

Derivation rule for fully derived subtype:

Each Australian is a Person who was born in Country 'AU.'

 $\forall x \text{ [Australian } x = (\text{Person x \& } \exists y: \text{Country } \exists z: \text{CountryCode } (x \text{ is a citizen of } y \& y \text{ has } z \& z = (\text{AU}))]$

Derivation rule for partly derived subtype:

Person₁ is a Grandparent if Person₁ is a parent of **some** Person₂ who is a parent of **some** Person₃.

 $\forall x$:Person [Grandparent x $\subset \exists y$:Person $\exists z$:Person (x is a parent of y & y is a parent of z)]

Derivation rule for fully derived fact type:

Person₁ is an uncle of Person₂ iff Person₁ is a brother of **some** Person₃ who is a parent of Person₂.

 $\forall x$:Person $\forall y$:Person [x is an uncle of $y \equiv \exists z$:Person (x is a brother of z & z is a parent of y)]

Derivation rule for partly derived fact type:

If a Patient smokes then that Patient is cancer-prone.

 $\forall x$:Patient (smokes x \supset cancer-prone x)

10.2.1.8 Dynamic Constraints

Dynamic constraints apply restrictions on possible transitions between business states. The constraint may simply compare one state to the next.

Salaries should never decrease.

Alternatively, the constraint may compare states separated by a given period.

Invoices ought to be paid within 30 days of being issued.

The invoice rule might be formally expressed in a high level rules language thus, assuming the fact types Invoice was issued on Date and Invoice is paid on Date are included in the conceptual schema:

For each Invoice, if that Invoice was issued on Date₁ then it is obligatory that

that Invoice is paid on Date₂ where Date₂ <= Date₁ + 30 days.

This might now be normalized to the following formulation, moving the deontic operator to the front:

It is obligatory that each Invoice that was issued on $Date_1$ is paid on $Date_2$ where $Date_2 \le Date_1 + 30$ days.

There are two issues here. First, what transformation rules did we rely on to license the transformation of the rule? It would seem that we require an equivalence rule such as $p \supset Oq := O(p \supset q)$. While this formula is actually illegal in some deontic logics, it does seem intuitively acceptable. At any rate, the preliminary transformation work in normalizing a rule formulation might involve more than just the Barcan equivalences or their deontic counterparts. In principle, this issue might be ignored for interoperability purposes, so long as the business domain expert is able to confirm that the final, normalized formulation (perhaps produced manually by the business rules modeler) agrees with their intended semantics; it is only the final, normalized formulation that is used for exchange with other software tools.

The second issue concerns the dynamic nature of the rule. While it is obvious how one may actually implement this logical rule in a database system, capturing the formal semantics in an appropriate logic (e.g., a temporal or dynamic logic) is a harder task. One possibility is to provide a temporal package that may be imported into a domain model, in order to provide a first-order logic solution. Another possibility is to adopt a temporal modal logic (e.g., treat a possible world as a sequence of accessible states of the fact model). It may well be reasonable to defer decisions on formal semantics for dynamic rules to a later version of the SBVR standard.

10.2.1.9 Higher-order Logic

Currently, SBVR allows users to either stay with first-order logic, or adopt higher-order logic restricted to Henkin semantics (e.g., for dealing with categorization types). In general, standard higher-order logic allows quantification over uncountably many possible predicates (or functions). If D = the domain of individuals, then the range of any unary predicate variable R is the entire power set P(D) (i.e., the set of all subsets of D), the range of any binary predicate variable is the Cartesian product P(D) × P(D), and so on for higher arity predicates. If D includes a denumerable (countable infinite, i.e., $|D| = \aleph_0$) set, such as the natural numbers, then P(D) is uncountably infinite. In contrast, Henkin semantics restricts quantifiers to range over only individuals and those predicates (or functions) that are specified in the universe of discourse (a.k.a. business domain), where the n-ary predicates/functions (n > 0) range over a fixed set of n-ary relations/operations. By restricting the ranges of predicate and function variables, the Henkin interpretation retains certain desirable first-order properties (e.g., completeness, compactness, and the Skolem-Löwenheim theorems) that are lost in the standard interpretation of higher-order logic.

Common Logic adopts the Henkin restriction on quantifier ranges, but does not adopt the Axiom of Comprehension, which states that for each property there exists a set of elements having that property, i.e., for any formula $\varphi(x)$ where *x* (possibly a vector) is free in φ , $\exists A \forall x [x \in A \equiv \varphi(x)]$. The intent of the Comprehension axiom (to ensure that every formula specifies a set) may also be achieved by using lambda abstraction to name the set, e.g., $\lambda x.\varphi(x)$, which is equivalent to the set comprehension $\{x \mid \varphi(x)\}$. The Axiom of Comprehension leads to Russell's paradox (substituting $x \notin x$ for $\varphi(x)$ generates a contradiction since $\{x \mid x \notin x\}$ is simultaneously a member of itself and not a member of itself). The paradox may be avoided either by rejecting

the comprehension axiom (e.g., replacing it by the weaker axiom of separation, as in Zermelo-Fraenkel set theory) or by restricting the language so that formulae such as $x \notin x$ are illegal (as in Russell's type theory, where a set may belong only to a set of higher order).

Here we use set comprehensions (in a restricted sense) to define projections on schema path expressions, as a way to specify result sets.

For example, given the fact type Employee(EmpNr) works for Company(Name), the query "Who works for Microsoft?" corresponds to the following set comprehension:

{x:Employee | \exists y:Company; z:CompanyName (x works for y & y has z & z = 'Microsoft')}

The formal semantics of such conceptual queries is based on that of the Conquer language, which provides a sugared version of sorted finitary first-order logic with set comprehension [Anto2001].

The use here of set comprehension is quite restricted. Any expression we use to define a set must ultimately be expressible only in terms of some basic logical operators (e.g., &) as well as predefined ground fact types which must be either elementary or existential. Hence we adopt a limited version of the axiom of comprehension. Common Logic is open to extensions that adopt restricted versions of the comprehension axiom. To avoid Russell's paradox, we treat formulae such as $x \notin x$ as illegal. The "is an instance of" predicate caters for set membership, but is constrained to be irreflexive, and the formation rules do not permit expressions of the form $x \in x -$ in other words, we cannot make statements involving self-membership. We do not adopt a type theory such as Russell's type theory, where each set may belong only to a set of a higher type.

The decision on whether to use higher-order types mainly impacts the following three aspects of fact modeling: categorization schemes, un-normalized structures, and crossing levels/metalevels within the same model. In [Halp2004], some ways are suggested to avoid higher-order types, by treating types as intensional individuals whose instances may sometimes be in 1:1 correspondence (but not identical) to subtypes, by requiring subtype definitions to be informative, by remodeling (including demotion of metadata to data), and by treating types as individuals in separate models. For further discussion, see [Halp2004].

Acknowledgement: We gratefully acknowledge the assistance of Pat Hayes (<u>http://www.ihmc.us/users/user.php?UserID=phayes</u>) in addressing some of the logical semantics topics in this document.

10.2.2 Formal Logic & Mathematics in General

Formal Logic and Mathematics Vocabulary

Language: English

acceptable world

Definition:

any state (situation) of some given universe of discourse (domain) that is implicitly characterized, by someone with legal authority over that domain, as consistent with some set of goals of that authority pursued by exercise of that authority

actual world

Definition:

Note:

alethic modality

Source:	CDP
Definition:	Historically, any of the five central ways or modes in which a given proposition might be true or false: <u>necessity</u> (and <u>non-necessity</u>), <u>possibility</u> (and <u>impossibility</u>), and <u>contingency</u>
Note:	 (1) Although these "modes" have historically been thought of as ways in which a proposition might be true, we think of them as ways in which one might think of the truth of a proposition: e.g., that a proposition be qualified with the alethic modality "necessity" does not imply it is a fact, but only signifies that the semantic community is considering it (takes it to be) necessarily true. For some issues arising from the former approach, cf. CDP, s.v. <i>intensional logic</i>. For a thorough critique of it, see PEIL. The four "modal negation equivalences" (MLP, p. 3), such as □p = ~◊~p, still hold under the latter approach (cf. LEVS, p. 135), which is the more useful one in the fields of linguistic semantics and linguistic pragmatics.
Note:	(2) The four alethic modalities which we consider most basic, and to which the four "modal negation equivalences" (MLP, p. 3) apply, are <u>necessity</u> , <u>possibility</u> , and their respective negations (<u>non-necessity</u> and <u>impossibility</u>). We also define a fifth modality, <u>contingency</u> for the idea "neither impossible nor necessary." (CDP)
Note:	(3) Alethic modal logic differs from deontic modal logic in that the former deals with people's estimate(s) of the possible truth of some proposition, whereas deontic modal logic deals with people's estimate(s) of the social desirability of some particular party's making some proposition true.

business and the application of business rules

actual state of the world that is of interest at a particular time.

the possible world that is taken to be actual for some purpose, in particular, for the conduct of

the actual world is a set of things, situations and facts about them that some person or

organization takes to be true for some purpose. In most cases, it is the best estimate of the

Source:	adapted from GFOL
Definition:	The <u>wff</u> in [or more specifically, the proposition- <u>wff</u> in or else the proposition denoted by] the if-clause of an <u>implication</u> .
Note:	Interpolation ours. Otherwise the definition is from GFOL.

<u>argument</u>

Source:	GFOL
Definition:	a [logical-] subject-term for a predicate.
Note:	Interpolation in square brackets ours. By "logical subject" we mean an object playing a role (i.e., an object filling an object hole) in a logical predicate. Thus there may be one or more logical-subject-terms in a logical predicate.

<u>arity</u>

Source:	IMRD (pp. 10, 64)
Definition:	A logical predicate's number of roles (i.e., of object holes).
	A function may be thought of as a relation; accordingly, we treat a function as a logical predicate. MATH defines arity of a function thus: "The number of arguments taken by

something, usually applied to functions: an n-ary function is one with an arity of n, i.e., it takes n arguments. Unary is a synonym for 1-ary, and binary is a synonym for 2-ary."

(1) This definition is from the cited source s.v. atom, which we deem a synonym.

(2) LSO says of atomic formula: "The simplest sort of <u>wff</u> of a formal language; an atomic formula of the language of predicate logic is a predicate letter followed by zero or more name letters." Yet it can also be a propositional variable or a propositional constant, depending on

The wff in [or more specifically, the proposition-wff in or else the proposition denoted by] the

atomic formula

GFOL ["atom"]

context.

GFOL

then-clause of an implication.

Source:
Definition
Note:
Note:

<u>consequent</u>

Source: Definition:

Note:

contingency

Definition: Note:

deontic modality

Definition:

Source:

Note:

Note:

Note:

Interpolation ours.
<u>alethic modality</u> that is the conjunction of <u>possibility</u> and <u>non-necessity</u> Contingency ("it is possible but not necessary that p ") is the modal equivalent impossible nor necessary that p ": ($\Diamond p \& \sim \Box p$) $\equiv \sim (\sim \Diamond p \lor \Box p)$.

In predicate logic, a wff without quantifiers or connectives.

CDP ["deontic operator"]; LEVS (pp. 276-77); LSO (p. 302); MLP (pp. 170-76)

Any of the five central ways or modes in which one might think of the social desirability of a certain other person(s)'s making true some proposition, that is, the social desirability that the act(s) be performed, by a certain other person(s), that would make the proposition true; viz., <u>obligation</u> (and its negation, <u>non-obligation</u>), <u>permission</u> (and its negation, nonpermission (forbidden/<u>prohibition</u>)), and <u>optionality</u>.

(1) The definition given is not quoted directly from any source, since we have not found the term defined as such anywhere. Rather, we have based our definition on passages mainly in the above-cited sources.

(2) Alethic modal logic differs from deontic modal logic in that the former deals with people's estimate(s) of the possible truth of some proposition, whereas deontic modal logic deals with people's estimate(s) of the social desirability of some particular party's making some proposition true.

(3) The four deontic modalities that we consider most basic, and to which the four "modal negation equivalences" apply, are <u>obligation</u>, <u>permission</u>, and their respective negations (<u>non-obligation</u> and <u>prohibition</u>). We also define a fifth modality, <u>optionality</u>, for the idea "neither prohibited nor obligatory."

<u>domain</u>

Source:	GFOL
Definition:	Of an interpretation of a formal language of predicate logic, the set of objects that may serve as
	the assigned referents of the constants of the language, the arguments of functions, and the
	arguments of predicates.

of "it is neither

domain grammar

Source:	META (p. 4); HALT89 (sec. 3.2); IMRD (pp. 27-30)
Definition:	The formation rules determining what is a wff in a given domain-specific formal language.
Note:	Another term for that which is called in ORM "conceptual schema." The definition given above is not quoted directly from any source, since we have not found the term defined as such anywhere. Rather, we have based our definition on passages mainly in the above-cited sources.

elementary verb concept

Definition:	verb concept whose facts cannot be split into smaller units of information that collectively provide the same information as the original
Concept Type:	role
Example:	branch has storage capacity
Example:	service depot is included in local area
Example:	<u>rental car</u> has <u>fuel level</u> at <u>date/time</u>
Example:	Counter-example (this would <i>not</i> be considered an elementary verb concept): <u>car</u> <u>manufacturer</u> <i>delivers</i> <u>consignment</u> <i>to</i> <u>branch</u> . This is not elementary because a consignment is always from at most one car manufacturer and is always to at most one branch. So the counter-example is equivalent to the combination of two binary verb concepts: <u>car</u> <u>manufacturer</u> <i>delivers</i> <u>consignment</u> and <u>consignment</u> <i>is delivered to</i> <u>branch</u> .
fact type	
Definition:	set of all possible facts of a given kind that, in logical terms, corresponds to a set of one or more typed predicates that are semantically interchangeable except that the order of arguments may vary
Example:	In prefix notation the typed predicates drives(Person,Car), isDrivenBy(Car, Person), and isaDriverOf(Person, Car) could each be used for the same fact type.

first-order instance

Source:	GFOL
Definition:	The objects or elements taken as the [logical] subjects of the <u>predicates</u> of first-order predicate logic.
Definition:	[CLARIFIED DEFINITION] object or element taken as a logical subject of a predicate of first order logic.
Note:	And the distinguishing characteristic of "first-order" predicate logic, in turn, is the additional restriction, re the formation of <u>wffs</u> , that subjects of <u>predicates</u> cannot themselves be <u>types</u> or <u>predicates</u> , but rather only individuals (or individual-constants, individual-variables, or function-expressions). See <u>first-order type</u> .
first-order type	
Source:	LSO (pp. 280-84) [and "type system"]; META (p. 140); TTGG (p. 5)
Definition:	A type whose extension includes no types or predicates, only first order instances, in accordance with the grammatical restrictions in first-order predicate logic.
Note:	The definition given is not quoted directly from any source, since we have not found the term defined as such anywhere. Rather, we have based our definition on passages mainly in the

above-cited sources.

formal model

Source: Definition:

implication

Source: Definition:

Note:

impossibility

Definition:	
Note:	

Note:

<u>integer</u>

Source:

logical variable

Source: Definition:

Note:

member

Source: Definition: Note:

modal logic

Source: Definition:

based on GFOL ["model"]; META (pp. 5,6, 148-49)

An *interpretation* supplies semantics (referents) for a given formal language, in relation to some domain or universe. It specifies referents for the nonlogical symbols occurring in the formal language. A *formal model* of a given <u>wff</u> or set of <u>wffs</u> in a formal language is an interpretation of the language for which the <u>wffs</u> are considered true.

GFOL

expression of the form, "if A, then B," when A and B stand for <u>wffs</u> or <u>propositions</u>. The <u>wff</u> in the if-clause is called the <u>antecedent</u> (also the implicans and protasis). The <u>wff</u> in the thenclause is called the <u>consequent</u> (also the implicate and apodosis). Also called a conditional, or a conditional statement.

In SBVR we treat "implication" as if it is "material implication" (i.e., ' $p \rightarrow q$ ' is equivalent to '~p v q').

alethic modality that is the negation of possibility

A *derived modal operator* for 'impossibility' may be used in the surface syntax, but it is translated into the basic modal operator for 'possibility' plus negation (~) (i.e., "It is impossible that p" is defined as "It is not possible that p": $\sim \Diamond p$).

Impossibility ("it is impossible that *p*") is the modal equivalent of "it is necessary that not *p*": $\sim \Diamond p \equiv \Box \sim p$.

GFOL ["integers"]

The natural numbers supplemented by their negative counterparts. The set $\{\dots -3, -2, -1, 0, 1, 2, 3\dots\}$.

GFOL

A symbol whose referent varies or is unknown. A place-holder, as opposed to an abbreviation or name (a constant).

This definition is from the cited source s.v. variable, which we deem a synonym.

DEAN (p. 6); GFOL ["membership"]

An element belonging to a set.

The definition given is not quoted directly from any source, since we have not found the term defined as such anywhere. Rather, we have based our definition on passages mainly in the above-cited sources.

SEP

Narrowly construed, modal logic studies reasoning that involves the use of the expressions 'necessarily' and 'possibly.' However, the term 'modal logic' is used more broadly to cover a family of logics with similar rules and a variety of different symbols.

necessity

Source:	CDP
Definition:	A modal property that qualifies an assertion of a whole proposition just when it is not considered possible that the proposition is false.
Note:	The definition given is not quoted directly from any source. Rather, we have based our definition on passages mainly in the above-cited source. See also <u>alethic modality</u>
Note:	Necessity ("it is necessary that <i>p</i> ") is the modal equivalent of "it is not possible that not <i>p</i> ": $\Box \equiv \sim \Diamond \sim p$.
Note:	The following <i>modal negation rules</i> apply: "it is not necessary that p " = "it is possible that not p ": $\neg \Box p \equiv \Diamond \neg p$. See <u>non-necessity</u>

alethic modality that is the negation of necessity

not p": ~ $\Box p \equiv \Diamond \sim p$

non-necessity

Definition: Note:

non-obligation

Definition:	deontic modality that is the negation of obligation.
Note:	Non-obligation ("it is not obligatory that p ") is the modal equivalent of "it is permitted that not p ": $\sim Op \equiv P \sim p$.

Non-necessity ("it is not necessary that p") is the modal equivalent of "it is possible that

obligation

Source:	CDP ["deontic logic"]; MLP (pp. 170-76)
Definition:	One of the four main <u>deontic modalities</u> , which qualifies as socially obligatory the making true a certain proposition (i.e., the doing a certain act) by a certain party or parties.
Note:	The definition given is not quoted directly from any source, since we have not found the term defined as such anywhere. Rather, we have based our definition on passages mainly in the above-cited sources.
Note:	Obligation ("it is obligatory that p") is the modal equivalent of "it is not permitted that not p": $Op \equiv \sim P \sim p$
Note:	The following modal negation rules apply: "it is not obligatory that p" = "it is permitted that not p": $\sim Op = P \sim p$. See <u>non-obligation</u> .
optionality	
Definition:	deontic modality that is the conjunction of permission and non-obligation
Note:	Optionality ("it is permitted but not obligatory that p") is the modal equivalent of "it is neither

Optionality ("it is permitted but not obligatory that p") is the modal equivalent of "it is neither prohibited nor obligatory that p": ($Pp \& \sim Op \equiv \sim (\sim Pp \lor Op)$).

CDP ["deontic logic"]; MLP (pp. 170-76)

One of the four main <u>deontic modalities</u>, which qualifies as socially permissible the making true a certain proposition (i.e., the doing a certain act) by a certain party or parties.

The definition given is not quoted directly from any source, since we have not found the term defined as such anywhere. Rather, we have based our definition on passages mainly in the above-cited sources.

permission

Note:

Source: Definition:

Note:	Permission (it is permitted that p ") is the modal equivalent of "it is not obligatory that not p ": $Pp \equiv \sim O \sim p$.
Note:	The following model negation rules apply: "it is not permitted that $p'' \equiv$ "it is obligatory that not p'' : $\sim \mathbf{P}p \equiv \mathbf{O} \sim p$. See <u>prohibition</u> .

population Source:

Definition:

IMRD (p. 164)

The extension of a <u>type</u> (whether type of individual, fact type, or role) for a given state of the business domain.

<u>possibility</u>

I

Source:	CDP
Definition:	A modal property that qualifies an assertion of a whole proposition just when it is considered possible that the proposition is true.
Note:	The definition given is not quoted directly from any source. Rather, we have based our definition on passages mainly in the above-cited source. See also <u>alethic modality</u>
Note:	Possibility ("it is possible that <i>p</i> ") is the modal equivalent of "it is not necessary that not <i>p</i> ": $\Diamond p \equiv \neg \Box \neg p$.
Note:	The following <i>modal negation rules</i> apply: "it is not possible that p " = "it is necessary that not p ": $\sim \Diamond p \equiv \Box \sim p$. See <u>impossibility</u> .
possible world	

Definition:	any state (situation) of some given universe of discourse (domain) that is implicitly characterized, by an accepted expert on that domain, as logically consistent with some set of laws seen by that expert as applying to that domain
Note:	"Possible world" means "logically possible world," and not "physically possible world." Included within the sense of "possible world" is any "possible situation;" therefore, the notion includes the "possible states" of any given set of objects [things] of interest - which set is commonly called the "Universe of Discourse" (or "UoD"), a.k.a. the "domain" (or "business domain"). Thus, in the context of a static constraint declared for a given business domain, a "possible world" would correspond to (but not be identical to) a state of the domain's fact model that could exist at some point in time, which is the "present time" of the possible world.
predicate	
Source:	GFOL
Definition:	Intuitively, whatever is said of the subject[s] of a sentence - function from individuals (or a sequence of individuals) to truth-values
Note:	Interpolation in square brackets ours. A predicate is distinguished from others by sentence structure, not by proposition/meaning (see IMRD, pp. 63-66). Propositions or meanings distinguish fact types, each of which may have 1 or more predicates.
prohibition	

Source:	CDP ["deontic logic"]; MLP (pp. 170-76)
Definition:	One of the four main <u>deontic modalities</u> nonpermissibility, which qualifies as socially not permissible the making true a certain proposition (i.e., the doing a certain act) by a certain party or parties
Definition:	deontic modality that is the negation of permission

Note:	See also <u>permission</u> . The definition given is not quoted directly from any source, since we have not found the term defined as such anywhere. Rather, we have based our definition on passages mainly in the above-cited sources.
Note:	A <i>derived modal operator</i> for 'prohibition' may be used in the surface syntax, but it is translated into the basic modal operator for 'permission' plus negation (~). (i.e., "It is prohibited that p " is defined as "It is not permitted that p ": ~ P p).
Note:	A <i>derived modal operator</i> for 'forbidden' may be used in the surface syntax, but it is translated into the basic modal operator for 'permission' plus negation (~). (i.e., "It is forbidden that p " (Fp) is defined as "It is not permitted that p ": $\sim Pp$).
Note:	Prohibition ("it is prohibited that p ") is the modal equivalent of "it is obligatory that not p ": $\sim \mathbf{P}p \equiv \mathbf{O} \sim p$.
venesition	

proposition

Source:	DL (p. 4)
Definition:	That which is asserted when a sentence is uttered or inscribed
Note:	Generally understood as "the meaning of" a declarative sentence. GFOL defines it thus: "In logic generally (for some), the meaning of a sentence that is invariant through all the paraphrases and translations of the sentence."

propositional operator

Source:	PLTS
Definition:	An operator (or connective) joins statements [i.e., propositions or proposition- <u>wffs</u>] into compounds Connectives include conjunction, disjunction, implication and equivalence. Negation is the only operator that is not a connective; it affects single statements [i.e., propositions or proposition- <u>wffs</u>] only, and does not join statements [i.e., propositions or proposition- <u>wffs</u>] into compounds.
Note:	By "proposition- <u>wff</u> " we mean a proposition-constant or proposition-variable, or a predicate supplied with arguments so as to yield a proposition.
<u>quantifier</u>	
Source:	GFOL

bouree.	0.02
Definition:	In predicate logic, a symbol telling us how many objects (in the domain) [instantiate] the predicate The quantifier applies to, or binds, variables which stand as the <u>arguments</u> of predicates. In first-order logic these variables must range over individuals; in higher-order
	logics they may range over <u>predicates</u> .
Note:	Interpolation in square brackets ours.

restricted higher-order instance

Source:	HALT2004 (pp. 2-4, 7); MEN97 (pp. 378-80)
Definition:	instance of a restricted higher-order type
Note:	The definition given is not quoted directly from any source, since we have not found the term defined as such anywhere. Rather, we have based our definition on passages mainly in the above-cited sources.

restricted higher-order type

Source:	HALT2004 (pp. 2-4, 7, 8); MEN97 (pp. 378-80)
Definition:	A <i>higher-order type</i> includes an instance that is itself a <u>type</u> . For SBVR, we <i>restrict higher-order types</i> to Henkin semantics, limiting the range of <u>predicates</u> /functions over which we may quantify to a fixed <u>set</u> , rather than allowing full range over power-sets. This restriction retains useful properties of first-order logic (e.g., completeness).
Note:	The definition given is not quoted directly from any source, since we have not found the term defined as such anywhere. Rather, we have based our definition on passages mainly in the above-cited sources.
set	
Source:	GFOL
Definition:	Intuitively, a collection of elements (called <u>members</u>). In a set, the order of <u>members</u> is irrelevant, and repetition of <u>members</u> is [also irrelevant]. The intuitive notion of a set leads to paradoxes, and there is considerable mathematical and philosophical disagreement on how best to refine the intuitive notion.
Note:	Interpolation in square brackets ours.
state of affairs	
Source:	CDP
Definition:	A possibility, actuality or impossibility of the kind expressed by a nominalization of a declarative sentence (e.g., "This die comes up six" may be nominalized by "that this die comes up six" or "this die's coming up six") the resulting nominalizations might be interpreted as naming corresponding propositions or states of affairs
<u>subset</u>	
Source:	GFOL
Definition:	set all of whose members belong to a second set (a superset of the subset)
type	
Source:	adapted from HALT2004 (p. 8); cf. TTGG (p. 84)
Definition:	named <u>set</u> of possible instances, where for any given state of the business domain, exactly one <u>subset</u> of the type is the <u>population</u> of the type in that state
Note:	At any given time, the <u>population</u> of a type is the set of instances of that type that exist in the business domain (i.e., that are referenced within facts that are known and are of interest to the business) at that time. It follows that if two types are equal, then for each state of the business domain they must have the same population.
Note:	"Possible instances" here means "instances which are considered part of the type's population, for some state of the business domain."
Note:	Because it is a formal object that behaves quite differently in first-order predicate logic than in second-order predicate logic (and differently still in third order, and so on), the definition of "type" proves to be anaphoric, having a different denotation depending on whether, in the situation where used, the intended formalization is first-order, second-order, or other-order. In our definitions of <u>first-order type</u> and <u>restricted higher order type</u> , at least some of this indefiniteness is removed (by the specifying of either first-order logic or restricted higher-order logic).

type of individual

Definition:

unbound variable

Source: Definition:

GFOL

GFOL

free variable [which, in GFOL, is defined thus:] in predicate logic, an individual variable at least one of whose occurrences in a <u>wff</u> does not lie within the scope of a <u>quantifier</u> on the same letter

type that is a set of possible individuals; kind of individual thing, e.g., Planet, CountryCode

Universe of Discourse

Definition:

set of objects [things] of interest, including their states, relationships, and situations and forming the context of a given discussion

<u>wff</u>

Source: Definition:

(acronym of "well-formed formula") - a string of symbols, each from the alphabet of a formal language, that conforms to the grammar of the formal language; in predicate logic, a closed wff is a wff with no free occurrences of any variable; either it has constants in place of variables, or its variables are bound, or both (also called a sentence); an open wff is a wff with at least one free occurrence of a variable

<u>world</u>

Source:	CSILL
Definition:	a universe, whether real, imaginary, or hypothetical
Note:	From CSILL: The truth-conditional approach to meaning allows model theory to be extended to the study of natural languages. Sentences and their parts are mapped on to elements of a model, which represents the truth-conditions for the sentences. In possible world semantics, models are not restricted to domains of real entities but include possible objects; that is, model theory can provide truth-conditions in terms of possible worlds, thus allowing meaningful expressions without requiring ontological commitment.

10.2.2.1 Conceptual Schemas and Models

conceptual schema

D (* '.'
Definition:

combination of concepts and facts (with semantic formulations that define them) of what is possible, necessary, permissible, and obligatory in each possible world

conceptual schema includes concept

Definition:	the concept is used in models based on the conceptual schema
Synonymous Form:	concept is in conceptual schema
Necessity:	Each role of each fact type that is in a conceptual schema is in the conceptual schema.

conceptual schema includes fact

Definition:	the <u>fact</u> determines something possible, necessary, permissible, or obligatory in each possible
	world that can be modeled based on the conceptual schema
Synonymous Form:	fact is in conceptual schema

fact type is internally closed in conceptual schema

Definition:	in each <u>fact model</u> based on the <u>conceptual schema</u> , for each instance of the <u>fact type</u> , the <u>fact model</u> includes a corresponding fact if, for each thing filling any of the fact type's roles in the instance, the <u>fact model</u> also includes a fact of the existence of that thing
Synonymous Form:	fact type is semi-closed in conceptual schema
Note:	Open world semantics are assumed by default, but closure may be explicitly asserted for any fact type, on an individual basis, to declare that each fact model population agrees with that of the fact type's extension in the actual business domain. Semi-closure is with respect to the domain model population of the noun concepts playing a role in the fact type. In other words, if the things participating in a fact are known within a model, then the fact is also known within that model.

concept is closed in conceptual schema

Definition:	in each <u>fact model</u> based on the <u>conceptual schema</u> , the entire extension of the <u>concept</u> is given in the facts included in the <u>fact model</u>
Necessity:	Each concept that is closed in a conceptual schema is in the conceptual schema.
Note:	A concept can be closed in one conceptual schema and not in another.
fact model	
Definition:	combination of a conceptual schema and, for one possible world, a set of facts (defined by semantic formulations using only the concepts of the conceptual schema)
Synonym:	conceptual model
Note:	Each necessity of the conceptual schema is satisfied by a fact model, but obligations are not necessarily satisfied.

fact model is based on conceptual schema

Definition:	the <u>conceptual schema</u> provides the concepts and modal facts of the <u>fact model</u>
Synonymous Form:	conceptual schema underlies fact model

fact model includes fact

Definition:	the <u>fact</u> corresponds to an actuality in the possible world modeled by the <u>fact model</u>
Synonymous Form:	fact is in fact model

fact type has fact in fact model

Definition: the fact is in the fact model and the fact corresponds to an instance of the fact type

fact type is elementary in conceptual schema

Definition:	the fact type is in the conceptual schema and cannot be decomposed into a set of two or
	more fact types that are in the conceptual schema and that collectively have the same
	meaning as the fact type
Synonymous Form:	conceptual schema has elementary fact type

10.3 Formal Logic Interpretation Placed on SBVR Terms

This clause specifies how the SBVR concepts in the table below, as defined in Clauses 8, 9, 11 and 12, are to be interpreted in terms of formal logic as defined in ISO 24707 "Information technology - Common Logic (CL) - A framework for a family of logic-based languages." Equivalent concepts in OWL are also shown in the table where possible.

The ISO 24707 interpretation of SBVR concepts shown in the table below implements the formal logic grounding principles set forth in Clause 10.2.

Note: The cells that are empty will be specified in a future revision of this specification.

Note: All SBVR Terms are "meanings" where all CL Terms are "representations of meanings." Therefore there is a one-tomany relationship between SBVR Terms as meanings and CL Terms as representations of meanings; i.e., there can be multiple CL representations of one SBVR meaning.

SBVR Term	ISO CL Term (or equivalent expression)	OWL Term (or equivalent expression)	Comment
BASICS - Foundation			
fact	sentence with an interpretation 'taken to be' true NOTE: The mapping is many (sentences) to one (meaning)	OWL statement (<i>s</i> , <i>p</i> , <i>o</i>) interpreted as being true; individual	
verb concept (3+ary) + (characteristic)	unary predicate defining the type for a functional term or atomic sentence		
verb concept (binary verb concept)	unary predicate defining the type for a functional term or atomic sentence that has exactly two arguments	Class description defining RDF property or OWL object property (note: may only apply to OWL Full)	Need 2 RDF/OWL properties related by inverse of = one binary verb concept
<u>verb concept</u> has <u>verb</u> concept role	argument role in functional term or atomic sentence		
verb concept has verb concept role (binary verb concept)	argument role in functional term or atomic sentence that has exactly two arguments	the range of an rdf:Property or owl:ObjectProperty; alternatively, may be specified using a restriction on the property in OWL	
verb concept role	unary predicate defining the role of a name/term that is an argument	RDF/OWL subject or object	
verb concept role ranges over general concept (role ranges over general concept)	term over which argument ranges	value restriction on property	
fundamental concept			
individual noun concept	name	individual	
general concept	unary predicate	class	
proposition	sentence with an interpretation	OWL statement (<i>s, p, o</i>); individual	

			1
proposition is false	sentence with an interpretation = false	OWL statement (<i>s, p, o</i>) interpreted as being false; individual	
proposition is true	sentence with an interpretation = true	OWL statement (<i>s, p, o</i>) interpreted as being true; individual	
reference scheme	approximately term		
reference scheme extensionally uses role			
reference scheme is for concept			
reference scheme simply uses role			
reference scheme uses characteristic			
situational role	unary predicate defining the role of a name/term that is an argument	RDF/OWL subject or object	
situational role ranges over fundamental concept (role ranges over general concept)	term over which argument ranges	value restriction on property	
BASICS - Extension in Model			
	 NOTE: There are two kinds of extensions in SBVR: 1. Real things that never appear in an SBVR Model themselves 2. Model extensions: a. Individual noun concepts as model instances of general concepts (fundamental concepts only) b. facts as model instances of verb concepts 		
concept ₁ is coextensive with concept ₂ (verb concept)	(forall (p1 p2) (if (and (binary verb concept p1) (binary verb concept p2)) (iff (is coextensive with p1 p2) (forall (x y) (iff (p1 x y) (p2 x y)))))	owl:equivalentProperty	
concept ₁ is coextensive with concept ₂ (noun concept)	(forall (c1 c2) (if (and (noun concept c1) (noun concept c2)) (iff (is coextensive with c1 c2) (forall (x) (iff (c1 x) (c2 x))))))	owl:equivalentClass	
concept has extension (verb concept / verb concept)	"sentence type" has extension		

concept has extension (noun concept)	((forall (x)(iff (concept x) (or (= aaa-1 x) (= aaa-n x))))	enumeration of a class (OWL one Of)		
extension	extension	class		
proposition corresponds to state of affairs	approximately sentence denotation			
concept has instance	atom (concept thing)	can be specified via an rdf:type statement (<i>i.e.</i> , thing rdf:type concept.)		
<u>set</u>	set			
BASICS - Intension: Characteristic				
characteristic	(see characteristic)	(see characteristic)	(see characteristic)	
<u>characteristic</u> is essential to <u>concept</u>				
characteristic type				
<u>concept</u> has implied characteristic				
<u>concept</u> has <u>necessary</u> <u>characteristic</u>				
<u>concept</u> incorporates <u>characteristic</u>	sentence (forall (u)(implies(characteristic u)(concept u)))	rdfs:subClassOf		
delimiting characteristic				
essential characteristic				
implied characteristic				
intension	intension			
necessary characteristic				
BASICS - Intension: Categorization				
categorization scheme				
categorization type				
category				
<u>concept type</u>	unary predicate	class		

concept1 specializes concept2 (binary verb concept) concept1 specializes concept2 (noun concept)	(forall (p1 p2) (if (and (binary verb concept p1) (binary verb concept p2) (iff (specializes p1 p2) ((forall (x y) (if (p1 x y) (p2 x y))))))) (forall (c1 c2) (if (specializes c1 c2) (forall (x) (if (c1 x) (c2 x))))) (forall (c1 c2) (if (and (specializes c1 c2) (specializes c2 c3)) (specializes c1 c3)))	rdfs:subPropertyOf + disjoint rdfs:subClassOf + disjoint	One way from SBVR to CL
more general concept			
segmentation			
BASICS - Modal Logic		I	
element of guidance authorizes state of affairs			
element of guidance obligates state of affairs			
element of guidance prohibits state of affairs			
operative business rule			
proposition is necessarily true			
proposition is obligated to be true			
proposition is permitted to be true			
proposition is possibly true			
rule			
structural rule			
BASICS - Misc.			
<u>quantity₁ is less than</u> <u>quantity₂</u>	functional term with operator "is less than" and arguments quantity1 and quantity2		

<u>integer</u>	atom (integer x)	xsd:integer	There are no explicitly defined types in CL; there is specific set of XML schema datatypes available for use with RDF and OWL
nonnegative integer	atom (nonnegative integer x)	xsd:nonNegativeInteger	
number	atom (number x)		
positive integer	atom (positive integer x)	xsd:positiveInteger	
quantity			
SEMANTIC FORMULATIONS			
aggregation formulation			
antecedent			
at-least-n-quantification		restriction, owl:minCardinality n	
at-least-n-quantification has minimum cardinality			
at-most-n-quantification		restriction, owl:maxCardinality n	
at-most-n-quantification has maximum cardinality			
at-most-one- quantification		restriction, owl:maxCardinality 1	
atomic formulation	atomic sentence or atom	if unary - rdf:type if binary - rdf;triple nothing not 3+	
atomic formulation has role binding			
atomic formulation is based on verb concept			
auxiliary variable			
bag projection			
binary logical operation			
binary logical operation has logical operand 1			
binary logical operation has logical operand 2			
bindable target			

<u>cardinality</u>		owl:cardinality	
closed logical formulation	sentence with an interpretation		
closed logical formulation formalizes statement			
<u>closed logical</u> <u>formulation</u> means proposition			
closed projection			
closed projection defines verb concept			
closed projection defines noun concept			
<u>closed projection</u> <i>means</i> <u>question</u>			
closed semantic formulation			
<u>conjunction</u>	conjunction with at least two conjuncts	owl:intersectionOf about the extension of a concept and not about the meaning of a sentence	
<u>consequent</u>			
disjunction	disjunction with at least two disjuncts	owl:unionOf *	
equivalence	biconditional	roughly owl:equivalentProperty	
exactly-n quantification		restriction, owl:cardinality n	
exactly-n quantification has cardinality			
exactly-one quantification		restriction, owl:cardinality 1	
exclusive disjunction	negation of biconditional		
existential quantification	quantified sentence of type existential	restriction, owl:someValuesFrom	
implication	implication		
implication has antecedent			

implication has consequent			
inconsequent			
instantiation formulation	atomic sentence or atom	rdf:type	
instantiation formulation binds to bindable target			
instantiation formulation considers concept			
logical formulation	sentence		
logical formulation constrains projection			
logical formulation kind			
logical formulation restricts variable		owl:Restriction - for specific kinds of restrictions (value, number)	
logical negation	negation	roughly owl:complementOf	
logical operand	argument of a functional term		
logical operand 1	argument of a functional term, first in sequence		
logical operand 2	argument of a functional term, second in sequence		
logical operation	term representing the operation for a functional term		
logical operation has logical operand			
maximum cardinality		owl:maxCardinality	
minimum cardinality		owl:minCardinality	
modal formulation	irregular sentence		
<u>modal formulation</u> embeds <u>logical</u> formulation			
nand formulation	negation of conjunction		
necessity formulation			
nor formulation	negation of disjunction		
noun concept formulation			

numeric range quantification		restriction, owl:minCardinality n AND restriction, owl:maxCardinality m	
numeric range quantification has maximum cardinality			
<u>numeric range</u> <u>quantification</u> has minimum cardinality			
objectification			
objectification binds to bindable target			
objectification considers			
obligation formulation			
permissibility formulation			
possibility formulation			
projecting formulation			
projecting formulation binds to bindable target			
projecting formulation has projection			
projection			
projection has <u>auxiliary</u> variable			
projection is on variable			
projection position			
<u>quantification</u>	quantified sentence		
<u>quantification</u> introduces <u>variable</u>	approximately binding sequence for quantified sentence		
<u>quantification</u> scopes over logical formulation	body for quantified sentence		
role binding	binding sequence		
role binding binds to bindable target	binding		
role has role binding			

scope formulation			
semantic formulation			
<u>set</u> has cardinality			
set projection			
universal quantification	quantified sentence of type universal	restriction, owl:allValuesFrom	
<u>variable</u>	name/term	individual or blank node	
variable has projection position			
variable is free within semantic formulation			
variable is unitary		approximately a functional property	
<u>variable</u> ranges over concept			
whether-or-not formulation	truth function operation		
whether-or-not formulation has consequent			
whether-or-not formulation has inconsequent			
SEMANTIC FORMULATION - N	Nominalization		
answer nominalization			
verb concept nominalization			
proposition nominalization			
proposition nominalization binds to bindable target			
proposition nominalization considers logical formulation			
<u>question</u> nominalization			

FACT MODELS		
<u>concept</u> is closed in <u>conceptual schema</u>		
conceptual schema		
<u>conceptual schema</u> includes <u>concept</u>		
<u>conceptual schema</u> includes <u>fact model</u>		
fact model includes fact		
fact model is based on conceptual schema		
<u>verb concept</u> is internally closed in <u>conceptual</u> <u>schema</u>		

10.4 Requirements for Formal Logic Conformance

10.4.1 General Requirements for Formal Logic Interpretation

Necessity:	Each concept and element of guidance represented in an interchange file that conforms to sub clause 2.3.5 or 2.3.6 is in a single body of shared meanings of a semantic community.
Necessity:	Each body of shared meanings represented in an interchange file that conforms to sub clause 2.3.5 or 2.3.6 is considered independently of others, with the exception that there can be adoption between communities and semantic equivalence.
Necessity:	Each conceptual schema of a fact model that conforms to sub clause 2.3.5 or 2.3.6 is for at most one body of shared meanings.
Necessity:	Given a fact model, a compliant interchange file that conforms to sub clause 2.3.5 or 2.3.6 includes a representation of every fact that is in that fact model.

10.4.2 Enforcing a Restricted Higher Order Interpretation

Necessity:	Each instance of a concept in a fact model that uses a higher order interpretation is consistent with Henkin semantics.
Note:	If a fact model is inconsistent with Henkin semantics, there is generally a mapping by which one or more fact models with a restricted higher order interpretation can be produced.

10.4.3 Enforcing a First Order Interpretation

Necessity:	Each instance of a concept in a fact model that uses a first order interpretation is a <u>first-order</u> instance.
Note:	If fact model is inconsistent with a first order interpretation, there is generally a mapping by which one or more fact models with a first order interpretation can be produced.

Note: A body of shared meanings that conforms to 10.4.2 always conforms to 10.4.2 "vacuously," that is, no role has an instance that is a meaning.

11 Business Vocabulary


11.1 General

The following vocabulary provides words for describing business vocabularies along with the designations and verb concept wordings they contain. A full description of a business vocabulary involves its relationship to semantic communities and speech communities, its relationship to other vocabularies, the concepts represented, their definitions and other information about them.

Vocabulary for Describing Business Vocabularies

Language:	English
Included Vocabulary:	Meaning and Representation Vocabulary

11.2 Business Meaning



11.2.1 Communities, Meanings & Vocabularies

Figure 11.1

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

11.2.1.1 Communities

<u>community</u>

Definition:	group of people having a particular unifying characteristic in common
Dictionary Basis:	group of people having a religion, race, profession, or other particular characteristic in common [NODE 'community']
Reference Scheme:	a URI of the community
Example:	The Car Rental Community people who work in the car rental business

Example:	The EU-Rent Community all EU-Rent employees
Example:	The EU-Rent German Community employees of EU-Rent's German division
community has URI	
Definition:	the URI uniquely identifies the community
Necessity:	Each URI is the URI of at most one community.
semantic community	
Definition:	<u>community</u> whose unifying characteristic is a shared understanding (perception) of the things that they have to deal with
Example:	The <u>EU-Rent Community</u> those who share the body of concepts about general and specific things of importance to the EU-Rent business.
speech community	
Definition:	subcommunity of a given semantic community whose unifying characteristic is the vocabulary and language that it uses
Dictionary Basis:	group of people sharing a characteristic vocabulary, and grammatical and pronunciation patterns for use in their normal intercommunication [W3ID 'speech community']

Example: The EU-Rent German Community shares the German-based vocabulary of designations used in EU-Rent's business. The designations include German words for EU-Rent's concepts plus designations adopted from other languages.

speech community uses language

Definition:	the speech community communicates in the language
Necessity:	Each speech community uses exactly one language.

semantic community has speech community

Necessity:	Each speech	community	is of exactly	one semantic commu	unity.

subcommunity

Concept Type:	role
Definition:	community that is a distinct grouping within another community
Dictionary Basis:	distinct grouping within a community [NODE 'sub-community']

community has subcommunity

Definition: the subcommunity is a distinct grouping within the community

11.2.1.2 Bodies of Shared Meanings

body of shared meanings

Definition:	set of concepts and elements of guidance for which there is a shared understanding in a
	given semantic community
Example:	The <u>EU-Rent Car Rental Business</u> has a <u>body of shared meanings</u> which contains the set of
	concepts of general and specific things of importance to the EU-Rent car rental business.
Note:	When modeling a business (such as EU-Rent), the universe of discourse, defined in the body of shared meanings, is bounded by what the business owners decide is in scope. That would be
	the actual world of some part of EU-Rent's business (e.g., rentals, as opposed to, say, premises

	the actual world. If the EU-Rent owners say that they are considering renting RVs or starting up in China, then meanings about possible worlds that include these kinds of business are included in the body of shared meanings.
	If EU-Rent is not considering renting construction equipment or camping gear, then meanings about possible worlds that include these kinds of business are not included in the body of shared meanings – and neither are possible worlds that include impossibilities. Whether 'Kinnell Construction rented backhoe 123 on 2012-08-28' or 'John rode into work on a unicorn' correspond to states of affairs or not, are not relevant to EU-Rent. They are out of scope.
	In-scope propositions may have to be constrained by necessities to ensure that they are not impossible. e.g., 'Necessity: Each rental car is stored at at most one branch [at any given time].'
Note:	A body of shared meanings contains meanings of:
	• noun concepts that define kinds of thing in the business, within the scope being modeled
	• verb
	• concepts that define relationships between kinds of thing in the business, within the scope being modeled
	• elements of guidance that constrain or govern the things and relationships defined by the concepts.
	It does not contain ground facts or facts derived from ground facts (other than as illustrative examples), or things in the business, or information system artifacts that model things in the business – although it may provide vocabulary to refer to them.
body of shared mea	anings unites semantic community
Definition:	the body of shared meanings <i>is</i> the set of <u>concepts</u> and <u>elements of guidance</u> for which there is a shared understanding in the semantic community

management, purchase/sales of cars, or HR) and some possible worlds that are reachable from

	there is a shared understanding in the semantic community
Necessity:	Each semantic community is united by exactly one body of shared meanings.
Necessity:	Each body of shared meanings unites exactly one semantic community.
Note:	Understanding the body of shared meanings that unites a semantic community is an obligation for participation in the semantic community. Communication within the community is based on an assumption of mutual understanding of the body of shared meaning.

body of shared meanings includes body of shared concepts

body of shared concepts

Definition:	all of the concepts within a body of shared meanings, structured according to the relations
	among them
Synonym:	concept model
Note:	Sub clause 11.2.5 ("Concept System Structure") and sub clause 8.2.1.1 ("About Concepts") provide detail for what is meant by "the relations among [concepts]" in this Definition.

body of shared concepts includes concept

Concept Type:	partitive verb concept
Synonymous Form:	concept is included in body of shared concepts

semantic community shares understanding of concept

Synonymous Form: <u>concept</u> has shared understanding by <u>semantic community</u>

body of shared meanings1 contains body of shared meanings2

Concept Type:	partitive verb concept
Definition:	the body of shared meanings includes everything in the other body of shared meanings

11.2.1.3 Vocabularies and Terminological Dictionaries

vocabulary

Definition:	set of designations and verb concept wordings primarily drawn from a single language to express concepts within a body of shared meanings
Dictionary Basis:	sum or stock of words employed by a language, group, individual, or work, or in a field of knowledge [MWCD 'vocabulary']
Example:	The sets of designations represented in EU-Rent's internal glossaries, in the natural languages in which the company does business, together with the vocabularies it has adopted, including those defined in: * Industry standard glossaries for car rental business, * Standard (e.g., ISO) glossaries of business terms, * Authoritative dictionaries for the relevant natural languages.
Note:	A vocabulary contains only designations and verb concept wordings. Contrast a terminological dictionary, which further adds definitions, descriptions, etc. A rulebook includes everything that is in a terminological dictionary, plus representations of behavioral elements of guidance in a body of shared guidance.
Note:	Enumerating the designations in a vocabulary is not a matter of listing signifiers, but of associating signifiers with concepts, and a concept can be identified by a definition.

speech community owns vocabulary

Definition:	the speech community determines the contents of the vocabulary
Note:	The speech community that owns a vocabulary has the authority to change the content of the vocabulary.

speech community uses vocabulary

Note:

A speech community may use a vocabulary that is owned by a different speech community.

vocabulary is designed for speech community

Synonymous Form:	vocabulary targets speech community
Definition:	the vocabulary is created for use by a speech community that does not own the vocabulary
Example:	A speech community of specialists (such as accountants of engineers) creates a "layman's vocabulary" for their specialization, to be used in discourse with general management.
Example:	The legal department of a company creates a vocabulary to be used for legal documents, such as contracts.

vocabulary is expressed in language

Definition:	the designations of the vocabulary are primarily within the language
Synonymous Form:	language expresses vocabulary
Synonymous Form:	vocabulary uses language

Necessity:	Each vocabulary is expressed in at least one language.
Note:	Typically, the language would be a natural language, but not necessarily. See 'language'.

vocabulary₁ incorporates vocabulary₂

Concept Type:	partitive verb concept
Definition:	the vocabulary ₁ includes each designation and verb concept wording that is included
	in the vocabulary ₂
Note:	When more than one vocabulary is included, a hierarchy of inclusion can provide priority for selection of definitions.
Synonymous Form:	vocabulary ₂ is incorporated into vocabulary ₁

business vocabulary

Definition:	<u>vocabulary</u>	that is under	business	jurisdiction
-------------	-------------------	---------------	----------	--------------

vocabulary is used to express body of shared meanings

Definition:	the vocabulary includes designations and verb concept wordings of the concepts in the
	body of shared meanings

vocabulary namespace is derived from vocabulary

Definition:	the <u>designations</u> and <u>verb concept wordings</u> of the <u>vocabulary namespace</u> are from the vocabulary
Note:	This specification does not require any particular process of derivation. But a typical process is
	that all designations and verb concept wordings that are directly distinguishable by their
	expressions are put into one vocabulary namespace. In the case of one or more designations or
	verb concept wordings being undistinguishable except by their subject fields, an additional
	vocabulary namespace is derived specifically for those subject fields.
	J I I J J

terminological dictionary

Definition:	collection of <u>representations</u> including at least one <u>designation</u> or <u>definition</u> of each of a set of <u>concepts</u> from one or more specific <u>subject fields</u> , together with other specifications of <u>facts</u> related to those <u>concepts</u>
Source:	based on ISO 1087-1 English (3.7.1) ['terminological dictionary']
Reference Scheme:	a URI of the terminological dictionary
Note:	Terminological dictionaries include designations and verb concept wordings representing concepts, and definitions, descriptions, descriptive examples, notes, structural rule statements and other representations of information about the concepts.
Note:	Contrast a terminological dictionary with a rulebook, which may include representations of behavioral elements of guidance in a body of shared guidance.

terminological dictionary includes representation

Definition:	the representation is an element of the terminological dictionary
Synonymous Form:	representation is included in terminological dictionary

terminological dictionary has URI

Definition:	the URI uniquely identifies the terminological dictionary
Necessity:	Each URI is the URI of at most one terminological dictionary.


I

terminological dictionary presents vocabulary

Definition:	the terminological dictionary sets forth representations related to the designations and verb concept wordings of the vocabulary
Necessity:	Each terminological dictionary presents at least one vocabulary.
Note:	Which terminological entries are to be included in a terminological dictionary is specified by one or more vocabularies by using the verb concept <u>terminological dictionary presents</u> <u>vocabulary</u> . Vocabularies may be assembled from other vocabularies using the verb concept <u>vocabulary_incorporates vocabulary2</u> . Terminological dictionaries can effectively include other terminological dictionaries by including the vocabulary(ies) that specifies the terminological entries in the <i>included</i> terminological dictionary in the vocabulary that specifies the terminological entries in the <i>included</i> terminological dictionary.

terminological dictionary expresses body of shared meanings Definition: the terminological dictionary includes represen

the terminological dictionary includes representations of the concepts in the body of shared meanings



11.2.2 Concepts & Characteristics

Figure 11.2

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

11.2.2.1 Kinds of Concept

Real-world Numerical Correspondence

Definition:	the categorization scheme of the concept 'concept' that classifies a concept based on
	whether or not the concept always corresponds to one specific real-world individual
Necessity:	The concept 'individual noun concept' is included in Real-world Numerical Correspondence.
Necessity:	The concept 'general concept' is included in Real-world Numerical Correspondence.

11.2.2.2 Kinds of Characteristic

essential characteristic

Source:	ISO 1087-1 (English) (3.2.6) ['essential characteristic']
Definition:	characteristic which is indispensable to understanding a concept

Synonym:	incorporated characteristic
Concept Type:	role

characteristic is essential to concept

See:	concept incorporates characteristic
Synonymous Form:	concept has essential characteristic
Concept Type:	is-property-of verb concept

necessary characteristic

Definition:	characteristic that is always true of each instance of a given concept
Concept Type:	role

concept has necessary characteristic

Definition:	the necessary characteristic is always true of each instance of the concept
Example:	If the characteristic 'car is small' is a necessary characteristic of the concept 'compact car',
	then every compact car is always small.

implied characteristic

Definition:	necessary characteristic of a given concept that is not incorporated by the concept
Concept Type:	role
Necessity:	A concept has an implied characteristic only if it follows by logical implication from some combination of incorporations of characteristics by concepts and/or structural rules that the characteristic is always attributed to each instance of the concept.

concept has implied characteristic

Definition: the implied characteristic is a necessary characteristic of the concept and the concept does not incorporate the implied characteristic

delimiting characteristic

Source:	ISO 1087-1 (English) (3.2.7) ['delimiting characteristic']
Definition:	essential characteristic used for distinguishing a concept from related concepts
Concept Type:	role
Note:	Delimiting characteristics of a concept are inherited as essential characteristics by all categories of that concept.

characteristic type

Source:	ISO 1087-1 (English) (3.2.5) ['type of characteristics']
Definition:	category of [the concept] 'characteristic' which serves as a criterion of subdivision when establishing concept systems
General Concept:	categorization type
Necessity:	Each instance of each characteristic type is a characteristic.
Example:	The extension of the <u>characteristic type</u> ' <u>color</u> ' includes the characteristics ' <u>thing</u> is blue', ' <u>thing</u> is red', ' <u>thing</u> is green'' etc.

11.2.2.3 Categorization Schemes

<u>category</u>

Source:	ISO 1087-1 (English) (3.2.16) ['specific concept']
Definition:	concept in a generic relation having the broader intension
Concept Type:	role
Dictionary Basis:	secondary or subordinate category [NODE 'subcategory']
Note:	The broader intension of a <u>category</u> means that the <u>category</u> <i>incorporates</i> more <u>characteristics</u> than its <u>more general concept</u> . Thus, it is possible that a <u>category</u> has a smaller <u>extension</u> than its <u>more general concept</u> .

more general concept

Source:	ISO 1087-1 (English) (3.2.15) ['generic concept']
Definition:	concept in a generic relation having the narrower intension
Concept Type:	role
Note:	The narrower intension of a <u>more general concept</u> means that the <u>more general concept</u> <i>incorporates</i> fewer <u>characteristics</u> than any of its <u>categories</u> . Thus, it is possible that a <u>more general concept</u> has a larger <u>extension</u> than its <u>categories</u> .

concept₁ has more general concept₂

See:	<u>concept₁ specializes concept₂</u>
Synonymous Form:	concept ₂ has category ₁

categorization scheme

Definition:	scheme for partitioning <u>things</u> in the <u>extension</u> of a given <u>general concept</u> into the <u>extensions</u> of <u>categories</u> of that <u>general concept</u>
Example:	The <u>general concept</u> ' <u>person</u> ' categorized by age range and gender into categories ' <u>boy</u> ', ' <u>girl</u> '' ' <u>man</u> ', ' <u>woman</u> '.
Dictionary Basis:	an orderly combination of related parts [AH (3) 'scheme']

categorization scheme is for general concept

Definition:	the general concept is divided into category(s) by the categorization scheme
Necessity:	Each categorization scheme is for at least one general concept.
Synonymous Form:	general concept has categorization scheme

categorization scheme contains category

Definition:	the <u>category</u> is included in the <u>categorization scheme</u> as one of the categories divided into by the scheme
Synonymous Form:	category is included in categorization scheme partitive verb concept
Necessity:	Each <u>category</u> that is included in a <u>categorization scheme</u> that is for a <u>general concept</u> is a <u>category</u> of that <u>general concept</u> .

segmentation

Definition:	categorization scheme whose contained categories are complete (total) and disjoint with
	respect to the general concept that has the categorization scheme

Synonym:	partitioning
----------	--------------

partitioning

See:

segmentation

categorization type

Definition:	concept type whose instances are always categories of a given concept
Note:	A <u>categorization type</u> is either partial or complete. It is complete if it necessarily categorizes everything of the general concept that it is for.
Example:	EU-Rent's categorization type for EU-Rent's concept of 'branch' whose instances are categories of branch: 'airport branch', 'agency', and 'city branch'.

categorization type is for general concept

Synonymous Form: general concept has categorization type

11.2.3 Kinds of Definition




Figure 11.3

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

intensional definition

Source: Definition: **ISO 1087-1 (English)** (3.3.2) ['intensional definition']

<u>definition</u> which describes the intension of a concept by stating the superordinate concept and the delimiting characteristics

General Concept:	definition
Necessity:	No intensional definition is an extensional definition.

intensional definition uses delimiting characteristic

Definition: the <u>delimiting characteristic</u> serves to distinguish the <u>concept</u> defined by the <u>intensional</u> <u>definition</u> from other <u>concepts</u>

definite description

Definition:	intensional definition of an individual
Example:	the car movement that has the movement id "UK-12345-abc-xyz"
Necessity:	Each definition of an individual noun concept is a definite description.
Necessity:	Each definite description is the definition of an individual noun concept.
Necessity:	Each definite description uses a reference scheme for the individual.

extensional definition

Source:	ISO 1087-1 (English) (3.3.3) ['extensional definition']
Definition:	description of a concept by enumerating all of its subordinate concepts under one criterion of subdivision
General Concept:	definition
Necessity:	No extensional definition is an intensional definition.

Definition Origin

Definition:

the <u>categorization scheme</u> of the <u>concept</u> '<u>definition</u>' that *classifies* a <u>definition</u> based on whether it is owned by its <u>speech community</u> or adopted by its <u>speech community</u>

owned definition

Definition:	definition that a speech community 'owns' and is responsible for creating and maintaining
Necessity:	The concept 'owned definition' is included in Definition Origin.
Example:	EU-Rent 'owns' its definition of the concept of 'barred driver'.

speech community owns owned definition

adopted definition

404		
	Definition:	<u>definition</u> that a speech community adopts from an external source by providing a <u>reference</u> to the <u>definition</u>
	Necessity:	The concept 'adopted definition' is included in Definition Origin.
	Necessity:	Each adopted definition must be for a concept in the body of shared meanings of the semantic community of the speech community.
	Example:	SBVR has adopted the concept 'concept' ('unit of knowledge created by a unique combination of characteristics') from ISO 1087-1 (English) (3.2.1).
	Note:	By adopting the definition of 'concept', the SBVR community adopted the meaning of 'concept' as represented by the definition. A meaning cannot be adopted in the abstract; it is adopted via a representation of the meaning - a definition.
		A definition is expressed in some language, so is adopted by some speech community within the adopting semantic community.

	Adoption of the definition first adopted by a semantic community (via one of its speech communities) is the adoption of the concept.
Example:	Adoption of the definition of 'concept' from ISO 1087 by the English-speaking SBVR speech community.
Note:	Subsequent definitions of the adopted concept (e.g., in other natural languages) must have the same meaning as the first adopted definition.
Example:	Adoption of the definition of 'concept' ('unité de connaissance créée par une combinaison unique de caractères') from ISO 1087 by the French-speaking SBVR speech community.
Note:	The primary term used for the concept does not have to be the same as the primary term in the source.
Example:	SBVR has adopted the definition of 'object' from ISO 1087, but uses the term 'thing' to designate it.
Example:	The French-speaking SBVR speech community might choose to use the synonym 'notion' (also used in ISO 1087) instead of 'concept'.
Note:	When an adopted concept is designated by a preferred term or verb symbol different from the one in the source, related adopted definitions may be localized with these preferred designations while retaining their meanings.
Example:	SBVR has adopted the definition of 'individual noun concept' ('concept that corresponds to only one object') from ISO 1087 but, using its preferred term 'thing' instead of 'object', has localized it as 'concept that corresponds to only one thing'.
Note:	When a concept's definition is adopted, all other concepts in the referenced source that are used in the definition are also adopted. These adoptions may be explicit in the adopting speech community's vocabulary or implicit within the source vocabulary.

speech community adopts adopted definition citing reference

Definition:	the speech community agrees that the definition identified by the <u>reference</u> can serve as the <u>adopted definition</u>
Note:	The reference is the name of the source and the designation used in the source with, if available, informally-styled referencing within the source - $(3.2.1)$ ' in the example below.
Example:	ISO 1087-1 (English) (3.2.1) ['concept']

definition serves as designation

Definition:	the <u>definition</u> acts as a <u>designation</u> of the <u>concept</u> defined by the <u>definition</u>
Note:	In the case of a concept for which no designation is given, the concept is represented by its definition.

designation is implicitly understood

Definition:	the designation is generally understood by its owning community without an explicit
	definition for the concept it designates

derivable concept

Definition:

 $\underline{\text{concept}} \text{ whose } \underline{\text{extension}} \text{ can be determined from its } \underline{\text{definition}} \text{ or from } \underline{\text{rules}}$

11.2.4 Conceptualization Decisions




Figure 11.4

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

concept of thing as unitary

Definition:	concept that conceptualizes its instances as not being made up of discrete parts or elements
Note:	A thing is conceptualized as unitary if a semantic community doesn't think of it as having components, even though some other community may be aware of and concerned about its decomposition.
Example:	EU-Rent finance department treats a car as unitary, while its maintenance staff treat it as composite.
concept of thing as composite	

Definition:	concept that conceptualizes its instances as being made of discrete parts or elements that
	have corresponding concepts in their own right
Necessity:	No concept of thing as unitary is a concept of thing as composite.

concept of thing as primitive

Definition:	<u>concept</u> that conceptualizes its <u>instances</u> as not being developed or derived from anything else
Dictionary Basis:	not developed or derived from anything else [NODE 'primitive']

concept of thing as developed

Definition:	<u>concept</u> that conceptualizes its <u>instances</u> as being developed or derived from something else
Necessity:	No concept of thing as primitive is a concept of thing as developed.

concept of thing as occurrent

Definition:	concept that conceptualizes its instances as existing only at a point in time
Dictionary Basis:	the fact of something existing or being found in a place or under a particular set of conditions
	[NODE 'occurrence' 2] + the fact or frequency of something happening [NODE 'occurrence' 1]

concept of thing as continuant

Definition:	concept that conceptualizes its instances as existing over a period of time
Dictionary Basis:	a thing that retains its identity even though its states and relations may change. [NODE 'continuant' 2]
Necessity:	No concept of thing as occurrent is a concept of thing as continuant.

concept of thing existing independently

Definition: <u>concept that conceptualizes each instance</u> to exist independently of other <u>things</u> such that existence cannot be ended by the ending of the existence of any other <u>thing</u>

concept of thing existing dependently

Definition:	<u>concept</u> that conceptualizes each <u>instance</u> as existing only as long as one or more other
	things continue to exist
Necessity:	No concept of thing existing independently is a concept of thing existing dependently

11.2.5 Concept System Structure




Figure 11.5

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

Elements of Concept S	system Structure
Definition:	the categorization scheme of the concept 'meaning' that classifies a meaning based on
	its part in organizing a community's concept system
Necessity:	The concept 'association' is included in Elements of Concept System Structure.
Necessity:	The concept 'property association' is included in Elements of Concept System Structure.
Necessity:	The concept 'characteristic' is included in Elements of Concept System Structure.
Necessity:	The concept 'partitive verb concept' is included in Elements of Concept System Structure.

El • • 4 0 - 4 04 -4

The concept 'categorization' is included in Elements of Concept System Structure.
The concept 'classification' is included in Elements of Concept System Structure.
The concept 'characterization' is included in Elements of Concept System Structure.
The concept 'is-role-of-proposition' is included in Elements of Concept System Structure.
The concept 'is-facet-of-proposition' is included in Elements of Concept System Structure.
The concept 'verb concept objectification' is included in Elements of Concept System Structure.

unary verb concept

See:

characteristic

11.2.5.1 Kinds of Connection

association

Definition:	<u>verb concept</u> that <i>has</i> more than one <u>role</u> and that has a nonhierarchical subject-oriented connection drawn from experience, based on practical rather than theoretical considerations
Source:	based on ISO 1087-1 (English) (3.2.23) ['associative relation', 'pragmatic relation']
Dictionary Basis:	to join (things) together or connect (one thing) with another [MWU verb (3) 'associate']
Example:	The verb concept 'additional driver is authorized in rental'
Example:	The verb concept 'car manufacturer supplies car model'
Example:	The verb concept 'car manufacturer delivers consignment to branch'
property	
Definition:	quality or trait actually belonging to a thing itself
Dictionary Basis:	a quality or trait belonging to a person or thing [MWUD property]
Example:	Consider three statements: "Meeting 1 starts at 1PM", "Meeting 2 starts at 2PM", "Meeting 1

ends at 2PM". These describe three distinguishable properties: starting at 1PM, ending at 2PM and starting at 2PM. Each 'property' should not be confused with the verb concept role of the respective property association (which roles could be labeled "starting time" or "ending time"), because starting at 1PM is a different property than starting at 2PM. Also, the 'property' is not the thing that fills role (it's not 1PM or 2PM), because starting at 2PM is a different property than ending at 2PM.

Example:Example: car group has daily price for member affiliation. This example involves a ternary
property association, rather than a binary one. (Examples of "member affiliation" might
include AARP membership, AAA membership, Costco membership, etc.)

Note: By "actually" we mean "in the universe of discourse" (the things that we are talking about), not in a model of the universe of discourse. This meaning of "property" should not be confused with the meaning of "property" in an IT modeling context. There is no 1:1 relationship between "property association" in SBVR and "attribute" or "property" in a class or entity model.

property association

Definition:	association that is defined with respect to a given concept such that each instance of the
	association is an actuality that a given instance of the concept has a particular property
Necessity:	Each instance of each property association is an actuality that a thing has a particular property.

Dictionary Basis:	a quality or trait belonging to a person or thing; [MWUD 'property']
Synonym:	is-property-of verb concept
Example:	The association 'engine size of car model'
Example:	The association 'person has eye color'

is-property-of verb concept

property association

partitive verb concept

See:

Definition:	verb concept where each instance is an actuality that a given part is in the composition of
	a given whole
Source:	based on ISO 1087-1 (English) (3.2.22) ['partitive relation']
Dictionary Basis:	to place, list, or rate as a part or component of a whole or of a larger group, class, or aggregate [MWU (2a) 'include']
Necessity:	Each partitive verb concept is a binary verb concept.
Necessity:	Each instance of each partitive verb concept is an actuality that a given part is in the composition of a given whole.
Example:	The verb concept ' <u>country</u> is included in <u>region</u> ' An example of an instance of that verb concept is that Sweden is included in Scandinavia.
Example:	The verb concept 'branch is included in local area'
Example:	The verb concept 'car model is included in car group'
Example:	To reflect the composition of a mechanical pencil, the verb concepts: ' <u>barrel</u> is included in <u>mechanical pencil</u> ', ' <u>lead-advance mechanism</u> is included in <u>mechanical pencil</u> ', ' <u>lead (refill)</u> is included in <u>mechanical pencil</u> ', and ' <u>refill eraser</u> is included in <u>mechanical pencil</u> ' [an example in ISO704]
Synonym:	part-whole verb concept
Note:	For more discussion and examples see: Annex B.3.4, C.7, as well as the EU-Rent examples in Annex G.

part-whole verb concept

See:

partitive verb concept

categorization

Definition:	proposition that a given general concept specializes a given general concept
Dictionary Basis:	the state of being categorized [MWU]
Example:	The general concept 'high-end customer' specializes the general concept 'customer.'
Example:	The general concept 'points rental' specializes the general concept 'rental.'
Example:	The general concept 'airport branch' specializes the general concept 'branch.'
Note:	For more discussion and examples see: Annex B.2.1, I.2, C.5, C.6, as well as the EU-Rent examples in Annex G.

classification

	proposition that the instance of a given individual noun concept is an instance of a
	given general concept
Dictionary Basis:	to place in the same group with others : associate in a class [MWU (3) "assort"]

Example:	The individual noun concept ' Euro ' specializes the general concept ' <u>currency</u> '
Example:	The individual noun concept 'Ford Motor Company' specializes the general concept 'car manufacturer'
Example:	The individual noun concept 'Switzerland' specializes the general concept 'country'
Synonym:	assortment
Note:	For more discussion and examples see: Annex B.3.5, as well as the EU-Rent examples in Annex G.

<u>assortment</u>

See:

classification

characterization

Definition:	proposition that a given concept incorporates a given characteristic
Dictionary Basis:	to describe the essential character or quality of [MWU (2) "characterize"]
Example:	The proposition that the concept 'authorized driver' incorporates the characteristic 'person is licensed'
Example:	The proposition that the concept ' <u>Eiffel Tower</u> ' incorporates the characteristic ' <u>structure</u> is quadrilateral'

is-role-of proposition

Definition:	proposition that a given role ranges over a given general concept in some situation
Example:	The role ' <u>replacement car</u> ' in the situation of a breakdown during a rental ranges over the general concept ' <u>rental car</u> '
Example:	The role ' <u>pick-up branch</u> ' in the situation of a rental ranges over the general concept ' <u>branch</u> '
Note:	For more discussion and examples see: Annex B.3.2, C.5, as well as the EU-Rent examples in Annex G.

is-facet-of proposition

Definition:	proposition that a given concept has a given facet
Example:	The concept 'rental car' has the facet 'asset' from the viewpoint of financial accounting.
Example:	The concept 'person' has the facet 'driver' from the viewpoint of car rental.
Note:	A given community may choose to include any number of facets, including just one or none at all.
Note:	For more discussion and examples see: Annex B.3.3, as well as the EU-Rent examples in Annex G.

11.2.5.2 Contextualization

Context of Thing	
Definition:	the <u>segmentation</u> of the <u>concept</u> 'noun <u>concept</u> ' that <u>classifies</u> a <u>noun concept</u> based on whether the <u>noun concept</u> 's real-world individuals are perceived by the <u>semantic</u> <u>community</u> as in their uninvolved essence or as to their involvement in a <u>situation</u> or from a <u>viewpoint</u>
Necessity:	The concept 'fundamental concept' is included in Context of Thing.
Necessity:	The concept 'contextualized concept' is included in Context of Thing.

fundamental concept

Definition:	<u>general concept</u> whose real-world individuals are perceived by a given <u>semantic</u> <u>community</u> as being in their essence, apart from any <u>situation</u> in which they are involved or <u>viewpoint</u> from which they are considered
Dictionary Basis:	a property or group of properties of something without which it would not exist or be what it is [NODE 'essence']
Concept Type:	concept type
Example:	car (as contrasted with 'rental car')
Example:	person (as contrasted with 'customer')
Note:	Each semantic community decides what is within its body of shared meanings. A concept that is considered as fundamental by one community may, to another community, be a role or facet or category of a more broadly-defined concept.

contextualized concept

Definition:	role or facet
General Concept:	noun concept
situational role	
Definition:	<u>general concept</u> that corresponds to things being in some <u>situation</u> , such as playing a part, assuming a function, or being used in some circumstances
General Concept:	general concept, role
Concept Type:	concept type
facet	
Definition:	<u>concept</u> that <u>generalizes a given concept</u> but incorporates only those <u>characteristics</u> that are relevant to a particular <u>viewpoint</u>
General Concept:	contextualized concept
Dictionary Basis:	a particular way in which some thing may be considered; its particular nature, appearance, or quality; the particular part or feature of it [NODE 'aspect']
Synonym:	aspect
aspect	
See:	facet
<u>concept has facet</u>	
Definition [.]	the facet generalizes the concept and incorporates only those characteristics that are

Definition:

the <u>facet</u> <u>generalizes</u> the <u>concept</u> and incorporates only those <u>characteristics</u> that are relevant to a particular <u>viewpoint</u>

Definition:	state of affairs that is a set of circumstances that provides the context from which roles played may be understood or assessed
Dictionary Basis:	a set of circumstances in which one finds oneself; a state of affairs [NODE 'situation']
Dictionary Basis:	the circumstances that form the setting for an event, statement, or idea, and in terms of which it can be fully understood or assessed [NODE 'context']
Note:	A situation typically pertains for some period of time, during which changes may occur.

Example:	The situation 'breakdown during rental' is the set of circumstances that starts with the
	breakdown of a car while on rental and continues until the broken-down car, having been
	replaced by another car, has been returned to a EU-Rent location.

<u>viewpoint</u>

Definition: perspective from which something is considered

11.2.5.3 Verb Concept Objectification

general concept objectifies verb concept

Definition:	the general concept incorporates each characteristic that is incorporated by the verb concept and the general concept incorporates no characteristic that is not incorporated by the verb concept
Synonymous Form:	verb concept has verb concept objectification
Synonymous Form:	general concept has objectified verb concept
Necessity:	Each verb concept is objectified by at most one general concept.
Necessity:	Each general concept that objectifies a verb concept is coextensive with the verb concept.
Example:	The general concept 'sponsorship' objectifies the verb concept ' <u>company</u> sponsors <u>publication</u> '. Each sponsorship is an actuality that a given company sponsors a given publication.
Note:	See Annex I.4.4 and Annex C.9 for additional discussion.

verb concept objectification

Definition:	<u>general concept</u> that objectifies a given <u>verb concept</u>
Concept Type:	role

objectified verb concept

Definition:	verb concept that is objectified by a given general concept
Concept Type:	role

11.3 Business Representation

11.3.1 Symbolization




Figure 11.6

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

11.3.1.1 Subject Fields

subject field

Definition:

Definition:	field of specific knowledge
Source:	ISO 1087-1 (English) (3.1.2) ['subject field']

representation is in subject field

the representation is recognized and used in discourse regarding the subject field

vocabulary namespace is specific to subject field

Definition:each designation and verb concept wording that is in the vocabulary namespace is in
the subject field

representation is in designation context

Definition: the <u>representation</u> is recognized and used in discourse regarding the <u>designation context</u>

vocabulary namespace is specific to designation context

Definition:

each <u>designation</u> and <u>verb concept wording</u> that is in the <u>vocabulary namespace</u> is in the <u>designation context</u>

designation context

Concept Type:	role
Definition:	<u>concept that</u> characterizes the domain of usage within which the <u>expression</u> of a <u>representation</u> has a unique <u>meaning</u> for a <u>given speech community</u>
Example:	When EU-Rent uses the term 'site': * within the context of the concept termed 'vehicle rental' (another EU-Rent term), it denotes EU-Rent's shared understanding of a 'place from which EU-Rent vehicles are picked up and returned'.
	* within the context of the concept termed 'vehicle maintenance' (another EU-Rent term), it denotes EU-Rent's shared understanding of a 'place where EU-Rent's vehicle fleet is serviced and repaired'.
Example:	 When EU-Rent uses the term 'customer': * within the context of the concept termed 'vehicle rental' (another EU-Rent term), it denotes EU-Rent's shared understanding of 'rental-customer-ness' (Definition: 'individual who currently has a EU-Rent car on rental, or has a reservation for a future car rental, or has rented a car from EU-Rent in the past 5 years'). * within the context of the concept termed 'vehicle sales' (another EU-Rent term), it denotes EU-Rent's shared understanding of 'car-purchaser-ness' (Definition: 'individual who has purchased at least one car from EU-Rent that is still within its warranty period').

11.3.1.2 Kinds of Designation

<u>term</u>

Source:	ISO 1087-1 (English) (3.4.3) ['term']
Definition:	verbal designation of a general concept in a specific subject field
General Concept:	designation
Note:	A term is typically formed using a common noun or noun phrase.
Example:	EU-Rent agrees the word 'car' denotes its shared understanding of 'rental-car-ness' within <rental context="">.</rental>
Example:	EU-Rent agrees the word 'vehicle' denotes its shared understanding of 'car-ness' within <rental context="">.</rental>
Example:	EU-Rent agrees the word 'customer' denotes its shared understanding of 'rental-customer- ness' within <rental context="">.</rental>
Example:	EU-Rent agrees the word 'customer' denotes its shared understanding of 'car-purchaser-ness' within <car-sales context=""> i.e., when EU-Rent disposes of cars after they reach their mileage or age threshold.</car-sales>
Example:	EU-Rent agrees the word 'renter' denotes its shared understanding of 'rental-customer-ness'. (within any context).

<u>name</u>

Source:	ISO 1087-1 (English) (3.4.2) ['appellation']
Definition:	verbal designation of an individual noun concept
General Concept:	designation
Necessity:	No <u>name</u> is a <u>term</u>
Note:	The expression of a name is typically a proper noun.

nonverbal designation

Definition:	designation that is not expressed as words of a language
Necessity:	No <u>nonverbal designation</u> <i>is</i> a <u>term</u> .
Necessity:	No <u>nonverbal designation</u> is a <u>name</u> .
Note:	A verbal designation, such as a term or name, can contain parts that are nonverbal. Some abbreviations are nonverbal while others, being expressed as words, are terms or names.

<u>icon</u>

Definition:	nonverbal designation whose signifier is a picture
Dictionary Basis:	a usu. pictorial representation [MWCD 'icon']

Example:

 \bigwedge as a designation for the concept 'u-turn'

<u>verb symbol</u>

Definition:	designation that represents a verb concept and that is demonstrated by a verb concept wording
Reference Scheme:	a verb concept wording that incorporates the verb symbol
Example:	In the expression, 'Each <u>customer</u> rents a <u>car</u> ', 'rents' is a <u>verb symbol</u> denoting a <u>verb</u> <u>concept</u> .
Example:	In the expression, 'A <u>driver</u> of a <u>car</u> returns the <u>car</u> to a <u>branch office</u> ', 'of' is a <u>verb symbol</u> for one verb concept (relating a driver to a car) and 'returns to' is another <u>verb symbol</u> denoting a <u>verb concept</u> (relating a driver to a car and a branch office).

verb concept wording incorporates verb symbol

Synonymous Form:	verb symbol is incorporated into verb concept wording
Necessity:	Each verb concept wording incorporates at most one verb symbol.
Necessity:	Each verb symbol is incorporated into at least one verb concept wording.
See:	verb concept wording demonstrates designation

verb concept role designation

Definition:	designation that is of a verb concept role and that is recognizable in use in the context of
	another role of the same <u>verb concept</u>
Necessity:	No verb concept role designation is a term.
Necessity:	No verb concept role designation is a placeholder.
Necessity:	No verb concept role designation represents a situational role.

Note:	A verb concept role designation should not be confused with a placeholder or with a term for a situational role, even though all of these can have the same expression. A situational role is a general concept and is not a verb concept role.
Note:	A verb concept role designation should not be confused with a placeholder, which is part of a verb concept wording. In uses of a verb concept wording, placeholders are replaced. A verb concept role designation can replace a placeholder. Verb concept role designations occur in statements and definitions to refer to what fills the role.
Example:	The verb concept role designation, 'CEO', for a role in the verb concept 'corporation has CEO' does not represent a situational role and is not the same thing as the 'CEO' placeholder in that verb concept wording. Here we see different designations have the same signifier, 'CEO'. The verb concept role designation represents the verb concept role in the context of using the verb concept, such as in the phrases 'EU-Rent's CEO' and 'the CEO of some corporation'. But a situational role, even if defined in terms of the verb concept can be used independently, as in the statement, 'Every CEO is a person'. The placeholder 'CEO' of the verb concept wording 'corporation has CEO' is part of the form and gets replaced in each use of the form. In the statement, 'EU-Rent has exactly one CEO', the 'CEO' placeholder of a quantifier and the verb concept role designation 'CEO', which is understood to represent the verb concept role because of its context: it is used in relation to a corporation.
Note:	Sub clause 13.7.4 shows an example of a verb concept role designation, 'prior example', and shows examples of verb concept roles having no verb concept role designation.

11.3.1.3 Designations and Things in the Real-world

<u>term</u> denotes <u>thing</u>	
Definition:	the thing is an instance of the concept that is represented by the term
<u>thing</u> has <u>name</u>	
Definition:	the thing is the instance of the individual noun concept that is represented by the name
Synonymous Form:	name references thing
Note:	A use of an individual noun concept by its name denotes the thing that is in the extension of the individual noun concept.
res	
Definition:	thing that is not a meaning

res is sensory manifestation of signifier

11.3.1.4 Designation Preference and Prohibition

preferred designation

Definition:	designation that is selected by its owning speech community for a given concept from
	among alternative designations for that concept as being most desirable or productive
Example:	EU-Rent's preferred designations for indicating the USA Dollar, Canadian Dollar, and
	Mexican Peso are, respectively, "USD", "CAD", and "MXN" (ISO 4217 currency codes).

prohibited designation

Definition: designation that is declared unacceptable by its owning speech community

Example:	In EU-Rent, use of the dollar sign (\$) by itself is prohibited, to avoid confusion between the USA Dollar, Canadian Dollar, and Mexican Peso.
Note:	What is prohibited is the use of a given expression to represent a given meaning. The same expression may be permitted, even preferred, to represent another meaning.
Necessity:	No preferred designation is a prohibited designation.

speech community regulates its usage of signifier

expression is unambiguous to speech community

Definition:	the <u>expression</u> is understood by each member of the <u>speech community</u> to represent exactly one and the same meaning
Note:	In SBVR, a fully and accurately styled expression is assumed to be unambiguous. (Formal assessment of the expression, of course, may find that it is not.) The verb concept "expression is unambiguous to speech community" is not used for such expressions.
	Only informal statements (unstyled or partially styled) should use this verb concept. In communicating expressions, recipients need a sense of the viability of what is being communicated. Use of the verb concept to indicate that an expression is unambiguous indicates that an informal assessment has been made and that the meaning of the expression is thought to be clear.
	Caution should be exercised in this regard. Even expressions thought to be self-evidently unambiguous may be found not to be so. Practitioners should generally err on the side of caution, especially in expressing elements of guidance.

11.3.2 Forms of Business Representation




Figure 11.7

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

11.3.2.1 Representation Formality

Representation Formality	
Definition:	the segmentation of the concept 'representation' that classifies a representation based
	on whether or not it is 'formal'

informal representation

Definition:	<u>representation</u> in which not every word is annotated ('tagged') in accordance with a notation that can be mapped to SBVR
Necessity:	No informal representation is a formal representation.
Necessity:	The concept 'informal representation' is included in Representation Formality.
Note:	Some of the words of an informal representation may be annotated i.e., defined, or 'tagged', terms, names, verbs, or keywords.

formal representation

Definition:	<u>representation</u> in which every word is annotated ('tagged') in accordance with a notation that can be mapped to SBVR
Necessity:	No formal representation is an informal representation.
Necessity:	The concept 'formal representation' is included in Representation Formality.

11.3.2.2 Concept Expression

description portrays meaning

description portrays	
Note:	The meaning of a description that portrays a concept is most likely not that concept. A description can be a statement, in which case, its meaning is a proposition.
description	
Definition:	representation that provides a detailed account of something, a verbal portrait
Dictionary Basis:	a spoken or written representation or account of a person, object, or event [NODE 'description']
Necessity:	No <u>description</u> that portrays a <u>concept</u> is a <u>descriptive example</u> that illustrates that <u>concept</u> .
Necessity:	No description that portrays a concept is a note that comments on that concept.
Necessity:	No <u>description</u> that portrays a <u>concept</u> is a <u>reference</u> that supports that <u>concept</u> .

descriptive example illustrates meaning Note:

The meaning of a descriptive example is typically a proposition.

descriptive example

Definition:	representation that provides descriptive material that is a sample of the thing defined
Source:	based on MWCD and NODE
Dictionary Basis:	one (as an item or incident) that is representative of all of a group or type [MWCD 'example']
Dictionary Basis:	a thing characteristic of its kind or illustrating a general rule [NODE 'example']
Necessity:	No descriptive example that illustrates a concept is a definition of that concept.
Necessity:	No descriptive example that illustrates a concept is a description that portrays that concept.
Necessity:	No descriptive example that illustrates a concept is a note that comments on that concept.
Necessity:	No descriptive example that <i>illustrates</i> a <u>concept</u> <i>is</i> a <u>reference</u> that <i>supports</i> that <u>concept</u> .
Example:	Chris Cushing is an example of EU-Rent's concept of 'rental customer'.
Example:	The vehicle with VIN#88744332 is an example of EU-Rent's concept of 'rental car'.

note comments on meaning

Note:	The meaning of a note that comments on a concept is most likely not that concept. A note is typically a statement whose meaning is a proposition.
<u>note</u>	
Definition:	representation that annotates or explains
Necessity:	No note that comments on a concept is a definition of that concept.

Necessity:	No note that comments on a concept is a description that portrays that concept.
Necessity:	No note that comments on a concept is a descriptive example that illustrates that concept.
Necessity:	No note that comments on a concept is a reference that supports that concept.
Synonym:	<u>remark</u>
Synonym:	<u>comment</u>
<u>omment</u>	

<u>cor</u> See.

See:	<u>note</u>

remark

See:	

11.3.2.3 **Business Content of a Communication**

<u>note</u>

communication content

Definition:	<u>representation</u> that is a subdivision of a written composition that consists of one or more statements and deals with one point or gives the words of one speaker
Source:	MWCD (1a)
Synonym:	message content
Synonym:	document content
document content See:	communication content
message content See:	communication content
communication content is composed of representation	

Concept Type: partitive verb concept

reference supports meaning

reference

Definition:	<u>representation</u> that is the mention or citation of a source of information used to direct a reader elsewhere for additional information about a given <u>concept</u>
Dictionary Basis:	a mention or citation of a source of information in a book or article [NODE 'reference']
Necessity:	No reference that supports a concept is a definition of that concept.
Necessity:	No reference that supports a concept is a description that portrays that concept.
Necessity:	No reference that supports a concept is a descriptive example that illustrates that concept.
Necessity:	No reference that supports a concept is a note that comments on that concept.
Example:	'The Highway Code' published by HMSO, 2005.
Example:	The descriptions of car models' capacity, fuel economy, and performance taken from the manufacturers' specifications.

reference points to information source

Definition: the <u>communication content</u> plays the role of an <u>information source</u> for the <u>reference</u>

information source

Concept Type:	role
Definition:	communication content that is used as a resource to supply information or evidence

11.3.2.4 Sets of Business Representations

speech community representation set

Definition:	the set of representations determined by a given speech community to represent in its language all meanings in its body of shared meanings
Synonym:	representation set
Reference Scheme:	the speech community that determines the speech community representation set
Note:	Besides being an element of a speech community representation set, an individual representation can appear multiple times
	 as a component of other representations in that set - e.g., a term can be used in multiple definitions and statements, and
	2. in terminological dictionaries and/or rulebooks - once for each time the meaning of the representation appears in the terminological dictionary or rulebook.
speech community rep	presentation set includes representation
Definition:	the representation is an element of the speech community representation set
Synonymous Form:	representation is included in speech community representation set
representation uses vo	ocabulary
Definition:	the representation is expressed in terms of the vocabulary
speech community de	termines speech community representation set
Definition:	the speech community is responsible for the expression of representations that are included in the speech community representation set
Necessity:	Each speech community representation set is determined by exactly one speech community.
Note:	The speech community is responsible for translating the informal representations of the speech community representation set into the language of the speech community.
<u>rulebook</u>	
Definition:	<u>terminological dictionary</u> plus a collection of <u>representations</u> including at least one <u>guidance statement</u> for each of a set of one or more <u>elements of guidance</u> , together with any number of other <u>representations</u> of <u>facts</u> related to those <u>elements of guidance</u>
Reference Scheme:	a <u>URI</u> of the <u>rulebook</u>
Note:	Each rulebook includes a terminological dictionary plus, optionally, names of behavioral elements of guidance, and guidance statements, synonymous statements, terms for guidance types, descriptions, references, notes, descriptive examples, and other statements (e.g., regarding enforcement levels) about the behavioral elements of guidance.

rulebook has URI

Definition: Necessity: Note: the <u>URI</u> uniquely identifies the <u>rulebook</u> Each <u>URI</u> is the <u>URI</u> of at most one <u>rulebook</u>.

A rulebook contains representations (designations, verb concept wordings, definitions, notes, descriptive examples, etc.) of all meanings of a body of shared meanings. This can include representations of elements of guidance when a body of shared guidance is included in a body of shared meanings.

Contrast a rulebook with a vocabulary, which contains only designations and verb concept wordings. Also contrast a terminological dictionary, which contains everything that is in a rulebook except representations of behavioral elements of guidance.

12 Business Rules

12.1 Vocabulary for Describing Business Rules

Vocabulary for Describing Business Rules

 Language:
 English

 Included Vocabulary:
 Vocabulary for Describing Business Vocabularies

12.2 Categories of Guidance

The *common sense* understanding of 'rule' is that a rule always tends to remove some degree of freedom. This *common sense* understanding should be contrasted with that for 'advice', where a degree of freedom is never removed, even potentially.

The degree of freedom removed by a rule might concern the behavior of people (in the case of an operative business rule), or their understanding of concepts (in the case of a structural rule). In the latter case, the restricting of freedom is built-in (i.e., "structural" or "by definition"). In the former case, people can still potentially violate or ignore the rule - that is a matter of free will, appropriate enforcement, and sometimes discretion (for example if the rule is offered simply as a guideline or suggestion).

Nonetheless, an operative business rule always mandates or suggests some out-of-bounds criteria for behavior, thereby potentially removing a degree of freedom. For example, the meaning of "It is prohibited that an order be paid by promissory note" indicates that workers are not completely free to accept IOUs for payment of orders. That particular degree of freedom has been removed or diminished. Depending on enforcement level, violating the rule could well invite response, which might be anything from immediate prevention and/or severe sanction, to mild tutelage. Note that other degrees of freedom have not been removed or diminished by this particular rule. For example, unless other rules pertain to how orders are paid, workers are free to accept cash, credit cards, or other means of payment - those means are allowed. The general implication is that rules indirectly prescribe what is allowable - whatever the rules do not specifically proscribe is allowed.

An advice is just the opposite of a rule. Whereas a rule always potentially removes some degree of freedom, an advice always confirms or reminds that some degree of freedom does exist or is allowed. That degree of freedom might concern the behavior of people (in the case of an operative business rule), or their understanding of concepts (in the case of a structural rule).

It might be helpful to think of an advice as an 'un-rule' or 'no-rule'. For example, the meaning of "It is permitted that an order be paid by cash" is that such behavior is allowed - that indeed, paying by cash is acceptable. In other words, there is (or should be) no rule to the contrary.

Since an advice never removes degrees of freedom, why is it sometimes useful to capture? There are many possible reasons, but probably foremost among them are to re-assure workers or others that some degree of freedom does exist; to use as a basis for admonishing workers about applying some rule that actually does not exist; or to 'remember' the resolutions to some rule-related issue where the outcome was in favor of 'no rule'.




Figure 12.1

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

12.2.1 Guidance

body of shared guidance

Definition: all of the <u>elements of guidance</u> within a <u>body of shared meanings</u>

body of shared meanings includes body of shared guidance

Definition:the body of shared guidance is the set of elements of guidance that are included in the
body of shared meanings

Synonymous Form: body of shared guidance is included in body of shared meanings

body of shared guidance includes element of guidance

Synonymous Form: <u>element of guidance</u> *is included in* <u>body of shared guidance</u>

element of quidance

General Concept:	proposition
Definition:	means that guides, defines, or constrains some aspect of an enterprise
Note:	This sense of 'means' (as in 'ends and means', rather than 'is meant as') arises from the Business Motivation Model [BMM].
Note:	The formulation of an element of guidance is under an enterprise's control by a party authorized to manage, control or regulate the enterprise, by selection from alternatives in response to a combination of assessments.

element of quidance is practicable

Concept Type:	characteristic
Definition:	the <u>element of guidance</u> is sufficiently detailed and precise that a person who knows the <u>element of guidance</u> can apply it effectively and consistently in relevant circumstances to know what behavior is acceptable or not, or how something is understood
Dictionary Basis:	able to be done or put into practice successfully; able to be used, useful [ODE]
Note:	The sense intended is: "It's actually something you can put to use or apply."
Note:	The behavior, decision, or calculation can be that person's own.
Note:	Whether or not some element of guidance is practicable is decided with respect to what a person with legitimate need can understand from it.
	• For an operative business rule, this understanding is about the behavior of people and what form compliant behavior takes.
	• For a structural rule, this understanding is about how evaluation of the criteria vested in the rule always produces some certain outcome(s) for a decision or calculation as opposed to others.
Note:	A practicable business rule is also always free of any indefinite reference to people (e.g., "you," "me"), places (e.g., "here"), and time (e.g., "now"). By that means, if the person is displaced in place and/or time from the author(s) of the business rule, the person can read it and still fully understand it, without (a) assistance from any machine (e.g., to "tell" time), and (b) external clarification.
element of governance	
Definition:	<u>element of guidance</u> that is concerned with directly controlling, influencing, or regulating the actions of an enterprise and the people in it
Dictionary Basis:	conduct the policy, actions, and affairs of (a state, organization, or people) with authority: control, influence, or regulate (a person, action, or course of events) [ODE, "govern"]
element of governance	is directly enforceable
Definition:	violations of the <u>element of governance</u> can be detected without the need for additional interpretation of the <u>element of governance</u>
Concept Type:	characteristic

Note:	'Directly enforceable' means that a person who knows about the element of governance could observe relevant business activity (including his or her own behavior) and decide directly whether or not the business was complying with the element of governance.
Necessity:	Each element of governance that is directly enforceable is practicable.
business policy	
Definition:	element of governance that is not directly enforceable whose purpose is to guide an enterprise
Note:	 Compared to a Business Rule, a Business Policy tends to be: less structured less discrete or not atomic less carefully expressed in terms of a standard vocabulary not directly enforceable.
Dictionary Basis:	definite course or method of action selected (as by a government, institution, group, or individual) from among alternatives and in the light of given conditions to guide and usually determine present and future decisions [MWUD "Policy" 5a]
Necessity:	No <u>business policy</u> is a <u>business rule</u> .
Example:	The policy expressed as "A prisoner is considered to be on a hunger strike after missing several meals in a row."
Example:	The policy expressed as "The prison medical authority will intervene if a hunger striker's life is in danger."
Example:	The EU-Rent policy expressed as "Rental cars must not be exported."
Example:	The policy expressed as "Each customer who complains will be personally contacted by a representative of the company."

proposition is based on verb concept

Definition:	the proposition is formulated using the verb concept
Example:	The EU-Rent business rule that is expressed as "It is obligatory that each rental specifies a car group." (or, in RuleSpeak, "A rental must have a car group.") is based on the EU-Rent verb concept ' <u>rental</u> specifies <u>car group</u> '.

12.2.2 Rules

<u>rule</u>

Definition:	proposition that is a claim of obligation or of necessity
Dictionary Basis:	one of a set of explicit or understood regulations or principles governing conduct or procedure
	within a particular area of activity a law or principle that operates within a particular sphere
	of knowledge, describing, or prescribing what is possible or allowable. [ODE]

business rule

Definition:	rule that is under business jurisdiction
General Concept:	rule, element of guidance
Note:	A rule's being under business jurisdiction means that it is under the jurisdiction of an authority that can opt to change or discard the rule at its own discretion. Laws of physics may be relevant to a company; legislation and regulations may be imposed on it; external standards and best practices (other than business rules) may be relied upon. These things are not business rules

from the company's perspective, since it does not have the standing to change them. The company will decide how to react to laws and regulations, and will create or adopt business rules to ensure compliance with the laws and regulations. Similarly, it will create or adopt business rules to ensure that standards or best practices (other than business rules) are implemented as intended. See sub clause A.2.3.

See sub clause E.2.3 and the OMG's Business Motivation Model [BMM], which shares the concepts 'business policy' and 'business rule' with SBVR. In the BMM, business policy and business rule are kinds of directive, and regulation is a kind of influencer. Influencers are related indirectly to directives, via potential impact and assessment. This supports stake holders of the business in identifying the impacts of influencers on the business and then assessing what directives are needed to deal with these impacts. The enterprise BMM can provide information on earlier, relevant assessments, the directives that were created or changed, the courses of action that were adopted, and the desired results (which can be compared with actual results if they are available).

There is also a special relationship between directive and regulation - that a directive from an authoritative source within an enterprise may be treated like a regulation by other organization units in the enterprise. For example, if the Health and Safety Unit of a business issued a directive about safe handling of products and materials, other organization units (such as Manufacturing, Warehousing and Distribution) would treat it as a regulation, in that they would have to comply with it in an acceptable way, although their assessments of its impact on their operations and their decisions on compliance might well be different.

business rule is derived from business policy

Synonymous Form: <u>business policy</u> is basis for <u>business rule</u>

structural rule

Note:

Definition:	rule that is a claim of necessity
Synonym:	definitional rule

definitional rule

See: <u>structural rule</u>

structural business rule

Definition:	<u>structural rule</u> that <i>is</i> a <u>business rule</u>
Necessity:	Each structural business rule is practicable.
Synonym:	definitional business rule

definitional business rule

See:

structural business rule

operative business rule

Definition:	business rule that is a claim of obligation
Definition:	element of governance that is directly enforceable
Dictionary Basis:	a prescribed, suggested, or self-imposed guide for conduct or action : a regulation or principle <his before="" do="" down="" going="" he="" his="" homework="" laid="" must="" out="" parents="" play="" rule="" that="" the="" to=""> <a &="" []="" any="" barbara="" business="" f.d.smith="" for="" hiker="" his="" is="" mind="" own="" rule="" sound="" to="" very="" wilcox=""> <made a="" his="" it="" lose="" never="" rule="" temper="" to=""> [] [MWU (1a) 'rule']</made></his>

Dictionary Basis:	a prescribed guide for conduct or action [MWCD 'rule']
Necessity:	No operative business rule is a structural business rule.
Synonym:	behavioral business rule

behavioral business rule

See:

I

I

operative business rule

12.2.3 Enforcement

<u>enforcement level</u>			
Definition:	1 0	or ordered scale of values that specifies the severity of action imposed in <u>operative business rule</u> in force	
Dictionary Basis:	a position on a real or imaginary scale of amount, quantity, extent, or quality [NODE 'level']		
Dictionary Basis:	compel observance of	f or compliance with [NODE 'enforcement']	
Synonym:	level of enforcement		
Example:	An example set of levels of enforcement, based on [BMM]		
	Enforcement Level:	strict	
	Definition:	strictly enforced (If you violate the rule, you cannot escape the penalty.)	
	Enforcement Level:	deferred	
	Definition:	deferred enforcement (Strictly enforced, but enforcement may be delayed — e.g., waiting for resource with required skills.)	
	Enforcement Level:	pre-authorized	
	Definition:	pre-authorized override (Enforced, but exceptions allowed, with prior approval for actors with before-the-fact override authorization.)	
	Enforcement Level:	post-justified	
	Definition:	post-justified override (If not approved after the fact, you may be	
		subject to sanction or other consequences.)	
	Enforcement Level:	override	
	Definition:	override with explanation (Comment must be provided when the	
		violation occurs.)	
	Enforcement Level:	guideline	
	Definition:	guideline (suggested, but not enforced.)	

<u>operative business rule</u> has <u>enforcement level</u>

12.2.4 Possibilities and Permissions

advice

Definition:

element of guidance that is practicable and that is a claim of permission or of possibility

I

Necessity:	No <u>business policy</u> is an <u>advice</u> .
Necessity:	No <u>business rule</u> is an <u>advice</u> .
Synonym:	business advice of permission or possibility

advice is derived from business policy

Synonymous Form:	business	policy is	basis for advice

advice of possibility

Definition:	advice that is a claim of possibility
Note:	Every necessity implies a possibility. So if a necessity is introduced by a structural rule, there is no practical reason to introduce the implied possibility. In such cases, best practice generally favors keeping the number of elements of guidance to be managed to a minimum.
Example:	(In a bank) The element of guidance that "It is possible that an account balance is negative."
Necessity:	No advice of possibility is an advice of permission.

advice of contingency

Definition:	advice of possibility that is a claim of contingency
Note:	The purpose of an advice of contingency is to preempt application of definitional "rules" that might be assumed to exist, but are not actually included in the body of shared guidance of the authority. Often, the reason for this assumption in a business is that other, similar businesses have such rules. Typically, the reason for providing such explicit advice is that people in the business have mistakenly applied the non-existent rule in the past.
Note:	In alethic logic, a proposition that is possible but not necessary is termed 'contingent'. If people in a business were to treat it as a necessity, they would miscategorize things in the real world. This typically leads to refusal of activity (that should be permitted) because unnecessary preconditions are not met, e.g., refusing to accept a rental booking because the person wishing to rent is under 21.
Example:	(In EU-Rent) Advising that it is not necessary for a qualified driver to be over 21. This might be expressed in various ways, for example as: "It is neither necessary nor impossible that the age of a qualified driver is at least 21," or "It is possible (but not necessary) that a qualified driver be under 21."
Example:	(In EU-Rent) Advising that it is not necessary for a bad experience that occurs during a rental to be notified before the end of the rental. This might be expressed in various ways, for example as: "It is neither necessary nor impossible that the notification date/time of a bad experience during a rental is the actual return date/time of the rental or earlier." It is possible (but not necessary) that the notification of a bad experience during a rental occurs after the car has been returned."
advice of permission	
Definition:	advice that is a claim of permission
Note:	Every obligation implies a permission. So if an obligation is introduced by a behavioral rule, there is no practical reason to introduce the implied permission. In such cases, best practice generally favors keeping the number of elements of guidance to be managed to a minimum.
Example:	(In a bank) There is no rule that a person must be over some given age in order to open a savings account: "There is no minimum age for opening a savings account." This is understood as an advice of permission because 'minimum age' is defined as "age that must be reached in order to take part in a given activity" and no restriction has been placed on it. In other words, the behavior 'opening a bank account' is not to be disallowed based on age.


Example:	There is no rule that orders placed by FAX will not be accepted: "Placing an order by FAX is acceptable." In other words, placing an order by FAX is not prohibited.
advice of optionality	
Definition:	advice of permission that is a claim of optionality
Note:	The purpose of an advice of optionality is to preempt application of behavioral "rules" that might be assumed to exist, but are not actually included in the body of shared guidance of the authority. Often, the reason for this assumption in a business is that other, similar businesses have such rules. Typically, the reason for providing such explicit advice is that people in the business have mistakenly applied the non-existent rule in the past.
Note:	In deontic logic, a proposition that is permissible but not obligatory is termed 'optional'. If people in a business were to treat it as an obligation, they would demand compliance that is not required by the business, e.g., to be shown picture id, or that the car be driven to the specified return branch (as the following examples illustrate).
Example:	(In EU-Rent) Advising that it is not obligatory that a renter show picture identification at the time of a rental pick-up. This might be expressed in various ways, for example as: "It is neither obligatory nor prohibited that at rental pick-up time the renter shows picture identification," or "It is not obligatory (but permitted) that a renter shows picture id in order to pick up his car."
Example:	(In EU-Rent) Advising that it is not obligatory (or prohibited) that a rented car be dropped off only at the return branch specified in the rental agreement. This might be expressed, for example, as "At the end of a rental, it is not obligatory (but permitted) that a rental car be dropped off at the rental agreement-specified EU-Rent return branch."

12.3 Statements of Guidance

The surface syntax people use to express guidance is language-specific. It is also dependent on the particular rule language (e.g., SBVR Structured English, RuleSpeak, ORM, etc.). This clause does not standardize any particular rule language. Instead, it provides a normative vocabulary for the kinds of guidance statements that business people assert. These kinds of guidance statements are general with respect to any particular language.

The categories presented in this sub clause are intended for business people. Business people see and hear surface syntax. Therefore, the categories defined in 12.2 are based on form or style of expression. For example, if a business person says "It is obligatory that not p," the form or style of the expression remains an obligation statement. That interpretation reflects the 'common sense' of the statement.

This emphasis on form or style of expression distinguishes this sub clause from Clause 10, which provides deeper logical analysis. For example, if a business person says "It is obligatory that not p," logical analysis following Clause 10 takes the meaning of the expression to be a prohibition (which might not be "common sense"). The key to distinguishing the perspective of this sub clause from the logical analysis of Clause 10 is emphasized by the unfailing use of "statement" in the names of the concepts in this sub clause. When "statement" appears, it is always the case that the concept so named refers to the style and form of surface expression, rather than underlying meaning based on logical analysis.



This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

12.3.1 Categories of Business Statement

<u>guidance statement</u>	
Definition:	statement that expresses an element of guidance
Definition:	statement that provides advice or information aimed at resolving a problem or difficulty, especially as given by someone in authority
Dictionary Basis:	a statement that provides advice or information aimed at resolving a problem or difficulty, especially as given by someone in authority [NODE 'guidance']
Kind of Guidance Statement	
Definition:	the <u>categorization scheme</u> of the <u>concept</u> ' <u>guidance statement</u> ' that classifies a <u>guidance statement</u> based on the surface syntax of the <u>guidance statement</u>
business policy statem	<u>ent</u>
Definition:	guidance statement that expresses a business policy
Necessity:	The concept 'business policy statement' is included in Kind of Guidance Statement.
rule statement	
Definition:	guidance statement that expresses an operative business rule or a structural rule
Necessity:	The concept 'rule statement' is included in Kind of Guidance Statement.

structural rule statement

Definition:	rule statement that expresses a structural rule
Note:	One structural rule can be expressed as various equivalent kinds of statements by introducing or removing negation. The following are examples of the same rule, expressed in three forms.
Example:	[as a <u>necessity statement</u>] "It is necessary that the pick-up branch of a one-way rental is not the return branch of that rental."
Example:	[as an impossibility statement] "It is impossible that the pick-up branch of a one-way rental is the return branch of that rental."
Example:	[as a <u>restricted possibility statement</u>] "It is possible that the pick-up branch of a rental is the return branch of the rental only if the rental is not a one-way rental."

operative business rule statement

Definition:	rule statement that expresses an operative business rule
Necessity:	No operative business rule statement is a structural rule statement.
Note:	One operative business rule can be expressed as various equivalent kinds of statements by introducing or removing negation. The following are examples of the same rule, expressed in three forms.
Example:	[as an <u>obligation statement</u>] "It is obligatory that a rental that is open has no driver that is a barred driver."
Example:	[as a <u>prohibition statement</u>] "It is prohibited that a rental be open if a driver of the rental is a barred driver."
Example:	[as a <u>restricted permission statement</u>] "It is permitted that a rental be open only if no driver of the rental is a barred driver."

advice statement

Definition:	guidance statement that expresses an advice of permission or an advice of possibility
Necessity:	The concept 'advice statement' is included in Kind of Guidance Statement.

statement of advice of permission

Definition:	advice statement that expresses an advice of permission
Note:	One advice of permission can be expressed as various equivalent kinds of statements by introducing or removing negation. The following are examples of the same advice, expressed in alternative forms.
Example:	[as a <u>permission statement</u>] "It is permitted that the drop-off branch of a rental is not the return branch of the rental."
Example:	[as a <u>non-obligation statement</u>] "It is not obligatory that the drop-off branch of a rental be the return branch of the rental."
Example:	[as a <u>non-obligation statement</u>] "The drop-off branch of a rental need not be the return branch of the rental."

statement of advice of possibility

Definition:	advice statement that expresses an advice of possibility
Example:	"The notification date/time of a bad experience that occurs during a rental can be after the actual return date/time of the rental."
Necessity:	No statement of advice of possibility is a statement of advice of permission.

Note:	One advice of possibility can be expressed as various equivalent kinds of statements by introducing or removing negation. The following are examples of the same advice, expressed in two forms.
Example:	[as a <u>possibility statement</u>] "It is possible that the notification date/time of a bad experience that occurs during a rental is after the actual return date/time of the rental."
Example:	[as a <u>non-necessity statement</u>] "It is not necessary that the notification date/time of a bad experience that occurs during a rental be on or before the actual return date/time of the rental."

12.3.2 Business Statements

12.3.2.1 Business Statements of Operative Business Rules

obligation statement

Definition:	<u>operative business rule statement</u> that is expressed positively in terms of <u>obligation</u> rather than negatively in terms of <u>prohibition</u>
	than negativery in terms of promotion
Necessity:	No obligation statement is a prohibition statement.
Necessity:	No obligation statement is a restricted permission statement.
Example:	"It is obligatory that a rental incurs a location penalty charge if the drop-off location of the rental is not the EU-Rent site of the return branch of the rental."
Example:	"A rental must incur a location penalty charge if the drop-off location of the rental is not the EU-Rent site of the return branch of the rental."

prohibition statement

operative business rule statement that is expressed negatively in terms of prohibition rather than positively in terms of obligation
No prohibition statement is a restricted permission statement.
"It is prohibited that the duration of a rental be more than 90 rental days."
"The duration of a rental must not be more than 90 rental days."

restricted permission statement

Definition:	operative business rule statement that is expressed as permission being granted only when a given condition is met
Example:	"It is permitted that a rental is open only if an estimated rental charge is provisionally charged to the credit card of the renter of the rental."
Example:	"A rental may be open only if an estimated rental charge is provisionally charged to the credit card of the renter of the rental."
Note:	A restricted permission statement should not be confused with a statement of advice of permission. The latter should never contain 'only', which is always interpreted as eliminating or diminishing a degree of freedom (i.e., indicating the presence of a rule). This inclusion of 'only' is the key characteristic of restricted permission statements.
Note:	 Every restricted permission statement can be rephrased as a conditional prohibition statement. The pattern "it is permitted that <i>p</i> only if <i>q</i>" can be stated equivalently as "it is prohibited that <i>p</i> if not <i>q</i>" or "it is not permitted that <i>p</i> if not <i>q</i>" (refer to Clause 10). For example, the following three statements mean the same thing: 1. "It is permitted that a rental is open only if an estimated rental charge is provisionally charged to the credit card of the renter of the rental."

- 2. "It is prohibited that a rental is open if an estimated rental charge is not provisionally charged to the credit card of the renter of the rental."
- 3. "It is not permitted that a rental is open if an estimated rental charge is not provisionally charged to the credit card of the renter of the rental."

12.3.2.2 Business Statements of Structural Rules

necessity statement

Definition:	structural rule statement that is expressed positively in terms of <u>necessity</u> rather than negatively in terms of <u>impossibility</u>
Necessity:	No necessity statement is an impossibility statement.
Necessity:	No necessity statement is a restricted possibility statement.
Example:	"It is necessary that each rental has exactly one requested car group."
Example:	"Each rental always has exactly one requested car group."

impossibility statement

Definition:	structural rule statement that is expressed negatively in terms of impossibility rather than positively in terms of necessity
Necessity:	No impossibility statement is a restricted possibility statement.
Example:	"It is impossible that the same rental car is owned by more than one branch."
Example:	"The same rental car is never owned by more than one branch."

restricted possibility statement

Definition:	structural rule statement that is expressed as possibility being acknowledged only when a given condition is met
Example:	"It is possible that a rental is an open rental only if the rental car of the rental has been picked up."
Example:	"A rental can be an open rental only if the rental car of the rental has been picked up."
Note:	A restricted possibility statement should not be confused with a statement of advice of possibility. The latter should never contain 'only', which is always interpreted as eliminating or diminishing a degree of freedom (i.e., indicating the presence of a rule). This inclusion of 'only' is the key characteristic of restricted possibility statements.
Note:	 Every restricted possibility statement can be rephrased as a conditional impossibility statement. The pattern "it is possible that <i>p</i> only if <i>q</i>" can be stated equivalently as "it is impossible that <i>p</i> if not <i>q</i>" or "it is not possible that <i>p</i> if not <i>q</i>" (refer to Clause 10). For example, the following three statements mean the same thing: 1. "It is possible that a rental is an open rental only if the rental car of the rental has been picked up." 2. "It is impossible that a rental is an open rental if the rental car of the rental has not been picked up." 3. "It is not possible that a rental is an open rental if the rental car of the rental has not been picked up."

12.3.2.3 Business Statements of Permission

permission statement

Definition:	statement of advice of permission that is expressed positively in terms of permission rather than negatively in terms of non-obligation
Necessity:	No permission statement is a non-obligation statement.
Example:	"It is permitted that the drop-off branch of a rental is not the return branch of the rental."

non-obligation statement

Definition:	statement of advice of permission that is expressed negatively in terms of non-obligation
	rather than positively in terms of permission
Example:	"It is not obligatory that the drop-off branch of a rental be the return branch of the rental."
Example:	"The drop-off branch of a rental need not be the return branch of the rental."

optionality statement

Definition:	statement of advice of permission that expresses an advice of optionality
Note:	An <u>optionality statement</u> may take various forms, each expressing the meaning of the same <u>advice of optionality</u> , as illustrated by the following examples.
Example:	"It is neither prohibited nor obligatory that the renter shows photo identification at the pick-up time of a rental."
Example:	"It is permitted but not obligatory that the renter shows picture identification at the pick-up time of the rental."

12.3.2.4 Business Statements of Possibility

possibility statement

Definition:	statement of advice of possibility that is expressed positively in terms of possibility rather
	than negatively in terms of non-necessity
Necessity:	No possibility statement is a non-necessity statement.
Example:	"It is possible that the notification date/time of a bad experience that occurs during a rental is after the actual return date/time of the rental."
Example:	"The notification date/time of a bad experience that occurs during a rental can be after the actual return date/time of the rental."

non-necessity statement

Definition:	statement of advice of possibility that is expressed negatively in terms of <u>non-necessity</u> rather than positively in terms of <u>possibility</u>
Example:	"It is not necessary that the notification date/time of a bad experience that occurs during a rental be on or before the actual return date/time of the rental."

contingency statement

Definition:	statement of advice of possibility that expresses an advice of contingency
Note:	A <u>contingency statement</u> may take various forms, each expressing the meaning of the same <u>advice of contingency</u> , as illustrated by the following examples.
Example:	"It is possible but not necessary that a renter's age is less than 21 years."
Example:	"It is neither impossible nor necessary that a renter's age is less than 21 years."

12.4 Fundamental Principles for Elements of Guidance

12.4.1 The Severability Principle

Principle: The meaning of an element of guidance may be expressed separately from any other element of guidance; nonetheless, a body of shared guidance that includes the element of guidance will be evaluated as if all the elements of guidance had been expressed jointly and all had to hold true.

In everyday business, elements of guidance are individual elements of meaning that exist separately. Often, they are also expressed separately - e.g., by individual sentences. In a body of shared guidance of any size, such separate expression of dissimilar or disjoint elements of guidance is a practical necessity for readability and manageability.

In SBVR, a body of shared guidance is nonetheless logically considered as a whole. In other words, each element of guidance is always applied in all situations where that element of guidance is relevant – even if expressed separately. This is true even if the element of guidance is expressed without direct reference to related elements of guidance that are relevant for the same situation.

This fundamental understanding is called the Severability Principle.¹

The MWUD definition of "severable" is:

capable of being severed ...; especially : capable of being divided into legally independent rights or obligations used of a statute or contract of which the part to be performed consists of distinct items to which the consideration may be apportioned so that the invalidity or failure of performance as to one item does not necessarily affect the others

This captures the sense of what SBVR means by 'severable'. If one element of guidance is invalidated or violated somehow, the rest still apply.

It should be noted that expressing elements of guidance separately and without reference to related elements of guidance may increase the chance of conflicts, but does not create it per se. Even a single element of guidance can have internal conflicts. Conflicts must be resolved by proper specification, including cases where exceptions are intended, as discussed in "Accommodations, Exceptions and Authorizations" on page 185.

It should also be noted that the *Severability Principle* does not apply across separate bodies of shared guidance. Therefore conflicts and exceptions, as discussed in "Accommodations, Exceptions and Authorizations" on page 185, can only exist within a single body of shared guidance. They cannot exist across two or more bodies of shared guidance.

12.4.2 The Accommodation Principle

Principle: An element of guidance whose meaning conflicts with some other element(s) of guidance must be taken that way; if no conflict is intended, the element(s) of guidance must be expressed in such a way as to avoid the conflict.

Exceptions to elements of guidance must be accommodated explicitly; that is, cases where exceptions to elements of guidance are intended must be worded in such a way to avoid any conflict in the meanings.

^{1.} This SBVR principle is the business counterpart to what in propositional logic is often called the *universal 'and'*. This assumption requires that all separate Propositions be true (for a body of shared guidance). Therefore, an implicit '*and'* must be considered to exist between all such Propositions.

In SBVR, statements can mean only what the actual words presented in the statements indicate they mean. Therefore, to indicate that an exception is intended always requires additional or alternative specification (i.e., *accommodation*). Otherwise the meanings of the statements would simply (and necessarily) be taken to be in conflict.

12.4.3 The Wholeness Principle

Principle: An element of guidance means only exactly what it says, so it must say everything it means.

Each element of guidance must be self-contained; that is, no need to appeal to any other element(s) of guidance should ever arise in understanding the full meaning of a given element of guidance.

The full impact of an element of guidance for a body of shared guidance, of course, cannot be understood in isolation. For example, an element of guidance might be in conflict with another element of guidance, or act as an authorization in the body of shared guidance. The *Wholeness Principle* simply means that if a body of shared guidance is deemed free of conflicts, then with respect to guidance, the full *meaning* of each element of guidance does not require examination of any other element of guidance. In other words, each element of guidance can be taken at face value for whatever it says.

12.5 Accommodations, Exceptions and Authorizations




Figure 12.3

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

12.5.1 Relating Elements of Guidance to States of Affairs

element of guidance authorizes state of affairs

Definition:the element of guidance entails that the state of affairs may be an actualitySynonymous Form:element of guidance gives permission for state of affairs

element of guidance obligates state of affairs

Definition: the element of guidance entails that the state of affairs must be an actuality

element of guidance prohibits state of affairs

Definition: the element of guidance entails that the state of affairs must not be an actuality

12.5.2 Authorizations

SBVR makes a 'light world'² assumption about rules. In a *light world*, anything that is not expressly prohibited is assumed permitted, and anything not expressly declared as impossible is assumed possible. Business rule practice indicates that this choice is the appropriate one for the large majority of business problems.

Occasionally, practitioners may discover 'dark areas in a light world' – areas in which the opposite assumption is appropriate. In such a *dark area*, anything not expressly permitted is assumed prohibited, or anything not expressly declared as possible is assumed impossible. Dark areas of the former kind – the more important and common of the two cases – might involve use of, and/or access to, resources that are deemed especially sensitive, dangerous, scarce, and/or valuable. For that reason, it makes sense to grant permission for use and/or access explicitly. Such permissions are often called 'authorizations'.

In everyday business language, an *authorization* is generally understood to mean a sanction or a warrant [MWUD].

[MWUD "sanction" noun]: 6a. explicit permission or recognition by one in authority that gives validity to the act of another person or body

[MWUD "warrant" noun]: 2a. a commission or document giving authority to do something : an act, instrument, or obligation by which one person authorizes another to do something which he has not otherwise a right to do and thus secures him from loss or damage

For SBVR, it is important to note that an authorization is *explicit* (from "sanction"), and that without it, there is *not otherwise a right to do something* (from "warrant").

12.5.3 Exceptions

Authorizations fall under the more general topic of *exception*. In everyday business language, to 'make an exception' is generally understood to mean [MWUD "exception" 1] "the act of excepting or excluding: exclusion or restriction (as of a class, statement, or rule) by taking out something that would otherwise be included." An 'exception' is what is omitted from consideration.

In SBVR, the *Severability Principle* permits elements of guidance to be given separately (individually), raising the possibility that one element of guidance might actually be intended as an exception with respect to another. The general element of guidance and its exceptions are always in the same body of shared guidance.

SBVR's approach to exceptions, which includes authorizations, is based on the fundamental principles for elements of guidance given in sub clause 12.3. The following describes how exceptions and authorizations may be specified in SBVR.

12.5.4 Approaches to Capturing Accommodations, Exceptions and Authorizations

Approach 1 – General Elements of Guidance that Accommodate More Specific Cases

This approach uses the verb concepts specified above (in 12.4.1) to allow for more specific cases to be specified for some more general element of guidance. This discussion will use the 'element of guidance authorizes state of affairs' verb

Ronald G. Ross, "The Light World vs. the Dark World ~ Business Rules for Authorization," Business Rules Journal, Vol. 5, No. 8 (August 2004), URL: http://www.BRCommunity.com/a2004/b201.html

concept, but it should be noted that the other two verb concepts would be applied similarly, as appropriate to the business situation.

A state of affairs being 'authorized' means that some specific element of guidance in a body of shared guidance entails that the state of affairs may validly occur, i.e., is not an error or conflict with the more general rule. Support for exceptions (and authorizations) in this approach is accomplished as follows.

- An operative business rule is specified to declare that some given area of business activity is prohibited except where there is some explicit advice of permission given (i.e., a 'dark' area is declared).
- Explicit advice(s) of permission, qualified as appropriate, are specified to declare selective exceptions/authorizations. Without such permissions, there would otherwise be no right to do something.

In general, a *logical OR* is always assumed between the more specific cases given separately from the more general element of guidance. The body of shared guidance can contain any number of 'exceptions' to general cases without introducing conflicts as long as the general case element of guidance allows for exceptions.

The two Examples illustrate different subjects for authorization. The first authorizes an action (use of a vehicle on an ice road) under given conditions, whereas the second authorizes people to carry out an action (making a payment).

EXAMPLE

Two guidance statements, expressing a general rule and a more specific case for EU-Rent:

Vehicle Usage Rule

A vehicle may use an ice road only if the use is authorized by a Vehicle Usage Advice.

Arctic Circle Exemption

Any ice road that is north of the Arctic Circle may be used by any vehicle.

The Arctic Circle Exemption is a Vehicle Usage Advice.

These elements of guidance work together like this:

The first element (an operative business rule) sets up the *dark area*, prohibiting any use that is not explicitly authorized. It does this by use of the verb concept '<u>element of guidance</u> *authorizes* <u>state of affairs</u>'.

The second element is one of perhaps many Vehicle Usage Advices. The concept 'Vehicle Usage Advice' is a category of advices within EU-Rent's body of shared guidance.

Note that this Example assumes the standard SBVR constructs have been used, e.g., '<u>vehicle</u>' and '<u>ice road</u>' are assumed to be defined terms; as well as the verb concept (<u>vehicle</u> *uses* <u>ice road</u>) being defined and objectified as '<u>use</u>'. For simplicity, 'being north of the Arctic Circle' is taken to be a characteristic of an ice road, but other, more elaborate solutions could have been worked out.

EXAMPLE

Three guidance statements, expressing a general case and two more specific cases, with facts that classify the specific cases and connect them to the general case:

Guidance Statements:

Payments Business Rule

A person may make a payment only if a Payment Authorization authorizes that the person make the payment.

Senior Manager Exemption

Any senior manager may make any payment.

Jane Smith may make any payment.

Facts:

The Senior Manager Exemption is a Payment Authorization.

"Jane Smith may make any payment" is a Payment Authorization.

The first element (an operative business rule) sets up the *dark area*, prohibiting any payment that is not explicitly authorized. The verb concept used is '<u>element of guidance authorizes state of affairs</u>'.

The second element is a blanket advice of permission that allows any person who is a senior manager to make a payment. The third element stipulates that a specific person (Jane Smith) may make payments.

This Example assumes the defined verb concept 'person makes payment'. It also assumes that the terms used are defined (e.g., person, payment) and that Jane Smith is a known person (and no assumption beyond that is made about her). The two facts classify the second and third elements as 'Payment Authorizations', a category of advices of permission in the body of shared guidance, and thus relate them to the general case, in which 'Payment Authorization' plays a role.

Regarding any person and payment, the *exception condition* of the rule statement is that the person be explicitly permitted to make the payment, either directly (as in the case of Jane Smith) or indirectly (as in the case of any senior manager). The advice of permission statements express, for certain persons and any payment, that a person is permitted to make the payment. It can be determined, for every instance of the verb concept 'person makes payment', that the condition is satisfied. As long as a person satisfies either *exception condition* of the rule, that person is permitted to make any payment – i.e., that he or she has 'authorization'.

Approach 2 – Using a Business Concept

Another acceptable approach, illustrated below by a reworking of the second Example given for Approach 1, is that the business has some concept(s) to help express authorizations.

EXAMPLE

Consider the following rule and supporting statements that use the concept '<u>authorized payer</u>', which has been defined as "<u>person</u> that may make any payment".

Rule Statement: Only an authorized payer may make a payment.

Specification of Authorized Payers:

- Each senior manager is an authorized payer.
- Jane Smith is an authorized payer.

Given the definition of 'authorized payer', these two statements meet the same business requirement as the advice statements in the second Example given for Approach 1 – that senior managers and Jane Smith may make any payment. Regardless of the definition of 'authorized payer', these two statements clearly satisfy the condition of the rule statement by identifying instances of 'authorized payer', which is the concept considered by the condition in the rule.

Approach 3 – Formulating Elements of Guidance to Avoid Exceptions

A third approach is to simply specify a set of elements of guidance whose conditions are mutually-exclusive.

EXAMPLE

Two rules, expressed as individual statements with mutually-exclusive conditions:

- 1. The state sales tax must be charged on each order shipped within the state.
- 2. The state sales tax must not be charged on an order shipped out-of-state.

Note that the second rule above would not be considered to be "an exception" to the first. Rather, its expression includes "out-of-state" to differentiate it from orders shipped "within the state". This accommodation avoids a collision between the meanings of the rules that would otherwise arise.

12.6 Relating Structural Rules to Concepts

Structural rules often, but not always, propose necessary characteristics of concepts. Here are three cases:

- 1. A structural rule uses universal quantification (e.g., "each" or "all") to propose a necessary characteristic of a concept. The structural rule proposes that something is always true about all instances of the concept.
- 2. A structural rule proposes a necessary characteristic of an individual noun concept no universal quantification is used because it is implicit in referring to the one and only instance of the individual noun concept.
- 3. Cases other than 1 and 2 above: a structural rule does not propose a necessary characteristic of a concept, but it proposes something to be necessarily true. See Rule 4 in the examples below.

A fact that a concept has a necessary characteristic is a structural rule that the characteristic is always true about each instance of the concept. How is it a structural rule? It is a proposition that the necessary characteristic is always true of each instance of the concept. Conversely, a structural rule proposes that a characteristic is a necessary characteristic of a concept if and only

if the structural rule proposes that the characteristic is always true about each instance of the concept. The structural rule does not imply that the concept incorporates the characteristic, because necessary characteristics can be either incorporated or implied.

There is a logical connection between concepts and structural rules. A starting point of the logical connection is these two necessary truths about concepts:

- 1. For each concept, each characteristic it incorporates is attributed to each instance of the concept.
- 2. For each individual noun concept, the instance of the individual noun concept exists.

From this starting point, considering concepts together, there are any number of propositions can be proved to be true by logical implication. A structural rule is logically connected to concepts when it proposes that one of these propositions is necessarily true. Structural rule statements often facilitate a deeper understanding of concepts, but a structural rule never changes a concept. Rather, it proposes what logically follows from an understanding of concepts, and in some cases, from business decisions that define specific thresholds.

In cases where definitions of concepts taken together do not logically imply something proposed in a structural rule statement, there is an inadequacy or mistake in either the relevant definitions or in the rule statement. The case of inadequate definitions is common and is acceptable in some communities. It occurs when a community shares a tacit understanding of many of its concepts. Words either have no explicit definitions or have definitions that use words that have no explicit definitions. Structural rule statements in this context can be correct, even if they logically follow from a tacit understanding of what characteristics are incorporated by concepts.

Practices of developing concept systems range from creating highly precise, rigorously complete definitions for all concepts to creating no or few definitions, or largely descriptive or informal ones, but many structural rules. Where highly precise, rigorously complete definitions are given there is less need for structural rules because such rules would appear redundant. Where definitions are missing or unclear, or largely descriptive or informal, structural rules are important to sharing a common understanding of concepts.

Advices of possibility relate to concepts following the same pattern by which structural rules relate to concepts.

Where there is a definition, a concept is just what the definition says, no more and no less. Something called a "definition" as used in common speech is not necessarily a definition as defined by SBVR. It might be just a general description. It is only a definition if it defines the concept, differentiating it from others. As a matter of practice, a simple test for adequacy and correctness of definitions is to restate a rule by substituting a definition of a concept into a rule statement in place of the concept's designation. Does the restatement express the same meaning as the original statement? If not, the so-called definition is inadequate or incorrect. Consider the example below:

sports car Definition: kind of car

Rule 1: A rental of a sports car must include collision coverage.

A restatement of Rule 1, "A rental of a kind of car must include collision coverage," expresses a different meaning, so the definition is inadequate. Here is an adequate definition:

sports car

Definition: small, fast automobile equipped for racing

When the adequate definition is substituted into a restatement of the rule, the same rule is expressed. Consider some examples of structural rules related to 'sports car'.

Rule 2: Each sports car is always small.

Rule 2 expresses a characteristic attributed to all sports cars by the definition of 'sports car'. It is an incorporated characteristic of 'sports car'.

Rule 3: Each Corvette is always a sports car.

Rule 3 does not change the meaning of 'sports car'. Rather, it expresses an understanding that every Corvette is a small, fast automobile equipped for racing. This understanding is found in the meaning of Corvette. Agreement on this understanding might come from analysis of a definition of 'Corvette', or it might be established by a business decision about meaning based on tacit knowledge. Structural rules expressing such business decisions are often important guides to business knowledge.

EU-Rent Speedway

Definition: the test track owned by EU-Rent where any small car is testable

Rule 4: A test track always exists.

Rule 4 follows logically from the individual noun concept 'EU-Rent Speedway'. An individual noun concept always has one instance. So there is always a EU-Rent Speedway, and therefore, a test track.

Rule 5: The EU-Rent Speedway is always in Germany.

Rule 5 does not appear to follow logically from an understanding of definitions. It might well be true that the EU-Rent Speedway is in Germany, but Rule 5 proposes that it is always true - true in all possible worlds. Structural rules are about what is true in all possible worlds, so a statement of a fact, not a rule, is more appropriate here:

Fact 6: The EU-Rent Speedway is in Germany.

Rule 7: Every sports car is always testable at the EU-Rent Speedway.

Finally, Rule 7 proposes a necessary characteristic of the concept 'sports car'. This characteristic is an implied characteristic because it is not an incorporated characteristic of 'sports car'. It follows logically from the combination of characteristics of 'sports car' and 'EU-Rent Speedway'.

12.7 Creation and Adoption of Elements of Guidance

12.7.1 General

Certain organizations, called *authorities*, have the need and the standing to create and adopt elements of guidance. Such organizations are not merely communities – they must conduct business in some organized fashion.

Elements of guidance may be adopted from external authorities. These external authorities might be membership-based associations for certain industries (e.g., finance, healthcare, telecommunications), for certain professional practices (e.g., accountancy, law, human resources), or for certain domain expertise (e.g., biofuels, photography, software engineering). If elements of guidance are adopted, the concepts – noun concepts and verb concepts – used in defining the elements of guidance must be included in the body of shared concepts of the adopting authority. This usually means that the concepts have been adopted from, or defined in collaboration with, the providing authority that is the source of the adopted elements of guidance.




Figure 12.4

This diagram shows the SBVR XMI Metamodel and SBVR vocabulary by two different interpretations. See Clause 13 and Annex C.

authority

Definition:	organization with the standing to create or adopt elements of guidance
Dictionary Basis:	power to require and receive submission : the right to expect obedience : superiority derived from a status that carries with it the right to command and give final decisions [MWUD; authority' 2a]
	power to influence thought and opinion [MWUD; authority' 3a]
Example:	a business (e.g., EU-Rent), a governmental body, a standards organization, a professional society, a club, a homeowner's association
Note:	People who create, adopt or use elements of guidance must understand the concepts on which they are based. Therefore, any person working within an authority who is involved in creating, adopting, and/or using an element of guidance must be a member of the semantic community for each concept referenced within the statement(s) for such element of guidance.
Note:	An authority might be a specialist body that creates elements of guidance for other authorities to adopt, rather than applying the elements of guidance itself.
Note:	The group of people and organizations to which given elements of guidance apply is often broader than the authority that has jurisdiction over the elements of guidance. Example: The group of people to whom the elements of guidance of an airline frequent-flyer program apply is much wider than the authority (airline or airline suborganization) that has jurisdiction over those elements of guidance.
Note:	It is possible and common for a person or organization to be subject to business rules of more than one authority.

authority authors guidance statement

<u>aumority</u> aumors gui			
Definition:	the authority authors a guidance statement that expresses some element of guidance		
Note:	An authority may author guidance statements for adopted elements of guidance as well as for elements of guidance it defines.		
authority defines eler	nent of guidance		
Definition:	the <u>authority</u> authors the first guidance statement that expresses the element of guidance		
Necessity:	Each element of guidance is defined by exactly one authority.		
adopting authority			
Concept Type:	role		
Definition:	authority that adopts some element of guidance		
owning authority			
Concept Type:	role		
Definition:	<u>authority</u> that has business jurisdiction over some element of guidance		
adopting authority ac	lopts <u>element of quidance</u> from <u>owning authority</u> citing reference		
Definition:	the authority adopts the element of guidance from the owning authority citing a reference that points to a guidance statement that expresses the element of guidance		
Necessity:	The reference that is cited by an owning authority that adopts an element of guidance from an owning authority points to a guidance statement that expresses the element of guidance and that is included in a rulebook that is determined by a speech community of the owning authority.		
Note:	An element of guidance cannot be adopted in the abstract; it is adopted via a representation of the meaning - a guidance statement		
Note:	Subsequent guidance statements of the adopted element of guidance (e.g., in other natural languages) must have the same meaning as the first adopted guidance statement.		
Note:	When a guidance statement is adopted, all concepts in the referenced source that are used in the guidance statement are also adopted. These adoptions may be explicit in the adopting authority's vocabulary, or implicit, within the source vocabulary.		
Note:	The primary guidance statement used for the element of guidance does not have to be the same as the primary guidance statement in the source. Concepts used in the element of guidance should be represented by their preferred terms and verb symbols in the adopting body of shared guidance.		
Example:	EU-Rent has adopted an behavioral business rule from from an industry glossary: "Before handover of a rented car, the rental contract must be signed by the customer responsible for the rental". EU-Rent uses its own preferred terms, 'rental contract document' and 'renter' for its primary guidance statement: "The rental contract document of a rental must be signed by the renter of the rental before handover of the rented car of the rental".		
authority has busines	ss jurisdiction over <u>element of guidance</u>		
Synonymous Form:	element of guidance is in the jurisdiction of authority		
Definition:	the authority defines the element of guidance or adopts the element of guidance		

13 SBVR's Use of MOF and XMI

13.1 General

L

The SBVR XMI Metamodel (see Clause 15.2) is a MOF-based metamodel that supports a MOF representation of the concepts represented by the SBVR vocabularies. The UML figures in Clauses 8, 9, 11, and 12 show the SBVR vocabulary and the SBVR XMI Metamodel at the same time. This is because the vocabulary used by people and the MOF-based metamodel reveal the same concept system. Conceptual integration across vocabularies and languages involves one set of concepts (one model) expressed using different vocabularies or different languages.

SBVR's use of MOF and how the SBVR XMI Metamodel handles certain semantic modeling challenges using MOF 2.0 are described below. The SBVR XMI Metamodel is available as an XML document (see 15.2). It is drawn from the text of Clauses 8, 9, 11 and 12. UML Figures in those clauses illustrate the Metamodel using an interpretation explained in 13.2 below. This interpretation should not be confused with the 'Business Object Model' interpretation of the same figures explained in Annex C, which is based on a different profile. An example model that instantiates the SBVR XMI Metamodel is then shown and explained. Finally, the SBVR Content Model for SBVR is explained.

Models of business concepts, business vocabularies and business guidance can be communicated in terms of SBVR using XML documents that conform to the SBVR XMI XML schema (see Clause 15.3) created from the SBVR XMI Metamodel (see 15.2).

13.2 SBVR's Use of MOF


The following terms used in this clause are not words defined by SBVR. Their meanings come from MOF 2.0.

metamodel	package	association	association end	class	attribute	data type
model		link		element		data value

How each of these is used with respect to SBVR is explained below. The UML figures in Clauses 8 through 11 use normal UML notation to show the SBVR XMI Metamodel except for custom notations described below.

13.2.1 Metamodels

A model is a representation of facts. A model instantiates a metamodel which describes the structure and language by which facts are represented in models. A metamodel is itself a model which instantiates the MOF model (the metametamodel). The diagram below illustrates how SBVR fits into the MOF metamodeling architecture.



The SBVR XMI Metamodel (see Clause 15.2) instantiates the MOF model. It describes SBVR Content models, which represent facts built on SBVR concepts represented in these vocabularies:

Meaning And Representation Vocabulary

Logical Formulation of Semantics Vocabulary

Vocabulary for Describing Business Vocabularies

Vocabulary for Describing Business Rules

The combination of these vocabularies is the SBVR Vocabulary.

The SBVR XMI Metamodel does not include definitions, rules, notes, examples or semantic formulations. Rather, it mirrors the SBVR namespaces for those vocabularies. It provides a MOF means of expression (classes and associations) where the SBVR vocabulary namespaces identify an English language means of expression (designations and verb concept wordings). Both use the same signifiers. A result of this alignment of the SBVR XMI Metamodel with the SBVR vocabulary is that knowledge of the vocabulary implies knowledge of the Metamodel and vice versa. The SBVR XMI Metamodel is serialized as an XML document (see 15.2).

13.2.2 SBVR Content Models

SBVR Content models represent facts that are about or within a body of shared meanings. For example, facts about EU-Rent's concepts, rules, their representations and their semantic formulations can be represented in a SBVR Content model. A thing represented in a model is identified by facts about the thing that satisfy a reference scheme. An example SBVR Content model is shown in 13.4 below. SBVR Content models are often incomplete representations of a body of shared meanings. The size of a model depends on what facts are being represented, which can be as little as a single fact.

One particular SBVR Content model is the SBVR Content Model for SBVR (see sub clause 15.4), which is a model of SBVR in terms of itself. It is described in sub clause 13.5 below.

An SBVR Content Model instantiates the SBVR XMI Metamodel. It represents a <u>fact model</u>, which combines a <u>conceptual schema</u> and a set of facts. The conceptual schema is described by the SBVR model of SBVR. The facts are expressed in terms of the conceptual schema and are limited to what is possible according to the conceptual schema.

All uses of the terms "conceptual schema" and "fact model" in this clause are as defined in sub clause 10.2.2.1.

13.3 MOF Model Elements for SBVR

The <u>SBVR Vocabulary</u> is mapped to MOF elements that make up the SBVR XMI Metamodel. It should not be construed from this one-way mapping that a MOF class is the same thing as an SBVR concept or that there is any semantic equivalence between MOF and SBVR.

SBVR model content is represented in SBVR Content models according to the SBVR XMI Metamodel. SBVR Content models instantiate the SBVR XMI Metamodel, not the UML Metamodel. Another transform would be needed to represent SBVR model content using UML.


Both the mapping of the **<u>SBVR Vocabulary</u>** to MOF and the representation of SBVR model content using MOF are described below, divided using the following headings.

Heading	Purpose
MOF Elements of the SBVR XMI Metamodel	Prescriptive description of the mapping of the SBVR Vocabulary into a MOF-based metamodel
Elements of SBVR Content Models	Prescriptive description of how facts are represented within an SBVR Content model
Rationale	Design rationale explaining aspects of SBVR or MOF that led to the MOF representations described here

13.3.1 MOF Packages for SBVR Vocabulary Namespaces

MOF Elements of the SBVR XMI Metamodel

The <u>SBVR Vocabulary</u> is mapped to the SBVR XMI Metamodel, which is made up of multiple packages shown in the diagram below. Each package is a MOF-based reflection of one of SBVR's vocabulary namespaces.



The merge relationships between the packages exactly reflects the include relationships between the corresponding SBVR vocabularies.

Elements of SBVR Content Models

The packages that make up the SBVR XMI Metamodel contain classes and associations. The elements of SBVR Content Models are elements of those classes and associations.

Rationale

Each of the packages merged into the SBVR package can serve as a metamodel in its own right as a subset of the overall SBVR XMI Metamodel. These packages correspond with compliance points described in Clause 2.

SBVR XMI Metamodel packages can be imported or merged into other MOF-based metamodels. For example, a metamodel of organizational structure can import SBVR's 'Meaning and Representation Vocabulary' package as a starting point for modeling organization types and organizational roles. Similarly, a metamodel of business process can import SBVR's 'Vocabulary for Describing Business Rules' package in order to relate processes to rules and can import SBVR's 'Logical Formulation of Semantics Vocabulary' package for modeling semantic formulations of rules that govern processes. Such rules can use concepts from the metamodel of business process (e.g., 'process') if those concepts are also modeled using elements of classes in the SBVR XMI Metamodel packages (e.g., an element of the class 'noun concept' for the concept 'process'). Also, other metamodels can import individual model elements from SBVR in cases where a portion of SBVR smaller than a package is wanted. Importing from SBVR is appropriate *only when using SBVR concepts as defined by SBVR*.

13.3.2 MOF Classes for SBVR Noun Concepts

MOF Elements of the SBVR XMI Metamodel

Each designation in a vocabulary namespace for a noun concept that is not a role is mirrored in the SBVR XMI Metamodel as a class. The signifier of the designation is the name of the class. The signifier of each synonym of the designation is an alias for the class.

The metamodel includes generalizations between classes reflecting generalizations between the represented noun concepts. Each SBVR concept besides 'thing' specializes 'thing', so the classes have the class 'thing' as a superclass either directly or indirectly.

The classes in the metamodel that mirror the following concepts are abstract (isAbstract = true):

Clause 8:	meaning,	concept,	expression,	, state of affairs	s, <u>actuality</u> ,	thing,	set, fact
-----------	----------	----------	-------------	--------------------	-----------------------	--------	-----------


- Clause 9: <u>semantic formulation</u>, <u>closed semantic formulation</u>, <u>logical formulation</u>, <u>modal formulation</u>, <u>logical operation</u>, <u>binary logical operation</u>, <u>quantification</u>, <u>projecting formulation</u>, <u>bindable target</u>
- Clause 11: community, situation, res

Example Vocabulary:


characteristic

General Concept:	verb concept
Synonym:	unary verb concept

Figure:



SBVR XMI Metamodel:



{element import characteristic as unary verb concept}

Elements of SBVR Content Models

Where a class represents a noun concept, an element (in an SBVR Content model) that instantiates the class represents a fact that an instance of the noun concept exists. References to the element within the SBVR Content model indicate references to the instance of the noun concept. Note that it is possible that two elements in an SBVR Content model

represent the same actual thing (13.3.1 explains situations where this is likely and tells how to relate the two elements within the SBVR Content model). Also, a lack of an element in an SBVR Content model implies nothing - it does not imply that something does not exist.

An element of an abstract class exists in a MOF-based model only by instantiating a nonabstract subclass of that abstract class.

Rationale

Use of aliasing, though not common in MOF-based metamodels, keeps a strong alignment of the SBVR XMI Metamodel with the SBVR vocabulary.

The SBVR XMI metamodel is intended to provide for representing meanings and their representations. It is not intended for representing things in general. Making some classes abstract simplifies interpretation of SBVR Content models by limiting them to SBVR's scope.

Some UML figures in Clauses 8 through 12 show partitioning or disjoint categories using UML notation, but those features are not included in MOF 2.0, so partitioning and disjointness are not reflected in the SBVR XMI Metamodel. Also, MOF 2.0 does not support association classes. Each case of an association class in a figure corresponds with a verb concept and a noun concept, and each of the two is represented separately in the SBVR XMI Metamodel.

13.3.3 MOF Boolean Attributes for SBVR Characteristics


MOF Elements of the SBVR XMI Metamodel

A characteristic is represented in MOF as an optional Boolean attribute as shown below.

Example Vocabulary:

variable is unitary

Figure:



SBVR XMI Metamodel:

variable
is unitary : Core::PrimitiveTypes::Boolean [01]

Elements of SBVR Content Models

For an element in an SBVR Content model, the meaning of the value TRUE is that the characteristic is attributed to the thing represented by the element. A meaning of FALSE is that the thing represented by the element does not have the characteristic. A meaning of the attribute being null is the same as the attribute being unspecified for the element.

Rationale

The attribute is optional in support of the Open World Assumption, explained in 13.4.2 below.

13.3.4 MOF Associations for SBVR Binary Verb Concepts

MOF Elements of the SBVR XMI Metamodel

Each binary verb concept is represented in MOF terms as an association. Association names match verb concept wordings. If a verb concept has only one verb concept wording, the association's name is the expression of that verb concept wording, but with subscripts raised to normal text. The names of the association's ends are the placeholder expressions from the verb concept wording. The ends are owned by the association so that individual links can be serialized using XMI.

In cases of more than one verb concept wording (synonymous forms), one is chosen to name the association that does not imply a designation in an attributive namespace. Then there is an alias for the association for each other verb concept wording that has matching placeholder expressions (which implies matching association end names).

In figures in the normative clauses, a label on an association line that includes a reading direction arrow (" \succ ") is meant to be read starting with the name of the class on the first end and ending with the name of the class on the other end, except where a name for an end is already in the label. The association names match this reading exactly. Including the names of an association's ends in the association's name makes the association's name unique within a package, as required by MOF.


In cases where an association's ends both connect to the same class, subscripts are used on placeholders to distinguish them. In the association name and its ends' names the subscripts are raised to normal text and serve to distinguish the ends.

Example Vocabulary:


concept₁ specializes concept₂

Synonymous Form: <u>concept</u>₂ generalizes <u>concept</u>₁

Figure:



SBVR XMI Metamodel:



{element import concept1 specializes concept2 as concept2 generalizes concept1}

Some structural rules impose multiplicity constraints for binary verb concepts. These are shown in the Figures in Clauses 8 through 12 and are included in the SBVR XMI Metamodel.

Elements of SBVR Content Models

Where an association represents a binary verb concept, a link of the association within an SBVR Content model represents a fact of that binary verb concept. The absence of a link implies nothing. There are no defaults.

Rationale

Partitive verb concepts are shown in figures as UML shared aggregation, which is not supported by MOF 2.0. All association ends in the SBVR XMI metamodel are noncomposite.

13.3.5 MOF Attributes for SBVR Roles of Verb Concepts

MOF Elements of the SBVR XMI Metamodel


A role of a binary verb concept that has a designation in an attributive namespace is understood in MOF terms as an attribute owned by the subject class. Such designations appear in figures as names on association ends. In the example below, 'element' is in an attributive namespace for the concept 'set,' so it is mirrored in the SBVR XMI Metamodel as an attribute.

Example Vocabulary:

thing is in set

Synonymous Form: Synonymous Form:

Figure:



set includes thing

set has element

SBVR XMI Metamodel:

set	thing is in set	thing
element : thing [*]		

{element import thing is in set as set includes thing}

In each case where an attribute and an association end represent the same role, the SBVR XMI Metamodel includes a tag that tags both the attribute and the association end. The tag connects them to show their correlation. The tag's name is "org.omg.sbvr.sameRole," its value is "" (the empty string), and its elements are the attribute and the association end.

Where structural rules impose multiplicity constraints, they are shown in figures and are included in the SBVR XMI Metamodel for association ends and for attributes.

Elements of SBVR Content Models

Where a role of a binary verb concept is understood in MOF terms as an attribute, specification of the attribute for an element in an SBVR Content model represents the entire extension of that verb concept for the element. There are no defaults. If the attribute is unspecified for an element, it is simply unspecified; it is not presumed by default to have no value. If anything is specified, all values of the attribute are specified. Specification that the attribute is null means there is no instance of the verb concept for the element.

Rationale

The attributes described in the sub clause are in addition to the associations that represent the binary verb concepts - the reason for the distinction is explained below.

To preserve 'set' semantics, any two values of the same attribute of the same element in an SBVR Content Model represent two different things. Where an attribute has two or more values, it can be concluded that each of the values represents a thing that is distinct from the others.

13.3.6 MOF Classes for SBVR Ternary Verb Concepts


MOF Elements of the SBVR XMI Metamodel

MOF 2.0 does not support ternary associations. Therefore, a ternary verb concept is represented in MOF terms as a class with one single-valued, required attribute for each role of the verb concept. The class's name takes the same form as the name of an association for a binary verb concept. If there are multiple verb concept wordings for a ternary verb concept, aliases are used.


Example Vocabulary:

state of affairs involves thing in role

Figure:



SBVR XMI Metamodel:



Elements of SBVR Content Models

In an SBVR Content model, an element of such a class represents a fact of the ternary verb concept.

13.3.7 Data Values

MOF Elements of the SBVR XMI Metamodel

The classes 'text' and 'integer,' representing 'text' and 'integer,' have data attributes shown below.

SBVR XMI Metamodel:

text	integer
value : Core::PrimitiveTypes::String [01]	value : Core::PrimitiveTypes::Integer [01]

Elements of SBVR Content Models

If one of these attributes is specified in an SBVR Content model, the represented text or integer is the specified value. Specification of null is equivalent to not specifying anything. There are no defaults.

The concepts 'text', 'integer', and 'number' are SBVR noun concepts, so their instances can be represented like instances of other noun concepts (see 13.2.2 MOF classes for SBVR Noun Concepts) without using the 'value' attributes shown above. A specific number can be identified by a designation. The <u>ISO 6093 Number Namespace</u> includes designations of all integers and of numbers with decimal places. Each designation in the <u>ISO 6093 Number Namespace</u> shall be interpreted according to [ISO 6093].

Each text value is a Unicode string and is considered without regard to markup.

Rationale

13.3.8 XMI Names

MOF Elements of the SBVR XMI Metamodel

A named element is tagged with an 'org.omg.xmi.xmiName' tag if its XMI name differs from its MOF name. XMI names are determined from MOF names by upcasing each character that follows a blank and then removing the blank. The names, which come from the SBVR vocabularies, do not contain any characters that are invalid in XML identifiers.

13.4 Using MOF to Represent Semantics

The SBVR XMI Metamodel is a direct reflection of the SBVR vocabulary, which represents SBVR meanings, but this direct representation of SBVR meanings requires two semantic modeling capabilities not directly provided by MOF 2.0. The two following clauses explain how the two capabilities, multiclassification and the Open World Assumption, are supported by the SBVR XMI Metamodel.

13.4.1 Multiclassification

MOF 2.0 requires that each element is described by one class (its "metaClass"). Sometimes a thing cannot be represented by an element of a single class. This happens when a thing is an instance of multiple concepts, neither one specializing the other. To represent this case, multiple elements are used, one per concept. A link of the association '**thing1 is thing2**' (representing the verb concept 'thing₁ *is* thing₂') is used to indicate that the multiple elements represent the same thing. A consumer of a model in which two elements represent the same thing should assume that a fact represented in reference to either element applies to both elements (since they both represent the same thing).

As an example, consider the noun concepts '<u>closed logical formulation</u>' and '<u>obligation formulation</u>.' Neither specializes the other. Where an obligation formulation is a closed formulation that formulates a proposition, a model uses one element of type '**closed logical formulation**' and a separate element of type '**obligation formulation**' along with a '**thing1 is thing2**' link that says the two elements represent the same thing.

13.4.2 Open World Assumption

The open world assumption is that representation of facts in a model does not imply that those are the only facts of a particular type nor that they are the only facts of a particular type about a subject thing - there are no implications to be taken from what is not represented in a model. For example, consider facts about a set S. The two facts, "1 is in S" and "2 is in S," do not convey the same meaning as " $S = \{1, 2\}$ " because the two facts do not imply anything about whether other things are in S.

In general, models represent facts with an open world assumption. But some reference schemes use roles of binary verb concepts extensionally, so models represent a complete extension with respect to a subject thing being identified.

MOF supports the open world assumption about instantiation of classifiers (classes and associations). MOF's attributes support representation of an entire extension of an attribute with respect to a given subject. In order to enable a clear distinction in a model between individual facts and complete extensions with respect to a subject, association links are used to represent individual facts of a binary verb concept while attributes are used when identifying a complete extension of a binary verb concept with respect to a particular subject. This means that a fact can in one model be represented by a link, and in another by a value of an attribute of an element. The fact is represented using an attribute only when the complete extension of the verb concept is being represented for the subject. Examples of both cases appear in the example below. SBVR has a designation in an attributive namespace for every role that is extensionally used by a reference scheme such that the SBVR XMI Metamodel has the required attributes to satisfy all of SBVR's reference schemes.


13.5 Example SBVR Content Model

company

Consider the following example, which includes a small portion of a vocabulary and a rule statement.

company officer company appoints officer EU-Rent General Concept: EU-Rent must appoint at least 3 officers.

The following figure is a UML instance diagram showing an SBVR Content model of the example. For simplicity, only facts expressible in terms of the Meaning And Representation Vocabulary and the Logical Formulation of Semantics Vocabulary are shown. Some end names are elided where they are obvious from the class names or for 'thing1 is thing2' (where it makes no difference). For elements of the vocabulary, the three layers of expression, representation, and meaning are apparent in the diagram. The rule, shown at the bottom, connects to the meanings of the elements of the vocabulary though its logical formulation.



The example SBVRContent model is expressed below in XML based on the SBVR XML Schema. The xmiid values are arbitrary and have no special meaning, but they build on the related signifiers to help readability. The XML tags, which include the namespace prefix 'sbvr', are the XMI names for model elements of the SBVR XMI Metamodel.

```
<?xml version="1.0" encoding="UTF-8" ?>
```

<xmi:XMI xmi:version="2.1" xmlns:xmi="http://schema.omg.org/spec/XMI/2.1" xmlns:sbvr="http://www.omg.org/spec/SBVR/20070901/SBVR.xml">

For 'company':

<sbvr:designation xmi:id="company" signifier="company-t" meaning="company-c"/> <sbvr:generalConcept xmi:id="company-c"/> <sbvr:text xmi:id="company-t" value="company"/> For 'officer':

```
<sbvr:designation xmi:id="officer" signifier="officer-t" meaning="officer-c"/>
<sbvr:generalConcept xmi:id="officer-c"/>
<sbvr:text xmi:id="officer-t" value="officer"/>
```

For 'company appoints officer':

<sbvr:sententialForm xmi:id="companyAppointsOfficer" expression="cao-t" meaning="cao-c" placeholder="cao-p1 cao-p2"/>
<sbvr:binaryVerbConcept xmi:id="cao-c" role="cao-r1 cao-r2"/>
<sbvr:verbConceptWordingDemonstratesDesignation verbConceptWording="companyAppointsOfficer" designation="appoints"/>
<sbvr:designation xmi:id="appoints" signifier="appoints-t" meaning="cao-c"/>
<sbvr:text xmi:id="cao-t" value="company appoints officer"/>
<sbvr:text xmi:id="appoints-t" value="appoints"/>

<sbvr:placeholder xmi:id="cao-p1" expression="company-t" startingCharacterPosition="i1" meaning="cao-r1"/> <sbvr:placeholderUsesDesignation placeholder="cao-p1" designation="company"/> <sbvr:roleRangesOverObjectType role="cao-r1" generalConcept="company-c"/> <sbvr:verbConceptRole xmi:id="cao-r1"/> <sbvr:positiveInteger xmi:id="i1" value="1"/>

<sbvr:placeholder xmi:id="cao-p2" expression="officer-t" startingCharacterPosition="i18" meaning="cao-r2"/> <sbvr:placeholderUsesDesignation placeholder="cao-p2" designation="officer"/> <sbvr:roleRangesOverObjectType role="cao-r2" generalConcept="officer-c"/> <sbvr:verbConceptRole xmi:id="cao-r2"/> <sbvr:positiveInteger xmi:id="i18" value="18"/>

For 'EU-Rent' with "General Concept: company":

<sbvr:designation xmi:id="EU-Rent" signifier="EU-Rent-t" meaning="EU-Rent-c"/> <sbvr:individualConcept xmi:id="EU-Rent-c"/> <sbvr:text xmi:id="EU-Rent-t" value="EU-Rent"/> <sbvr:concept1SpecializesConcept2 concept1="EU-Rent-c" concept2="company-c"/>

For "EU-Rent must appoint at least 3 officers":

```
<sbvr:statement xmi:id="stmt" expression="stmt-t" meaning="stmt-p"/>
<sbvr:text xmi:id="stmt-t" value="EU-Rent must appoint at least 3 officers"./>
<sbvr:proposition xmi:id="stmt-p"/>
<sbvr:closedLogicalFormulationFormalizesStatement closedLogicalFormulation="ob2" statement="stmt"/>
<sbvr:closedLogicalFormulationMeansProposition closedLogicalFormulation="ob2" proposition="stmt-p"/>
<sbvr:closedLogicalFormulation xmi:id="ob"/>
<sbvr:closedLogicalFormulation xmi:id="ob2"/>
<sbvr:closedLogicalFormulation xmi:id="ob2"/>
<sbvr:thing1lsThing2 thing1="ob" thing2="ob2"/>
<sbvr:modalFormulationEmbedsLogicalFormulation modalFormulation="ob" logicalFormulation="am3"/>
<sbvr:at-least-nQuantification xmi:id="am3" scopeFormulation="atom" minimumCardinality="i3"/>
<sbvr:quantificationIntroducesVariable quantification="am3" variable="v"/>
<sbvr:atomicFormulation xmi:id="atom" roleBinding="bind1 bind2"/>
<sbvr:atomicFormulationSBasedOnverbConcept atomicFormulation="atom" verbConcept="cao-c"/>
<sbvr:roleBinding xmi:id="bind1"/>
```

<sbvr:roleBindingBindsToBindableTarget roleBinding="bind1" bindableTarget="EU-Rent-c"/>

<sbvr:verbConceptRoleHasRoleBinding verbConceptRole="cao-r1" roleBinding="bind1"/><sbvr:roleBinding xmi:id="bind2"/>

<sbvr:roleBindingBindsToBindableTarget roleBinding="bind2" bindableTarget="v"/>

<sbvr:verbConceptRoleHasRoleBinding verbConceptRole="cao-r2" roleBinding="bind2"/>

<sbvr:positiveInteger xmi:id="i3" value="3"/>

</xmi:XMI>

The example shows some of the points explained previously about SBVR Content models.

- Fact Model the entire XML content represents a <u>fact model</u>, which is a combination of a <u>conceptual schema</u> and a set of facts. The conceptual schema of the fact model is identified in the heading where it says, xmlns:sbvr="http:// www.omg.org/spec/SBVR/20070901/SBVR.xml." The URL identifies a document that serializes the SBVR Content Model for SBVR, which describes the concepts and rules that make up the conceptual schema (see 13.4 and 15.3). The elements of the XML content represent the set of facts of the fact model.
- Multiclassification There is an occurrence of 'thing1lsThing2' which is used to connect a pair of elements that represent the same thing. There is an element of type 'obligationFormulation' (xmi:id="ob") and another element of type 'closedLogicalFormulation' (xmi:id="ob"). Neither type specializes the other so there is one element of each type and a 'thing1lsThing2' link indicates that the two elements represent the same thing.
- Open World Assumption Links, rather than attributes, are always used where there is an open world assumption, such as for the fact that the individual noun concept 'EU-Rent' specializes the concept 'company' there is no indication that these concepts are not involved in other specializations.
- Attributes giving Complete Extensions for a Subject Each specification of an attribute occurs where the entire extension of the attribute is being specified for a subject thing, such as for identifying the two placeholders of the verb concept wording 'company appoints officer' or the two roles of the verb concept. The one 'variable' in the example is serialized with "restrictingFormulation=""" representing that it has no restricting formulation. In a number of cases, attributes are unspecified because the entire extension of the attribute for an element is not being specified. For example, the attribute 'representation' is unspecified for the elements representing meanings (e.g., 'company-c' and 'officer-c' there can be any number of representations of a meaning, and the example model does not specify them all. However, each representation has exactly one meaning, so the 'meaning' attribute is specified for each representation to identify its one meaning.

13.6 The SBVR Content Model for SBVR

The SBVR Content Model for SBVR represents facts concerning all of the formally captioned contents of Clauses 7 through 12. In general, this includes all of the information given in the SBVR specification about its concepts that can be represented in terms of the SBVR XMI Metamodel. This includes:

- noun concepts and their designations
- verb concepts and their verb concept wordings
- specializations/generalizations
- concept types
- definitions and, where formal, their semantic formulations
- · necessity statements and, where formal, their semantic formulations
- · vocabularies, language, namespaces and their URIs
- notes, examples, sources, descriptions

The SBVR Content Model for SBVR is like the example in sub clause 13.3 above except that it is about SBVR's vocabulary and meanings, not EU-Rent's. The complete SBVR Content Model for SBVR is serialized as XML documents listed in 15.4. It can be used and extended by other SBVR Content models that build on SBVR's concepts.

13.7 XMI for the SBVR Model of SBVR

XML patterns are shown below for the various parts of vocabulary descriptions and vocabulary entries used in Clauses 7 through 12. These patterns are used to create the XML documents that serialize the SBVR Content Model for SBVR. Each pattern is shown for a corresponding SBVR Structured English entry (see Annex A for entry descriptions).

The XML patterns provide a normative definition of which SBVR concepts are represented by each use of SBVR Structured English in the vocabulary descriptions and entries contained in Clauses 7 through 12.

The general principles used for the patterns are these: First, the facts of what is presented using SBVR Structured English are represented using XML. Second, for the objects referenced by those facts, further facts are represented to satisfy reference schemes for those objects wherever sufficient detail is given. The principles are applicable to SBVR-based communication in general. The XML files identified in sub clause 13.3, which are created based on these principles following the patterns below, are examples of XML serializations of SBVR Content models.

The xmi:id values used in the patterns below are replaced by different values in the actual XML documents because the multitude of repetitions of the patterns need their own unique xmi:id values. But the xmi:id values shown below consistently and correctly show relationships within the patterns. Most xmi:id values are referenced only locally within the XML elements for the same Structured English entry, but some are referenced beyond that scope and are shown in bold blue (e.g., "vocabulary") so that references to them are easily followed. The different types of vocabulary entries (term, name and verb concept wording) are mutually exclusive. They each introduce an xmi:id value "meaning" which is referenced in other patterns.

Made-up names (e.g., "<u>Xyz Vocabulary</u>"), terms (e.g., "<u>example term</u>") and verb concept wordings (e.g., "<u>example is</u> seen") are used to show the patterns and to show how signifiers and other expressions appear in XML. Certain assumptions are made by the patterns based on the way the vocabularies in Clauses 7 through 12 are interrelated. The patterns assume that a vocabulary being described has a name in the <u>Vocabulary Registration Vocabulary</u> (of Clause 7). The patterns assume that where a term or name is used with a formal interpretation in Structured English, that term or name is found by way of the vocabulary namespace derived from the vocabulary being described. These assumptions are correct regarding Clauses 7 through 12, but they cannot necessarily be assumed about all vocabulary descriptions.

Each pattern has a part that remains unchanged for the kind of entry or caption shown (except for differences in xmi:id values as described above) and a part that varies based on the content of the entry. The part that varies is shown in **bold** *italics*. It can be a text or integer value, a quoted xmi:id of an object introduced elsewhere, or an XML tag.

The final XML documents created from the vocabulary clauses can differ slightly from what is exactly produced from the templates, but the represented meaning does not differ. In cases where two objects are created and then connected by a 'thing1lsThing2' link, the objects can be combined into one if they are of the same class or if one class specializes the other. In cases where the patterns would create two identical XML elements, only one is actually created. For example, all uses of an element for the integer 1 can use the same element.

13.7.1 XML Patterns for Vocabularies

Xyz Vocabulary

<sbvr:vocabulary xmi:id="vocabulary"/> <sbvr:nameReferencesThing thing="vocabulary" name="XyzVocabulary"/> <sbvr:name xmi:id="XyzVocabulary" signifier="v-s" meaning="vocabulary-concept"/>

<sbvr:individualConcept xmi:id="vocabulary-concept" instance="vocabulary"/>

<sbvr:text xmi:id="v-s" value="Xyz Vocabulary"/>

<sbvr:designationIsInNamespace designation="XyzVocabulary" namespace="vocabularyRegistrationNamespace"/> <sbvr:vocabularyNamespace xmi:id="vocabularyNamespace"/>

<sbvr:vocabularyNamespaceIsDerivedFromVocabulary vocabularyNamespace="vocabularyNamespace" vocabulary="vocabulary"/>

The pattern above assumes the Vocabulary Registration Vocabulary has a vocabulary namespace like this: <sbvr:vocabularyNamespace xmi:id="vocabularyRegistrationNamespace"/>

Included Vocabulary: Abc Vocabulary

<sbvr:vocabulary1IncorporatesVocabulary2 vocabulary1="vocabulary" vocabulary2="*Abc*"/> <sbvr:namespace1IncorporatesNamespace2 namespace1="vocabularyNamespace" namespace2="*Abc-ns*"/>

The pattern above assumes there is a vocabulary named <u>Abc Vocabulary</u> like this: <sbvr:vocabulary xmi:id="Abc"/> <sbvr:vocabularyNamespace xmi:id="Abc-ns"/>

Language: English

<sbvr:language xmi:id="language"/>

<sbvr:vocabularyNamespaceIsForLanguage vocabularyNamespace="vocabularyNamespace" language="language"/>

<sbvr:nameReferencesThing thing="language" name="English"/>

<sbvr:name xmi:id="English" signifier="I-s" meaning="I-c"/>

<sbvr:individualConcept xmi:id="l-c" instance="language"/>

<sbvr:text xmi:id="I-s" value="English"/>

<sbvr:designationIsInNamespace designation="English" namespace="ISO639-2English"/>

<sbvr:vocabularyNamespace xmi:id="ISO639-2English"/>

<sbvr:namespaceHasURI namespace="ISO639-2English" URI="Im-u"/>

<sbvr:URI xmi:id="lm-u"

value="http://www.loc.gov/standards/iso639-2/php/English_list.php"/>

Namespace URI: http://some.uri <sbvr:namespaceHasURI namespace="vocabularyNamespace" URI="vn-uri"/> <sbvr:URI xmi:id="vn-uri" value="http://some.uri"/>

Speech Community: <u>English Mechanics</u> <sbvr:speechCommunityOwnsVocabulary speechCommunity="em" vocabulary="vocabulary"/> <sbvr:conceptHasInstance concept="*em-concept*" instance="em"/> <sbvr:speechCommunity xmi:id="em"/>

It is assumed for this entry that there is a name '<u>English Mechanics</u>' for an individual noun concept like this: <sbvr:name xmi:id="em-name" signifier="em-s" meaning="em-concept"/> <sbvr:individualConcept xmi:id="em-concept"/> <sbvr:text xmi:id="em-s" value="English Mechanics"/>

The captions "Description:", "Note:" and "Source:" are handled for a vocabulary in the same way as for terms within a vocabulary, as shown below, except that the related meaning is given as meaning="vocabulary-concept".

13.7.2 XML Patterns for General Concepts

example term

<sbvr:term xmi:id="exampleTerm" signifier="et-s" meaning="meaning"/> <sbvr:generalConcept xmi:id="meaning"/> <sbvr:text xmi:id="et-s" value="example term"/> <sbvr:thingIsInSet set="vocabulary" thing="exampleTerm"/> <sbvr:designationIsInNamespace designation="exampleTerm" namespace="vocabularyNamespace"/>

If there is no "See:" caption, then the following is included: <sbvr:preferredDesignation xmi:id="exampleTermPreferred"/> <sbvr:thing1lsThing2 thing1="exampleTermPreferred" thing2="exampleTerm"/>

Concept Type: role

<sbvr:role xmi:id="meaningAsRole"/> <sbvr:thing1lsThing2 thing1="meaningAsRole" thing2="meaning"/>

The pattern above is used if the concept type is an SBVR concept. The pattern below is used if the concept type is not an SBVR concept.

Concept Type: <u>example type</u>

<sbvr:conceptHasInstance concept="exampleType-c" instance="meaning"/>

There is assumed to be a term '<u>example type</u>' for a general concept like this: <sbvr:term xmi:id="exampleType" signifier="exampleType-s" meaning="exampleType-c"/> <sbvr:generalConcept xmi:id="exampleType-c"/> <sbvr:text xmi:id="exampleType-s" value="example type"/>

Definition: <u>example</u> that is seen

<sbvr:definition xmi:id="def-formal" expression="def-formal-e" meaning="meaning"/> <sbvr:text xmi:id="def-formal-e" value="*example that is seen*"/> <sbvr:concept1SpecializesConcept2 concept1="meaning" concept2="*example-concept*" /> <sbvr:closedProjectionFormalizesDefinition closedProjection="*def-formal-projection*" definition="def-formal"/> <sbvr:closedProjectionDefinesNounConcept closedProjection="*def-formal-projection*" nounConcept="meaning"/>

The closed projection of the definition (not shown) has xmi:id="def-formal-projection". It is assumed for this entry and several others that there is a term '<u>example</u>' for a general concept like this: <sbvr:term xmi:id="example" signifier="example-s" meaning="example-concept"/> <sbvr:generalConcept xmi:id="example-concept"/> <sbvr:text xmi:id="example-s" value="example"/>

Definition: <u>example</u> that shows something

<sbvr:definition xmi:id="def-semiformal" expression="def-semiformal-e" meaning="meaning"/> <sbvr:text xmi:id="def-semiformal-e" value="example that shows something"/> <sbvr:concept1SpecializesConcept2 concept1="meaning" concept2="example-concept" />

Definition: whatever demonstrates

<sbvr:definition xmi:id="def-informal" expression="def-informal-e" meaning="meaning"/> <sbvr:text xmi:id="def-informal-e" value="whatever demonstrates"/>

Description: A description of something <sbvr:descriptionPortraysMeaning description="desc" meaning="meaning"/> <sbvr:description xmi:id="desc" expression="desc-e"/> <sbvr:text xmi:id="desc-e" value="A description of something"./>

Dictionary Basis: example None

Example: An example of an example <sbvr:descriptiveExampleIllustratesMeaning descriptiveExample="de" meaning="meaning"/> <sbvr:descriptiveExample xmi:id="de" expression="de-e"/> <sbvr:text xmi:id="de-e" value="**An example of an example**"/>

General Concept: <u>example</u> <sbvr:concept1SpecializesConcept2 concept1="meaning" concept2="example-concept"/>

Necessity: Each example is seen.

<sbvr:statement xmi:id="nec-stmt" expression="nec-e" meaning="nec"/> <sbvr:text xmi:id="nec-e" value="*Each example is seen*"./> <sbvr:proposition xmi:id="nec" isNecessarilyTrue="true"/> <sbvr:closedLogicalFormulationFormalizesStatement closedLogicalFormulation="*nec-formulation*" statement="nec-stmt"/> <sbvr:closedLogicalFormulationMeansProposition closedLogicalFormulation="*nec-formulation*" proposition="nec"/>

A closed logical formulation of the statement (not shown) has xmi:id="nec-formulation".

Note: This note says little.

<sbvr:noteCommentsOnMeaning note="note" meaning="meaning"/> <sbvr:note xmi:id="note" expression="note-e"/> <sbvr:text xmi:id="note-e" value="*This note says little*"./>

Possibility: Some <u>example</u> is seen.

<sbvr:statement xmi:id="pos-stmt" expression="pos-e" meaning="pos"/>

<sbvr:text xmi:id="pos-e" value="Some example is seen"./>

<sbvr:proposition xmi:id="pos" isPossiblyTrue ="true"/>

<sbvr:closedLogicalFormulationFormalizesStatement closedLogicalFormulation="**pos-formulation**" statement="pos-stmt"/> <sbvr:closedLogicalFormulationMeansProposition closedLogicalFormulation="**pos-formulation**" proposition="pos"/>

A closed logical formulation of the statement (not shown) has xmi:id="pos-formulation".

Reference Scheme: An <u>id</u> of the <u>example term</u> and the set of <u>authors</u> of the <u>example term</u> <sbvr:referenceScheme xmi:id="refScheme" simplyUsedRole="*ethi-r2*" extensionallyUsedRole="*etha-r2*" identifyingCharacteristic=""/>

It is assumed for this entry that there is a binary verb concept '<u>example term</u> has id' whose 'id' role has xmi:id="ethi-r2".

It is assumed for this entry that there is a binary verb concept '<u>example term</u> has <u>author</u>' whose '<u>author</u>' role has xmi:id="etha-r2".

See: <u>example general concept designation</u>

Same as "Synonym: example general concept designation".

Source: ISO 1087-1 ['example'] <sbvr:referenceSupportsMeaning reference="ref" meaning="meaning"/> <sbvr:reference xmi:id="ref" expression="source-e"/> <sbvr:text xmi:id="source-e" value="ISO 1087-1 ['example']"/>

Subject Field: Philosophy

<sbvr:representationIsInSubjectField representation="exampleTerm" subjectField="philosophy"/> <sbvr:conceptHasInstance concept="*philo-concept*" instance="philosophy"/> <sbvr:subjectField xmi:id="philosophy"/>

It is assumed for this entry that there is a name '<u>Philosophy</u>' for an individual noun concept like this: <sbvr:name xmi:id="philo-name" signifier="philo-s" meaning="philo-concept"/> <sbvr:individualConcept xmi:id="philo-concept"/> <sbvr:text xmi:id="philo-s" value="Philosophy"/>

Synonym: <u>example general concept designation</u>

<sbvr:term xmi:id="exampleObjectTypeDesignation" signifier="eotd-s" meaning="meaning"/> <sbvr:text xmi:id="eotd-s" value="*example general concept designation*"/> <sbvr:thinglsInSet set="vocabulary" thing="exampleObjectTypeDesignation"/> <sbvr:designationIsInNamespace designation="exampleObjectTypeDesignation" namespace="vocabularyNamespace"/>

13.7.3 XML Patterns for Individual Noun Concepts

Example Name

<sbvr:name xmi:id="exampleName" signifier="en-s" meaning="meaning"/> <sbvr:individualConcept xmi:id="meaning"/> <sbvr:text xmi:id="en-s" value="Example Name"/> <sbvr:thingIsInSet set="vocabulary" thing="exampleName"/> <sbvr:designationIsInNamespace designation="exampleName" namespace="vocabularyNamespace"/>

If there is no "See:" caption, then the following is included: <sbvr:preferredDesignation xmi:id= "exampleNamePreferred"/> <sbvr:thing1lsThing2 thing1="exampleNamePreferred" thing2="exampleName"/>

Definition: the <u>example</u> that is seen

<sbvr:definiteDescription xmi:id="defDesc-formal" expression="defDesc-formal-e" meaning="meaning"/> <sbvr:text xmi:id="defDesc-formal-e" value="*the example that is seen*"/> <sbvr:concept1SpecializesConcept2 concept1="meaning" concept2="example-concept" /> <sbvr:closedProjectionFormalizesDefinition closedProjection="*defDesc-formal-projection*" definition="defDesc-formal"/> <sbvr:closedProjectionDefinesNounConcept closedProjection="*defDesc-formal-projection*" nounConcept="meaning"/>

The closed projection of the definition (not shown) has xmi:id="defDesc-formal-projection". Note that informal and semiformal definitions of individual noun concepts follow the same pattern as shown for general concepts above with the exception that they are rendered as sbvr:definiteDescription.

The captions "Concept Type:", "Description:", "Dictionary Basis:", "Example:", "General Concept:", "Necessity:", "Note:", "Possibility:", "See:", "Source:", "Subject Field:" and "Synonym:" are handled for a name in the same way as for terms as shown above.

13.7.4 XML Patterns for Verb Concepts

example is seen

<sbvr:sententialForm xmi:id="exampleIsSeen" expression="eis-e" meaning="meaning" placeholder="eis-p"/> <sbvr:verbSymbol xmi:id="example.isSeen" signifier="isSeen-s" meaning="meaning"/> <sbvr:characteristic xmi:id="meaning" role="eis-r"/>

```
<sbvr:text xmi:id="eis-e" value="example is seen"/>
<sbvr:text xmi:id="isSeen-s" value="is seen"/>
<sbvr:placeholder xmi:id="eis-p" expression="example-s" startingCharacterPosition="i1" meaning="eis-r"/>
<sbvr:placeholderUsesDesignation placeholder="eis-p" designation="example"/>
<sbvr:positiveInteger xmi:id="i1" value="1"/>
<sbvr:verbConceptRole xmi:id="eis-r"/>
<sbvr:roleRangesOverObjectType role="eis-r" generalConcept="example-concept"/>
<sbvr:thingIsInSet set="vocabulary" thing="example.isSeen"/>
<sbvr:thingIsInSet set="vocabulary" thing="example.isSeen"/>
<sbvr:verbConceptWordingIsInNamespace verbConceptWording="exampleISSeen" namespace="vocabularyNamespace"/>
```

<sbvr:verbConceptWordingDemonstratesDesignation verbConceptWording="exampleIsSeen" designation="example.isSeen"/>

<sbvr:attributiveNamespaceIsWithinVocabularyNamespace attributiveNamespace="example-ans"

vocabularyNamespace="vocabularyNamespace"/>

<sbvr:attributiveNamespace xmi:id="example-ans"/>

<sbvr:attributiveNamespaceIsForSubjectConcept attributiveNamespace="example-ans"

subjectConcept="example-concept"/>

<sbvr:designationIsInNamespace designation="example.isSeen" namespace="example-ans"/>

example₁ follows example₂

<sbvr:sententialForm xmi:id="example1FollowsExample2" expression="efe-e" meaning="meaning" placeholder="efe-p1 efe-p2"/> <sbvr:verbSymbol xmi:id="efe-follows" signifier="follows-s" meaning="meaning"/>

<sbvr:binaryVerbConcept xmi:id="meaning" role="efe-r1 efe-r2"/>

<sbvr:verbConceptWordingDemonstratesDesignation verbConceptWording="example1FollowsExample2" designation="efe-follows"/> <sbvr:text xmi:id="efe-e" value="example1 follows example2"/>

<sbvr:text xmi:id="follows-s" value="follows"/>

<sbvr:text xmi:id="example1-s" value="example1"/>

<sbvr:text xmi:id="example2-s" value="example2"/>

<sbvr:placeholder xmi:id="efe-p1" expression="example1-s" startingCharacterPosition="i1" meaning="efe-r1"/>

<sbvr:placeholder xmi:id="efe-p2" expression="example2-s" startingCharacterPosition="i18" meaning="efe-r2"/>

<sbvr:placeholderUsesDesignation placeholder="efe-p1" designation="example"/>

<sbvr:placeholderUsesDesignation placeholder="efe-p2" designation="example"/>

<sbvr:positiveInteger xmi:id="i1" value="1"/>

<sbvr:positiveInteger xmi:id="i18" value="18"/>

<sbvr:verbConceptRole xmi:id="efe-r1"/>

<sbvr:verbConceptRole xmi:id="efe-r2"/>

<sbvr:roleRangesOverObjectType role="efe-r1" generalConcept="example-concept"/>

<sbvr:roleRangesOverObjectType role="efe-r2" generalConcept="example-concept"/>

<sbvr:thingIsInSet set="vocabulary" thing=" example1FollowsExample2"/>

<sbvr:thingIsInSet set="vocabulary" thing=" efe-follows"/>

<sbvr:verbConceptWordingIsInNamespace verbConceptWording="example1FollowsExample2"</p>

namespace="vocabularyNamespace"/>

Definition: the <u>example_1</u> comes after the <u>example_2</u> in a <u>sequence</u>

<sbvr:definition xmi:id="efe-def-formal" expression="efe-def-formal-e" meaning="meaning"/> <sbvr:text xmi:id="efe-def-formal-e" value="**the example1 comes after the example2 in a sequence**"/> <sbvr:closedProjectionFormalizesDefinition closedProjection="**efe-projection**" definition="efe-def-formal"/> <sbvr:closedProjectionDefinesverbConcept closedProjection="**efe-projection**" verbConcept="meaning"/> <sbvr:variableMapsToVerbConceptRole variable="**efe-var1**" verbConceptRole="**efe-r1**"/> <sbvr:variableMapsToVerbConceptRole variable="**efe-var2**" verbConceptRole="**efe-r2**"/>

The definition formally defines '<u>example_1</u> follows <u>example_2</u>' and has a closed projection (not shown) with xmi:id="efe-projection" projectionVariable="efe-var1 efe-var2".

Definition:

the first example is after the second

<sbvr:definition xmi:id="efe-def-informal" expression="efe-def-informal-e" meaning="meaning"/>
<sbvr:text xmi:id="efe-def-informal-e" value="the first example is after the second"/>

See: <u>example</u> has prior example

Same as "Synonymous Form: example1 has prior example".

Synonymous Form: <u>example</u> has prior example

<sbvr:sententialForm xmi:id="example1HasPriorExample" expression="ehpe-e" meaning="meaning" placeholder="ehpe-p1 ehpe-p2"/>

<sbvr:verbSymbol xmi:id="ehpe-has" signifier="has-s" meaning="meaning"/>

<sbvr:verbConceptWordingDemonstratesDesignation verbConceptWording="example1HasPriorExample" designation="ehpe-has"/> <sbvr:verbConceptRoleDesignation xmi:id="example.priorExample" signifier="priorExample-s" meaning="efe-r2"/>

<sbvr:text xmi:id="ehpe-e" value="example1 has prior example"/>

<sbvr:text xmi:id="has-s" value="has"/>

<sbvr:text xmi:id="priorExample-s" value="prior example"/>

<sbvr:placeholder xmi:id="ehpe-p1" expression="example1-s" startingCharacterPosition="i1" meaning="efe-r1"/>

<sbvr:placeholder xmi:id="ehpe-p2" expression="priorExample-s" startingCharacterPosition="i14" meaning="efe-r2"/>

<sbvr:placeholderUsesDesignation placeholder="ehpe-p1" designation="example"/>

<sbvr:positiveInteger xmi:id="i1" value="1"/>

<sbvr:positiveInteger xmi:id="i14" value="14"/>

<sbvr:thinglsInSet set="vocabulary" thing="example1HasPriorExample"/>

<sbvr:verbConceptWordingIsInNamespace verbConceptWording="example1HasPriorExample"

namespace="vocabularyNamespace"/>

<sbvr:attributiveNamespaceIsWithinVocabularyNamespace attributiveNamespace="example-ans" vocabularyNamespace"/>

<sbvr:attributiveNamespace xmi:id="example-ans"/>

<sbvr:attributiveNamespace="example-ans"

subjectConcept="example-concept"/>

<sbvr:designationIsInNamespace designation="example.priorExample" namespace="example-ans"/>

If there is a term 'prior example' for a general concept like this:

<sbvr:term xmi:id="priorExample" signifier="priorExample-s" meaning="priorExample-c"/>

then the following is included:

<sbvr:placeholderUsesDesignation placeholder="ehpe-p2" designation="*priorExample*"/> <sbvr:roleRangesOverObjectType role="efe-r2" generalConcept="*priorExample-c*"/>

The captions "Concept Type:", "Description:", "Dictionary Basis:", "Example:", "General Concept:", "Necessity:", "Note:", "Possibility:" and "Source:" are handled for a verb concept wording in the same way as for terms as shown above.

13.7.5 XML Patterns for Sets of Elements of Guidance (Rule Sets)

Xyz Rules

```
<sbvr:set xmi:id="ruleSet"/>
<sbvr:nameReferencesThing thing="ruleSet" name="XyzRules"/>
<sbvr:name xmi:id="XyzRules" signifier="XyzRules-s" meaning="ruleSet-concept"/>
```

<sbvr:individualConcept xmi:id="ruleSet-concept" instance="ruleSet"/> <sbvr:text xmi:id="XyzRules-s" value="**Xyz Rules**"/> <sbvr:thingIsInSet set="vocabulary" thing="XyzRules"/> <sbvr:designationIsInNamespace designation=" XyzRules " namespace="vocabularyNamespace"/>

Vocabulary: Abc Vocabulary

None.

The captions "Description:", "Note:", and "Source:" are handled for a rule set in the same way as for terms within a vocabulary, as shown above, except that the related meaning is given as meaning="ruleSet-concept".

13.7.6 XML Patterns for Guidance Statements

Each example must be seen.

<sbvr:guidanceStatement xmi:id="stmt-formal" expression="stmt-formal-e" meaning="meaning"/>

<sbvr:elementOfGuidance xmi:id="meaning"/>

<sbvr:text xmi:id="stmt-formal-e" value="Each example must be seen"./>

<sbvr:closedLogicalFormulationFormalizesStatement closedLogicalFormulation="stmt-formal-formulation" statement="stmt-formal"/>

<sbvr:closedLogicalFormulationMeansProposition closedLogicalFormulation="stmt-formal-formulation" proposition="meaning"/> <sbvr:thinglsInSet set="ruleSet" thing="meaning"/>

The closed logical formulation of the statement (not shown) has xmi:id="stmt-formulation".

Guidance Type: <u>operative business rule</u>

In this case where the guidance type is an SBVR concept, the line above that says, "<sbvr:elementOfGuidance xmi:id="meaning"/>", is replaced with this: <sbvr:operativeBusinessRule xmi:id="meaning"/>

Guidance Type: <u>exemplary rule</u>

<sbvr:conceptHasInstance concept="exemplaryRule-c" instance="meaning"/>

This pattern is used if the concept type is not an SBVR concept. There is assumed to be a term '<u>exemplary rule</u>' for a general concept like this:

<sbvr:term xmi:id="exemplaryRule" signifier="exemplaryRule-s" meaning="exemplaryRule-c"/><sbvr:generalConcept xmi:id="exemplaryRule-c"/>

<sbvr:text xmi:id="exemplaryRule-s" value="exemplary rule"/>

Enforcement Level: strict

<sbvr:operativeBusinessRuleHasLevelOfEnforcement operativeBusinessRule="meaning" levelOfEnforcement="strict-instance"/> <sbvr:conceptHasInstance concept="strict-concept" instance="strict-instance"/> <sbvr:levelOfEnforcement xmi:id="strict-instance"/>

It is assumed that the name '<u>strict</u>' represents an individual noun concept like this: <sbvr:name xmi:id="strict" signifier="strict-s" meaning="strict-concept"/> <sbvr:individualConcept xmi:id="strict-concept"/> <sbvr:text xmi:id="strict-s" value="strict"/>

Name:

Rule 25

<sbvr:nameReferencesThing thing="meaning" name="Rule25"/>

<sbvr:name xmi:id="Rule25" signifier="Rule25-s" meaning="rule25Meaning"/>

<sbvr:individualConcept xmi:id="rule25Meaning" instance="meaning"/>

<sbvr:text xmi:id="Rule25-s" value="Rule 25"/>

<sbvr:thinglsInSet set="vocabulary" thing="Rule25"/>

<sbvr:designationlsInNamespace designation="Rule25" namespace="vocabularyNamespace"/>

Synonymous Statement: It is obligatory that each <u>rule</u> be seen.

<sbvr:guidanceStatement xmi:id="synstmt-formal" expression="synstmt-formal-e" meaning="meaning"/>
<sbvr:text xmi:id="synstmt-formal-e" value="It is obligatory that each rule be seen"./>
<sbvr:closedLogicalFormulationFormalizesStatement closedLogicalFormulation="synstmt-formal-formulation"
 statement="synstmt-formal"/>
<sbvr:closedLogicalFormulationMeansProposition closedLogicalFormulation="synstmt-formal-formulation" proposition="meaning"/>

The closed logical formulation of the statement (not shown) has xmi:id="synstmt-formal-formulation".

The captions "Description:", "Example:", "Note:" and "Source:" are handled for a guidance statement in the same way as for terms as shown above.

14 Index of Vocabulary Entries (Informative)

A

acceptable world 117 actual world 118 adopted definition 151 adopting authority 194 adopting authority adopts element of guidance from owning authority citing reference 194 advice 177 advice is derived from business policy 177 advice of contingency 177 advice of optionality 178 advice of permission 178 advice of possibility 177 advice statement 180 aggregation formulation 76 alethic modality 118 answer nominalization 82 antecedent 67, 118 argument 118 arity 118 aspect 159 association 156 assortment 158 at-least-n quantification 71 at-least-n quantification has minimum cardinality 71 at-most-n quantification 72 at-most-n guantification has maximum cardinality 72 at-most-one quantification 72 atomic formula 119 atomic formulation 60 atomic formulation has role binding 60 atomic formulation is based on verb concept 61 attributive namespace is for subject concept 40 attributive namespace is within vocabulary namespace 40 attributive namespace 39 authority 193 authority authors guidance statement 194 authority defines element of guidance 194 authority has business jurisdiction over element of guidance 194 auxiliary variable 85

В

bag projection 86 behavioral business rule 176 binary logical operation 66 binary logical operation has logical operand 1 66 binary logical operation has logical operand 2 66 binary verb concept 25 bindable target 59 body of shared concepts includes concept 143 body of shared concepts 142 body of shared guidance includes element of guidance 173 body of shared guidance 172 body of shared meanings includes body of shared concepts 142 body of shared meanings includes body of shared guidance 173 body of shared meanings unites semantic community 142 body of shared meanings 141 body of shared meanings1 contains body of shared meanings2 143 business policy statement 180 business policy 174 business rule is derived from business policy 175 business rule 174 business vocabulary 144

С

cardinality 49 categorization 157 categorization scheme 148 categorization scheme contains category 148 categorization scheme is for general concept 148 categorization type is for general concept 149 categorization type 149 category 148 characteristic 24 characteristic is essential to concept 147 characteristic type 147 characterization 158 classification 157 closed logical formulation 55 closed logical formulation formalizes statement 56 closed logical formulation means proposition 56 closed projection 86 closed projection defines noun concept 86 closed projection defines verb concept 87 closed projection formalizes definition 86 closed projection means question 89 closed semantic formulation 54 closed semantic formulation formulates meaning 54 comment 168 communication content is composed of representation 168 communication content 168 community has subcommunity 141 community has URI 141 community 140 concept has definition 33 concept has designation 33 concept has extension 46 concept has facet 159 concept has implied characteristic 147

concept has instance 47 concept has necessary characteristic 147 concept incorporates characteristic 27 concept is closed in conceptual schema 127 concept of thing as composite 153 concept of thing as continuant 154 concept of thing as developed 154 concept of thing as occurrent 154 concept of thing as primitive 154 concept of thing as unitary 153 concept of thing existing dependently 154 concept of thing existing independently 154 concept type 22 concept 21 concept1 has more general concept2 148 concept1 is coextensive with concept2 26 conceptual schema 127 conceptual schema includes concept 127 conceptual schema includes fact 127 conjunction 66 consequent 67 consequent 119 Context of Thing 158 contextualized concept 159 contingency 119 contingency statement 184

D

definite description 150 Definition Origin 151 definition serves as designation 152 definition 33 definitional business rule 175 definitional rule 175 delimiting characteristic 147 deontic modality 119 derivable concept 152 description portrays meaning 167 description 167 descriptive example illustrates meaning 167 descriptive example 167 designation context 162 designation has signifier 33 designation is implicitly understood 152 designation is in namespace 39 designation 32 disjunction 66 document content 168 domain grammar 120 domain 120

Ε

element of governance 173 element of governance is directly enforceable 173 element of guidance 173 element of guidance authorizes state of affairs 186 element of guidance is practicable 173 element of guidance obligates state of affairs 186 element of guidance prohibits state of affairs 186 elementary verb concept 120 Elements of Concept System Structure 155 enforcement level 176 equivalence 66 essential characteristic 147 exactly-n quantification 72 exactly-n quantification has cardinality 72 exactly-one quantification 72 example term 211 example1 follows example2 214 exclusive disjunction 67 existential quantification 71 expression is unambiguous to speech community 165 expression represents meaning 32 expression 30 extension 45 extensional definition 151

F

facet 159 fact 29 fact model 127 fact model includes fact 128 fact model is based on conceptual schema 128 fact type 120 fact type has fact in fact model 128 fact type is elementary in conceptual schema 128 fact type is internally closed in conceptual schema 127 first-order instance 120 first-order type 121 Formal Logic and Mathematics Vocabulary 17, 117 formal model 121 formal representation 167 fundamental concept 159

G

general concept 22 general concept objectifies verb concept 160 general verb concept 23

icon 163 implication 67, 121 implication has antecedent 67 implication has consequent 67 implied characteristic 147 impossibility 121 impossibility statement 182 inconsequent 68 individual noun concept 25 individual verb concept 24 informal representation 166 information source 169 instance 45 instantiation formulation 61 instantiation formulation binds to bindable target 62 instantiation formulation considers concept 62 integer 49, 121 intensional definition 150 intensional definition uses delimiting characteristic 150 is-facet-of proposition 158 ISO 1087-1 (English) 18 ISO 6093 Number Namespace 18 ISO 639-2 (Alpha-3 Code) 18 ISO 639-2 (English) 18 is-property-of verb concept 157 is-role-of proposition 158

Κ

Kind of Guidance Statement 180

L

language 40 logical formulation 55 logical formulation constrains projection 85 logical formulation kind 55 Logical Formulation of Semantics Vocabulary 17, 53, 196 logical formulation restricts variable 57 logical negation 67 logical operand 65 logical operand 1 66 logical operand 2 66 logical operation 65 logical operation has logical operand 66 logical variable 121

Μ

maximum cardinality 71 Meaning and Representation Vocabulary 17, 20, 196 meaning corresponds to thing 46 meaning 21 member 121 message content 168 minimum cardinality 71 modal formulation 62 modal formulation embeds logical formulation 63 modal logic 122 more general concept 148

Ν

name 163 namespace 39 namespace has URI 39 namespace1 incorporates namespace2 39 nand formulation 68 necessary characteristic 147 necessity 122 necessity formulation 63 necessity statement 182 non-necessity 122 non-necessity statement 184 nonnegative integer 49 non-obligation 122 non-obligation statement 183 nonverbal designation 163 nor formulation 68 note comments on meaning 167 note 167 noun concept 21 noun concept nominalization 77 noun form 36 number 49 numeric range quantification 73 numeric range quantification has maximum cardinality 73 numeric range quantification has minimum cardinality 73

0

objectification 74 objectification binds to bindable target 75 objectification considers logical formulation 75 objectified verb concept 160 obligation 122 obligation formulation 63 obligation statement 181 operative business rule has enforcement level 177 operative business rule statement 180 operative business rule 175 optionality 122 optionality statement 183 owned definition 151 owning authority 194

Ρ

partitioning 149 partitive verb concept 157 part-whole verb concept 157 permissibility formulation 64 permission 123 permission statement 183 placeholder uses designation 38 placeholder 37 population 123 positive integer 49 possibility 123 possibility formulation 64 possibility statement 183 possible world 123 predicate 124 preferred designation 164 prohibited designation 164 prohibition 124 prohibition statement 181 projecting formulation 76 projecting formulation binds to bindable target 76 projecting formulation has projection 76 projection 83 projection has auxiliary variable 85 projection is on variable 85 projection position 85 property 156 property association 156 proposition 29 proposition corresponds to state of affairs 44 proposition is based on verb concept 174 proposition is false 29 proposition is necessarily true 30 proposition is obligated to be false 30 proposition is obligated to be true 30 proposition is permitted to be true 30 proposition is possibly true 30 proposition is true 29 proposition nominalization 80 proposition nominalization binds to bindable target 81 proposition nominalization considers logical formulation 81 proposition 124 propositional operator 124

Q

quantification 69 quantification introduces variable 70 quantification scopes over logical formulation 70 quantifier 125 quantity 49 quantity1 equals quantity2 49 quantity1 is less than quantity2 49 question nominalization 81 question 30

R

Real-world Numerical Correspondence 146 reference 168 reference points to information source 169 reference scheme 41 reference scheme extensionally uses verb concept role 42 reference scheme is for concept 42 reference scheme simply uses verb concept role 42 reference scheme uses characteristic 42 reference supports meaning 168 remark 168 representation 32 **Representation Formality 166** representation has expression 32 representation is in designation context 162 representation is in subject field 161 representation represents meaning 32 representation uses vocabulary 169 res is sensory manifestation of signifier 164 res 164 restricted higher-order instance 125 restricted higher-order type 125 restricted permission statement 182 restricted possibility statement 182 role 22 role binding 61 role binding binds to bindable target 61 role ranges over general concept 27 rule statement 180 rule 174 rulebook 169 rulebook has URI 170

S

SBVR Vocabulary 18 scope formulation 71 segmentation 149 semantic community has speech community 141 semantic community shares understanding of concept 143 semantic community 141 semantic formulation 54 sentential form 36 set 48.125 set has cardinality 48 set projection 86 signifier 33 situation 159 situational role 159 speech community adopts adopted definition citing reference 152 speech community determines speech community representation set 169 speech community owns owned definition 151 speech community owns vocabulary 143 speech community regulates its usage of signifier 165 speech community representation set 169 speech community representation set includes representation 169 speech community uses language 141 speech community uses vocabulary 143 speech community 141 starting character position 37 state of affairs 43, 45, 125 state of affairs involves thing in role 45 state of affairs is actual 44 statement denotes state of affairs 44 statement expresses proposition 34 statement of advice of permission 180 statement of advice of possibility 181 statement 34 structural business rule 175 structural rule statement 180 structural rule 175 subcommunity 141 subject concept 40 subject field 161 subset 125

Т

term 162 term denotes thing 164 terminological dictionary 144 terminological dictionary expresses body of shared meanings 145 terminological dictionary has URI 145 terminological dictionary includes representation 145 terminological dictionary presents vocabulary 145 text 31 thing 48, 243, 245 thing has name 164 thing is in set 48 thing1 is thing2 48 type of individual 126 type 126

U

UML 2 Infrastructure 18 unary verb concept 156 unbound variable 126 Unicode Glossary 18 Uniform Resource Identifiers Vocabulary 18 unitary noun concept 25 unitary noun concept* changes 239 unitary quantity concept 240 unitary verb concept 24 universal quantification 71 Universe of Discourse 126 URI 31

V

variable 56 variable has projection position 85 variable is free within semantic formulation 59 variable is unitary 57 variable maps to verb concept role 88 variable ranges over concept 57 verb concept 23 verb concept has role 28 verb concept has verb concept wording 36 verb concept nominalization 78 verb concept objectification 160 verb concept role 22 verb concept role designation 163 verb concept role has role binding 61 verb concept wording 35 verb concept wording demonstrates designation 36 verb concept wording has placeholder 36 verb concept wording incorporates verb symbol 163 verb concept wording is in namespace 39 verb symbol 163 viewpoint 160 vocabulary 143 Vocabulary for Describing Business Rules 18, 171, 196 Vocabulary for Describing Business Vocabularies 17, 139, 196 vocabulary includes symbol 259 vocabulary is designed for speech community 143 vocabulary is expressed in language 144 vocabulary namespace 39

vocabulary namespace is for language 40 vocabulary namespace is specific to designation context 162 vocabulary namespace is specific to subject field 161 vocabulary namespace maps to package 247 Vocabulary Registration Vocabulary 17 vocabulary is used to express body of shared meanings 144 vocabulary namespace is derived from vocabulary 144 vocabulary1 incorporates vocabulary2 144

W

wff 126 whether-or-not formulation 68 whether-or-not formulation has consequent 68 whether-or-not formulation has inconsequent 68 world 126

15 Supporting Documents

15.1 General

Several XML documents are derived from this document, particularly for the following vocabularies specified in Clauses 7 through 13. Each of these has a namespace URI specified in Clause 7.

SBVR Vocabulary

I

The content of each of the documents listed in this clause is normative.

15.2 SBVR XMI Metamodel

The MOF-based metamodel package shown in 13.3.1 is serialized, with all merging of packages performed, as an XML document. The URL of each document is constructed by adding "-XMI-Metamodel" in front of the ".xml" in the corresponding namespace URI. The document's URL is listed here:

http://www.omg.org/spec/SBVR/20130601/SBVR-XMI-Metamodel.xml

15.3 SBVR XMI Metamodel XML Schema

An XML Schema is created based on the XMI 2.1 specification from each of the MOF-based metamodel packages listed in 15.2. SBVR tools generate and process SBVR Content Model exchange documents that validate according to the SBVR XML Schema files described here. The URL of each document is constructed by putting ".xsd" in place of ".xml" in the corresponding namespace URI. The schema's URL is listed here:

http://www.omg.org/spec/SBVR/20130601/SBVR-XML-Schema.xsd

15.4 SBVR Content Model for SBVR

For each of clauses 7 through 12, all vocabulary entries and rules are described in terms of the SBVR XMI Metamodel (see sub clause 15.2) and are serialized as XML documents based on the SBVR XMI Metamodel XML Schema (see sub clause 15.3). This document is an XML serialization of SBVR in terms of itself. The document's URL is listed here:

http://www.omg.org/spec/SBVR/20130601/SBVR-Content-Model-for-SBVR.xml

In each of the XML documents, an xmi:id used for a designation in a vocabulary namespace is constructed from the signifier of the designation by upcasing each character that follows a blank and then removing the blanks. Similarly, an xmi:id for a verb concept wording is constructed from the expression of the verb concept wording by removing subscripts, upcasing each character that follows a blank and then removing the blanks. This allows any of these designations and verb concept wordings described by one of the documents to be referenced using a URI which appends a "#" and an xmi:id to the document's URL. For example, a URI for 'noun concept' is

http://www.omg.org/spec/SBVR/20130601/SBVR-Content-Model-for-SBVR.xml#nounConcept

Part III - Annexes

This part contains the annexes, including:

- A- SBVR Structured English
- B- SBVR Structured English Patterns
- C- Use of UML Notation in a Business Context to Represent SBVR-style Vocabularies
- **D-** Additional References

NOTE: The SBVR Annexes in the table below are now published as stand-alone documents at the URIs shown solely for convenience and ease of use. The fact that they are published as separate SBVR specification documents makes no change to their status as part of the SBVR specification, or the way in which they can be updated under OMG Policies and Procedures.

URIs:

Annex	Document number	URI
E - Overview of the Approach	formal/2013-xx-xx	http://www.omg.org/cgi-bin/doc?formal/13-xx-xx
F - The Business Rules Approach	formal/2013-xx-xx	http://www.omg.org/cgi-bin/doc?formal/13-xx-xx
G - EU-Rent Example	formal/2013-xx-xx	http://www.omg.org/cgi-bin/doc?formal/13-xx-xx
H - The RuleSpeak [®] Business Rule Notation	formal/2013-xx-xx	http://www.omg.org/cgi-bin/doc?formal/13-xx-xx
I - Concept Diagram Graphic Notation	formal/2013-xx-xx	http://www.omg.org/cgi-bin/doc?formal/13-xx-xx
J - The ORM Notation for Verbalizing Facts and Business Rules	formal/2013-xx-xx	http://www.omg.org/cgi-bin/doc?formal/13-xx-xx
K - Mappings and Relationships to Other Initiatives	formal/2013-xx-xx	http://www.omg.org/cgi-bin/doc?formal/13-xx-xx
L - ORM Examples Related to the Logical Foundations for SBVR	formal/2013-xx-xx	http://www.omg.org/cgi-bin/doc?formal/13-xx-xx
M - A Conceptual Overview of SBVR and the NIAM2007 Procedure to Specify a Conceptual Schema	formal/2013-xx-xx	http://www.omg.org/cgi-bin/doc?formal/13-xx-xx

Annex A - SBVR Structured English

(informative)

A.1 General

The most common means of expressing definitions and business rules is through statements, not diagrams. While diagrams are helpful for seeing how concepts are related, they are impractical as a primary means of defining vocabularies and expressing business rules.

This specification defines an English vocabulary for describing vocabularies and stating rules. There are many different ways that this vocabulary and other English vocabularies described using SBVR can be combined with common English words and structures to express definitions and statements. However expressed, the semantics of definitions and rules can be formally represented in terms of the SBVR vocabulary and, particularly, in terms of logical formulations (the SBVR conceptualization of formal logic).

This annex describes one such way of using English that maps mechanically to SBVR concepts. It is not meant to offer all of the variety of common English, but rather, it uses a small number of English structures and common words to provide a simple and straightforward mapping.

All formal definitions and rules in this document that are part of 'SBVR in terms of itself' are stated using the SBVR Structured English. These statements can then be interpreted automatically in order to create MOF and/or XMI representations.

The description of the SBVR Structured English is divided into sub clauses.

- Expressions in SBVR Structured English
- Describing a Vocabulary
- · Vocabulary Entries
- Specifying a Rule Set
- Guidance Entries

A.2 Expressions in SBVR Structured English

This document contains numerous statements and definitions that represent corresponding logical formulations. These statements are recognized by being fully expressed using the fonts listed below. Note that these fonts are also used for individual designations in the context of ordinary, unformalized statements in order to note that defined concepts are being used.

There are four font styles with formal meaning:

term The 'term' font is used for a designation for a noun concept (other than an individual noun concept), one that is part of a vocabulary being used or defined (e.g., modal formulation, verb concept). This style is applied to the designation where it is defined and wherever it is used.

Terms are usually defined using lower case letters unless they include a proper noun. Terms are defined in singular form. Plural forms are implicitly available for use.

Name The 'name' font is used for a designation of an individual noun concept — a name. Names tend to be proper nouns (e.g., <u>California</u>). This style is applied to a name where it is defined and wherever it is used. Note that names of numerical values in formal statements are also shown in this style (e.g., <u>25</u>). See the definition of '<u>name</u>' for more details.

Names appear using appropriate capitalization, which is usually the first letter of each word, but not necessarily.

verb The 'verb' font is used for designations for verb concepts — usually a verb, preposition, or combination thereof. Such a designation is defined in the context of a verb concept wording. This font is used both in the context of showing a verb concept wording (e.g.,

Verb concept wordings shown as vocabulary entries use singular, active forms of verbs with the exception that present participles are sometimes used for characteristics. Infinitive, subjunctive, passive, and plural forms of verbs are implicitly usable in statements and definitions. For a binary verb concept, the implicit passive form of a verb uses the past participle of the verb preceded by the word "*is*" and followed by the preposition "*by*." For example, the implicit passive form of <u>'expression represents meaning</u> is <u>'meaning is represented by expression</u>'. The same pattern holds for verb concepts with more than two roles where a verb is used between the first two placeholders. For example, the implicit passive form of <u>'thing fills role in actuality</u>' is <u>'role is filled by thing in actuality</u>'. Note that there is no inverse implication of an active form from a passive form.

keyword The 'keyword' font is used for linguistic symbols used to construct statements – the words that can be combined with other designations to form statements and definitions (e.g., 'each' and 'it is obligatory that'). Key words and phrases are listed below.

Quotation marks are also in the 'keyword' font. The text within quotes is in ordinary font if the meaning of the quotation is uninterpreted text. The text within quotes is in styled text if the meaning of the quotation is formally represented. Single quotation marks are used to quote a designation or verb concept wording that is being mentioned. If a designation is mentioned (where the designation is itself the subject of a statement) it appears within single quote marks (e.g., 'actuality' and 'California' used to talk about those designations). Single quotes are also used around a verb concept wording that is being mentioned (e.g., 'reference scheme is for concept' used to talk about that verb concept wording). Double quotation marks are used in other cases, such as to quote a statement.

Single quotation marks are also used to mention a concept – to refer to the concept itself rather than to the things it denotes. In this case, a quoted designation or verb concept wording is preceded by the word <u>'concept</u>' or by a term for a kind of concept. For example, the statement,

"The <u>concept</u> '<u>quantification</u>' *is* a <u>category</u> *of* the <u>concept</u> '<u>logical formulation</u>" refers to the named concepts, not to quantifications and logical formulations. A role can be named with respect to a verb concept in this same way (e.g.,

"the role 'meaning' of the verb concept 'expression represents meaning"").

Periods also appear in the 'keyword' font. A period is used to terminate a statement, but not a definition. Other punctuation symbols (e.g., parentheses, comma) also apply the 'keyword' font when part of a formal expression.

A.2.1 Key words and phrases for logical formulations

Key words and phrases are shown below for expressing each kind of logical formulation. The letters 'n' and 'm' represent use of a literal whole number. The letters 'p' and 'q' represent expressions of propositions.

A.2.1.1 Quantification

each	universal quantification
some	existential quantification
at least one	existential quantification
at least n	at-least-n quantification
at most one	at-most-one quantification
at most n	at-most-n quantification
exactly one	exactly-one quantification
exactly n	exactly-n quantification
at least <i>n</i> and at most <i>m</i>	numeric range quantification
more than one	<u>at-least-n quantification</u> with $n = 2$

A.2.1.2 Logical Operations

it is not the case that p	logical negation
p and q	conjunction
p or q	disjunction
p or q but not both	exclusive disjunction
if p then q	implication
q if p	implication
p if and only if q	equivalence (see exception explained under Modal Operations below)
not both p and q	nand formulation
neither p nor q	nor formulation
p whether or not q	whether-or-not formulation

Where a subject is repeated when using 'and' or 'or' the repeated subject can be elided. For example, the statement, "An implication has an antecedent and the implication is embedded in a modal formulation," can be abbreviated to this: "An implication has an antecedent and is embedded in a modal formulation." Similarly, a repeated subject and verb can be elided. For example, the statement, "An implication has an antecedent and the implication has an antecedent and the implication has a consequent," can be abbreviated to this: "An implication has an antecedent and a consequent."

The keyword 'not' is used within an expression after the verb "*is*" as a way of introducing a <u>logical negation</u>. Also, the keywords "does not" are used before other verbs (modified to be infinitive) to introduce a <u>logical negation</u>.

A.2.1.3 Modal Operations

it is obligatory that p	obligation formulation
it is prohibited that p	obligation formulation embedding a logical negation
it is necessary that p	necessity formulation
it is impossible that p	necessity formulation embedding a logical negation
it is possible that p	possibility formulation
it is permitted that p	permissibility formulation

The following key words are used within expressions having a verb to form verb complexes that add a modal operation.

must	obligation formulation
must not	obligation formulation embedding a logical negation
always	necessity formulation
never	necessity formulation embedding a logical negation
may	permissibility formulation

The key word phrase "only if" is used in combination with some of the key words and phrases shown above to invert a modality.

may only if p	is equivalent to	must not if not p
it is permitted that q only if	<i>p</i> is equivalent to	it is obligatory that not q if not p

it is possible that q only if p is equivalent to it is necessary that not q if not p

For example, the following two statements have the same meaning.

A car may be rented only if the car is available.

A car must not be rented if the car is not available.

The key word "only" can also be used before a preposition in combination with "may" to invert a modality. The noun phrase after the preposition is then understood as a negated restriction as shown in these two equivalent statements:

A car may be rented only to a licensed driver.

A car must not be rented to a person that is not a licensed driver.

Because of the use of "only" in stating modal operations, the pattern "p if and only if q" for <u>equivalence</u> is not used if p involves a modal operation.

A.2.2 Other Keywords

the 1. used with a designation to make a pronominal reference to a previous use of the same designation. This is formally a binding to a variable of a quantification.


2. introduction of a name of an individual thing or of a definite description

a, an	universal or existential quantification, depending on context based on English rules
another	(used with a term that has been previously used in the same statement) existential quantification plus a condition that the referent thing is not the same thing as the referent of the previous use of the term
a given	universal quantification pushed outside of a logical formulation where 'a given' is used such that it represents one thing at a time – this is used to avoid ambiguity where the 'a' by itself could otherwise be interpreted as an existential quantification. Within a definition, 'a given' introduces an auxiliary variable into the closed projection that formalizes the definition.
that	1. when preceding a designation for a noun concept, this is a binding to a variable (as with 'the').
	2. when after a designation for a noun concept and before a designation for a verb concept, this is used to introduce a restriction on things denoted by the previous designation based on facts about them.
	3. when followed by a propositional statement, this is used to introduce a nominalization of the proposition or an objectification, depending on whether the expected result is a proposition or a state of affairs. See A.2.5.
who	the same as the second use of 'that' but used for a person
is of	The common preposition "of" is used as a shorthand for "that is of." For any sentential form that takes the general form of ' \leq placeholder 1> has \leq placeholder 2>' there is an implicit reversed form of ' \leq placeholder 2> is of \leq placeholder 1>' that has the same meaning.
what	used to introduce a variable in a projection as well as indicate that a projection is being formulated to be considered by a question or answer nominalization. See A.2.5 below.

A.2.3 **Examples**

The example above includes three key words or phrases, two designations for noun concepts and one for a verb concept (from a verb concept wording), as illustrated below.

It is obligatory that each rental car is owned by exactly one branch.



Below are two statements of a single rule:

- 1. A rental must have at most three additional drivers.
- 2. It is obligatory that each rental has at most three additional drivers.

Using the font styles of SBVR Structured English, these rule statements are:

1. A rental must have at most three additional drivers.

2. It is obligatory that each rental has at most three additional drivers.

A semantic formulation of the rule can be seen in the introduction to Clause 9.

The characteristic 'driver is of age' has the following definition: "the age of the driver is at least the EU-Rent Minimum Driving Age." Below is the definition using the SBVR Structured English styles.

Definition: the age of the driver is at least the EU-Rent Minimum Driving Age

A semantic formulation of the definition can be seen in the introduction to Clause 9.

A.2.4 Qualifying Signifiers by Vocabulary and/or Subject Field

Some signifiers are used to mean different things in different vocabularies or in different contexts. In SBVR structured English a signifier can be followed by parentheses enclosing the name of a vocabulary and/or a subject field. If both are present, they are separated by a comma. Qualifications are shown in the example rules below.

Necessity: Each customer (car rental responsibility) is a corporate renter or is an individual customer.

The signifier "customer" is used in two ways in the **<u>EU-Rent English Vocabulary</u>**. So the first rule above uses "customer" for its meaning in the subject field '**<u>car rental responsibility</u>**.

If the same rule is stated in a place where the **<u>EU-Rent English Vocabulary</u>** is not understood to be in use, the rule would be stated as follows in order to fully qualify its terms:

 Necessity:
 Each customer (EU-Rent English Vocabulary, car rental responsibility) is a corporate renter (EU-Rent English Vocabulary) or is an individual customer (EU-Rent English Vocabulary).

A.2.5 Objectification and Nominalization

The keyword 'that' can introduce a propositional expression for either of two kinds of logical formulations: objectification and proposition nominalization. The following examples use the verb concepts 'car is assigned to rental, 'car assignment involves car', 'car assignment is to rental', 'rental has pick-up date', and 'rental is guaranteed by credit card'.

The first example is a structural rule statement whose logical formulation includes an objectification. It states that a <u>car</u> <u>assignment</u> is an actuality denoted by the proposition that a given car is assigned to a given rental. Note that only the third use of 'that' in the example below introduces an objectification. The others introduce restrictions

Necessity: A <u>car assignment that involves a car and that is to a rental is an actuality that the</u> <u>car is assigned to the rental</u>.

An objectification uses a propositional expression to identify a state of affairs or event. States and events can then be related to times and durations or be involved in any number of verb concepts that concern states or events. Consider the following examples of verb concepts.

state of affairs occurs before point in time

state of affairs1 occurs before state of affairs2 occurs

The following rule uses the first verb concept above:

A car assignment that is to a rental must occur before the pick-up date of the rental.

SBVR Structured English supports formulating an objectification using a convenient mechanism that is based on the word "occurs" being in the designation of a verb concept after a placeholder. An implicit form of the verb concept leaves out the word "occurs" after the placeholder and takes a propositional expression rather than a noun expression in the position of the placeholder. In other words, the rule above can be stated like this:

A car must be assigned to a rental before the pick-up date of the rental.

These implicit forms enable objectifying directly within a statement without separately defining a verb concept objectification for each verb concept whose instances might be objectified. For example, using the second verb concept listed above the following rule can be formed even though no general concept is defined to objectify the verb concept 'rental is guaranteed by credit card'.

A rental must be guaranteed by a credit card before a car is assigned to the rental.

The next example is a proposition nominalization. It uses the additional verb concepts 'report specifies fact' and 'rental has rental report'. The keyword 'that' nominalizes a fact to be specified.

If a <u>car</u> is assigned to a <u>rental</u> then the <u>rental report</u> of the <u>rental</u> must specify that the <u>car</u> is assigned to the <u>rental</u>.

The next example is an answer nominalization. The keyword 'what' is used to put variables in a projection.

The rental report of each rental must specify what car is assigned to the rental.

An expression of a statement can include the keyword 'what' multiple times, putting more variables in the projection (for example, "what <u>car</u> *is assigned to* what <u>rental</u>"). A question nominalization is formed in the same way as an answer nominalization, but nominalizes the question itself rather than an answer to it.

A.2.6 Intensional Roles

Some verb concepts about time and change have what can be called intensional roles. Each intensional role ranges over a concept type. In English, most verbs are about their expressed subjects and objects, but in some cases, a verb involves the meaning of the expression of the subject or object. The verb takes its argument by name rather than by value. Verb concepts for such verbs are often about time and change.

The SBVR Structured English uses a special syntactic clue to identify placeholders for intensional roles in verb concept wordings. A placeholder that ends with an asterisk is taken to indicate that a noun concept nominalization is used in the formulations of uses of the verb concept wording so that rather than binding to what is directly denoted by an expression, the role binds to the concept of what is expressed. The asterisk is part of the placeholder. An example of a logical formulation based on the first verb concept below is in the description of <u>noun concept nominalization</u> in Clause 9. Note that the examples below are not part of the normative SBVR vocabularies.

unitary noun concept* changes

Definition:	one thing replaces another thing as being the instance of the unitary noun concept
Example:	"The scheduled pick-up time of an advance rental can change".
Example:	For every rental, the pick-up location of the rental cannot change.

unitary noun concept* changes to thing

Definition:	the thing replaces another thing as being the instance of the unitary noun concept
Example:	"The return branch of a rental changes to the Heathrow Airport branch".

unitary quantity concept

Definition:	unitary noun concept that incorporates the characteristic of being a quantity
unitary quantity co	oncept* increases by <u>quantity</u>
Definition:	a quantity equal to an initial quantity plus the <u>quantity</u> replaces the initial quantity as being the instance of the <u>unitary quantity concept</u>
Example:	"EU-Rent's headcount increases by 300". Suppose EU-Rent's headcount has been 500. In the formulation of the statement, the ' <u>unitary quantity concept</u> *' role binds to a general concept defined as EU-Rent's headcount. It does not bind to 500, which has been the instance of that general concept. The ' <u>quantity</u> ' role binds to the quantity 300. The conclusion is that the quantity 800 replaces 500 as EU- Rent's headcount. In contrast, suppose the statement were formulated using a different verb concept, ' <u>quantity</u> ₁ increases by <u>quantity</u> ₂ ,' which does not use an intensional role. The ' <u>quantity</u> ₁ ' role would bind to 500 leading to the conclusion that 500 increases by 300, which
	is nonsense because 500 will always be 500.

A.3 Describing a Vocabulary

A vocabulary is described in a document sub clause having glossary-like entries for concepts having representations in the vocabulary. Those entries are explained in the next sub clause. The introduction to a vocabulary description includes the vocabulary's name and can further include any of the several kinds of details shown in the skeleton below.

<Vocabulary Name>

Description: Source: Speech Community: Language: Included Vocabulary: Note:

A.3.1 The Vocabulary Name

The vocabulary name appears in the 'Name' Font.

A.3.2 Description

The 'Description' caption is used to introduce the scope and purpose of the vocabulary.

A.3.3 Source

The 'Source' caption is used if the vocabulary being described is based on a formally-defined work. For example, if the vocabulary being described is based on a glossary or other document developed independently of the formalisms of SBVR, then that glossary or other document is shown as the source.

A.3.4 Speech Community

The 'Speech Community' caption is used to name the speech community that controls and is responsible for the vocabulary.

A.3.5 Language

The 'Language' caption is used to name the language that is the basis of the vocabulary. Language names are from <u>ISO 639-2</u> (English). By default, English is assumed. Note that the SBVR Structured English is based only on English, so descriptions, definitions, and other details are in English but representations being defined can be in another language.

EU-Rent Vocabulaire Française

Language: French

A.3.6 Included Vocabulary

The 'Included Vocabulary' caption is used to indicate that another vocabulary is fully incorporated into the vocabulary being described. All designations and verb concept wordings of an included vocabulary are part of the vocabulary being described.

A.3.7 Note

The 'Note' caption labels explanatory notes that do not go under the other captions.

A.4 Vocabulary Entries

Each entry is for a single concept, called the entry concept. It starts with a primary representation which is either a designation or a verb concept wording for the concept.

Any of several kinds of captioned details can be listed under the primary representation. A skeleton of a vocabulary entry is shown below followed by an explanation of the use of each caption.

<primary representation>

Definition:
Source:
Dictionary Basis:
General Concept:
Concept Type:
Necessity:
Possibility:
Reference Scheme:
Note:
Example:

Synonym:
Synonymous Form:
See:
Subject Field:
Namespace URI:

A.4.1 Designation or Verb Concept Wording

A primary representation of an entry can be a term, a name, or a verb concept wording. It is shown in its appropriate font style. The primary representation for a general concept is a term that is a designation of the general concept. The primary representation for an individual noun concept is a name that is a designation of the individual noun concept.

The primary representation for a verb concept is a verb concept wording. The expression of a placeholder is generally the underlined signifier of a designation used by the placeholder to indicate that expressions substituted for the placeholder are understood to denote instances of the designated concept. A designation used by a placeholder for a verb concept role is a designation of a general concept that the verb concept role ranges over. That general concept can be a situational role. Sometimes the designation of the general concept has the same signifier as a designation of the verb concept role. In the unusual verb concept wording where multiple placeholders use the same designation, the expression of a placeholder can include a subscript to make the expressions of placeholders distinct within the verb concept wording. Subscripts also help to correlate placeholders across synonymous forms as shown in the example below.

concept₁ specializes concept₂

Definition:	the <u>concept</u> ₁ incorporates each characteristic incorporated into the <u>concept</u> ₂ plus at least one
	differentiator
Synonymous Form:	<u>concept₂ generalizes concept₁</u>
Synonymous Form:	<u>concept₁ has more general concept₂</u>
Synonymous Form:	concept ₂ has category ₁

The verb concept wordings in the example above represent one verb concept that has two verb concept roles. From the primary entry it is seen that each of the verb concept roles ranges over the concept '<u>Concept</u>'. From the second synonymous form, it is seen that the second verb concept role more specifically ranges over the general concept '<u>more general concept</u>' (which is a situational role). From the third synonymous form, it is seen that the first verb concept role more specifically ranges over the general concept (category) (which is also a situational role).

Note: The primary representation for a verb concept is a verb concept wording rather than a designation because designations of verb concepts typically have nonunique signifiers (e.g., "has").

The primary representation, whether a designation or verb concept wording, is in the vocabulary namespace for the vocabulary. Also, if a verb concept wording is of the pattern "<placeholder 1> has <placeholder 2>", the expression of <placeholder 2>, less any subscript, is taken as the signifier of a designation of the second verb concept role. That designation is in an attributive namespace for the subject concept represented by the designation used for <placeholder 1>. Having a designation for the second verb concept role in an attributive namespace means that the designation is recognized as representing the role when it is used in the context of being attributed to instances of the subject concept. From the example above two designations of verb concept roles are found in an attributive namespace having the subject concept 'concept'. These designations have the signifiers "more general concept" and "category." Although these designations. They are within the attributive namespace and represent different concepts (the verb concept roles, not the general concepts). See examples in Clause 8 under 'attributive namespace'. Also, if a verb concept wording is for a unary characteristic, a

designation is in an attributive namespace for the concept represented by the designation used for the verb concept wording's placeholder.

It is recommended that quantifiers (including articles) and logical operators not be embedded within designations and verb concept wordings.

A.4.2 Definition

A definition is shown as an expression that can be logically substituted for the primary representation. It is not a sentence, so it does not end in a period.

A definition can be fully formal, partly formal or informal. It is fully formal if all of it is styled as described above. A partially-formal definition starts with a styled designation for a more general concept but other details depend on external concepts.

Styles of definition are explained separately for different types of concepts.

A.4.2.1 Definition of a General Concept

A common pattern of definition begins with a designation for a more general concept followed by the keyword 'that' (used in the second sense defined for 'that' in the Other Keywords sub clause above) and then an expression of necessary and sufficient characteristics that distinguish a thing of the defined concept from other things of the more general concept. Another less used pattern also leads with a designation for a more general concept but then uses the word 'of' with another expression as explained in the Other Keywords sub clause above.

Two kinds of information are formally expressed by a fully formal definition.

- 1. A fact that the concept being defined is a category of a particular more general concept
- 2. A closed projection that defines the concept.

Only the first kind of information is formally expressed by a partially formal definition. A partially formal definition leads with a styled designation that is for a more general concept. That designation is generally followed by the keyword 'that' and then an informal expression of necessary and sufficient characteristics.

The following example shows a partially formal definition. It formally expresses the fact that the concept 'icon' is a category of the concept 'nonverbal designation', but it uses words that are external to the formally available vocabulary.

<u>icon</u>

Definition:

nonverbal designation that is a pictorial representation

The next example is fully formal. Its formal interpretation includes that the concept '<u>representation</u>' specializes the concept '<u>actuality</u>' and includes a closed projection conveying semantics of the definition.

representation Definition:

actuality that a given expression represents a given meaning

The next example is not formal at all. It defines the most general concept used by SBVR.

thing

Definition:

anything perceivable or conceivable

A definition of a general concept can generally be read as a statement using the following pattern (where "a" represents either "a" or "an"):

A <designation> is a <definition>.

For example: An icon is a nonverbal designation that is a pictorial representation.

Another style of formal definition is extensional. It uses disjunction to combine a number of concepts. For example, a contextualized concept is anything that is a role or a facet.

contextualized concept

Definition: role or facet

A semantic formulation of the extensional definition above is the same as for the logically equivalent definition, "thing that is a <u>role</u> or that is a <u>facet</u>."

A.4.2.2 Definition of an Individual Noun Concept

A definition of an individual noun concept must be a definite description of one single thing. It can start with a definite article (e.g., "the"). It can generally be read as a statement using the following pattern. The leading "The" is optionally used depending on the designation.

[The] <designation> is <definition>.

It is often the case that an individual noun concept has no definition because it is widely understood. In such a case the 'General Concept' caption can be used to state the type of the named thing. Here is an example.

Switzerland

General Concept: <u>country</u>

A.4.2.3 Definition of a Verb Concept

A definition given for a verb concept is an expression that can be substituted for a simple statement expressed using a verb concept wording of the verb concept.

The definition must refer to the placeholders in the verb concept wording. This is done in order to relate the definition to the things that play a role in instances of the verb concept. Whether or not the definition is formal, each reference to a placeholder appears in the 'term' font and is preceded by the definite article, "the".

Here is an informal example followed by a fully-formal one.

statement expresses proposition

Definition: the proposition is what is meant by the statement

sequence is of general concept

Definition: each thing that is included in the sequence is an instance of the general concept

The second definition above is formal such that it translates to a closed projection.

A definition of a verb concept can generally be read using the pattern below, which is shown for a binary verb concept but works for verb concepts of any arity ("a" represents either "a" or "an").

A fact that a given <placeholder 1> <verb concept designation> a given <placeholder 2> is a fact that <definition>.

For example: A fact that a given statement expresses a given proposition is a fact that the proposition is what is meant by the statement.

Similarly, the equivalence understood from a definition of a verb concept can generally be read using the following pattern:

A <placeholder 1> <verb concept designation> a <placeholder 2> if and only if <definition>.

For example: A statement expresses a proposition if and only if the proposition is what is meant by the statement.

A.4.3 Source

The 'Source' caption is used to indicate a source vocabulary or document for a concept.

The source's designation for the concept is given in square brackets and quoted after the name of the source. It might or might not match the entry's primary representation. If the source has a name for the concept itself, the name is given in square brackets unquoted. The designation from the source is quoted if it is a term for the concept.

thing

Source: **ISO 1087-1 (English)** (3.1.1) ['object']

individual noun concept

Source: ISO 1087-1 (English) (3.2.2) ['individual noun concept']

The keywords "based on" indicate the definition of the concept is largely derived from the given source but had some modification, as in the following example.

language

Definition:	system of arbitrary signals (such as voice sounds or written symbols) and rules for combining
	them as used by a nation, people or other distinct community
Source:	based on AH

A.4.4 Dictionary Basis

This caption labels a definition from a common dictionary that supports the use of the primary representation. The entry source reference (written in the 'Source' style described above) is supplied at the end of the quoted definition. A dictionary basis should not be interpreted as an adopted definition.

A.4.5 General Concept

The 'General Concept' caption can be used to indicate a concept that generalizes the entry concept. This is not needed if there is a definition that starts with the general concept, but it is helpful in cases where a definition is not provided, such as is often the case for individual noun concepts (named things) or concepts taken from a source. Here are two examples.

Switzerland

General Concept: <u>country</u>

individual noun concept

Source:ISO 1087-1 (English)(3.2.2) ['individual noun concept']General Concept:concept

A.4.6 Concept Type

The 'Concept Type' caption is used to specify a type of the entry concept. This is typically not used if the concept has no particular type other than what is obvious from the primary representation.

- · A name is implicitly for an individual noun concept.
- Any term is implicitly for a general concept.
- A verb concept wording is implicitly for a verb concept.
- For a verb concept wording, one placeholder implies a <u>characteristic</u> and two placeholders imply a <u>binary verb</u> <u>concept</u>. For example, '<u>variable</u> *has* <u>type</u>' is implicitly for a <u>binary verb</u> <u>concept</u>.
- Where a definition formally gives a more general concept, the concept being defined specializes that more general concept.

If more than one concept type is mentioned, then they are separated by commas. Order is insignificant.

The concept type '<u>role</u>' is commonly used where the primary entry is a term. The example below shows that the concept '<u>logical operand</u>' is a role that is played by a logical formulation. Since the entry concept of a term is implicitly a <u>general</u> <u>concept</u>, the additional indication that it is a <u>role</u> implies that it is, by definition, a <u>situational role</u>.

logical operand

Definition[.]

 Concept Type:
 role

 Definition:
 logical formulation upon which a given logical operation operates

Any <u>general concept</u> that specializes the concept '<u>concept</u>' can be given as a concept type. The concept '<u>obligation</u> <u>formulation</u>' is a logical formulation kind, which is defined below.

logical formulation kind

<u>concept</u> that specializes the <u>concept</u> 'logical formulation' and that classifies a <u>logical</u> formulation based on the presence or absence of a main logical operation or quantification

obligation formulation

Concept Type: logical formulation kind

A.4.7 Necessity and Possibility

A 'Necessity' or 'Possibility' is usually supplemental to a definition. A 'Necessity' caption is used to state something that is necessarily true. A 'Possibility' caption explains that something is a possibility that is not prevented by definition. See the vocabulary entries in Clauses 8 to 12 for 'structural business rule statement' and 'unrestricted business rule possibility statement' (respectively) for more details.

The key phrase "it is necessary that" can be omitted from a statement of a structural rule captioned "Necessity" because it is implied by the caption. Here are examples -- two necessity claims and one possibility claim.

representation

Necessity:Each representation has exactly one expression.Necessity:Each representation represents exactly one meaning.

vocabulary namespace maps to package

Possibility: A vocabulary namespace maps to more than one package.

Definitions express characteristics that are necessary and sufficient to distinguish things denoted by a concept. Sometimes there are necessities beyond what is sufficient. The 'Necessity' caption is used to state such necessities.

A.4.8 Reference Scheme

The 'Reference Scheme' caption is used to state how things denoted by the term can be distinguished from each other based on one or more facts about the things. A reference scheme is expressed by referring to at least one role of a binary verb concept and indicating whether a reference involves a single instance of the role or whether it involves the extension of related instances.

An article ('a', 'an', or 'the') indicates a simple use of a role in which a single instance is used in a reference. The definite article 'the' is only appropriate where there can be at most one instance of the role. The words 'the set of' indicate that the extension is used. The word 'and' is used to connect the expressions of use of multiple roles by a reference scheme.

The following examples of reference schemes are taken from the SBVR Vocabularies. The first one below uses a single value of the 'closed logical formulation' role of the verb concept 'closed logical formulation means proposition' meaning that a proposition can be identified by any closed logical formulation whose meaning is the proposition. The second uses two verb concept roles. It uses a definite article because each <u>role binding</u> has exactly one <u>bindable target</u> and is for exactly one <u>verb concept role</u>.

proposition

Reference Scheme: a closed logical formulation that means the proposition

role binding

Reference Scheme: the bindable target that is referenced by the role binding and the verb concept role that has the role binding

The reference scheme for the concept of reference scheme itself uses three roles extensionally.

reference scheme

Reference Scheme:

the set of <u>verb concept roles</u> that are simply used by the <u>reference scheme</u> and the set of <u>verb concept roles</u> that are extensionally used by the <u>reference scheme</u> and the set of <u>characteristics</u> that are used by the <u>reference scheme</u>

A.4.9 Note

A 'Note' caption is used to label explanatory notes that do not fit within the other captions.

A.4.10 Example

The 'Example' caption labels examples involving the entry concept.

A.4.11 Synonym

A synonym is another designation that can be substituted for the primary representation. It is a designation for the same concept. If the primary representation is a verb concept wording, then the 'Synonymous Form' caption is used rather than the 'Synonym' caption.

The examples below show two synonyms for one concept having one definition. The preferred designation is given as the primary representation.

implication

Definition:	<u>logical formulation</u> that applies the logical "(MATERIALLY) IMPLIES" operation (\rightarrow) to an
	antecedent and a consequent
Synonym:	material implication

The meaning of two designations being synonyms is that they represent the same concept. Each synonym is in the vocabulary namespace of the vocabulary.

A.4.12 Synonymous Form

A synonymous form is a verb concept wording for the same verb concept. The order of placeholders for verb concept roles can be different.

A synonymous form can appear elsewhere as its own entry. However, this is not typically done if the synonymous form is simply a passive form of the primary representation. The following example shows a synonymous form that reverses the order of verb concept roles. Because the synonymous form is simply a passive form of the primary representation, it does not appear as a separate entry.

statement expresses proposition

Definition:	the proposition is what is meant by the statement
Synonymous Form:	proposition is expressed by statement

A synonymous form does not necessarily use the same designations for all placeholders as are used in the primary designation. One placeholder can use a different designation. The ones using the same designation as placeholders of the primary form represent the corresponding verb concept roles, and the one placeholder that does not match represents the remaining verb concept role. The example below shows two entries, both for the same concept. One is expressed in terms of a role (instance) and the other is not.

concept corresponds to thing

Definition:	the thing is in the extension of the concept
Synonymous Form:	concept has instance

concept has instance

Synonymous Form: <u>concept corresponds to thing</u>

If the same term is used for multiple placeholders, then subscripts can be used to distinguish them.

thing₁ is thing₂

Synonymous Form: <u>thing</u> equals thing

The meaning of two verb concept wordings being synonymous is that the two represent the same verb concept. Each synonymous form is in the vocabulary namespace of the vocabulary. Designations are in attributive namespaces as explained for primary entries in A.4.1.

A.4.13 See

Where the primary representation is not a preferred representation for the entry concept, the "See:" caption introduces the preferred representation. No definition is given in this case.

A.4.14 Subject Field

Where a signifier is not unique in a vocabulary, there is a need for qualification by a subject field. The subject field of a designation is given using the "Subject Field" caption, as shown in the example below.

<u>customer</u>

Subject Field: Car Rental Responsibility See: renter

<u>customer</u>

 Subject Field:
 Vehicle Sales

 Definition:
 person who purchases a rental car from EU-Rent at the end of its rental life

A.4.15 Namespace URI

If the primary entry is for a namespace, the 'Namespace URI' caption is used to indicate a URI of the namespace. If the primary entry is for a vocabulary, the 'Namespace URI' caption is used to indicate a URI of a vocabulary namespace for the vocabulary. Here is an example:

Meaning and Representation Vocabulary

 General Concept:
 vocabulary

 Namespace URI:
 http://www.omg.org/spec/SBVR/20070901/MeaningAndRepresentation

A.5 Specifying a Rule Set

SBVR Structured English uses the term 'rule set' to refer to any set of elements of guidance. A rule set is specified in a document sub clause having several individual entries for guidance. Those entries are explained in the next sub clause. The introduction to a rule set includes the rule set's name and can further include any of the several kinds of details shown in the skeleton below.

<Rule set name>

Description: Vocabulary: Note: Source:

A.5.1 The Rule Set Name

The rule set name appears in the 'name' font.

A.5.2 Description

The 'Description' caption is used to describe the scope and purpose of the rules.

A.5.3 Vocabulary

The 'Vocabulary' caption is used to identify what vocabulary (defined in terms of SBVR) is used by statements in the rule set.

A.5.4 Source

The 'Source' caption is used if the rule set is based on a separately-defined work. It labels a reference to such a work, such as a legal statute.

A.5.5 Note

The 'Note' caption is used to label explanatory notes that do not fit within the other captions.

A.6 Guidance Entries

Each entry in a rule set is an element of guidance -- expressed as one of the following:

- · An operative business rule statement
- A structural business rule statement
- A statement of advice of permission
- A statement of advice of possibility

Business rules include only those rules under business jurisdiction. Entries can also be made for structural rules that are not under business jurisdiction. Each entry includes the statement itself and optionally includes other information labeled by the captions shown below.

<Guidance Statement>

Name:
Guidance Type:
Description:
Source:
Synonymous Statement:
Note:
Example:
Enforcement Level:

Use of each of the above captions is explained below.

A.6.1 Guidance Statement

A guidance statement can be expressed formally or informally. A statement that is formal uses only formally styled text — all necessary vocabulary is available (by definition or adoption) such that no external concepts are required. Such a statement can be formulated as a logical formulation.

A.6.2 Name

The 'Name' caption is used to specify a name for the element of guidance. The name is then part of the formal vocabulary.

A.6.3 Guidance Type

The 'Guidance Type' caption is used to indicate the kind of element of guidance (i.e., one of the following):

- · operative business rule
- structural business rule
- · advice of permission
- advice of possibility
- · advice of optionality
- · advice of contingency

A.6.4 Description

The 'Description' caption is used to capture the expression of the element of guidance informally (as supplied by a business user).

A.6.5 Source

The 'Source' caption is used if the guidance is from a separate source. It labels a reference to that source.

A.6.6 Synonymous Statement

The 'Synonymous Statement' caption is used to state additional, equivalent statements of the guidance. For example, a given rule can be expressed in a 'prohibitive' form and also in an 'obligatory' form. As for the primary statement of the guidance, these additional statements can be formal or informal.

A.6.7 Note

The 'Note' caption is used to label explanatory notes that do not fit within the other captions.

A.6.8 Example

The 'Example' caption labels examples of application of the element of guidance.

A.6.9 Enforcement Level

The 'Enforcement Level' caption labels the enforcement level that applies to an operative business rule (only).

Annex B - SBVR Structured English Patterns

(informative)

B.1 General

This annex contains material compiled to aid the interpretation of 'SBVR in SBVR Structured English' vocabulary entries, as documented in Annex A and applied in the text and diagram forms of Part II and Annex G. This 'language patterns' material falls into two main categories:

- reading SBVR Vocabulary designations
- · reading verb concepts embedded in the definition text of SBVR Vocabulary designations.

A third sub clause contains the brief discussion of a useful pattern that, while not often applied in the text of Part II, is illustrated in Annex G (and, in particular, in the "10 Introductory Examples" given there and in the RuleSpeak and ORM Annexes). This discussion introduces the use of a 'short form' verb concept that can be used to simplify the formulation and representation of vocabularies and sets of elements of guidance.

When there is an associated way to depict the construct in a graphic notation, a cross-reference is provided, when applicable, to the 'Use of UML Notation in a Business Context to Represent SBVR-based Vocabularies' (Annex C) -- referred to here as the 'UML style' -- and to the 'Concept Diagram Graphic Notation (Annex I)' -- referred to here as the 'CDG style'.

B.2 Reading SBVR Vocabulary Designations

This sub clause presents the interpretation given to three kinds of designations:

- Terms
- Names
- · Verb symbols

B.2.1 Primary Term for a General Concept

When I see a vocabulary entry as shown in Figure B.1, I know to vocalize it as:




Figure B.1 - Recognizing an entry that is the primary term for a general concept

For how to depict this in graphics, see C.2 (UML style) and CDG style (sub clause I.2 in Annex I).

Commentary:

This is a typical *designation* kind of entry presented as a 'term' -- the primary term for a general concept. For this kind of entry, draw a labeled box.

It is possible to have additional terms for a given general concept (i.e., terms that are synonyms). Even when documented in the text form (using the 'Synonym' caption), the non-primary terms of a concept are not typically reflected on the graphic. When it is considered useful to make explicit entries for the non-primary terms in a presentation of the vocabulary, the non-primary terms can appear using the 'See' caption to refer back to the concept's primary term.

B.2.2 Primary Name for an Individual Noun Concept

When I see a vocabulary entry as shown in Figure B.2, I know to vocalize it as:

'Real-world numerical correspondence' is a term that is a name for an individual noun concept. And it is the primary name used for the concept.




Figure B.2 - Recognizing an entry that is the primary name for an individual noun concept

For how to depict this in graphics, see C.3 (UML style). There is no specified way to depict this in the CDG graphic notation.

Commentary:

This is a typical *designation* kind of entry presented as a 'name' -- the primary name for an individual noun concept. For this kind of entry, draw a labeled box, with the 'name' underlined.

It is possible to have additional names for a given individual noun concept (i.e., names that are synonyms). Even when documented in the text form (using the 'Synonym' caption), the non-primary terms of a concept are not typically reflected on the graphic. When it is considered useful to make explicit entries for the non-primary names in a presentation of the vocabulary, the non-primary names can appear using the 'See' caption to refer back to the concept's primary name.

B.2.3 Primary Reading ('Sentential Form') for a Verb Concept

B.2.3.1 Primary Reading ('Sentential Form') for a Verb Concept -- Binary Verb Concept

When I see a vocabulary entry as shown in Figure B.3, I know to vocalize it as:

There is a verb concept relating these two concepts and it uses the designation 'shares understanding of' when the concept terms are in this order. Optionally, alternative readings can be provided using the 'Synonymous Form' caption (as illustrated at the bottom of Figure B.3).




Figure B.3- Recognizing an entry that is the primary reading for a binary verb concept

For how to depict this in graphics, see C.4.1 (UML style) and CDG style (sub clause I.4.1 in Annex I). There is a special case of depicting a binary verb concept that uses 'has' in the UML style. For how to depict this in graphics, see C.4.2 (UML style). There is no special way to depict this in the CDG graphic notation.

Commentary:

This is a typical *sentential form* kind of entry for a verb concept -- in this case, a binary verb concept. For this kind of entry, draw a labeled line between the boxes for the designations of the participating concepts. The reading is clockwise (when the tool does not provide a graphic symbol for indicating the directionality of the reading).

It is possible to have additional readings for a given verb concept (i.e., readings that are 'synonymous forms' of the verb concept). Additional readings are optional in both the graphic and text forms. When defined in the text form, the 'Synonymous Form' caption is used. Even when provided in the text, more than one reading is not typically reflected on the graphic. However, having inverse readings on an association would be an extension to UML. (This can be handled legally by defining a 'UML profile', which allows additional information and custom graphics in a model.)

An alternative graphic style is to apply the n-ary graphic style (described below) for *all* verb concepts, including binary.

B.2.3.2 Primary Reading ('Sentential Form') for a Verb Concept -- N-ary Verb Concept

When I see a vocabulary entry as shown in Figure B.4, I know to vocalize it as:

There is a ternary verb concept relating these three concepts, using 'is replaced by ... in' when the verb concept uses these terms for the concepts in this sequence.

rental car is replaced by replacement car in breakdown during rental

Services the president of space that the service to a service the service of the

Figure B.4 - Recognizing an entry that is the primary reading for an n-ary verb concept

For how to depict this in graphics, see C.4.3 (UML style) and CDG style (sub clause I.4.2 in Annex I).

Commentary:

This is a *sentential form* kind of entry for a verb concept -- in this case, an n-ary verb concept. For this kind of entry, there are two diagrams forms. The first diagram is the box-in-box style as defined in Annex I, sub clause I.4.2. The second diagram (UML-style) uses a box, given a stereotype that names the category of verb concept, and a label that reflects the primary reading for the verb concept. The concept terms are placed in [].

Note-1: The label in the UML form does not use the UML association 'name'; the UML association 'name' is reserved for use as a 'real' name.

Note-2: While suggestions have been given for depicting multiple readings on a diagram, showing additional readings for n-ary verb concepts is not currently part of the scope of this documentation.

B.2.3.3 Primary Reading ('Sentential Form') for a Verb Concept -- Characteristic

When I see a vocabulary entry as shown in Figure B.5, I know to vocalize it as:

There is a characteristic for this concept, with a designation of 'is damaged'.

rental car is damaged

9.000000000

- The second second differences in the second s

Figure B.5 - Recognizing an entry that is the primary reading for a characteristic

For how to depict this in graphics, see C.4.4 (UML style) and CDG style (sub clause I.4.3 in Annex I).

Commentary:

This is a *sentential form* kind of entry for a verb concept -- in this case, a characteristic. For this kind of entry, the two graphic notations use different forms. The first diagram above shows the box-in-box style as defined in Annex I (sub clause I.4.3 in Annex I). For the UML-style, three alternatives are offered:

- 1. List the designation inside the box ('attribute' style).
- 2. Draw in the same style as for an n-ary verb concept (above).
- 3. Draw using the association 'diamond'.

NOTE: The notation for characteristic would be an extension to UML, handled legally by defining a 'UML profile'.

B.2.3.4 Two Vocabulary Entries (Sentential Form and Term) for a Concept

When I see a pair of vocabulary entries as shown in , I know to vocalize this case as:

These two entries are for coextensive concepts. I understand that, even though these are two entries in the vocabulary, they have the same instances.

Figure B.6- Recognizing a pair of entries (sentential form and term) for a concept

\rented car is recovered from non-EU-Rent site to branch

car recovery

Definition: <u>actuality</u> that a given rented car is recovered from a given non-EU-Rent site to a given branch

For how to depict this in graphics, see C.9 (UML style) and CDG style (sub clause I.4.4 in Annex I).

B.3 Reading Embedded Connections

There are also connections that are specified when the SBVR Structured English language is used to compose the definition of a vocabulary entry. The material in this sub clause documents the most common patterns used in writing vocabulary entry definitions using the elements of style defined in Annex C.

The following seven patterns have been documented.

- categorization
- is-role-of proposition
- · is-facet-of proposition
- partitive verb concept
- classification ('predefined extension')
- categorization type
- · categorization scheme

B.3.1 Categorization

When I see this:

semantic community

Definition:

<u>community</u> whose unifying characteristic is a shared understanding (perception) of the things that they have to deal with

I know this is shorthand for:

semantic community

Concept Type:	category
Definition:	<u>community</u> whose unifying characteristic is a shared understanding (perception) of the things
	that they have to deal with

I know to vocalize it as:

The concept 'semantic community' is a 'category' of the more general concept 'community'. Furthermore, I know that what distinguishes this particular kind of community from the general case is that it is ... <distinctions brought out in the rest of the definition>

For how to depict this in graphics, see C.6 (UML style) and CDG style (sub clause I.3.1 in Annex I).

B.3.2 Is-role-of Proposition

When I see this:

<u>renter</u>

Concept Type:roleDefinition:driver who ...

I know to vocalize it as:

The concept 'renter' is a role that can be played by a driver, specifically one who ... <distinctions brought out in the rest of the definition>

For how to depict this in graphics, see C.5 (UML style) and CDG style (sub clause I.5 in Annex I). The CDG style does not distinguish the various ways to depict roles as in the UML style (see treatment in C.5.1, C.5.2, and C.5.3).

B.3.3 Is-facet-of Proposition

When I see this:

<u>driver</u>

Concept Type:	<u>facet</u>
Definition:	person who

I know to vocalize it as:

The concept 'driver' is a facet (or aspect) of person, specifically just those characteristics of 'person' relevant to ... <distinctions brought out in the rest of the definition>

How to depict this in graphics, (UML style) is illustrated in the EU-Rent Annex (see Annex G), in the "Customers" Vocabulary sub clause.

B.3.4 Partitive Verb Concept

When I see this:

body of shared meanings1 contains body of shared meanings2

Concept Type:	partitive verb concept
Definition:	the body of shared meanings includes everything in another body of shared meanings

body of shared meanings includes body of shared concepts

Concept Type: partitive verb concept

I know to vocalize it as:

A body of shared meanings contains other bodies of shared meanings.

A body of shared meanings includes bodies of shared concepts.

For how to depict this in graphics, see C.8 (UML style). There is no specified way to depict this in the CDG graphic notation.

vocabulary1 incorporates vocabulary2

Concept Type:	partitive verb concept
Definition:	the vocabulary ₁ includes each symbol that is included in the vocabulary ₂
Note:	When more than one vocabulary is included, a hierarchy of inclusion can provide priority for selection of definitions.

vocabulary₂ is incorporated into vocabulary₁

vocabulary includes symbol

Concept Type: <u>partitive verb concept</u> symbol is included in vocabulary

I know to vocalize it as:

A vocabulary incorporates (another) vocabulary.

A vocabulary includes symbols.

For how to depict this in graphics, see C.8 (UML style). There is no specified way to depict this in the CDG graphic notation.

B.3.5 Classification ('Predefined Extension')

When I see this:

Canada

General Concept: <u>country</u>

I know to vocalize it as:

Canada is an instance of the concept 'country'

(or, 'Canada' is a designation of an individual country)

For how to depict this in graphics, see the discussion of 'Primary Name for an Individual Noun Concept' above.

Typically, this kind of entry is simply 'indicated' (or perhaps 'adopted'), with no definition. However, when a definition is written, its styling can specify the general concept, in which case, the 'General Concept' caption can be omitted. For example, the entry below defines 'Car Rental Industry' to be an instance of 'semantic community'.

Car Rental Industry Definition:

the semantic community that is the group of people who work in the business of renting cars

Commentary:

When you find this pattern, draw it in the UML style using UML's arrow style for 'instantiation'. The notation has been adapted from standard UML notation to make it more 'business friendly'. For example, in UML, in instance ('object') would be labeled as, <u>Canada: country</u>. Predefined extension instances are not typically depicted in the box-in-box style.

B.3.6 Categorization Type

When I see this:

branch type

Definition:

<u>concept</u> that specializes the <u>concept</u> '<u>branch</u>' and that classifies a <u>branch</u> based on its <u>hours of operation</u> and <u>car storage capacity</u>

city branch

Concept Type:	<u>branch type</u>
Definition:	branch that operates in a city

I know to vocalize it as:

The concept 'branch type' has instances that are certain categories of the concept 'branch.' The concept 'city branch' is a category of the concept 'branch.'

The concept 'city branch' is a 'branch type.'

For how to depict this in graphics, see C.7.2 (UML style). There is no specified way to depict this in the CDG graphic notation.

Commentary:

When you find this pattern -- a 'Definition' caption that begins,

concept that specializes the concept 'other-concept' and that classifies an other-concept based on...

-- it is a compact, textual way to say multiple things, as follows:

- 1. that the mentioned other-concept has categories for which the other-concept is the more general concept, and
- 2. that the entry being defined is itself a category of concept, one whose instances are the categories of the mentioned more general concept.

Furthermore, the vocabulary entries for the certain category include a 'Concept Type:' caption that mentions the categorization type. For example, the vocabulary entry for 'city branch' mentions 'branch type' as its Concept Type.

B.3.7 Categorization Scheme

When I see this:

Branches by Type

Description:	segmentation that is for branch and subdivides branch based on branch type
Necessity:	Branches by Type contains the categories 'airport branch' and 'city branch' and 'agency'.
agency	
Definition:	<u>branch</u> that does not have a EU-Rent location and has minimal car storage and has on-demand operation
Necessity:	agency is included in Branches by Type.
airport branch	
Definition:	branch that has a EU-Rent location and has large car storage and has 24-7 operation
Necessity:	airport branch is included in Branches by Type.
city branch	
Definition:	<u>branch</u> that has a EU-Rent location and has moderate car storage and has long business hours
Necessity:	city branch is included in Branches by Type.
I know to vocalize it as:	

'Branches by Type' is the name of a categorization scheme (or, in this case, a 'segmentation', which is a restricted case of categorization scheme). This scheme is for the general concept 'branch', presenting the instances of branch as divided into the categories that make up the scheme, according to the stated criteria. Each category's entry indicates being part of the scheme.

For how to depict this in graphics, see C.7.1 (UML style) and CDG style (sub clause I.3.2 in Annex I).

Commentary:

When you find this pattern -- under a 'name' designation with a 'Definition' caption that begins,

the <u>categorization scheme</u> that is for the <u>concept</u> '<u>mentioned-other-concept</u>' and <u>subdivides</u> <u>mentioned-other-concept</u>' <u>and subdivides</u> <u>mentioned-other-concept</u> based on...

or

the <u>segmentation</u> that is for the <u>concept</u> '<u>mentioned-other-concept</u>' and *subdivides* <u>mentioned-other-concept</u> based on...

-- it is a compact, textual way to say multiple things, as follows:

- 1. that the entry being defined is a categorization scheme (or a categorization scheme that is a segmentation), and
- 2. that the mentioned concept is the concept that is the scheme is *for*.

Furthermore, each vocabulary entry for one of the categories in the scheme identifies itself as part of the scheme using a 'Necessity' caption. (Note that a category can be part of more than one scheme.)

B.4 Defining a Verb Concept for Convenience

The development of vocabularies and sets of elements of guidance often calls for trade-offs of redundancy (in the sense of defining a concept both directly and indirectly) against simplification of formulation and representation. Consider, for example, the first of the ten introductory examples presented in Annex A.2.4:

It is necessary that each rental has exactly one requested car group.

This is easy to grasp. Now, consider the full form of this rule if the rule were based solely on a sparse EU-Rent vocabulary. The rule would then be as follows:

It is necessary that each <u>rental</u> has exactly one <u>car group</u> that is specified in the <u>car movement</u> that is included in the <u>rental</u>.

As this simple example demonstrates, the full form of a rule (or advice) can become quite verbose when several verb concepts are involved.

The compact form of this rule makes use of the *short form* verb concept '<u>rental has requested car group</u>', a redundant concept that has been created for the purpose of simplification of formulation and representation. This verb concept specifies its instances as being derived from (equivalent to) the concatenation of other verb concepts -- the *verbose* form -- as illustrated by the following entry that specifies the concept:

rental has requested car group

Necessity:A rental has a requested car group if and only if the requested car group is the car
group that is specified in the car movement that is included in the rental.

This technique is particularly useful when the *short form* verb concept is used in a number of elements of guidance. For another example, from Annex G, the verb concept '<u>rented car</u> *is assigned to* <u>rental</u>' is a basis element for three of the ten introductory examples.

Note, however, the choice to apply this pattern is a matter of practice. Decisions on reuse and redundancy are business decisions made by the semantic community (here, EU-Rent) to help it manage its body of shared meanings and vocabularies.

Annex C - Use of UML Notation in a Business Context to Represent SBVR-Style Vocabularies

(informative)

C.1 General

A purpose of the UML diagrams in Clauses 8 through 12 and Annex E is to display a vocabulary graphically. This kind of UML model is commonly called a 'Business Object Model' (BOM). Note that diagrams in Clauses 8 through 12 also show SBVR's MOF-based metamodel using an interpretation explained in Clause 13. The vocabulary interpretation described below and the MOF interpretation explained in Clause 13 use the same diagrams, but the two interpretations should not be confused. The two interpretations are based on different profiles.

A BOM is commonly used to convey a business vocabulary (e.g., the SBVR vocabulary) so its use should be familiar. The diagrams do not show any special stereotypes as long as conventions are explained. This Annex provides that explanation.

C.2 General Concept (Noun Concept)

The primary term for a concept that is not a role, individual noun concept, or verb concept is shown as a class (rectangle). The rectangle is labeled with the concept's primary term, written just as the entry term would appear in a presentation of the vocabulary.

If there are additional terms for the concept they can be added within the rectangle, labeled as such (e.g., "*also*: is-category-of verb concept" as depicted in Figure C.1).




Figure C.1 - Two general concepts

C.3 Individual Noun Concept (Noun Concept)

The name given to an individual noun concept is shown as an instance specification (rectangle). The name is followed by a colon and then by the term for its general concept. This text string is underlined within the rectangle.

While it is possible to have additional names for a given individual noun concept (i.e., names that are synonyms), the nonprimary names of an individual noun concept are not typically reflected on the diagram. Figure C.2 depicts two individual noun concepts.



Figure C.2 - Two individual noun concepts

Alternatively, an individual noun concept can be depicted as an instance of its related general concept (noun concept), as in Figure C.3.




Figure C.3- Three individual noun concepts as instances of the related general concept


C.4 Verb Concepts

Use of the UML association notation works well for representing verb concepts in an SBVR-based vocabulary diagram. However, it is important to remember that an SBVR verb concept is not an association. A verb concept is a classifier that has particular semantics.

C.4.1 Binary Verb Concepts

The verb concept wording of a binary verb concept, other than one using 'has', is shown as an association (a line between rectangles). If there is another verb concept wording for the verb concept that is read in the opposite direction, only the active form of the wording is needed if the other wording is the normal passive form for the same verb.

Alternatively, both wordings can be shown, one above the line and the other below. Either the 'clockwise reading rule' or a solid triangle as an arrow can be used to show the direction of reading. C.4 illustrates three alternative presentations of a binary verb concept.






Figure C.4 - Three alternatives for presenting a binary verb concept

C.4.2 Binary Verb Concepts using 'has'

For each verb concept wording using 'has', the second role name is shown as an association end name. The verb 'has' is not shown on the diagram when giving an association end name. Each association end name in a diagram expresses a designation of a verb concept role. An end name implies 'has' as shown in Figure C.5. Any verb phrase shown is assumed to be usable without the end name.



Figure C.5- Depicting the verb concept 'cash rental has lowest rental price'

When a binary verb concept's wording uses 'has' and there is no specialized role, the second role name is still reflected on the diagram in this consistent way (on the line adjacent to the rectangle) and 'has' is not displayed. This is illustrated in Figure C.6.



Figure C.6- Depicting the verb concept 'branch has country'

C.4.3 Verb Concepts with Arity of 3 or more

For verb concepts with more than two roles, the UML association notation is used. The primary verb concept wording is shown, with the placeholders underlined as shown in Figure C.7.

car manufacturer delivers consignment to branch




Figure C.7- Depicting a verb concept with arity of three

C.4.4 Characteristics

UML associations only apply to binary and higher-arity. Ordinarily a characteristic is transformed into a UML Boolean attribute, as shown in Figure C.8.




Figure C.8- Depicting the characteristic 'advance rental is assigned' as a Boolean attribute

However, the SBVR characteristic is more accurately modeled in UML using an alternative style, which applies the same conventions described in sub clause H.4.3, adapted for the unary case shown in Figure C.9.



Figure C.9- Depicting the characteristic 'advance rental is assigned' using association notation

C.5 Roles

Note that a 'role' in SBVR is a concept in its own right.

C.5.1 Role depicted as an Association End Name

A term for a role is typically shown as an association end name. Multiple appearances of the same role name coming into the same class imply a more general 'role' concept as well as the specific roles shown.

Note: Figure C.10 shows two verb concept wordings for the same verb concept (see also sub clause C.4.2).



Figure C.10- Depicting a role as an association end name

C.5.2 Role depicted using UML Stereotyping

Since a 'role' in SBVR is a concept in its own right it can also be depicted as a class (rectangle), with UML stereotyping used to denote the general concept that it ranges over. As illustrated in C.11, the stereotype <<rol>
 </rol>

 or the generalization line can use the stereotype <</is-role-of>>.




Figure C.11- Depicting a role as a class, with stereotyping

C.5.3 Term for a Role in a Verb Concept Wording

When a term for a role is used in a verb concept wording, and that wording is not an attributive form (e.g., "a has b"), then the term for the role needs to be shown. It is not shown as an association end because that would imply an attribute form (e.g., "has"). Instead, the term for the role is underlined and shown, along with the verbal part of the verb concept wording.

Figure C.12 gives an example. In the verb concept "rental incurs late return charge" (from EU-Rent), 'late return charge' is a term for a role -- the general concept is 'penalty charge'. Rather than put "incurs" on the association line connecting "rental" to "penalty charge," the text on the line incorporates the term for the role and reads, "incurs late return charge."




Figure C.12- Example of a term for a role in a verb concept wording

C.6 Generalizations

Generalizations are shown in the normal UML way as shown in Figure C.13.




Figure C.13- Two examples of generalization

C.7 Categorization

C.7.1 Categories and Categorization Schemes

A set of mutually-exclusive categories can be depicted by bringing the generalization lines together, as shown on the left in Figure C.14. Contrast that with the diagram on the right which reflects two independent specializations -- i.e., a community can be both a semantic community and a speech community. Optionally, the name of a categorization scheme can be assigned to the set of categories, e.g., 'Rentals by Payment Type'.





Figure C.14- Depicting mutually-exclusive categories vs. independent specializations

C.7.2 Categories and Categorization Types (Concept Types)

Use of UML powertype notation is not typical, but it can be used to show the categories specified by a categorization type (concept type). Note that the second diagram in C.15 illustrates a named categorization scheme ('Branches by Type') which is related to the categorization type 'branch type.'






Figure C.15- Two examples of depicting the categories specified by a categorization type

C.8 Partitive Verb Concept

UML aggregation notation is used to represent partitive verb concepts.

The diagram on the left of Figure C.16 shows the verb concept wordings for the partitive verb concepts that 'body of shared meanings' is involved in.

body of shared meanings includes body of shared concepts


body of shared meanings includes body of shared guidance

The diagram on the left of Figure C.16 also illustrates the verb concept wordings for the partitive verb concepts that 'body of shared meanings' is involved in.

body of shared meanings₁ contains body of shared meanings₂

Note that the subscripts in the verb concept wording are not reflected on the diagram.

As the diagrams of Figure C.16 illustrate, reflecting the verb phrase of a partitive verb concept on the diagram is optional.





C.9 Verb Concept Objectification

Where a general concept objectifies a verb concept, an association class is used to depict the general concept, as shown in Figure C.17. A dashed line connects the association line for the verb concept with the box for the noun concept. A binary verb concept is shown in a similar fashion, with the dashed line connecting to the binary association line.




Figure C.17- Depicting verb concept objectification

C.10 Multiplicities

Multiplicities are typically not shown. However, display of UML multiplicity is a diagram-level option. When UML multiplicity is used on a diagram (as a whole), this element is used to depict a formally-stated alethic necessity of a particular multiplicity. UML multiplicity is used for no other case. In a diagram that uses UML multiplicity, the default assumption for an unannotated association end is '*' (which is interpreted as '0 or more' -- i.e., unconstrained).

Annex D - Additional References

(informative)

D.1 Bibliography / Normative References

[AH] American Heritage Dictionary.

[Anto2001] Antonelli, A. *Non-Monotonic Logic*, Stanford Encyclopedia of Philosophy, 2001. Available from http://plato.stanford.edu/entries/logic-nonmonotonic/

[Bloe1996] Bloesch, A.C., and Terry A. Halpin. "ConQuer: a Conceptual Query Language". In *Proc. ER'96: 15th Int. Conf. on Conceptual Modeling*, 121-133: Springer LNCS, 1996. Available from http://www.orm.net/pdf/ER96.pdf

[Bloe1997] ______. "Conceptual Queries using ConQuer-II". In *Proc. ER'97: 16th Int. Conf. on Conceptual Modeling*, 113-126: Springer LNCS, 1997. Available from http://www.orm.net/pdf/ER97-final.pdf

[BMM] Business Rules Group. *The Business Motivation Model ~ Business Governance in a Volatile World*. 1.2 ed., Sept. 2005. Originally published as *Organizing Business Plans ~ The Standard Model for Business Rule Motivation*, Nov. 2000. Available from http://www.BusinessRulesGroup.org

[BRM] Business Rules Group. Ronald G. Ross, ed. *Business Rules Manifesto ~ The Principles of Rule Independence*. 1.2 ed. The Business Rules Group, 2003. Updated Jan. 8, 2003. PDF. Available from http://www.BusinessRulesGroup.org/brmanifesto.htm

[BRG2002] Business Rules Group. *Defining Business Rules ~ What Are They Really?* 4th ed., July 2002. Originally published as *GUIDE Business Rules Project Report*, 1995. Available from http://www.BusinessRulesGroup.org

[BRJ2005] Editors of BRCommunity.com. "A Brief History of the Business Rule Approach". *The Business Rules Journal* 6, no. 1 (2005). Available from http://www.BRCommunity.com/a2005/b216.html

[CDP] The Cambridge Dictionary of Philosophy. 2nd ed.: Cambridge University Press, 1999.

[CSILL] *Cognitive Science Initiative: Language Lexicon*. University of Houston. Available from http://www.hfac.uh.edu/COGSCI/lang/Entries/

[Dean1997] Dean, Neville. *The Essence of Discrete Mathematics*, The Essence of Computing Series: Prentice-Hall, 1997.

[Fitt2002 (or TTGG)] Fitting, Melvin. *Types, Tableaus, and Gödel's God*, Trends in Logic, Studia Logica Library. Dordrecht, the Netherlands: Kluwer Academic Publishers, 2002.

[Girl2000 (or MLP)] Girle, Rod A. Modal Logics and Philosophy: McGill-Queen's University Press, 2000.

[Halp1989 (or HALT89)] Halpin, Terry A. "A Logical Analysis of Information Systems: Static Aspects of the Data-oriented Perspective". PhD thesis, Department of Computer Science, University of Queensland, 1989.

[Halp1998] ______. "Object-Role Modeling (ORM/NIAM)". In *Handbook on Architectures of Information Systems*. Heidelberg: Springer, 1998.

[Halp2000] _____. *Object-Role Modeling: An Overview*. San Francisco: Springer, 2000. Available from http://www.orm.net/pdf/springer.pdf

[Halp2001 (or IMRD)] ______. *Information Modeling and Relational Databases*. San Francisco: Morgan Kaufmann, 2001.

[Halp2003a] ______. "Verbalizing Business Rules: Part 1". *The Business Rules Journal* 4, no. 4 (2003). Available from http://www.BRCommunity.com/a2003/b138.html

[Halp2003b] _____. "Verbalizing Business Rules: Part 2". *The Business Rules Journal* 4, no. 6 (2003). Available from http://www.BRCommunity.com/a2003/b152.html

[Halp2003c] ______. "Verbalizing Business Rules: Part 3". *The Business Rules Journal* 4, no. 8 (2003). Available from http://www.BRCommunity.com/a2003/b163.html

[Halp2003d] _____. "Verbalizing Business Rules: Part 4". *The Business Rules Journal* 4, no. 10 (2003). Available from http://www.BRCommunity.com/a2003/b172.html

[Halp2004 (or HALT2004)] ______. "Information Modeling and Higher-Order Types". In *Proc. CAiSE'04 Workshops*, eds. J. Grundspenkis and M. Kirkova, 1, 233-248: Riga Tech. University, 2004. Available from http://www.orm.net/pdf/EMMSAD2004.pdf

[Halp2004b] ______. "Business Rule Verbalization". In *Lecture Notes in Informatics*, eds. A. Doroshenko, Terry A. Halpin and S. Liddle, P-48, 39-52. Salt Lake City: Proc. ISTA-2004, 2004.

[Halp2004c] _____. "Verbalizing Business Rules: Part 5". *The Business Rules Journal* 5, no. 2 (2004). Available from http://www.BRCommunity.com/a2004/b179.html

[Halp2004d] ______. "Verbalizing Business Rules: Part 6". *The Business Rules Journal* 5, no. 4 (2004). Available from http://www.BRCommunity.com/a2004/b183.html

[Halp2004e] _____. "Verbalizing Business Rules: Part 7". *The Business Rules Journal* 5, no. 7 (2004). Available from http://www.BRCommunity.com/a2004/b198.html

[Halp2004f] ______. "Verbalizing Business Rules: Part 8". *The Business Rules Journal* 5, no. 9 (2004). Available from http://www.BRCommunity.com/a2004/b205.html

[Halp2004g] _____. "Verbalizing Business Rules: Part 9". *The Business Rules Journal* 5, no. 12 (2004). Available from http://www.BRCommunity.com/a2004/b215.html

[Halp2005a] _____. "Verbalizing Business Rules: Part 10". *The Business Rules Journal* 6, no. 4 (2005). Available from http://www.BRCommunity.com/a2005/b229.html

[Halp2005b] _____. "Verbalizing Business Rules: Part 11". *The Business Rules Journal* 6, no. 6 (2005). Available from http://www.BRCommunity.com/a2005/b238.html

[Halp2005c] _____. "Verbalizing Business Rules: Part 12". *The Business Rules Journal* 6, no. 10 (2005). Available from http://www.BRCommunity.com/a2005/b252.html

[Halp2005d] ______. "Verbalizing Business Rules: Part 13". *The Business Rules Journal* 6, no. 12 (2005). Available from http://www.BRCommunity.com/a2005/b261.html

[Halp1981 (or DL)] Halpin, Terry A., and Rod A. Girle. Deductive Logic. 2nd ed. Brisbane: Logiqpress, 1981.

[Hunt1971 (or META)] Hunter, Geoffrey. *An Introduction to the Metatheory of Standard First Order Logic*: University of California Press, 1971.

[IETF RFC 2396] Berners-Lee, Tim, R. Fielding, and L. Masinter. *Uniform Resource Identifiers (URI): Generic Syntax*. The Internet Society, 1998. Updated August 1998. Available from http://www.ietf.org/rfc/rfc2396.txt

[ISO6093] International Organization for Standardization (ISO). Information processing - Representation of numerical values in character strings for information interchange. ISO, 1985.

[ISO704] _____. Terminology work - Principles and Methods. English ed.: ISO, 2000.

[ISO1087-1] _____. *Terminology work - Vocabulary - Part 1: Theory and Application*. English/French ed.: ISO, 2000.

[ISO860] _____. Terminology work - Harmonization of Concepts and Terms. ISO, 1996.

[ISO639-2] _____. Codes for the Representation of Names of Languages-- Part 2: Alpha-3 Code. Library of Congress, 2002. Available from http://www.loc.gov/standards/iso639-2/langcodes.html

[ISO/IEC CD 24707] ______. Information technology -- Common Logic (CL) -- A Framework for a Family of Logic-Based Languages: ISO, 2005. Available from http://www.iso.org/iso/en/CatalogueDetailPage.CatalogueDetail?CSNUMBER=39175

[Levi1983 (or LEVS)] Levinson, Stephen C. *Pragmatics*, Cambridge Textbooks in Linguistics: Cambridge University Press, 1983.

[MATH] PlanetMath.org. Available from http://planetmath.org/encyclopedia

[Mend1997 (or MEN97)] Mendelson, Elliott. Introduction to Mathematical Logic. 4th ed.: Chapman & Hall, 1997.

[MWCD] Merriam-Webster Collegiate Dictionary.

[MWDS] Merriam-Webster Dictionary of Synonyms.

[MWU] Merriam-Webster Unabridged.

[Nijs1977] Nijssen, Sjir. "On the Gross Architecture for the Next Generation Database Management Systems." In: *Proc. IFIP '77, 1977 IFIP Working Conf. on Modelling in Data Base Management Systems*, ed. B. Gilchrist, 327-335: North Holland Publishing Company, 1977.

[Nijs1978] ______. "A Framework for Discussion." In: *ISO/TC97/SC5/WG3* and comments on 78.04/01 and 78.05/03, 1-144.

[Nijs1980] _____. "A Framework for Advanced Mass Storage Applications." In: *Proc. IFIP MEDINFO'80,* 3rd World Conference on Medical Informatics: North Holland Publishing Company, 1980.

[Nijs1986] ______. "On Experience with Large-scale Teaching and Use of Fact-Based Conceptual Schemas in Industry and University." In: *Proc. DS-1'85: IFIP WG 2.6 Working Conference on Data Semantics*, eds. T.B. Steel and R. Meersman, 189-204: North Holland Publishing Company, 1986.

[Nijs2006] Nijssen, Sjir, and R. Bijlsma. "A Conceptual Structure of Knowledge as a Basis for Instructional Designs." In: *Proc. ICALT'06, IEEE: 6th Int. Conf. on Advanced Learning Technologies*, eds. R. Kinshuk, P. Koper, P. Kommers, D. Kirschner, G. Sampson, and W.E. Didderen, 7-9: IEEE, 2006.

[NODE] The New Oxford Dictionary of English.

[Nolt1998 (or LSO)] Nolt, John, Dennis Rohatyn, and Achille Varzi. *Logic*. 2nd ed., Schaum's Outlines. New York: McGraw-Hill, 1998.

[ODE] Oxford Dictionary of English.

[OSM] Organizational Structure Metamodel: OMG, 2005.

[Peik (or PEIL)] Peikoff, Leonard. "The Analytic-Synthetic Dichotomy". In Rand1990, 88-121.

[Rand1990 (or RANA90)] Rand, Ayn. *Introduction to Objectivist Epistemology*. expanded 2nd ed. New York: Meridian, 1990.

[Ross1997] Ross, Ronald G. *The Business Rule Book -- Classifying, Defining and Modeling Rules*. 2nd ed. Houston, TX: Business Rule Solutions, Inc., 1997. Originally published as *The Business Rule Book (1st Ed.)*, 1994. Available from http://www.BRSolutions.com

[Ross2003] _____. *Principles of the Business Rule Approach*. Boston, MA: Addison-Wesley, 2003. Available from http://www.BRSolutions.com

[Ross2005] _____. *Business Rule Concepts: Getting to the Point of Knowledge*. 2nd ed.: Business Rule Solutions, LLC, 2005. Available from http://www.BRSolutions.com

[RuleSpeak] Business Rule Solutions. *BRS RuleSpeak® Practitioner's Kit.* Business Rule Solutions, LLC, 2001-2004. PDF. Available from http://BRSolutions.com/p_rulespeak.php

[SEP] *Stanford Encyclopedia of Philosophy*. Edward N. Zalta, ed. The Metaphysics Research Lab, Center for the Study of Language and Information, Stanford University. Available from http://plato.stanford.edu/

[SOED] Shorter Oxford Dictionary of English.

Issue # 16630: Add text

[Sowa] . "Ontology, Metadata, and Semiotics". John Sowa Ontology Website. Available from http://www.jfsowa.com/ontology/ontometa.htm

[SubePLTS (or PLTS)] Suber, Peter. *Propositional Logic Terms and Symbols*. Philosophy Department, Earlham College, 1997. Available from http://www.earlham.edu/~peters/courses/log/terms2.htm

[SubeGFOL (or GFOL)] _____. *Glossary of First-Order Logic*. Philosophy Department, Earlham College, 1999-2002. Available from http://www.earlham.edu/~peters/courses/logsys/glossary.htm

[UML2infr] Object Management Group (OMG). Unified Modeling Language: Infrastructure. Ver. 2.0: OMG.

[Unicode4] "The Unicode Standard, Version 4.0.0". In *The Unicode Standard, Version 4.0*. Boston, MA: Addison-Wesley, 2003. Available from http://www.unicode.org/versions/Unicode4.0.0/b1.pdf

[USG] The Unicode Consortium. *Glossary of Unicode Terms*. 1991-205. Updated Nov. 17 2004. Available from http://www.unicode.org/glossary/

[W3ID] Webster's 3rd New International Dictionary.

[WD] Webster's Dictionary.

[XMI2.1] XML Metadata Interchange (XMI). Ver. 2.1: OMG.