

An OMG® Unified Architecture Framework™ Publication



# Unified Architecture Framework (UAF) The Domain Metamodel

Version 1.1

OMG Document Number: [dtd/19-06-14](#)

Publication Date: [June 2019](#)

Normative reference: <http://www.omg.org/spec/UAF/1.1>

Machine readable file(s):

Normative:

<http://www.omg.org/spec/UAF/20190619/UAF.xmi>

<http://www.omg.org/spec/UAF/20190620/Measurements-Library.xmi>

Commented [Yvonne1]: UAF11-18 This is no longer an appendix.

Deleted: 0 - Appendix A (Normative)

Deleted: formal

Deleted: 7-12-02

Deleted: November 2017

Deleted:

Deleted: <http://www.omg.org/spec/UAF/1.0>

Field Code Changed

Field Code Changed

Deleted: [http://www.omg.org/spec/UAF/20170515/UAFP\\_Profile.xmi](http://www.omg.org/spec/UAF/20170515/UAFP_Profile.xmi)

Formatted: Font: (Default) Times New Roman

Field Code Changed

Deleted: <http://www.omg.org/spec/UAF/20170516/Class-Library-UAF.xmi...>

Copyright © 2019, IBM  
Copyright © 2019, KDM Analytics  
Copyright © 2019, Mega  
Copyright © 2019, Object Management Group, Inc.  
Copyright © 2019, No Magic Inc. a Dassault Systèmes  
Company  
Copyright © 2019, PTC  
Copyright © 2019, Sparx Systems

- Deleted: 7
- Deleted: 7
- Deleted: 7
- Deleted: 7
- Formatted: Indent: First line: 0.18 cm
- Deleted: 7
- Deleted: 7
- Deleted: 7

### USE OF SPECIFICATION - TERMS, CONDITIONS & NOTICES

The material in this document details an Object Management Group specification in accordance with the terms, conditions and notices set forth below. This document does not represent a commitment to implement any portion of this specification in any company's products. The information contained in this document is subject to change without notice.

### LICENSES

The companies listed above have granted to the Object Management Group, Inc. (OMG) a nonexclusive, royalty-free, paid up, worldwide license to copy and distribute this document and to modify this document and distribute copies of the modified version. Each of the copyright holders listed above has agreed that no person shall be deemed to have infringed the copyright in the included material of any such copyright holder by reason of having used the specification set forth herein or having conformed any computer software to the specification.

Subject to all of the terms and conditions below, the owners of the copyright in this specification hereby grant you a fully-paid up, non-exclusive, nontransferable, perpetual, worldwide license (without the right to sublicense), to use this specification to create and distribute software and special purpose specifications that are based upon this specification, and to use, copy, and distribute this specification as provided under the Copyright Act; provided that: (1) both the copyright notice identified above and this permission notice appear on any copies of this specification; (2) the use of the specifications is for informational purposes and will not be copied or posted on any network computer or broadcast in any media and will not be otherwise resold or transferred for commercial purposes; and (3) no modifications are made to this specification. This limited permission automatically terminates without notice if you breach any of these terms or conditions. Upon termination, you will destroy immediately any copies of the specifications in your possession or control.

### PATENTS

The attention of adopters is directed to the possibility that compliance with or adoption of OMG specifications may require use of an invention covered by patent rights. OMG shall not be responsible for identifying patents for which a license may be required by any OMG specification, or for conducting legal inquiries into the legal validity or scope of those patents that are brought to its attention. OMG specifications are prospective and advisory only. Prospective users are responsible for protecting themselves against liability for infringement of patents.

### GENERAL USE RESTRICTIONS

Any unauthorized use of this specification may violate copyright laws, trademark laws, and communications regulations and statutes. This document contains information which is protected by copyright. All Rights Reserved. No part of this work covered by copyright herein may be reproduced or used in any form or by any means--graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems--without permission of the copyright owner.

## DISCLAIMER OF WARRANTY

WHILE THIS PUBLICATION IS BELIEVED TO BE ACCURATE, IT IS PROVIDED "AS IS" AND MAY CONTAIN ERRORS OR MISPRINTS. THE OBJECT MANAGEMENT GROUP AND THE COMPANIES LISTED ABOVE MAKE NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS PUBLICATION, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF TITLE OR OWNERSHIP, IMPLIED WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR USE. IN NO EVENT SHALL THE OBJECT MANAGEMENT GROUP OR ANY OF THE COMPANIES LISTED ABOVE BE LIABLE FOR ERRORS CONTAINED HEREIN OR FOR DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL, RELIANCE OR COVER DAMAGES, INCLUDING LOSS OF PROFITS, REVENUE, DATA OR USE, INCURRED BY ANY USER OR ANY THIRD PARTY IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS MATERIAL, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

The entire risk as to the quality and performance of software developed using this specification is borne by you. This disclaimer of warranty constitutes an essential part of the license granted to you to use this specification.

## RESTRICTED RIGHTS LEGEND

Use, duplication or disclosure by the U.S. Government is subject to the restrictions set forth in subparagraph (c) (1) (ii) of The Rights in Technical Data and Computer Software Clause at DFARS 252.227-7013 or in subparagraph (c) (1) and (2) of the Commercial Computer Software - Restricted Rights clauses at 48 C.F.R. 52.227-19 or as specified in 48 C.F.R. 227-7202-2 of the DoD F.A.R. Supplement and its successors, or as specified in 48 C.F.R. 12.212 of the Federal Acquisition Regulations and its successors, as applicable. The specification copyright owners are as indicated above and may be contacted through the Object Management Group, 109 Highland Avenue, Needham, MA 02494, U.S.A.

## TRADEMARK S

CORBA®, CORBA logos®, FIBO®, Financial Industry Business Ontology®, FINANCIAL INSTRUMENT GLOBAL IDENTIFIER®, IIOP®, IMM®, Model Driven Architecture®, MDA®, Object Management Group®, OMG®, OMG Logo®, SoaML®, SOAML®, SysML®, UAF®, Unified Modeling Language®, UML®, UML Cube Logo®, VSIPL®, and XMI® are registered trademarks of the Object Management Group, Inc.

For a complete list of trademarks, see: [http://www.omg.org/legal/tm\\_list.htm](http://www.omg.org/legal/tm_list.htm). All other products or company names mentioned are used for identification purposes only, and may be trademarks of their respective owners.


## COMPLIANCE

The copyright holders listed above acknowledge that the Object Management Group (acting itself or through its designees) is and shall at all times be the sole entity that may authorize developers, suppliers and sellers of computer software to use certification marks, trademarks or other special designations to indicate compliance with these materials.

Software developed under the terms of this license may claim compliance or conformance with this specification if and only if the software compliance is of a nature fully matching the applicable compliance points as stated in the specification. Software developed only partially matching the applicable compliance points may claim only that the software was based on this specification, but may not claim compliance or conformance with this specification. In the event that testing suites are implemented or approved by Object Management Group, Inc., software developed using this specification may claim compliance or conformance with the specification only if the software satisfactorily completes the testing suites.

## **OMG's Issue Reporting Procedure**

All OMG specifications are subject to continuous review and improvement. As part of this process we encourage readers to report any ambiguities, inconsistencies, or inaccuracies they may find by completing the Issue Reporting Form listed on the main web page <https://www.omg.org>, under OMG Specifications, Report an Issue.



# Table of Contents


<b>PREFACE</b> .....	<b>ERROR! BOOKMARK NOT DEFINED.</b>
<b>1. SCOPE</b> .....	<b>15</b>
1.1 INTRODUCTION .....	15
1.2 UAF BACKGROUND .....	15
1.3 INTENDED USAGE .....	16
1.4 RELATED DOCUMENTS .....	16
<b>2. CONFORMANCE</b> .....	<b>17</b>
<b>3. REFERENCES</b> .....	<b>18</b>
3.1 NORMATIVE REFERENCES .....	18
3.2 OMG DOCUMENTS (NORMATIVE REFERENCES) .....	18
3.3 OTHER NORMATIVE REFERENCES .....	18
3.4 INFORMATIVE REFERENCES .....	18
<b>4. TERMS AND DEFINITIONS</b> .....	<b>20</b>
<b>5. SYMBOLS</b> .....	<b>21</b>
<b>6. ADDITIONAL INFORMATION</b> .....	<b>23</b>
6.1 CHANGES TO ADOPTED OMG SPECIFICATIONS .....	23
6.2 LANGUAGE ARCHITECTURE .....	23
6.3 PHILOSOPHY .....	23
6.4 CORE PRINCIPLES .....	23
<b>7. UAF GRID</b> .....	<b>24</b>
7.1 DESCRIPTIONS OF DOMAINS AND MODEL KINDS .....	26
7.2 DOMAIN INTERRELATIONSHIPS .....	28
<b>8. DOMAIN METAMODEL DIAGRAM LEGEND</b> .....	<b>28</b>
<b>9. DOMAIN METAMODEL DIAGRAMS</b> .....	<b>30</b>
9.1 VIEW SPECIFICATIONS .....	30
9.1.1 View Specifications::Metadata .....	30
9.1.2 View Specifications::Strategic .....	31
9.1.3 View Specifications::Operational .....	<i>Error! Bookmark not defined.</i>
9.1.4 View Specifications::Services .....	<i>Error! Bookmark not defined.</i>
9.1.5 View Specifications::Personnel .....	<i>Error! Bookmark not defined.</i>
9.1.6 View Specifications::Resources .....	<i>Error! Bookmark not defined.</i>
9.1.7 View Specifications::Security .....	<i>Error! Bookmark not defined.</i>
9.1.8 View Specifications::Projects .....	<i>Error! Bookmark not defined.</i>
9.1.9 View Specifications::Standards .....	<i>Error! Bookmark not defined.</i>
9.1.10 View Specifications::Actual Resources .....	<i>Error! Bookmark not defined.</i>
9.1.11 View Specifications::Dictionary .....	<i>Error! Bookmark not defined.</i>
9.1.12 View Specifications::Summary & Overview .....	<i>Error! Bookmark not defined.</i>
9.1.13 View Specifications::Requirements .....	<i>Error! Bookmark not defined.</i>
9.1.14 View Specifications::Information .....	<i>Error! Bookmark not defined.</i>
9.1.15 View Specifications::Parameters .....	<i>Error! Bookmark not defined.</i>
9.1.16 View Specifications::Other .....	<i>Error! Bookmark not defined.</i>
<b>10. DOMAIN METAMODEL (DMM) ELEMENTS</b> .....	<b>ERROR! BOOKMARK NOT DEFINED.</b>
10.1 DOMAIN METAMODEL .....	<b>ERROR! BOOKMARK NOT DEFINED.</b>
10.1.1 Domain MetaModel::Metadata .....	151
10.1.2 Domain MetaModel::Strategic .....	163
10.1.3 Domain MetaModel::Operational .....	174
10.1.4 Domain MetaModel::Services .....	186

Deleted: 1
Deleted: 3
Deleted: 3
Deleted: 3
Deleted: 4
Deleted: 4
Deleted: 5
Deleted: 6
Deleted: 8
Deleted: 9
Deleted: 11
Deleted: 12
Deleted: 14
Deleted: 16
Deleted: 17
Deleted: 18
Deleted: 18
Deleted: 18
Deleted: 19
Deleted: 26
Deleted: 36
Deleted: 45
Deleted: 59
Deleted: 71
Deleted: 79
Deleted: 84
Deleted: 87
Deleted: 90
Deleted: 90
Deleted: 92
Deleted: 92
Deleted: 93
Deleted: 96
Deleted: 99
Deleted: 99
Deleted: 99
Deleted: 112
Deleted: 122
Deleted: 135

10.1.5	Domain MetaModel::Personnel	194
10.1.6	Domain MetaModel::Resources	201
10.1.7	Domain MetaModel::Security	218
10.1.8	Domain MetaModel::Projects	232
10.1.9	Domain MetaModel::Standards	238
10.1.10	Domain MetaModel::Actual Resources	240
10.1.11	Domain MetaModel::Dictionary	246
10.1.12	Domain MetaModel::Summary & Overview	247
10.1.13	Domain MetaModel::Information	251
10.1.14	Domain MetaModel::Parameters	252
<b>2 View Specifications</b> .....6		
2.1	View Specifications::Strategic	6
2.1.1	View Specifications::Strategic::Taxonomy	6
2.1.1.1	View Specifications::Strategic::Taxonomy::Strategic Taxonomy	6
2.1.2	View Specifications::Strategic::Structure	6
2.1.2.1	View Specifications::Strategic::Structure::Strategic Structure	7
2.1.3	View Specifications::Strategic::Connectivity	8
2.1.3.1	View Specifications::Strategic::Connectivity::Strategic Connectivity	8
2.1.4	View Specifications::Strategic::States	8
2.1.4.1	View Specifications::Strategic::States::Strategic States	8
2.1.5	View Specifications::Strategic::Constraints	10
2.1.5.1	View Specifications::Strategic::Constraints::Strategic Constraints	10
2.1.6	View Specifications::Strategic::Roadmap	10
2.1.6.1	View Specifications::Strategic::Roadmap::Deployment Strategic Roadmap: Deployment	11
2.1.6.2	View Specifications::Strategic::Roadmap::Strategic Roadmap: Phasing	12
2.1.7	View Specifications::Strategic::Traceability	13
2.1.7.1	View Specifications::Strategic::Traceability::Strategic Traceability	13
2.2	View Specifications::Operational	13
2.2.1	View Specifications::Operational::Taxonomy	13
2.2.1.1	View Specifications::Operational::Taxonomy::Operational Taxonomy	14
2.2.2	View Specifications::Operational::Structure	15
2.2.2.1	View Specifications::Operational::Structure::Operational Structure	15
2.2.3	View Specifications::Operational::Connectivity	17
2.2.3.1	View Specifications::Operational::Connectivity::Operational Connectivity	17
2.2.4	View Specifications::Operational::Processes	18
2.2.4.1	View Specifications::Operational::Processes::Operational Processes	18
2.2.5	View Specifications::Operational::States	20
2.2.5.1	View Specifications::Operational::States::Operational States	20
2.2.6	View Specifications::Operational::Interaction Scenarios	20
2.2.6.1	View Specifications::Operational::Interaction Scenarios::Operational Interaction Scenario	20
2.2.7	View Specifications::Operational::Constraints	21
2.2.7.1	View Specifications::Operational::Constraints::Operational Constraints	21
2.2.8	View Specifications::Operational::Traceability	22
2.2.8.1	View Specifications::Operational::Traceability::Operational Traceability	22
2.3	View Specifications::Services	23
2.3.1	View Specifications::Services::Taxonomy	23
2.3.1.1	View Specifications::Services::Taxonomy::Services Taxonomy	23
2.3.2	View Specifications::Services::Structure	24
2.3.2.1	View Specifications::Services::Structure::Services Structure	24
2.3.3	View Specifications::Services::Connectivity	25
2.3.3.1	View Specifications::Services::Connectivity::Services Connectivity	25
2.3.4	View Specifications::Services::Processes	26
2.3.4.1	View Specifications::Services::Processes::Services Processes	26
2.3.5	View Specifications::Services::States	27
2.3.5.1	View Specifications::Services::States::Services States	27
2.3.6	View Specifications::Services::Interaction Scenarios	28
2.3.6.1	View Specifications::Services::Interaction Scenarios::Services Interaction Scenarios	28

Deleted:	143	
Deleted:	150	
Deleted:	167	
Deleted:	181	
Deleted:	187	
Deleted:	189	
Deleted:	195	
Deleted:	197	
Deleted:	201	
Deleted:	201	
<b>Commented [Yvonne2]:</b> UAF11-18 Content added to this document.		
Deleted:	1	
<b>Introduction</b> .....	1 <sup>¶</sup>	
1.1	Overview.....	1 <sup>¶</sup>
1.2	View Type.....	2 <sup>¶</sup>
1.3	Domain.....	3 <sup>¶</sup>
1.4	Domain Metamodel (DMM) Diagrams.....	4
Deleted:	¶	

[2.3.7ViewSpecifications::Services::Constraints.....28](#)



2.3.7.1	ViewSpecifications::Services::Constraints::ServicesConstraints	29
2.3.8	ViewSpecifications::Services::Roadmap	29
2.3.8.1	ViewSpecifications::Services::Roadmap::ServicesRoadmap	29
2.3.9	ViewSpecifications::Services::Traceability	30
2.3.9.1	ViewSpecifications::Services::Traceability::ServicesTraceability	30
2.4	ViewSpecifications::Personnel	31
2.4.1	ViewSpecifications::Personnel::Taxonomy	31
2.4.1.1	ViewSpecifications::Personnel::Taxonomy::PersonnelTaxonomy	31
2.4.2	ViewSpecifications::Personnel::Structure	32
2.4.2.1	ViewSpecifications::Personnel::Structure::PersonelStructure	32
2.4.3	ViewSpecifications::Personnel::Connectivity	33
2.4.3.1	ViewSpecifications::Personnel::Connectivity::PersonelConnectivity	34
2.4.4	ViewSpecifications::Personnel::Processes	35
2.4.4.1	ViewSpecifications::Personnel::Processes::PersonelProcesses	35
2.4.5	ViewSpecifications::Personnel::States	37
2.4.5.1	ViewSpecifications::Personnel::States::PersonelStates	37
2.4.6	ViewSpecifications::Personnel::InteractionScenarios	38
2.4.6.1	ViewSpecifications::Personnel::InteractionScenarios::PersonelInteractionScenarios	38
2.4.7	ViewSpecifications::Personnel::Constraints	39
2.4.7.1	ViewSpecifications::Personnel::Constraints::PersonelConstraints::Competence	39
2.4.7.2	ViewSpecifications::Personnel::Constraints::PersonelConstraints::Drivers	40
2.4.7.3	ViewSpecifications::Personnel::Constraints::PersonelConstraints::Performance	41
2.4.8	ViewSpecifications::Personnel::Roadmap	43
2.4.8.1	ViewSpecifications::Personnel::Roadmap::PersonelRoadmap::Availability	43
2.4.8.2	ViewSpecifications::Personnel::Roadmap::PersonelRoadmap::Evolution	45
2.4.8.3	ViewSpecifications::Personnel::Roadmap::PersonelRoadmap::Forecast	46
2.4.9	ViewSpecifications::Personnel::Traceability	47
2.4.9.1	ViewSpecifications::Personnel::Traceability::PersonelTraceability	47
2.5	ViewSpecifications::Resources	47
2.5.1	ViewSpecifications::Resources::Taxonomy	48
2.5.1.1	ViewSpecifications::Resources::Taxonomy::ResourcesTaxonomy	48
2.5.2	ViewSpecifications::Resources::Structure	49
2.5.2.1	ViewSpecifications::Resources::Structure::ResourcesStructure	49
2.5.3	ViewSpecifications::Resources::Connectivity	50
2.5.3.1	ViewSpecifications::Resources::Connectivity::ResourcesConnectivity	50
2.5.4	ViewSpecifications::Resources::Processes	52
2.5.4.1	ViewSpecifications::Resources::Processes::ResourcesProcesses	52
2.5.5	ViewSpecifications::Resources::States	53
2.5.5.1	ViewSpecifications::Resources::States::ResourcesStates	54
2.5.6	ViewSpecifications::Resources::InteractionScenarios	54
2.5.6.1	ViewSpecifications::Resources::InteractionScenarios::ResourcesInteractionScenarios	54
2.5.7	ViewSpecifications::Resources::Constraints	55
2.5.7.1	ViewSpecifications::Resources::Constraints::ResourcesConstraints	55
2.5.8	ViewSpecifications::Resources::Roadmap	56
2.5.8.1	ViewSpecifications::Resources::Roadmap::ResourcesRoadmap::Evolution	56
2.5.8.2	ViewSpecifications::Resources::Roadmap::ResourcesRoadmap::Forecast	57
2.5.9	ViewSpecifications::Resources::Traceability	58
2.5.9.1	ViewSpecifications::Resources::Traceability::ResourcesTraceability	58
2.6	ViewSpecifications::Security	59
2.6.1	ViewSpecifications::Security::Taxonomy	59
2.6.1.1	ViewSpecifications::Security::Taxonomy::SecurityTaxonomy	60
2.6.2	ViewSpecifications::Security::Structure	61
2.6.2.1	ViewSpecifications::Security::Structure::SecurityStructure	61
2.6.3	ViewSpecifications::Security::Connectivity	62
2.6.3.1	ViewSpecifications::Security::Connectivity::SecurityConnectivity	62
2.6.4	ViewSpecifications::Security::Processes	64

2.6.4.1ViewSpecifications::Security::Processes::SecurityProcesses.....	64
2.6.5ViewSpecifications::Security::Constraints.....	66
2.6.5.1ViewSpecifications::Security::Constraints::SecurityConstraints.....	66
2.6.6ViewSpecifications::Security::Traceability.....	68
2.6.6.1ViewSpecifications::Security::Traceability::SecurityTraceability.....	68
2.7ViewSpecifications::Project.....	69
2.7.1ViewSpecifications::Project::Taxonomy.....	69
2.7.1.1ViewSpecifications::Project::Taxonomy::ProjectTaxonomy.....	69
2.7.2ViewSpecifications::Project::Structure.....	70
2.7.2.1ViewSpecifications::Project::Structure::ProjectStructure.....	70
2.7.3ViewSpecifications::Project::Connectivity.....	71
2.7.3.1ViewSpecifications::Project::Connectivity::ProjectConnectivity.....	71
2.7.4ViewSpecifications::Project::Processes.....	72
2.7.4.1ViewSpecifications::Project::Processes::ProjectProcesses.....	72
2.7.5ViewSpecifications::Project::Roadmap.....	73
2.7.5.1ViewSpecifications::Project::Roadmap::ProjectRoadmap.....	73
2.7.6ViewSpecifications::Project::Traceability.....	75
2.7.6.1ViewSpecifications::Project::Traceability::ProjectTraceability.....	75
2.8ViewSpecifications::Standards.....	75
2.8.1ViewSpecifications::Standards::Taxonomy.....	76
2.8.1.1ViewSpecifications::Standards::Taxonomy::StandardsTaxonomy.....	76
2.8.2ViewSpecifications::Standards::Structure.....	77
2.8.2.1ViewSpecifications::Standards::Structure::StandardsStructure.....	77
2.8.3ViewSpecifications::Standards::Roadmap.....	77
2.8.3.1ViewSpecifications::Standards::Roadmap::StandardsRoadmap.....	77
2.8.4ViewSpecifications::Standards::Traceability.....	78
2.8.4.1ViewSpecifications::Standards::Traceability::StandardsTraceability.....	78
2.9ViewSpecifications::ActualResources.....	79
2.9.1ViewSpecifications::ActualResources::Taxonomy.....	79
2.9.1.1ViewSpecifications::ActualResources::Taxonomy::ActualResourcesTaxonomy.....	79
2.9.2ViewSpecifications::ActualResources::Structure.....	80
2.9.2.1ViewSpecifications::ActualResources::Structure::ActualResourcesStructure.....	80
2.9.3ViewSpecifications::ActualResources::Connectivity.....	81
2.9.3.1ViewSpecifications::ActualResources::Connectivity::ActualResourcesConnectivity.....	82
2.10ViewSpecifications::Dictionary.....	82
2.10.1ViewSpecifications::Dictionary::Dictionary.....	83
2.11ViewSpecifications::Summary&Overview.....	83
2.11.1ViewSpecifications::Summary&Overview::Summary&Overview.....	84
2.12ViewSpecifications::Requirements.....	85
2.12.1ViewSpecifications::Requirements::Requirements.....	85
2.13ViewSpecifications::Information.....	86
2.13.1ViewSpecifications::Information::InformationModel.....	86
2.14ViewSpecifications::Parameters.....	87
2.14.1ViewSpecifications::Parameters::Parameters:Environment.....	87
2.14.2ViewSpecifications::Parameters::Parameters:Measurements.....	88
2.15ViewSpecifications::Other.....	89
2.15.1ViewSpecifications::Other::BPMN.....	89
2.15.2ViewSpecifications::Other::IEPPV.....	90
2.15.3ViewSpecifications::Other::NIEM.....	91
<b>3DomainMetamodel(DMM)Elements.....</b>	<b>93</b>
3.1DomainMetaModel.....	93
3.1.1DomainMetaModel::Metadata.....	93
3.1.1.1DomainMetaModel::Metadata::Taxonomy.....	93
3.1.1.2DomainMetaModel::Metadata::Structure.....	94
3.1.1.3DomainMetaModel::Metadata::Connectivity.....	94
3.1.1.4DomainMetaModel::Metadata::Processes.....	94

3.1.1.5DomainMetaModel::Metadata::Information.....	95
3.1.1.6DomainMetaModel::Metadata::Constraints.....	95
3.1.1.7DomainMetaModel::Metadata::Traceability.....	95
3.1.2DomainMetaModel::Strategic.....	96
3.1.2.1DomainMetaModel::Strategic::Taxonomy.....	96
3.1.2.2DomainMetaModel::Strategic::Structure.....	96
3.1.2.3DomainMetaModel::Strategic::States.....	98
3.1.2.4DomainMetaModel::Strategic::Traceability.....	99
3.1.3DomainMetaModel::Operational.....	100
3.1.3.1DomainMetaModel::Operational::Taxonomy.....	100
3.1.3.2DomainMetaModel::Operational::Structure.....	100
3.1.3.3DomainMetaModel::Operational::Connectivity.....	102
3.1.3.4DomainMetaModel::Operational::Processes.....	103
3.1.3.5DomainMetaModel::Operational::States.....	104
3.1.3.6DomainMetaModel::Operational::InteractionScenarios.....	104
3.1.3.7DomainMetaModel::Operational::Information.....	104
3.1.3.8DomainMetaModel::Operational::Constraints.....	104
3.1.4DomainMetaModel::Services.....	105
3.1.4.1DomainMetaModel::Services::Taxonomy.....	105
3.1.4.2DomainMetaModel::Services::Structure.....	105
3.1.4.3DomainMetaModel::Services::Connectivity.....	106
3.1.4.4DomainMetaModel::Services::Processes.....	106
3.1.4.5DomainMetaModel::Services::States.....	107
3.1.4.6DomainMetaModel::Services::InteractionScenarios.....	107
3.1.4.7DomainMetaModel::Services::Constraints.....	107
3.1.4.8DomainMetaModel::Services::Traceability.....	107
3.1.5DomainMetaModel::Personnel.....	108
3.1.5.1DomainMetaModel::Personnel::Taxonomy.....	108
3.1.5.2DomainMetaModel::Personnel::Connectivity.....	109
3.1.5.3DomainMetaModel::Personnel::Constraints.....	109
3.1.5.4DomainMetaModel::Personnel::Traceability.....	110
3.1.6DomainMetaModel::Resources.....	110
3.1.6.1DomainMetaModel::Resources::Taxonomy.....	110
3.1.6.2DomainMetaModel::Resources::Structure.....	112
3.1.6.3DomainMetaModel::Resources::Connectivity.....	112
3.1.6.4DomainMetaModel::Resources::Processes.....	113
3.1.6.5DomainMetaModel::Resources::States.....	114
3.1.6.6DomainMetaModel::Resources::InteractionScenarios.....	114
3.1.6.7DomainMetaModel::Resources::Information.....	114
3.1.6.8DomainMetaModel::Resources::Constraints.....	114
3.1.6.9DomainMetaModel::Resources::Roadmap.....	115
3.1.6.10DomainMetaModel::Resources::Traceability.....	116
3.1.7DomainMetaModel::Security.....	116
3.1.7.1DomainMetaModel::Security::Taxonomy.....	117
3.1.7.2DomainMetaModel::Security::Structure.....	118
3.1.7.3DomainMetaModel::Security::Processes.....	118
3.1.7.4DomainMetaModel::Security::Constraints.....	119
3.1.7.5DomainMetaModel::Security::Traceability.....	121
3.1.8DomainMetaModel::Project.....	122
3.1.8.1DomainMetaModel::Project::Taxonomy.....	122
3.1.8.2DomainMetaModel::Project::Structure.....	122
3.1.8.3DomainMetaModel::Project::Connectivity.....	123
3.1.8.4DomainMetaModel::Project::InteractionScenarios.....	124
3.1.8.5DomainMetaModel::Project::Roadmap.....	124
3.1.8.6DomainMetaModel::Project::Traceability.....	124
3.1.9DomainMetaModel::Standards.....	124

[3.1.9.1 DomainMetaModel::Standards::Taxonomy.....](#) 125

[3.1.9.2 DomainMetaModel::Standards::Structure.....](#) 125

[3.1.10 DomainMetaModel::ActualResources.....](#) 126

[3.1.10.1 DomainMetaModel::ActualResources::Taxonomy.....](#) 126

[3.1.10.2 DomainMetaModel::ActualResources::Constraints.....](#) 128

[3.1.11 DomainMetaModel::Dictionary.....](#) 128

[3.1.12 DomainMetaModel::Summary&Overview.....](#) 129

[3.1.13 DomainMetaModel::Information.....](#) 132

[3.1.14 DomainMetaModel::Parameters.....](#) 132

## Table of Figures

Figure 1.1 - UAF Grid Overview.....	2
Figure 1.2 - Legend of color codes for element types defined in UAF.....	5
Figure 2.1 - Strategic Taxonomy.....	6
Figure 2.2 - Strategic Structure.....	7
Figure 2.3 - Strategic Connectivity.....	8
Figure 2.4 - Strategic States.....	9
Figure 2.5 - Strategic Constraints.....	10
Figure 2.6 - Strategic Roadmap: Deployment.....	11
Figure 2.7 - Strategic Roadmap: Phasing.....	12
Figure 2.8 - Strategic Traceability.....	13
Figure 2.9 - Operational Taxonomy.....	14
Figure 2.10 - Operational Structure.....	16
Figure 2.11 - Operational Connectivity.....	17
Figure 2.12 - Operational Processes.....	19
Figure 2.13 - Operational States.....	20
Figure 2.14 - Operational Interaction Scenarios.....	21
Figure 2.15 - Operational Constraints.....	22
Figure 2.16 - Operational Traceability.....	23
Figure 2.17 - Services Taxonomy.....	24
Figure 2.18 - Services Structure.....	25
Figure 2.19 - Services Connectivity.....	26
Figure 2.20 - Services Processes.....	27
Figure 2.21 - Services States.....	27
Figure 2.22 - Services Interaction Scenarios.....	28
Figure 2.23 - Services Constraints.....	29
Figure 2.24 - Services Roadmap.....	30
Figure 2.25 - Services Traceability.....	31
Figure 2.26 - Personnel Taxonomy.....	32
Figure 2.27 - Personnel Structure.....	33
Figure 2.28 - Personnel Connectivity.....	34
Figure 2.29 - Personnel Processes.....	36
Figure 2.30 - Personnel States.....	37
Figure 2.31 - Personnel Interaction Scenarios.....	38
Figure 2.32 - Personnel Constraints: Competence.....	39
Figure 2.33 - Personnel Constraints: Drivers.....	40
Figure 2.34 - Personnel Constraints: Performance.....	42
Figure 2.35 - Personnel Roadmap: Availability.....	44
Figure 2.36 - Personnel Roadmap: Evolution.....	45
Figure 2.37 - Personnel Roadmap: Forecast.....	46
Figure 2.38 - Personnel Traceability.....	47
Figure 2.39 - Resources Taxonomy.....	48
Figure 2.40 - Resources Structure.....	49
Figure 2.41 - Resources Connectivity.....	51
Figure 2.42 - Resources Processes.....	53
Figure 2.43 - Resources States.....	54
Figure 2.44 - Resources Interaction Scenarios.....	54
Figure 2.45 - Resources Constraints.....	55
Figure 2.46 - Resources Roadmap: Evolution.....	57
Figure 2.47 - Resources Roadmap: Forecast.....	58
Figure 2.48 - Resources Traceability.....	59
Figure 2.49 - Security Taxonomy.....	60
Figure 2.50 - Security Structure.....	61

Figure 2.51 - Security Connectivity.....	63
Figure 2.52 - Security Processes.....	65
Figure 2.53 - Security Constraints.....	67
Figure 2.54 - Security Traceability.....	68
Figure 2.55 - Project Taxonomy.....	69
Figure 2.56 - Project Structure.....	70
Figure 2.57 - Project Connectivity.....	71
Figure 2.58 - Project Processes.....	72
Figure 2.59 - Project Roadmap.....	74
Figure 2.60 - Project Traceability.....	75
Figure 2.61 - Standards Taxonomy.....	76
Figure 2.62 - Standards Structure.....	77
Figure 2.63 - Standards Roadmap.....	78
Figure 2.64 - Standards Traceability.....	78
Figure 2.65 - Actual Resources Taxonomy.....	79
Figure 2.66 - Actual Resources Structure.....	81
Figure 2.67 - Actual Resources Connectivity.....	82
Figure 2.68 - Dictionary.....	83
Figure 2.69 - Summary & Overview.....	84
Figure 2.70 - Requirements.....	85
Figure 2.71 - Information Model.....	86
Figure 2.72 - Parameters: Environment.....	87
Figure 2.73 - Parameters: Measurements.....	88
Figure 2.74 - BPMN.....	90
Figure 2.75 - IEPPV.....	91
Figure 2.76 - NIEM.....	92

This page intentionally left blank.

**Commented [GB3]:** UAF11-298 add contents of UAF 11 DMM sect1-6.5 to font of document

# 1 Scope

## 1.1 Introduction

There are four parts to this specification, two are normative and two informative. The normative parts are:

1. The UAF Domain Metamodel (DMM) (this document) that provides the definition of concepts, relationships and viewpoints for the framework. The UAF DMM is the basis for any implementation of UAF including non-UML/SysML implementations.
2. The UAF Profile (UAFP) ~~is a document in 19-06-13~~ is a UML/SysML implementation of the UAF DMM.

The informative parts are:

3. The UAF Traceability, Annex A (~~is a document in 19-06-13~~) which details the mappings between the UAF and the various frameworks and languages that contribute to the UAF.
4. The UAF Example Model, Annex B (~~is a document in 19-06-13~~) which illustrates a practical usage of UAF.

## 1.2 UAF Background

UAF evolved from the Unified Profile for DoDAF and MODAF (UPDM), version 2.1. UAF extends the scope of UPDM and generalizes it to make it applicable to commercial as well as military architectures. The intent of UAF is to provide a standard representation for describing enterprise architectures using a Model Based Systems Engineering (MBSE) approach.

The core concepts in the UAF are based upon the DoDAF 2.0.2 Domain Metamodel (DM2) and the MODAF ontological data exchange mechanism (MODEM), Security Views from Canada's Department of National Defense Architecture Framework (DNDAF) and the North Atlantic Treaty Organization (NATO) Architecture Framework (NAF) v 4.

UAF models describe a system<sup>1</sup> from a set of stakeholders' concerns such as security or information through a set of predefined viewpoints. Developed models can also reflect custom viewpoints or users can develop more formal extensions for new viewpoints.

The UAFP can be used to develop architectures compliant with:

- Department of Defense Architecture Framework (DoDAF) version 2.02
- Ministry of Defence Architecture Framework (MODAF) version 1.3
- North Atlantic Treaty Organization (NATO) Architecture Framework (NAF) version 3.1
- North Atlantic Treaty Organization (NATO) Architecture Framework (NAF) version 4

UAF v 1.1 supports the capability to:

- model architectures for a broad range of complex systems, which may include hardware, software, data, personnel, and facility elements;
- model consistent architectures for system-of-systems (SoS) down to lower levels of design and implementation;
- support the analysis, specification, design, and verification of complex systems; and
- improve the ability to exchange architecture information among related tools that are SysML based.

<sup>1</sup>The term system is used from: "Systems and software engineering -- Architecture description," [http://www.iso.org/iso/catalogue\\_detail.htm?csnumber=50508](http://www.iso.org/iso/catalogue_detail.htm?csnumber=50508)  
Unified Architecture Framework (UAF), v1.0

Formatted: Indent: Left: 0 cm, Hanging: 0.63 cm

Deleted: XXXXXX

Deleted: XXXX

Deleted: XXXX

### 1.3 Intended Usage

The UAF enables the modeling of strategic capabilities, operational scenarios, services, resources, personnel, security, projects, standards, measures and requirements; which supports best practices through, separation of concerns and abstractions. In addition, the UAF enables the modeling of related architecture concepts such as:

- System of Systems (SoS).
- information exchanges consistent with the National Information Exchange Model (NIEM).
- DoD's doctrine, organization, training material, leadership & education, personnel, and facilities (DOTMLPF)
- UK Ministry of Defence Lines of Development (DLOD) elements.
- Human Computer Interfaces (HCI).

Further, The UAF conforms to terms defined in the ISO/IEC/IEEE 42010 standard for architecture description, where the terms: *architecture, architecture description (AD), architecture framework, architecture view, architecture viewpoint, concern, environment, model kind, stakeholder* [ISO/IEC/IEEE 42010:2011] form correspondence rules specified as constraints on UAF.

### 1.4 Related Documents

The specification includes a metamodel and description as separate documents. Other appendices are also provided as separate documents. The table below provides a listing of these documents:

**Table 1:1 - Table of Related Documents**

<a href="#">dtc/19-06-16</a>	<a href="#">The UAF Domain MetaModel (DMM)</a>
<a href="#">dtc/19-06-15</a>	<a href="#">The UAF Profile (UAFP)</a>
<a href="#">dtc/19-06-17</a>	<a href="#">Appendix A that contains a separate traceability subsection from UAFP to each of the frameworks listed in Section 1.2 of this specification</a>
<a href="#">dtc/19-06-18</a>	<a href="#">Appendix B: An example of how the language can be used to represent a UAFP architecture</a>
<a href="#">dtc/19-06-19</a>	<a href="#">UAF XMI file</a>
<a href="#">dtc/19-06-20</a>	<a href="#">UAF XMI class library</a>
<a href="#">dtc/19-05-14</a>	<a href="#">Attachments</a>

- Deleted: 16-05-01
- Formatted: Not Highlight
- Deleted: P Specification
- Formatted: Not Highlight
- Formatted: Not Highlight
- Deleted: 16-05-02
- Formatted: Not Highlight
- Deleted: Appendix A the UAF domain metamodel
- Formatted: Not Highlight
- Formatted: Not Highlight
- Formatted: Not Highlight
- Formatted: Not Highlight
- Deleted: 6-05-03
- Formatted: Not Highlight
- Deleted: B
- Deleted: 1
- Formatted: Not Highlight
- Formatted: Not Highlight
- Deleted: 6-05-04
- Formatted: Not Highlight
- Deleted: C
- Deleted: n
- Formatted: Not Highlight
- Formatted: Not Highlight
- Deleted: 6-05-05
- Formatted: Not Highlight
- Formatted: Not Highlight
- Formatted: Not Highlight
- Deleted: 16-05-06
- Formatted: Not Highlight
- Deleted: 6-05-07
- Formatted: Not Highlight

## 2. Conformance

UAF specifies four types of conformance.

*Type 1 Conformance: - UAF View specification conformance.* A tool demonstrating view specification conformance shall implement a version of all the view specifications defined in the UAF Grid, with the exception of the view specifications in the Metadata Domain. Optionally the tool vendor can implement other donor framework viewpoints, for instance DoDAF, MODAF or NAF based upon the mapping between them and UAF provided in Appendix A (dte/19-06-17).

*Type 2 Conformance: - UAF Conceptual Syntax Conformance.* A tool demonstrating conceptual syntax conformance is consistent with the concepts, relationships and constraints defined in the UAF DMM (this document). UAF Conceptual Syntax Conformance implies Type 1 Conformance.

*Type 3 Conformance: - UAF Formal Syntax Conformance.* A tool demonstrating formal syntax conformance:

- enables instances of concrete UAFP stereotypes defined in the UAFP (dte/19-06-15)
- complies with the constraints defined in the UAFP (dte/19-06-15)
- complies with the SysML version 1.5 Concrete Syntax Conformance (formal/17-05-01)

UAF Formal Syntax Conformance implies Type 2 Conformance.

*Type 4 Conformance: - UAF Model interchange conformance.* A tool demonstrating model interchange conformance can import and export conformant XMI for all valid UAFP models. Model interchange conformance implies Type 3 Conformance.

Deleted: UAF traceability document XXXX

Formatted: Not Highlight

Deleted: document xxxx

Formatted: Not Highlight

Formatted: Not Highlight

Formatted: Not Highlight

Formatted: Not Highlight

Deleted: document xxxx

Deleted: document xxxx

## **3. References**

### **3.1 Normative References**

The following normative documents contain provisions which, through reference in this text, constitute provisions of this specification. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply.

### **3.2 OMG Documents (Normative References)**

- Unified Modeling Language (UML), 2.5.1, December 2017, <http://www.omg.org/spec/UML>
- Object Constraint Language (OCL), 2.4, February 2014, <http://www.omg.org/spec/OCL>
- System Modeling Language (SysML), 1.5, May 2017, <http://www.omg.org/spec/SysML>
- Diagram Definition (DD), 1.1, June 2015, <http://www.omg.org/spec/DD>
- UML Profile for the National Information Exchange Model (NIEM UML), 3.0, April 2017, <http://www.omg.org/spec/NIEM-UML>
- Unified Profile for DoDAF and MODAF (UPDM), 2.1, August 2013, <http://www.omg.org/spec/UPDM>
- UML Profile for BPMN Processes, 1.0, July 2014, <http://www.omg.org/spec/BPMNProfile>
- Ontology Definition Metamodel (ODM), 1.1, September 2014, <http://www.omg.org/spec/ODM>
- Information Exchange Packaging Policy Vocabulary (IEPPV) 1.0, May 2015, <http://www.omg.org/spec/IEPPV>

### **3.3 Other Normative References**

- Department of Defense Architecture Framework (DoDAF), Version 2.02, August 2010, <http://dodcio.defense.gov/Library/DoDArchitectureFramework.aspx>
- DM2 - DoDAF Meta-Model.
- The DM2 Conceptual Data Model, [http://dodcio.defense.gov/Library/DoDArchitectureFramework/dodaf20\\_conceptual.aspx](http://dodcio.defense.gov/Library/DoDArchitectureFramework/dodaf20_conceptual.aspx)
- DM2 Logical Data Model, [http://dodcio.defense.gov/Library/DoDArchitectureFramework/dodaf20\\_logical.aspx](http://dodcio.defense.gov/Library/DoDArchitectureFramework/dodaf20_logical.aspx)
- DM2 Formal Ontology, [http://dodcio.defense.gov/Library/DoDArchitectureFramework/dodaf20\\_ontology1.aspx](http://dodcio.defense.gov/Library/DoDArchitectureFramework/dodaf20_ontology1.aspx)
- Department National Defence and Canadian Forces (DND/ CF) Architecture Framework (DNDAF), Version 1.8.1, 25 January 2013
- International Defence Enterprise Architecture Specification for Exchange (IDEAS) Group, <http://www.ideasgroup.org/>
- IDEAS Foundation, <http://www.ideasgroup.org/foundation/>
- IDEAS Foundation v1.0 as XMI File (zipped), <http://www.ideasgroup.org/7Documents/>
- ISO/IEC/IEEE 42010:2011, Systems and software engineering – Architecture Description, [http://www.iso.org/iso/catalogue\\_detail.htm?csnumber=50508](http://www.iso.org/iso/catalogue_detail.htm?csnumber=50508)
- Ministry of Defence Architecture Framework (MODAF), <https://www.gov.uk/mod-architecture-framework>
- MODAF Ontological Data Exchange Mechanism (MODEM)
- [https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/63980/20130117\\_MODAF\\_MODEM.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/63980/20130117_MODAF_MODEM.pdf)
- NATO Architecture Framework (NAF).
- Version 3, NATO C3 BOARD (AC/322-D(2007)0048), <http://www.nhq3s.nato.int/HomePage.asp> (no longer publicly available online as of 3 November 2015)
- NATO Architecture Framework v4.0 Documentation.

### **3.4 Informative References**

- Business Process Model & Notation (BPMN), Version 2.0.2, January 2014 <http://www.omg.org/spec/BPMN>
- ISO 15704:2000, Industrial Automation Systems – “Requirements for Enterprise-Reference Architectures and Methodologies.” [http://www.iso.org/iso/home/store/catalogue\\_tc/catalogue\\_detail.htm?csnumber=28777](http://www.iso.org/iso/home/store/catalogue_tc/catalogue_detail.htm?csnumber=28777)

- ISO 8601:2004 Data elements and interchange formats – Information interchange – Representation of dates and times.  
[http://www.iso.org/iso/home/store/catalogue\\_ics/catalogue\\_detail\\_ics.htm?ics1=01&ics2=140&ics3=30&csnumber=40874](http://www.iso.org/iso/home/store/catalogue_ics/catalogue_detail_ics.htm?ics1=01&ics2=140&ics3=30&csnumber=40874)
- ISO/IEC 15288:2015, "Systems Engineering - Systems Life Cycle Processes."  
[http://www.iso.org/iso/home/store/catalogue\\_tc/catalogue\\_detail.htm?csnumber=63711](http://www.iso.org/iso/home/store/catalogue_tc/catalogue_detail.htm?csnumber=63711)
- Object Management Group (OMG), Metamodel Extension Facility, Initial submission, ad/12-02-01.  
<http://www.omg.org/cgi-bin/doc?ad/12-02-01> (Requires OMG Member Access)
- OASIS SOA-RAF, Reference Architecture Foundation for Service Oriented Architecture Version 1.0, OASIS SOA Reference Model TC, 04 December 2012. <http://docs.oasis-open.org/soa-rm/soa-ra/v1.0/cs01/soa-ra-v1.0-cs01.pdf> (Authoritative)
- Object Management Group (OMG), Semantics of Business Vocabulary and Business Rules (SBVR), Version 1.3, May 2015. <http://www.omg.org/spec/SBVR>
- Business Motivation Model (BMM), Version 1.3. <http://www.omg.org/spec/BMM/1.3/>
- International Council On Systems Engineering (INCOSE), Systems Engineering Handbook V4, 2015.  
<http://www.incose.org/ProductsPublications/sehandbook>

## **4. Terms and Definitions**

No new terms and definitions have been required to create this specification. All terms are available in the normative references or bibliographic citations for detailed explanation.

## 5. Symbols

For the purposes of this specification, the following List of symbols/abbreviations apply.

**Table 5:1 - Description of acronyms used in this specification**

AcV- <sup>*2</sup>	Acquisition View
AD	Architecture Description
AV-*	All View
BMM	Business Motivation Model
BPMN	Business Process Modeling Notation
C4ISR	Command, Control, Communications, Computers, Intelligence, Surveillance, and Reconnaissance
CaT	Capability Team
COI	Communities of Interest
CV-*	Capability View
DIV-*	Data and Information Views
DLOD	Defence Lines of Development
DM2	DoDAF Meta Model
DMM	Domain Meta Model
DNDAF	Department National Defence and Canadian Forces (DND/ CF) Architecture Framework
DoD	United States Department of Defense
DoDAF	Department of Defense Architecture Framework
DOTMLP	Doctrine, Organization, Training, Material, Leadership, Personnel, Facilities
EIE	Enterprise Information Environment
IDEAS	International Defense Enterprise Architecture Specification for Exchange
IDEF	Integrated DEFinition Methods
INCOSE	International Council Of Systems Engineering
JCIDS	Joint Capabilities Integration and Development System
MISIG	Model Interchange Special Interest Group
MOD	United Kingdom Ministry of Defence
MODAF	Ministry of Defence Architecture Framework
MODEM	MODAF Ontological Data Exchange Mechanism
NAF	NATO Architecture Framework
OASIS	Organization for the Advancement of Structured Information Standards
OSLC	<b>Open Services for Lifecycle Collaboration</b>
OV-*	Operational View
PES	DoDAF Physical Exchange Specification
POC	Proof of Concept
PV-*	Project View
RDF	Resource Description Framework
SoaML	Service orientated architecture Modeling Language
SoS	System of Systems
SOV-*	Service Oriented View
StdV-*	Standards View in DoDAF 2.02 compare TV-* in UAF
STV-*	Strategic View

<sup>2</sup> \* denotes a wildcard

SV-*	System View
SvcV-*	Service View
TEPID OIL	Training, Equipment, Personnel, Information, Concepts and Doctrine, Organisation, Infrastructure, Logistics
TOGAF	The Open Group Architectural Framework©
TPPU	Task, Post, Process, and Use
TV-*	Technical View
UAF	Unified Architecture Framework
UAFP	Unified Architecture Framework Profile
UPDM	Unified Profile for DoDAF/MODAF

## 6. Additional Information

### 6.1 Changes to Adopted OMG Specifications

This specification completely replaces Unified Architecture Framework (UAF), version 1.0  
<https://www.omg.org/spec/UAF/About-UAF/>

### 6.2 Language Architecture

The UAF specification reuses a subset of UML 2.5.1 and SysML 1.5 and provides additional extensions needed to address requirements in the UPDM 3.0 RFP Mandatory Requirements. Those requirements form the basis for this specification. This specification documents the language architecture in terms of UML 2.5.1 and SysML 1.5 and specifies how to implement UAF. This clause explains design principles and how they are applied to define the UAF language architecture.

### 6.3 Philosophy

The UAF development uses a model-driven approach. A simple description of the work process is:

- A Domain Metamodel (DMM) uses UML Class models to represent individuals, types and tuples that aggregate the concepts defined in DoDAF, MODEM, NAF, DNDAF and other frameworks.
- The aligned and renamed viewpoints from the various frameworks provide a common generic name for each viewpoint. It should be noted that the term viewpoint is in the context of ISO 42010 where a viewpoint is the specification of a view. The UAF viewpoints are mapped to the corresponding viewpoint in the relevant contributing framework. It is the viewpoints described in the DMM that provides the basis for the Unified Architecture Framework (UAF).
- The UAF provides an abstraction layer that separates the underlying UAF metamodel from the presentation layer. The results of this mapping are given in Appendix A (see document dtc/19-06-17 and an overview of the viewpoints in a grid format are given in this document).
- The intent of the UAF is to provide a Domain MetaModel usable by non-UML/SysML tool vendors who may wish to implement the UAF within their own tool and metalanguage.
- The Unified Architecture Framework Profile (UAFP) is the standard implementation of the UAF DMM. It was created by mapping the UAF concepts and relationships to corresponding stereotypes in the UAFP.
- The UAFP analysis and refactoring reflects language architecture, tool implementation, and reuse considerations.
- The specification is generated from the UML model used to describe the UAF DMM and UAFP. This approach allows the team to concentrate on architecture issues rather than documentation production. The UML tool automatically maintains consistency. The UML tool improves maintenance and enables traceability between the UAF and the UAFP where every stereotype is linkable to the UAF element using UML Abstraction relationship.

### 6.4 Core Principles

The fundamental design principles for UAF DMM are:

- **Requirements-driven:** UAF is intended to satisfy the requirements of the UPDM 3.0 RFP Mandatory Requirements.
- **Influence from donor Frameworks:** The DMM was based upon an aggregation of concepts and relationships from the donor frameworks.
- **IDEAS Ontology driven:** The DMM was based upon a simplified version of the IDEAS ontology, see chapter 8.
- **DMM Notation:** The DMM was expressed using UML class diagram notation.
- **Reusability of UML Metamodel concepts:** The UAF DMM reuses a number of concepts from the UML Metamodel, such as Statemachines, Activities and Interactions. The explicit relationship to these concepts enables the UAF DMM to reuse UML semantics instead of reinventing its own semantics.
- **Reusability of BPMN concepts:** The UAF DMM reuses a number of concepts from BPMN, such as processes. The explicit relationship to these concepts enables the UAF DMM to reuse BPMN semantics instead of reinventing its own semantics.

Deleted: B

Formatted: Not Highlight

Deleted: 6-05-03),

Formatted: Not Highlight

Formatted: Not Highlight

## 7. UAF Grid

Due to the complexity of managing the multiple viewpoints with overlapping concerns and metamodels, the standard viewpoints are refactored as described in the donor frameworks into a more manageable format. This decision led to the development of the UAF grid which is described below.

The grid is a way of showing how the various viewpoints (known as *view specifications* in the rest of document) correspond to *domains* (horizontal rows) and the *model kinds* (the columns) that describe the view specification. The intent of the grid is not to be complete, but to capture the information that is present in the frameworks that contributes to the UAF, consequently, some gaps are evident.

	Taxonomy Tx	Structure Sr	Connectivity Cn	Processes Pr	States St	Interaction Scenarios Is	Information <sup>c</sup> If	Parameters <sup>d</sup> Pm	Constraints Ct	Roadmap Rm	Traceability Tr
<b>Metadata<sup>a</sup></b>	Metadata Taxonomy Md-Tx <sup>f</sup>	Metadata Structure Md-Sr	Metadata Connectivity Md-Cn	Metadata Processes Md-Pr	Metadata States Md-St	-	Conceptual Data Model, Logical Data Model, Physical schema <sup>g</sup> , real world results	Environment Pm-En  Measurements Pm-Me	Metadata Constraints Md-Ct	Metadata Roadmap Md-Rm	Metadata Traceability Md-Tr
<b>Strategic St</b>	Strategic Taxonomy St-Tx	Strategic Structure St-Sr	Strategic Connectivity St-Cn	-	Strategic States St-St	-			Strategic Constraints St-Ct	Strategic Deployment, St-Rm Strategic Phasing St-Rm	Strategic Traceability St-Tr
<b>Operational Op</b>	Operational Taxonomy Op-Tx	Operational Structure Op-Sr	Operational Connectivity Op-Cn	Operational Processes Op-Pr	Operational States Op-St	Operational Interaction Scenarios Op-Is			Operational Constraints Op-Ct	-	Operational Traceability Op-Tr
<b>Services Sv</b>	Service Taxonomy Sv-Tx	Service Structure Sv-Sr	Service Connectivity Sv-Cn	Service Processes Sv-Pr	Service States Sv-St	Service Interaction Scenarios Sv-Is			Service Constraints Sv-Ct	Service Roadmap Sv-Rm	Service Traceability Sv-Tr
<b>Personnel Pr</b>	Personnel Taxonomy Pr-Tx	Personnel Structure Pr-Sr	Personnel Connectivity Pr-Cn	Personnel Processes Pr-Pr	Personnel States Pr-St	Personnel Interaction Scenarios Pr-Is			Competence, Drivers, Performance Pr-Ct	Personnel Availability, Personnel Evolution, Personnel Forecast Pr-Rm	Personnel Traceability Pr-Tr
<b>Resources Rs</b>	Resource Taxonomy Rs-Tx	Resource Structure Rs-Sr	Resource Connectivity Rs-Cn	Resource Processes Rs-Pr	Resource States Rs-St	Resource Interaction Scenarios Rs-Is			Resource Constraints Rs-Ct	Resource evolution, Resource forecast Rs-Rm	Resource Traceability Rs-Tr
<b>Security Sc</b>	Security Taxonomy Sc-Tx	Security Structure Sc-Sr	Security Connectivity Sc-Cn	Security Processes Sc-Pr	-	-			Security Constraints Sc-Ct	-	Security Traceability Sc-Tr
<b>Projects Pj</b>	Project Taxonomy Pj-Tx	Project Structure Pj-Sr	Project Connectivity Pj-Cn	Project Processes Pj-Pr	-	-			-	Project Roadmap Pj-Rm	Project Traceability Pj-Tr
<b>Standards Sd</b>	Standard Taxonomy Sd-Tx	Standards Structure Sd-Sr	-	-	-	-			-	Standards Roadmap Sd-Rm	Standards Traceability Sd-Tr
<b>Actual Resources Ar</b>	-	Actual Resources Structure Ar-Sr	Actual Resources Connectivity Ar-Cn	Simulation <sup>b</sup>					-	Parametric Execution/Evaluation <sup>h</sup>	-
Dictionary Dc											
Summary & Overview Sm-Ov											
Requirements Req											

Figure 7:1- UAF Grid

Notes related to suffixes in the grid

- The view specifications in the Metadata Domain are not modeled as part of the UAF but are architectural artifacts that contribute to the success in defining and developing an architecture.
- To be able to evaluate architecture behavior and constraints (i.e., non-functional requirements) it is necessary to define actual instances of the architectural elements. The expectation is that tool vendors intending to implement the UAF have capabilities native to their tools to enable behavioral simulation and the evaluation of measures and constraints through parametric diagrams or a proprietary equivalent.
- The information model is a column across the domains and can be defined in any of its forms, i.e., Conceptual, Logical or Physical. The expectation is that most developers of the information model will use the Conceptual or Logical forms of the data model when using an abstract modeling tool.

Commented [GB4]: UAF11-300, delete the original introduction section and add contents of UAF 11 DM sect 7-9.docx

Deleted: 1

Commented [GB5]: UAF 11-20 update grid to take account of NAF 4, insert M2 v2.png

d. The parameters column captures the measures and environments across the architecture in all the different domains.

e. The expectation is that the physical schema model would not be defined in the UAF. Any tool implementing the framework provides a means to import or link-to representations of the physical model.

f. The Metadata Taxonomy view specification provides a means to extend the framework to other domains.

The detailed mapping between the view specifications of the UAF shown in the grid and the viewpoints from the donor frameworks is described in dtc\2019-06-17. A definition for each view specification in the grid is described in the following chapters.

Formatted: Not Highlight

Formatted: Not Highlight

Formatted: Not Highlight

## 7.1 Descriptions of Domains and Model Kinds

Table 7:1 - Definitions for the Domains

Domain	Acronym	Description
Metadata	Md	<u>Identifies the metadata required to develop a suitable architecture that is fit for its purpose.</u>
Strategic	St	<u>Capability management process. Describes the capability taxonomy, composition, dependencies and evolution.</u>
Operational	Op	<u>Illustrates the Logical Architecture of the enterprise. Describes the requirements, operational behavior, structure, and exchanges required to support (exhibit) capabilities. Defines all operational elements in an implementation/solution independent manner.</u>
Services	Sv	<u>The Service-Orientated View (SOV) is a description of services needed to directly support the operational domain as described in the Operational View. A service within MODAF is understood in its broadest sense, as a unit of work through which a provider provides a useful result to a consumer. DoDAF: The Service Views within the Services Viewpoint describe the design for service-based solutions to support operational development processes (JCIDS) and Defense Acquisition System or capability development within the Joint Capability Areas.</u>
Personnel	Pr	<u>Defines and explores organizational resource types. Shows the taxonomy of types of organizational resources as well as connections, interaction and growth over time.</u>
Resources	Rs	<u>Captures a solution architecture consisting of resources, e.g., organizational, software, artifacts, capability configurations, and natural resources that implement the operational requirements. Further design of a resource is typically detailed in SysML or UML.</u>
Security	Sc	<u>Security assets and security enclaves. Defines the hierarchy of security assets and asset owners, security constraints (policy, laws, and guidance) and details where they are located (security enclaves).</u>
Projects	Pj	<u>Describes projects and project milestones, how those projects deliver capabilities, the organizations contributing to the projects and dependencies between projects.</u>
Standards	Sd	<u>MODAF: Technical Standards Views are extended from the core DoDAF views to include non-technical standards such as operational doctrine, industry process standards, etc. DoDAF: The Standards Views within the Standards Viewpoint are the set of rules governing the arrangement, interaction, and interdependence of solution parts or elements.</u>
Actual Resources	Ar	<u>The analysis, e.g., evaluation of different alternatives, what-if, trade-offs, V&amp;V on the actual resource configurations. Illustrates the expected or achieved actual resource configurations.</u>


**Commented [GB6]:** UAF11-23 deleted, "Captures the metadata relevant to the entire architecture etc." to be replaced by "identifies the metadata required to develop a suitable architecture that is fit for its purpose."

**Table 7:2 - Definitions of the Model Kinds**

<u>Model Kind</u>	<u>Acronym</u>	<u>Description</u>
<u>Taxonomy</u>	<u>Tx</u>	<u>Presents all the elements as a standalone structure. Presents all the elements as a specialization hierarchy, provides a text definition for each one and references the source of the element</u>
<u>Structure</u>	<u>Sr</u>	<u>Describes the definitions of the dependencies, connections, and relationships between the different elements.</u>
<u>Connectivity</u>	<u>Cn</u>	<u>Describes the connections, relationships, and interactions between the different elements.</u>
<u>Processes</u>	<u>Pr</u>	<u>Captures activity based behavior and flows. It describes activities, their Inputs/Outputs, activity actions and flows between them.</u>
<u>States</u>	<u>St</u>	<u>Captures state-based behavior of an element. It is a graphical representation of states of a structural element and how it responds to various events and actions.</u>
<u>Interaction Scenarios</u>	<u>Is</u>	<u>Expresses a time ordered examination of the exchanges as a result of a particular scenario. Provides a time-ordered examination of the exchanges between participating elements as a result of a particular scenario.</u>
<u>Information</u>	<u>If</u>	<u>Address the information perspective on operational, service, and resource architectures. Allows analysis of an architecture's information and data definition aspect, without consideration of implementation specific issues.</u>
<u>Constraints</u>	<u>Ct</u>	<u>Details the measurements that set performance requirements constraining capabilities. Also defines the rules governing behavior and structure.</u>
<u>Roadmap</u>	<u>Rm</u>	<u>Addresses how elements in the architecture change over time. Also, how at different points in time or different periods of time.</u>
<u>Traceability</u>	<u>Tr</u>	<u>Describes the mapping between elements in the architecture. This can be between different viewpoints within domains as well as between domains. It can also be between structure and behaviors.</u>

## 7.2 Domain Interrelationships

Although the grid is the primary means of expressing the relationship between the Domains, Model Kinds and View Specifications, because of its two-dimensional nature it is not adequate to explain the abstract interrelationships that exist between the domains. The following diagram is an indication of th how the domains are interrelated.



**Figure 7:2 - Domain Interrelationships**

Where a Domain is shown vertically the intent is to show that the Domain is a cross cutting concern that goes across the levels of abstraction in the architecture.

Where a Domain is shown horizontally the intent is to show that the Domain exists in a layer of abstraction between the Domains above and below it and there is an interrelationship with the Domains either side of it.

## 7.3 Domain Metamodel Diagram Legend


Note that the diagrams rely on color to aid the reader in understanding the model. Please refer to the legend below to understand the diagrams.

The following is the legend of element colors used in the DMM and what they denote.

**Commented [GB7]:** UAF 11-21 Add 3d representation of domain interconnectivity Add 3d UAF.png

**Commented [GB8]:** UAF11-294 delte text Delete the following text  
This annex comprise of various diahram that document the Domain Metamodel (DMM) that document MoDAF 1.5 and MODAF 1.2 integrated model. This model was used as a basis for creating the UPDM profile.

**Formatted:** OMG Heading 2



**Figure 7:3 - Legend of color codes for element types defined in UAF**

The meaning of the element types in the UAF are based upon concepts put forth in the International Defence Enterprise Architecture Specification (IDEAS).

- An Individual denotes a single instance of an element
- A Type denotes a set of Individuals
- A Tuple denotes a relationship that exists between elements
- An Abstract denotes that the element has no direct use but is a means of construction
- An Enumeration is a complete, ordered listing of all the items in a collection
- An External Type is an element that exists outside of the core DMM but is referencable by elements in the DMM

## 8. Domain Metamodel Diagrams

Note that the diagrams rely on color to aid the reader in understanding the model. Please refer to the legend in the various diagrams to understand the specific definitions.

### 8.1 View Specifications

This section documents each of the view specifications of UAF.

#### 8.1.1 View Specifications::Metadata

Stakeholders: Enterprise Architects, Technical Managers.

Concerns: architecture development process, architecture traceability, metamodel and its extensions, architecture versioning.

Definition: Identifies the metadata required to develop a suitable architecture that is fit for its purpose.

#### View Specifications::Metadata::Taxonomy

Stakeholders: Enterprise Architects, Technical Managers.

Concerns: metamodel and its extensions.

Definition: captures user defined metamodel extensions

Recommended Implementation: UML Profile Diagram, SysML Block Definition Diagram

#### View Specifications::Metadata::Structure

Stakeholders: Enterprise Architects, Technical Managers.

Concerns: domains, model kinds, and view specifications that are used to describe the architecture.

Definition: (i) lists predefined and custom domains, model kinds, and view specifications (ii) and identify the key stakeholders and their concerns.

Recommended Implementation: SysML Block Definition Diagram, SysML Package Diagram.

#### View Specifications::Metadata::Connectivity

Stakeholders: Enterprise Architects, people who want to understand relationships to related architectural descriptions, Technical Managers.

Concerns: high-level dependencies between architectural descriptions.

Definition: depicts and analyzes all relevant dependencies between architectural descriptions, e.g. reference architectures, as-is to to-be architectures.

Recommended Implementation: SysML Block Definition Diagram, SysML Package Diagram, matrix format.

#### View Specifications::Metadata::Processes

Stakeholders: Enterprise Architects, people who want to understand the architecture development process, Technical Managers.

Concerns: methodology used.

Definition: methodology used in developing the architecture.

Recommended Implementation: SysML Activity Diagram, text.

#### View Specifications::Metadata::States

Stakeholders: Enterprise Architects, people who want to understand the architecture governance, Technical Managers.

Concerns: architecture status.

Definition: captures version number and approval workflow of the architecture.

Recommended Implementation: SysML State Machine Diagram, state table, text.

#### View Specifications::Metadata::Constraints

Stakeholders: Enterprise Architects, people who want to understand constraints for the architecture, Technical Managers.

Concerns: architectural constraints.

Unified Architecture Framework (UAF), v1.0

Formatted: Heading 3

Definition: captures assumptions and constraints on the architecture.

Recommended Implementation: tabular format, text.

### **View Specifications::Metadata::Roadmap**

Stakeholders: Enterprise Architects, people who want to understand the architecture development plan, Technical Managers.

Concerns: architecture release schedule.

Definition: captures project timeline for the architecture.

Recommended Implementation: timeline, text.

### **View Specifications::Metadata::Traceability**

Stakeholders: Enterprise Architects, people who want to understand impact of change across the architecture supporting assets, Technical Managers.

Concerns: reuse of architectures.

Definition: shows references to asset libraries, legacy architectures, and external sources, e.g. documents.

Recommended Implementation: SysML Block Definition Diagram, SysML Package Diagram, tabular format.

## **8.1.2 View Specifications::Strategic**

Stakeholders: Capability Portfolio Managers.

Concerns: capability management process.

Definition: describe capability taxonomy, composition, dependencies and evolution.

### **View Specifications::Strategic::Taxonomy**

Contains the diagrams that document the Strategic Taxonomy Viewpoint.

### **View Specifications::Strategic::Taxonomy::Strategic Taxonomy**

Stakeholders: PMs, Enterprise Architects, Executives.

Concerns: capability needs.

Definition: shows the taxonomy of capabilities.

Recommended Implementation: SysML Block Definition Diagram.

Formatted: Heading 3

Deleted: Introduction

#### 1.1 Overview

This Appendix describes the Unified Architecture Framework, the Domain Meta-Model (DMM) that captures the concepts, relationships, and viewpoints that specify the Unified Architecture Framework Profile (UAFP). As well as providing the DMM for the UAFP, it is intended to provide a non-implementation specific metamodel for those non-UML or SysML tool vendors who may wish to implement the UAF, consequently it is not necessary to generate XMI for the UAF.

Due to the complexity of managing the multiple viewpoints with overlapping concerns and metamodels, the standard viewpoints are refactored as described in the donor frameworks into a more manageable format. This decision led to the development of the grid below.

The grid is a way of showing how the various viewpoints correspond to the generic layers of abstraction or domains (horizontal rows) and the types of model kinds or architectural representations (the columns) that describe the viewpoints. The intent of the grid is not to be complete, but to capture the information that is present in the frameworks that contribute to the UAF/P, consequently, some gaps are evident.

Notes:

- a. These viewpoints are not defined as part of the UAF, but are architectural artifacts that contribute to the success in defining and developing an architecture.
- b. To be able to evaluate architecture behavior and constraints (i.e., non functional requirements) it is necessary to define actual instances of the architectural elements. The expectation is that tool vendors intending to implement the UAF/P have capabilities native to their tools to enable behavioral simulation and the evaluation of measures and constraints through parametric diagrams or a proprietary equivalent.
- c. The information model is a column across the abstraction layers that can be defined in any of its forms, i.e., Conceptual, Logical, or as a schema at any level of abstraction. The expectation is that most developers of the information model will use the Conceptual or Logical forms of the data model when using an abstract modeling tool.
- d. The parameters column captures the measures and environments across the architecture in all the different layers of abstraction.
- e. The expectation is that the physical schema model not be developed in the framework but any tool implementing the [1]

Formatted: Font: (Default) Times New Roman, 10 pt




Figure 2.1 - Strategic Taxonomy

Elements

- [Capability](#)
- [CapabilityGeneralization](#)
- [CapabilityRole](#)

### 8.1.2 View Specifications::Strategic::Structure

Contains the diagrams that document the Strategic Structure Viewpoint.

#### Deleted: 2--View Specifications

This section documents each of the view specifications of UAF.

#### 2.1 View Specifications::Strategic

Stakeholders: Capability Portfolio Managers  
 Concerns: capability management process  
 Definition: describe capability taxonomy, composition, dependencies and evolution


#### 2.1.1 View Specifications::Strategic::Taxonomy

Contains the diagrams that document the Strategic Taxonomy Viewpoint.

#### 2.1.1.1 View Specifications::Strategic::Taxonomy::Strategic Taxonomy

Stakeholders: PMs, Enterprise Architects, Executives  
 Concerns: capability needs  
 Definition: shows the taxonomy of capabilities  
 Recommended Implementation: SysML Block Definition Diagram

Commented [AM12]: UAF11-276 Figure 2.1 - Strategic Taxonomy replaced by Strategic\_Taxonomy.svg



Deleted:

Commented [AM13]: UAF11-276

CapabilityGeneralization and CapabilityRole added to the list of elements.

Formatted: Heading 3, Indent: Left: 0 cm, Right: 0 cm, Space Before: 0 pt

Deleted: 2.1.2



- [EnterpriseVision](#)
- [Exhibits](#)
- [OperationalArchitecture](#)
- [OrganizationInEnterprise](#)
- [ResourceArchitecture](#)
- [StructuralPart](#)
- [TemporalPart](#)
- [WholeLifeEnterprise](#)

### 2.1.3 View Specifications::Strategic::Connectivity

Contains the diagrams that document the Strategic Connectivity Viewpoint.

#### 2.1.3.1 View Specifications::Strategic::Connectivity::Strategic Connectivity

Stakeholders: PMs, Executives, Enterprise Architects

Concerns: capability dependencies

Definition: describes the dependencies between planned capabilities.

Recommended Implementation: SysML Block Definition Diagram, SysML Internal Block Diagram




Figure 2.3 - Strategic Connectivity

Elements

- [Capability](#)
- [CapabilityDependency](#)
- [CapabilityRole](#)
- [CapabilityRoleDependency](#)

### 2.1.4 View Specifications::Strategic::States

Contains the diagrams that document the Strategic States Viewpoint.

#### 2.1.4.1 View Specifications::Strategic::States::Strategic States

Stakeholders: PMs, Enterprise Architects

Concerns: effects that the implementation(s) of capabilities are expected to deliver

Definition: captures the relationships between capability(ies) and desired effect(s) that implementation(s) of capability(ies) should achieve.

Recommended Implementation: SysML Block Definition Diagram

**Deleted:** [ActualEnduringTask](#)  
[ActualEnterprisePhase](#)  
[ActualOrganization](#)  
[ActualResponsibleResource](#)  
[Capability](#)


**<object>**<sup>1</sup> [UAF-19 \(10\) replace definition of Strategic Structure](#)

[Unified Architecture Framework \(UAF\), v1.0-7](#)

[CapableElement](#)


- [EnduringTask](#)
- [EnterpriseGoal](#)
- [EnterprisePhase](#)
- [EnterpriseVision](#)
- [Exhibits](#)
- [OrganizationInEnterprise](#)
- [WholeLifeEnterprise](#)


**Commented [AM16]:** [UAF11-276](#) Figure 2.3 - Strategic Connectivity replaced by Strategic\_Connectivity.svg.




**Deleted:**

**Commented [AM17]:** [UAF11-276](#) CapabilityDependency, CapabilityRole, CapabilityRoleDependency added to the Elements list.





Commented [AM18]: UAF11-276 Figure 2.4 - Strategic States replaced by Strategic\_States.svg.



Deleted:

Figure 2.4 - Strategic States

Elements

- [AchievedEffect](#)
- [Achiever](#)
- [ActualOrganization](#)
- [ActualOrganizationalResource](#)
- [ActualPerson](#)
- [ActualPost](#)
- [ActualResource](#)
- [ActualResponsibleResource](#)
- [ActualState](#)
- [Capability](#)
- [CapabilityConfiguration](#)
- [DesiredEffect](#)
- [Desirer](#)

- [FieldedCapability](#)
- [NaturalResource](#)
- [OperationalAgent](#)
- [OperationalPerformer](#)
- [Organization](#)
- [OrganizationalResource](#)
- [Person](#)
- [PhysicalResource](#)
- [Post](#)
- [Project](#)
- [ResourceArchitecture](#)
- [ResourceArtifact](#)
- [ResourceMitigation](#)
- [ResourcePerformer](#)
- [Software](#)
- [Technology](#)

## 2.1.5 View Specifications::Strategic::Constraints

Contains the diagrams that document the Strategic Constraints Viewpoint.

### 2.1.5.1 View Specifications::Strategic::Constraints::Strategic Constraints

Stakeholders: PMs, Enterprise Architects

Concerns: capability constraints

Definition: details the measurements that set performance requirements constraining capabilities.

Recommended Implementation: tabular format, SysML Block Definition Diagram





Figure 2.5 - Strategic Constraints

Elements

- [Capability](#)
- [Measurement](#)
- [PropertySet](#)

Commented [AM19]: [UAF11-276](#) Figure 2.5 - Strategic Constraints replaced by Strategic\_Constraints.svg.



Deleted:



- [CapableElement](#)
- [EnterprisePhase](#)
- [Exhibits](#)
- [ResourceArchitecture](#)
- [ResourcePerformer](#)
- [ResponsibleFor](#)
- [VersionedElement](#)

### 2.1.6.2 View Specifications::Strategic::Roadmap:: Strategic Roadmap: Phasing

Stakeholders: PMs, Executives, Enterprise Architects

Concerns: capability(ies) achievement over time

Definition: the planned achievement of capability(ies) at different points in time or during specific periods of time.

Recommended Implementation: timeline, tabular format, SysML Block Definition Diagram





Figure 2.7 - Strategic Roadmap: Phasing

#### Elements

- [ActualProject](#)
- [ActualProjectMilestone](#)
- [ActualResource](#)

Commented [AM22]: [UAF11-276](#) Figure 2.7 - Strategic Roadmap: Phasing replaced by StrategicPhasing.svg.



Deleted:

Commented [AM23]: [UAF11-276](#) VersionedElement added to the Elements list

- [Capability](#)
- [CapabilityConfiguration](#)
- [CapableElement](#)
- [Exhibits](#)
- [FieldedCapability](#)
- [Project](#)
- [ResourceArchitecture](#)
- [ResourcePerformer](#)
- [VersionedElement](#)

## 2.1.7 View Specifications::Strategic::Traceability

Contains the diagrams that document the Strategic Traceability Viewpoint.


### 2.1.7.1 View Specifications::Strategic::Traceability::Strategic Traceability

Stakeholders: PMs, Enterprise Architects, Business Architects

Concerns: traceability between capabilities and operational activities

Definition: describes the mapping between the capabilities required by an Enterprise and the supporting operational activities.

Recommended Implementation: matrix format, SysML Block Definition Diagram



Commented [AM24]: UAF11-276 Figure 2.8 - Strategic Traceability replaced by Strategic\_Traceability.svg.




Figure 2.8 - Strategic Traceability

#### Elements

- [ActualEnduringTask](#)
- [Capability](#)
- [CapabilityForTask](#)
- [Function](#)
- [Implements](#)
- [MapsToCapability](#)
- [OperationalActivity](#)

Commented [AM25]: UAF11-276 Activity removed and Process added to the Elements list.

Deleted: Activity

- ~~Process~~
- [StandardOperationalActivity](#)

Deleted: 1

## 2.2 View Specifications::Operational

Stakeholders: Business Architects, Executives

Concerns: illustrate the Logical Architecture of the enterprise.

Definition: describe the requirements, operational behavior, structure, and exchanges required to support (exhibit) capabilities. Defines all operational elements in an implementation/solution independent manner.

### 2.2.1 View Specifications::Operational::Taxonomy

Contains the diagrams that document the Operational Taxonomy Viewpoint.

#### 2.2.1.1 View Specifications::Operational::Taxonomy::Operational Taxonomy

Stakeholders: Business Architects, Systems Engineers, Enterprise Architects, Owners responsible for Operational Agents

Concerns: OperationalAgent types

Definition: shows the taxonomy of types of OperationalAgents

Recommended Implementation: SysML Block Definition Diagram, SysML Internal Block Diagram




Figure 2.9 - Operational Taxonomy

#### Elements

- [ArbitraryConnector](#)
- [Asset](#)
- [CapabilityConfiguration](#)
- [ConceptItem](#)
- [HighLevelOperationalConcept](#)
- [Location](#)
- [NaturalResource](#)
- [OperationalAgent](#)
- [OperationalAsset](#)
- [OperationalPerformer](#)


**Deleted:** Stakeholders: Business Architects, Systems Engineers, Enterprise Architects, Owners<sup>2</sup> responsible for Operational Agents.

**Deleted:**

**Commented [AM26]:** UAF11-276 --Text "Stakeholders: Business Architects, Systems Engineers, Enterprise Architects, Owners<sup>2</sup> responsible for Operational Agents." replaced by "Stakeholders: Business Architects, Systems Engineers, Enterprise Architects, Owners responsible for Operational Agents."

**Commented [GB27]:** UAF11- 69 add text, SysML Internal Block Diagram

**Commented [AM28]:** [UAF11-276](#) Diagram replaced by Operational\_Taxonomy.svg



**Deleted:**

**Commented [AM29]:** [UAF11-276](#) Elements list updated according Operational\_Taxonomy.svg

**Deleted:**

→

**Formatted:** Indent: Left: 0.18 cm, Right: -0.04 cm

- [Organization](#)
- [OrganizationalResource](#)
- [PhysicalResource](#)
- [Post](#)
- [ResourceArchitecture](#)
- [ResourceArtifact](#)
- [ResourceAsset](#)
- [ResourcePerformer](#)
- [Software](#)

## 2.2.2 View Specifications::Operational::Structure

Contains the diagrams that document the Operational Structure Viewpoint.

### 2.2.2.1 View Specifications::Operational::Structure::Operational Structure

Stakeholders: Business Architects, Systems Engineers, Enterprise Architects, Owners responsible for Operational Agents.

Concerns: identifies the operational exchange requirements between nodes.

Definition: defines operational architecture and exchange requirements necessary to support a specific set of Capability(ies).

Recommended Implementation: SysML Block Definition Diagram, SysML Internal Block Diagram.

<sup>3</sup> Modify text from OperationalPerformer Owners to Owners responsible for OperationalPerformers.

<sup>4</sup> UAF-19 (4) delete nodes and change to OperationalPerformers

Unified Architecture Framework (UAF), v1.0

15

**Deleted:** [Asset](#)<sup>¶</sup>  
 • ~~[CapabilityConfiguration](#)<sup>¶</sup>~~  
 • ~~[ConceptItem](#)<sup>¶</sup>~~

**<object>**<sup>2</sup> UAF-19 (2) modify OperationalPerformer owners to Owners responsible for OperationalPerformers<sup>¶</sup>

**14**–[Unified Architecture Framework \(UAF\), v1.0](#)<sup>¶</sup>

- ~~[HighLevelOperationalConcept](#)<sup>¶</sup>~~
- ~~[Location](#)<sup>¶</sup>~~
- ~~[NaturalResource](#)<sup>¶</sup>~~
- ~~[OperationalAgent](#)<sup>¶</sup>~~
- ~~[OperationalPerformer](#)<sup>¶</sup>~~
- ~~[Organization](#)<sup>¶</sup>~~
- ~~[OrganizationalResource](#)<sup>¶</sup>~~
- ~~[Asset](#)<sup>¶</sup>~~
- ~~[CapabilityConfiguration](#)<sup>¶</sup>~~
- ~~[ConceptItem](#)<sup>¶</sup>~~
- ~~[HighLevelOperationalConcept](#)<sup>¶</sup>~~
- ~~[Location](#)<sup>¶</sup>~~
- ~~[NaturalResource](#)<sup>¶</sup>~~
- ~~[OperationalAgent](#)<sup>¶</sup>~~
- ~~[OperationalPerformer](#)<sup>¶</sup>~~
- ~~[Organization](#)<sup>¶</sup>~~
- ~~[OrganizationalResource](#)<sup>¶</sup>~~
- ~~[PhysicalResource](#)<sup>¶</sup>~~
- ~~[Post](#)<sup>¶</sup>~~
- ~~[ResourceArchitecture](#)<sup>¶</sup>~~
- ~~[ResourceArtifact](#)<sup>¶</sup>~~

... [2]

**Commented [AM30]:** [UAF11-276](#) Text updated from “Stakeholders: Business Architects, Systems Engineers, Enterprise Architects<sup>3</sup>, Owners responsible for OperationalPerformers  
 Concerns: identifies the operational exchange requirements between<sup>4</sup> OperationalPerformers.

Definition: defines operational architecture and exchange requirements necessary to support a specific set of Capability(ies). Recommended Implementation: SysML Block Definition Diagram, SysML Internal Block Diagram.” to “Stakeholders: Business Architects, Systems Engineers, Enterprise Architects, Owners responsible for Operational Agents.  
 Concerns: identifies the operational exchange requirements between nodes.  
 Definition: defines operational architecture and exchange requirements necessary to support a specific set of Capability(ies).  
 Recommended Implementation: SysML Block Definition Diagram, SysML Internal Block Diagram.”

**Deleted:** Stakeholders: Business Architects, Systems Engineers, Enterprise Architects<sup>3</sup>, Owners responsible for OperationalPerformers<sup>¶</sup>  
 Concerns: identifies the operational exchange requirements between<sup>4</sup> OperationalPerformers.<sup>¶</sup>

Definition: defines operational architecture and exchange requirements necessary to support a specific set of Capability(ies). Recommended Implementation: SysML Block Definition Diagram, SysML Internal Block Diagram.<sup>¶</sup>



## 2.2.3 View Specifications::Operational::Connectivity

Contains the diagrams that document the Operational Connectivity Viewpoint.

### 2.2.3.1 View Specifications::Operational::Connectivity::Operational Connectivity


Stakeholders: Systems Engineers, Architects, Solution Providers

Concerns: capture the interfaces between OperationalPerformers

Definition: summarizes logical exchanges between OperationalPerformer of information, systems, personnel, energy etc. and the logical activities that produce and consume them. Measurements can optionally be included.

Recommended Implementation: [SysML Internal Block Diagram](#), tabular format<sup>4</sup>

Commented [AM33]: [UAF11-276](#) SysML Internal Block Diagram added to the list of Recommended Implementations



Deleted:

Commented [AM34]: [UAF11-276](#), [UAF11-49](#) Diagram replaced by Operational\_Connectivity.svg

Figure 2.11 - Operational Connectivity

<sup>5</sup> UAF-19 items 5 and 6 replace terms logical nodes and node with OperationalPerformers

<sup>6</sup> UAF-2, UAF-21

## Elements

- [CapabilityConfiguration](#)
- [Exchange](#)
- [GeoPoliticalExtentType](#)
- [InformationElement](#)
- [IsCapableToPerform](#)
- [MeasurableElement](#)
- [MeasurementSet](#)
- [NaturalResource](#)
- [OperationalActivity](#)
- [OperationalActivityAction](#)
- [OperationalActivityEdge](#)
- [OperationalAgent](#)
- [OperationalConnector](#)
- [OperationalExchange](#)
- [OperationalExchangeItem](#)
- [OperationalInterface](#)
- [OperationalPerformer](#)
- [OperationalPort](#)
- [OperationalRole](#)
- [OperationalSignal](#)
- [OrganizationalResource](#)
- [PhysicalResource](#)
- [ResourceArchitecture](#)
- [ResourceArtifact](#)
- [ResourcePerformer](#)

**Commented [AM35]:** [UAF11-276](#) Operational Signal  
Added to the list of Elements

## 2.2.4 View Specifications::Operational::Processes

Contains the diagrams that document the Operational Processes Viewpoint.

### 2.2.4.1 View Specifications::Operational::Processes::Operational Processes

Stakeholders: Business Architect, Systems Engineers, Enterprise Architects


Concerns: captures activity based behavior and flows

Definition: describes the activities that are normally conducted in the course of achieving business goals that support a capability. It describes operational activities, their Inputs/Outputs, operational activity actions and flows between them.


Recommended Implementation: SysML Activity Diagram, SysML Block Definition Diagram

**Commented [AM36]:** [UAF11-2](#) text ", BPMN Process Diagram" replaced by "."

**Deleted:** , BPMN Process Diagram



Commented [AM37]: UAF11-2 Diagram replaced by Operational\_Processes.svg



Deleted: •→Activity

Figure 2.12 - Operational Processes

Elements

- [ActivityPerformableUnderCondition](#)
- [ActualCondition](#)
- [ActualMeasurementSet](#)
- [ActualService](#)
- [IsCapableToPerform](#)
- [MeasurableElement](#)
- [OperationalActivity](#)
- [OperationalActivityAction](#)
- [OperationalActivityEdge](#)
- [OperationalAgent](#)
- [OperationalExchange](#)
- [OperationalExchangeItem](#)
- [OperationalMethod](#)
- [OperationalParameter](#)
- [OperationalPerformer](#)
- [OperationalRole](#)
- [PerformsInContext](#)
- [Process](#)
- [ProcessEdge](#)
- [ProcessOperation](#)

Commented [AM38]: UAF11-2 Elements list updated according to the elements shown in the diagram Operational\_Processes.svg

Deleted: •→Activity

- ProcessParameter
- ProcessUsage
- RequiredServiceLevel
- ServiceSpecification
- StandardOperationalActivity
- UML2.5Metamodel::Activity
- UML2.5Metamodel::ActivityEdge
- UML2.5Metamodel::CallBehaviorAction
- UML2.5Metamodel::Operation
- UML2.5Metamodel::Parameter

Unified Architecture Framework (UAF), v1.0

1

**Deleted:** • ~~ActivityPerformableUnderCondition~~

**Deleted:** • ~~ActualEndingTask~~

- ~~ActualMeasurementSet~~
- ~~ActualService~~
- ~~Condition~~
- ~~EnduringTask~~
- ~~Implements~~
- ~~IsCapableToPerform~~
- ~~MeasurableElement~~
- ~~OperationalActivity~~
- ~~OperationalActivityAction~~
- ~~OperationalActivityEdge~~
- ~~OperationalAgent~~
- ~~OperationalExchange~~
- ~~OperationalExchangeItem~~
- ~~OperationalMethod~~
- ~~OperationalParameter~~

**Deleted:** 9

**Formatted:** Indent: Left: 0.18 cm, Right: -0.04 cm, Space Before: 1.7 pt, Tab stops: 17.57 cm, Left

## View Specifications::Operational::Processes::Operational Processes BPMN Semantics

Stakeholders: Business Architect, Enterprise Architects.

Concerns: captures activity based behavior and flows using BPMN notation.

Definition: describes the BPMN processes that are normally conducted in the course of achieving business goals that support a capability. It describes operational activities, their Inputs/Outputs, operational activity actions and flows between them using BPMN notation.

Recommended Implementation: BPMN Process Diagram.

Commented [AM39]: UAF11-1 Section added to explain how BPMN is related to the UAF metamodel.




Figure 8:13 - Operational Processes BPMN Semantics

### Elements

- [ActivityPerformableUnderCondition](#)
- [ActualCondition](#)
- [ActualEnduringTask](#)
- [ActualMeasurementSet](#)
- [ActualService](#)
- [AssetRole](#)
- [BPMN2Metamodel::BPMNMessage](#)
- [BPMN2Metamodel::CallActivity](#)
- [BPMN2Metamodel::MessageFlow](#)
- [BPMN2Metamodel::Process](#)
- [BPMN2Metamodel::ResourceRole](#)
- [BPMN2Metamodel::SequenceFlow](#)
- [EnduringTask](#)
- [Exchange](#)
- [ExchangeItem](#)
- [Implements](#)

- [IsCapableToPerform](#)
- [MeasurableElement](#)
- [OperationalActivity](#)
- [OperationalActivityAction](#)
- [OperationalActivityEdge](#)
- [OperationalAgent](#)
- [OperationalExchange](#)
- [OperationalExchangeItem](#)
- [OperationalMethod](#)
- [OperationalParameter](#)
- [OperationalPerformer](#)
- [OperationalRole](#)
- [PerformsInContext](#)
- [Process](#)
- [ProcessEdge](#)
- [ProcessUsage](#)
- [RequiredServiceLevel](#)
- [ServiceSpecification](#)
- [StandardOperationalActivity](#)

## 2.2.5 View Specifications::Operational::States

Contains the diagrams that document the Operational States Viewpoint.

### 2.2.5.1 View Specifications::Operational::States::Operational States

Stakeholders: Systems Engineers, Software Engineers

Concerns: capture state-based behavior of an operational OperationalPerformer

Definition: it is a graphical representation of states of an operational OperationalPerformer and how that operational OperationalPerformer responds to various events and actions. Recommended

Implementation: [SysML State Machine Diagram](#)




Figure 2.13 - Operational States

Elements

20

Unified Architecture Framework (UAF), v1.0

**Deleted:** • [OperationalPerformer](#)<sup>¶</sup>  
 • [OperationalRole](#)<sup>¶</sup>  
 • [PerformsInContext](#)<sup>¶</sup>  
 • [RequiredServiceLevel](#)<sup>¶</sup>  
 • [ServiceSpecification](#)<sup>¶</sup>  
 • [StandardOperationalActivity](#)<sup>¶</sup>

**Formatted:** Right: 6.17 cm

**Commented [AM40]:** [UAF11-5](#) Text "SysML State Diagram" replaced by "SysML State Machine Diagram."

**Deleted:** SysML State Diagram

**Commented [AM41]:** [UAF11-5](#) Diagram replaced by Operational\_States.svg

**OperationalStateDescription**

stateDescription | 1

subject | 1

**OperationalAgent**

**Deleted:**

- [OperationalAgent](#)
- [OperationalStateDescription](#)
- [StateDescription](#)
- [UML2.5Metamodel::StateMachine](#)

## 2.2.6 View Specifications::Operational::Interaction Scenarios

Contains the diagrams that document the Operational Interaction Scenarios Viewpoint.

### 2.2.6.1 View Specifications::Operational::Interaction Scenarios::Operational Interaction Scenario

Stakeholders: Systems Engineers, Business Architects

Concerns: express a time ordered examination of the operational exchanges as a result of a particular operational scenario.

Definition: provides a time-ordered examination of the operational exchanges between participating nodes

(OperationalPerformer roles) as a result of a particular operational scenario.

Recommended Implementation: SysML Sequence Diagram, BPMN Collaboration Diagram

**Commented [AM42]:** [UAF11-5](#) Elements list updated according the diagram Operational\_States.svg

**Deleted:** • [OperationalAgent](#)  
 • [OperationalStateDescription](#)




Figure 2.14 - Operational Interaction Scenario

**Elements**

- [InteractionMessage](#)
- [InteractionRole](#)
- [InteractionScenario](#)
- [OperationalActivity](#)
- [OperationalAgent](#)
- [OperationalExchange](#)
- [OperationalInteractionScenario](#)
- [OperationalMessage](#)
- [OperationalMethod](#)
- [OperationalPerformer](#)
- [OperationalRole](#)
- [UML2.5Metamodel::Interaction](#)
- [UML2.5Metamodel::Lifeline](#)
- [UML2.5Metamodel::Message](#)


**2.2.7 View Specifications::Operational::Constraints**

Contains the diagrams that document the Operational Constraints Viewpoint.

**2.2.7.1 View Specifications::Operational::Constraints::Operational Constraints**

Unified Architecture Framework (UAF), v1.0

**Commented [AM43]:** UAF11-2 diagram replaced by Operational\_Interaction\_Scenarios.svg



**Deleted:**

**Commented [AM44]:** UAF11-2 Elements list updated according to the elements shown in the diagram Operational\_Interaction\_Scenarios.svg

**Deleted:** • ~~Activity~~

**Formatted:** Font: Not Bold

**Deleted:** • ~~OperationalActivity~~

- ~~OperationalExchange~~
- ~~OperationalMessage~~
- ~~OperationalMethod~~
- ~~OperationalPerformer~~
- ~~OperationalRole~~


**Formatted:** Font: Not Bold

Stakeholders: Systems Engineers, Architects, Program Sponsors

Concerns: define operational limitations, constraints and performance parameters for the enterprise

Definition: specifies traditional textual operational or business rules that are constraints on the way that business is done in the enterprise. The addition of SysML parametrics provides a computational means of defining operational constraints across the enterprise or within a specific operational context.

Recommended Implementation: tabular format, SysML Block Definition Diagram, SysML Parametric Diagram



Commented [AM45]: UAF11-276 Diagram replaced by Operational\_Constraints.svg




Figure 2.15 - Operational Constraints

Elements

- [DataModel](#)
- [InformationElement](#)
- [OperationalActivity](#)
- [OperationalAgent](#)
- [OperationalConstraint](#)
- [OperationalExchange](#)
- [OperationalPerformer](#)
- [Rule](#)
- [SubjectOfOperationalConstraint](#)

Commented [AM46]: UAF11-276 ConstraintBlock removed from the Elements list.

Deleted: • -ConstraintBlock

### 2.2.8 View Specifications::Operational::Traceability

Contains the diagrams that document the Operational Traceability Viewpoint.

#### 2.2.8.1 View Specifications::Operational::Traceability::Operational Traceability

Stakeholders: PMs, Enterprise Architects, Business Architects

Concerns: traceability between capabilities and operational activities and capabilities and operational agents.

Definition: describes the mapping between the capabilities required by an Enterprise and the supporting operational activities and operational agents.

Recommended Implementation: matrix format, SysML Block Definition Diagram





Figure 2.16 - Operational Traceability

Elements

- [Capability](#)
- [CapableElement](#)
- [Exhibits](#)
- [MapsToCapability](#)
- [OperationalActivity](#)
- [OperationalAgent](#)
- [OperationalArchitecture](#)
- [OperationalPerformer](#)
- [Process](#)

Commented [AM47]: UAF11-276 Diagram replaced by Operational\_Traceability.svg



Deleted:

Commented [AM48]: UAF11-276 Activity replaced by Process in the Elements list.

Deleted: • ~~Activity~~

## 2.3 View Specifications::Services

Stakeholders: Enterprise Architects, Solution Providers, Systems Engineers, Software Architects, Business Architects

Concerns: specifications of services required to exhibit a Capability

Definition: shows Service Specifications and required and provided service levels of these specifications required to exhibit a Capability or to support an Operational Activity.

### 2.3.1 View Specifications::Services::Taxonomy


Contains the diagrams that document the Services Taxonomy Viewpoint.

#### 2.3.1.1 View Specifications::Services::Taxonomy::Services Taxonomy


Stakeholders: Enterprise Architects, Solution Providers, Systems Engineers, Software Architects, Business Architects

Concerns: service specification types and required and provided service levels of these types

Definition: shows the taxonomy of types of services and the level of service that they are expected to provide or are required to meet through the display of ActualMeasurements associated with the Provided and Required Service Level. Recommended Implementation: SysML Block Definition Diagram.



Commented [AM49]: UAF11-276 Figure 2.17 - Services Taxonomy replaced by Services\_Taxonomy.svg



Deleted:

Commented [AM50]: UAF11-276 ServiceSpecificationGeneralization added to the Elements list

Figure 2.17 - Services Taxonomy

Elements


- [ActualMeasurement](#)
- [ActualMeasurementSet](#)
- [ActualService](#)
- [Measurement](#)
- [PropertySet](#)
- [ProvidedServiceLevel](#)
- [RequiredServiceLevel](#)
- [ServicePolicy](#)
- [ServiceSpecification](#)
- [ServiceSpecificationGeneralization](#)

2.3.2 View Specifications::Services::Structure


Contains the diagrams that document the Services Structure Viewpoint.

2.3.2.1 View Specifications::Services::Structure::Services Structure

Stakeholders: Solution Providers, Systems Engineers, Software Architects, Business Architects  
 Concerns: combination of services required to exhibit a capability  
 Definition: shows the composition of services and how services are combined into a higher level service required to exhibit a capability or support an operational activity.  
 Recommended Implementation: SysML Block Definition Diagram, SysML Internal Block Diagram



Commented [AM51]: UAF11-276 Figure 2.18 - Services Structure replaced by Services\_Structure.svg



Deleted:

Figure 2.18 - Services Structure

Elements

- [InformationElement](#)
- [Measurement](#)
- [OperationalExchangeItem](#)
- [PropertySet](#)
- [ServiceConnector](#)
- [ServiceInterface](#)
- [ServiceMethod](#)
- [ServiceParameter](#)
- [ServicePort](#)
- [ServiceSpecification](#)
- [ServiceSpecificationRole](#)

Commented [AM52]: UAF11-276 ServiceSpecificationRole added to the Elements list

### 2.3.3 View Specifications::Services::Connectivity

Contains the diagrams that document the Services Connectivity Viewpoint.

#### 2.3.3.1 View Specifications::Services::Connectivity::Services Connectivity

Unified Architecture Framework (UAF), v1.0

Stakeholders: Solution Providers, Systems Engineers, Software Architects, Business Architects  
Concerns: interoperability among services  
Definition: specifies service interfaces, e.g., provided and required service operations, to ensure compatibility and reusability of services.  
Recommended Implementation: SysML Block Definition Diagram, SysML Internal Block Diagram, tabular format




Figure 2.19 - Services Connectivity

Elements

- 
- 
- 
- 
- 
- [ServiceConnector](#)
- [ServiceInterface](#)
- [ServiceMethod](#)
- [ServiceParameter](#)
- [ServicePort](#)
- [ServiceSpecification](#)

2.3.4 View Specifications::Services::Processes

Contains the diagrams that document the Services Processes Viewpoint.


2.3.4.1 View Specifications::Services::Processes::Services Processes

Stakeholders: Solution Providers, Systems Engineers, Software Architects, Business Architects

Concerns: the behavior of a service in terms of the operational activities it is expected to support

Definition: provides detailed information regarding the allocation of service functions to service specifications, and data flows between service functions.

Recommended Implementation: [SysML Activity Diagram](#), [SysML Block Definition Diagram](#).



Deleted:

Require

Commented [Yvonne53]: UAF11-74 and UAF11-75 Replaced figure.

Deleted: [ActualMeasurementSet](#)

Deleted: [ActualService](#)

Deleted: [MeasurableElement](#)


Deleted: [ProvidedServiceLevel](#)

Commented [Yvonne54]: UAF11-74 and UAF11-75 Removed unused elements and added ServiceConnector.


Deleted: [RequiredServiceLevel](#)

Commented [AM55]: [UAF11-1](#) Text changed from "SysML Block Definition Diagram, SysML Internal Block Diagram, tabular format" to "SysML Activity Diagram, SysML Block Definition Diagram."

Deleted: SysML Block Definition Diagram, SysML Internal Block Diagram, tabular format



Commented [AM56]: UAF11-2 Diagram replaced by Services\_Processes.svg.



Deleted:

Figure 2.20 - Services Processes

Elements

- [IsCapableToPerform](#)
- [Process](#)
- [ProcessEdge](#)
- [ProcessOperation](#)
- [ProcessParameter](#)
- [ProcessUsage](#)
- [ServiceFunction](#)
- [ServiceFunctionAction](#)
- [ServiceFunctionEdge](#)
- [ServiceMethod](#)
- [ServiceParameter](#)
- [ServiceSpecification](#)
- [UML2.5Metamodel::Activity](#)
- [UML2.5Metamodel::ActivityEdge](#)
- [UML2.5Metamodel::CallBehaviorAction](#)
- [UML2.5Metamodel::Operation](#)
- [UML2.5Metamodel::Parameter](#)

Commented [AM57]: UAF11-2 Elements list updated according to the Services\_Processes.svg diagram

- Deleted:
- ~~[InformationElement](#)~~
  - ~~[IsCapableToPerform](#)~~
  - ~~[OperationalExchangeItem](#)~~
  - ~~[ServiceFunction](#)~~
  - ~~[ServiceFunctionAction](#)~~
  - ~~[ServiceMethod](#)~~
  - ~~[ServiceParameter](#)~~
  - ~~[ServiceSpecification](#)~~



Stakeholders: Solution Providers, Systems Engineers, Software Architects, Business Architects  
 Concerns: the behavior of a service specification in terms of states and events causing transitions between states  
 Definition: specifies the possible states a service specification may have, and the possible transitions between those states.  
 Recommended Implementation: SysML State Machine Diagram.




Figure 2.21 - Services States

Commented [AM59]: [UAF11-5](#) Diagram replaced by Services\_States.svg.



Elements

- [ServiceSpecification](#)
- [ServiceStateDescription](#)
- [StateDescription](#)
- [UML2.5Metamodel::StateMachine](#)

Commented [AM60]: UAF11-5 StateDescription and UML2.5Metamodel::StateMachine added to the Elements list.

### 2.3.6 View Specifications::Services::Interaction Scenarios

Contains the diagrams that document the Services Interaction Scenarios Viewpoint.


#### 2.3.6.1 View Specifications::Services::Interaction Scenarios::Services Interaction Scenarios

Stakeholders: Solution Providers, Systems Engineers, Software Architects, Business Architects

Concerns: the behavior of a service specification in terms of expected time-ordered examination of the interactions between service roles

Definition: specifies how a service roles interact with each other, service providers and consumers, and the sequence and dependencies of those interactions.

Recommended Implementation: SysML Sequence Diagram



Commented [AM61]: UAF11-2 Diagram replaced by Services\_Interaction\_Scenarios.svg




Figure 2.22 - Services Interaction Scenarios

Elements

- [InteractionMessage](#)

Commented [AM62]: UAF11-2 Elements list updated according to Services\_Interaction\_Scenarios.svg

- [InteractionRole](#)
- [InteractionScenario](#)
- [ServiceFunction](#)
- [ServiceInteractionScenario](#)
- [ServiceMessage](#)
- [ServiceMethod](#)
- [ServiceSpecification](#)
- [ServiceSpecificationRole](#)
- [UML2.5Metamodel::Interaction](#)
- [UML2.5Metamodel::Lifeline](#)
- [UML2.5Metamodel::Message](#)

### 2.3.7 View Specifications::Services::Constraints

Contains the diagrams that document the Services Constraints Viewpoint.

Deleted: • [ServiceFunction](#)<sup>¶</sup>  
• [ServiceMessage](#)<sup>¶</sup>  
• [ServiceMethod](#)<sup>¶</sup>  
• [ServiceSpecification](#)<sup>¶</sup>

### 2.3.7.1 View Specifications::Services::Constraints::Services Constraints

Stakeholders: Solution Providers, Systems Engineers, Software Architects, Business Architects

Concerns: service policies that apply to implementations of service specifications

Definition: specifies traditional textual service policies that are constraints on the way that service specifications are implemented within resources. The addition of SysML parametrics provide a computational means of defining service policies across the enterprise or within a specific service configuration.

Recommended Implementation: tabular format, SysML Parametric Diagram





Figure 2.23 - Services Constraints

#### Elements

- [Rule](#)
- [ServicePolicy](#)
- [ServiceSpecification](#)

Commented [AM63]: UAF11-276 Figure 2.23 - Services Constraints replaced by Services\_Constraints.svg



Deleted:

Commented [AM64]: UAF11-276 ConstraintBlock removed from the list of Elements

Deleted: •-ConstraintBlock

### 2.3.8 View Specifications::Services::Roadmap

Contains the diagrams that document the Services Roadmap Viewpoint.


#### 2.3.8.1 View Specifications::Services::Roadmap::Services Roadmap

Stakeholders: Solution Providers, Systems Engineers, Software Architects, Business Architects


Concerns: service specification changes over time

Definition: provides an overview of how a service specification changes over time. It shows the combination of several service specifications mapped against a timeline.

Recommended Implementation: timeline, SysML Block Definition Diagram, SysML Internal Block Diagram



Commented [AM65]: UAF11-276 Figure 2.24 - Services Roadmap replaced by Services\_Roadmap.svg



Deleted:

Figure 2.24 - Services Roadmap

Elements

- [ActualProject](#)
- [ActualProjectMilestone](#)
- [MilestoneDependency](#)
- [ServiceSpecification](#)
- [VersionedElement](#)
- [VersionOfConfiguration](#)
- [VersionSuccession](#)
- [WholeLifeConfiguration](#)

2.3.9 View Specifications::Services::Traceability

Contains the diagrams that document the Services Traceability Viewpoint.

2.3.9.1 View Specifications::Services::Traceability::Services Traceability

Stakeholders: Solution Providers, Systems Engineers, Software Architects, Business Architects


Concerns: traceability between operational activities and service specifications that support them

Definition: depicts the mapping of service specifications to operational activities and how service specifications contribute to the achievement of a capability.


Recommended Implementation: ~~tabular or matrix format.~~

Commented [AM66]: Text "timeline, SysML Block Definition Diagram, SysML Internal Block Diagram" replaced by "tabular or matrix format."

Deleted: timeline, SysML Block Definition Diagram, SysML Internal Block Diagram



Commented [AM67]: UAF11-276 Figure 2.25 - Services Traceability replaced by Services\_Traceability.svg



Commented [AM68]: UAF11-276 Elements list updated according to the Services\_Traceability.svg diagram.

Deleted: ~~Capability~~, ~~Consumes~~, ~~Exhibits~~, ~~OperationalActivity~~, ~~ServiceSpecification~~

Figure 2.25 - Services Traceability

Elements

- [ActualService](#)
- [Capability](#)
- [CapableElement](#)
- [Consumes](#)
- [Exhibits](#)
- [OperationalActivity](#)
- [ServiceSpecification](#)

## 2.4 View Specifications::Personnel

Stakeholders: Human resources, Solution Providers, PMs

Concerns: human factors

Definition: aims to clarify the role of Human Factors (HF) when creating architectures in order to facilitate both Human Factors Integration (HFI) and systems engineering (SE).

### 2.4.1 View Specifications::Personnel::Taxonomy

Contains the diagrams that document the Personnel Taxonomy Viewpoint.

#### 2.4.1.1 View Specifications::Personnel::Taxonomy::Personnel Taxonomy

Stakeholders: Human resources, Solution Providers, PMs

Concerns: organizational resource types

Definition: shows the taxonomy of types of organizational resources.

Recommended Implementation: SysML Block Definition Diagram




Figure 2.26 - Personnel Taxonomy

#### Elements

- [Organization](#)
- [OrganizationalResource](#)
- [Person](#)
- [PhysicalResource](#)
- [Post](#)
- [ResourcePerformer](#)
- [Responsibility](#)

## 2.4.2 View Specifications::Personnel::Structure

Contains the diagrams that document the Personnel Structure Viewpoint.


### 2.4.2.1 View Specifications::Personnel::Structure::Personnel Structure

Stakeholders: Human resources, Solution Providers, PMs


Concerns: typical organizational structure used to support a capability(ies)

Definition: shows organizational structures and possible interactions between organizational resources.

Recommended Implementation: SysML Block Definition Diagram, SysML Internal Block Diagram



Commented [AM69]: UAF11-276 Diagram replaced by Personnel\_Connectivity.svg



Deleted:

Figure 2.27 - Personnel Structure

Elements

- [Organization](#)
- [OrganizationalResource](#)
- [Person](#)
- [PhysicalResource](#)
- [Post](#)
- [PostRole](#)
- [ResourcePerformer](#)
- [ResourceRole](#)
- [Responsibility](#)
- [SubOrganization](#)

Commented [AM70]: UAF11-276 Elements list updated

2.4.3 View Specifications::Personnel::Connectivity

Contains the diagrams that document the Personnel Connectivity Viewpoint.

- Deleted:
- [Command](#)
  - [Control](#)
  - [Organization](#)
  - [OrganizationalResource](#)
  - [Person](#)
  - [PhysicalResource](#)
  - [Post](#)
  - [ResourceConnector](#)
  - [ResourceExchange](#)
  - [ResourcePerformer](#)
  - [ResourceRole](#)
  - [Responsibility](#)

### 2.4.3.1 View Specifications::Personnel::Connectivity::Personnel Connectivity

Stakeholders: Solution providers

Concerns: interaction of organizational resources

Definition: captures the possible interactions between organizational resources, including command and control relationships. Interactions typically illustrate the fundamental roles and management responsibilities.

Recommended Implementation: [SysML Internal Block Diagram, table, format](#)




Figure 2.28 - Personnel Connectivity


#### Elements

- [Command](#)
- [Control](#)
- [DataElement](#)
- [Environment](#)
- [Exchange](#)
- [Function](#)
- [IsCapableToPerform](#)
- [MeasurableElement](#)
- [Measurement](#)
- [MeasurementSet](#)
- [Organization](#)

**Commented [GB71]:** UAF11-87 add SysML Internal Block Diagram

**Deleted:** tabular

**Commented [AM72]:** UAF11-276 Diagram replaced by Personnel\_Connectivity.svg



**Deleted:**

- [OrganizationalResource](#)
- [Person](#)
- [PhysicalResource](#)
- [Post](#)
- [PropertySet](#)
- [Resource](#)
- [ResourceConnector](#)
- [ResourceExchange](#)
- [ResourceExchangeItem](#)
- [ResourceInterface](#)
- [ResourcePerformer](#)
- [ResourcePort](#)
- [ResourceRole](#)
- [Responsibility](#)

## 2.4.4 View Specifications::Personnel::Processes

Contains the diagrams that document the Personnel Processes Viewpoint.

### 2.4.4.1 View Specifications::Personnel::Processes::Personnel Processes

Stakeholders: Systems engineers, Solution providers

Concerns: functions that have to be carried out by organizational resources

Definition: specifies organizational resource functions in relation to resource definitions.

Recommended Implementation: SysML Activity Diagram, SysML Block Definition Diagram, BPMN Process Diagram, [as described in the Resources Processes section.](#)

Commented [AM73]: [UAF11-276](#) Updated list of elements.

- Deleted: • [Activity](#)
- [Command](#)
  - [Control](#)
  - [DataElement](#)
  - [Environment](#)
  - [Exchange](#)
  - [Function](#)
  - [FunctionAction](#)
  - [FunctionEdge](#)
  - [IsCapableToPerform](#)
  - [MeasurableElement](#)
  - [Measurement](#)
  - [MeasurementSet](#)
  - [Organization](#)
  - [OrganizationalResource](#)
  - [Person](#)
  - [PhysicalResource](#)
  - [Post](#)
  - [PropertySet](#)
  - [Resource](#)
  - [ResourceConnector](#)
  - [ResourceExchange](#)
  - [ResourceExchangeItem](#)
  - [ResourceInterface](#)
  - [ResourcePerformer](#)
  - [ResourcePort](#)
  - [ResourceRole](#)

Commented [AM74]: [UAF11-1](#) text added to explain UAF metamodel relationship to BPMN metamodel.





Figure 2.29 - Personnel Processes

Elements

- [ActivityPerformableUnderCondition](#)
- [ActualCondition](#)
- [DataElement](#)
- [Function](#)
- [FunctionAction](#)
- [FunctionEdge](#)
- [IsCapableToPerform](#)
- [Organization](#)
- [OrganizationalResource](#)
- [PerformsInContext](#)
- [PhysicalResource](#)
- [Post](#)
- [Process](#)
- [ProcessEdge](#)
- [ProcessOperation](#)

Commented [AM76]: UAF11-2 Updated list of elements.

- [ProcessParameter](#)
- [ProcessUsage](#)
- [ResourceExchange](#)
- [ResourceExchangeItem](#)
- [ResourceMethod](#)
- [ResourceParameter](#)
- [ResourcePerformer](#)
- [ResourceRole](#)
- [Responsibility](#)
- [UML2.5Metamodel::Activity](#)
- [UML2.5Metamodel::ActivityEdge](#)
- [UML2.5Metamodel::CallBehaviorAction](#)
- [UML2.5Metamodel::Operation](#)
- [UML2.5Metamodel::Parameter](#)

## 2.4.5 View Specifications::Personnel::States

Contains the diagrams that document the Personnel States Viewpoint.

### 2.4.5.1 View Specifications::Personnel::States::Personnel States

Stakeholders: Systems Engineers, Software Engineers

Concerns: capture state-based behavior of an organizational resource

Definition: it is a graphical representation of states of an organizational resource and how that organizational resource responds to various events and actions.

Recommended Implementation: [SysML State Machine Diagram](#)




Figure 2.30 - Personnel States

Elements

- [Organization](#)
- [OrganizationalResource](#)
- [Person](#)


Unified Architecture Framework (UAF), v1.0

- Deleted:**
- [Activity](#)
  - [ActivityPerformableUnderCondition](#)
  - [Condition](#)
  - [DataElement](#)
  - [Function](#)
  - [FunctionAction](#)
  - [FunctionEdge](#)
  - [Implements](#)
  - [IsCapableToPerform](#)
  - [OperationalActivity](#)
  - [Organization](#)
  - [OrganizationalResource](#)
  - [PerformsInContext](#)
  - [PhysicalResource](#)
  - [Post](#)
  - [ResourceExchange](#)
  - [ResourceExchangeItem](#)
  - [ResourceParameter](#)
  - [ResourcePerformer](#)
  - [ResourceRole](#)

**Commented [AM77]:** [UAF11-5](#) Text "SysML State Diagram" replaced by SysML State Machine Diagram.

**Deleted:** SysML State Diagram

**Commented [AM78]:** [UAF11-5](#) Diagram replaced by Personnel\_States.svg



- [PhysicalResource](#)
- [Post](#)
- [ResourcePerformer](#)
- [ResourceStateDescription](#)



- [InteractionRole](#)
- [InteractionScenario](#)
- [Organization](#)
- [OrganizationalResource](#)
- [Person](#)
- [PhysicalResource](#)
- [Post](#)
- [Process](#)
- [ResourceExchange](#)
- [ResourceExchangeItem](#)
- [ResourceInteractionScenario](#)
- [ResourceMessage](#)

## 2.4.7 View Specifications::Personnel::Constraints

Contains the diagrams that document the Personnel Constraints Viewpoint.


### 2.4.7.1 View Specifications::Personnel::Constraints::Personnel Constraints: Competence

Stakeholders: Systems engineers, Solution providers

Concerns: allocation of competencies to actual posts


Definition: specifies requirements for actual organizational resources – by linking competencies and actual posts.

Recommended Implementation: SysML Block Definition Diagram



- Deleted:**
- [Activity](#)
  - [DataElement](#)
  - [Function](#)
  - [Organization](#)
  - [OrganizationalResource](#)
  - [Person](#)
  - [PhysicalResource](#)
  - [Post](#)
  - [ResourceExchange](#)
  - [ResourceExchangeItem](#)
  - [ResourceMessage](#)
  - [ResourceMethod](#)
  - [ResourcePerformer](#)
  - [ResourceRole](#)
  - [Responsibility](#)

**Commented [AM82]:** UAF11-276 Diagram replaced by PersonnelCompetence.svg



**Deleted:**

Figure 2.32 - Personnel Constraints: Competence

Elements

- [ActualOrganization](#)
- [ActualOrganizationalResource](#)
- [ActualPerson](#)
- [ActualPost](#)

- [ActualResponsibility](#)
- [ActualResponsibleResource](#)
- [Competence](#)
- [CompetenceForRole](#)
- [CompetenceToConduct](#)
- [Function](#)
- [Organization](#)
- [OrganizationalResource](#)
- [Person](#)
- [PhysicalResource](#)
- [Post](#)
- [ProvidesCompetence](#)
- [RequiresCompetence](#)
- [ResourcePerformer](#)
- [ResourceRole](#)
- [Responsibility](#)

#### **2.4.7.2 View Specifications::Personnel::Constraints::Personnel Constraints: Drivers**

Stakeholders: Systems engineers, Solution providers, Human resources

Concerns: optimization of organizational resource behavior

Definition: captures the factors that affect, constrain and characterize organizational resource behavior as the basis for performance predictions at the level of actual persons and actual organizations. It creates a bridge between static architectural definitions and behavior predictions through executable models.

Recommended Implementation: tabular format, SysML Parametric Diagram, SysML Block Definition Diagram





Figure 2.33 - Personnel Constraints: Drivers

Elements

- [ActualMeasurement](#)
- [ActualMeasurementSet](#)
- [Function](#)
- [IsCapableToPerform](#)
- [MeasurableElement](#)
- [Measurement](#)
- [MeasurementSet](#)
- [Organization](#)
- [OrganizationalResource](#)
- [Person](#)
- [PhysicalResource](#)
- [Post](#)
- [Process](#)
- [ResourceConstraint](#)
- [ResourcePerformer](#)
- [Responsibility](#)
- [Rule](#)
- [SubjectOfResourceConstraint](#)

Commented [AM84]: UAF11-276 Updated Elements list

2.4.7.3 View Specifications::Personnel::Constraints::Personnel Constraints: Performance


Stakeholders: Human resources, solution providers.

Concerns: how well an actual organizational resource matches the needs of the actual organization


Definition: provides a repository for human-related measures (i.e., quality objectives and performance criteria (HFI values)), targets and competences.

Recommended Implementation: SysML Block Definition Diagram

- Deleted: • ~~[Activity](#)~~<sup>¶</sup>
- ~~[ActualMeasurement](#)~~<sup>¶</sup>
  - ~~[ActualMeasurementSet](#)~~<sup>¶</sup>
  - ~~[Function](#)~~<sup>¶</sup>
  - ~~[IsCapableToPerform](#)~~<sup>¶</sup>
  - ~~[MeasurableElement](#)~~<sup>¶</sup>
  - ~~[Measurement](#)~~<sup>¶</sup>
  - ~~[MeasurementSet](#)~~<sup>¶</sup>
  - ~~[Organization](#)~~<sup>¶</sup>
  - ~~[OrganizationalResource](#)~~<sup>¶</sup>
  - ~~[Person](#)~~<sup>¶</sup>
  - ~~[PhysicalResource](#)~~<sup>¶</sup>
  - ~~[Post](#)~~<sup>¶</sup>
  - ~~[ResourceConstraint](#)~~<sup>¶</sup>
  - ~~[ResourcePerformer](#)~~<sup>¶</sup>
  - ~~[Responsibility](#)~~<sup>¶</sup>
  - ~~[Rule](#)~~<sup>¶</sup>
  - ~~[SubjectOfResourceConstraint](#)~~<sup>¶</sup>



Commented [AM85]: UAF11-276 Diagram replaced by PersonnelPerformance.svg



Deleted:

Figure 2.34 - Personnel Constraints: Performance

Elements

Commented [AM86]: UAF11-276 Updated Elements list

- [ActivityPerformableUnderCondition](#)
- [ActualCondition](#)
- [ActualMeasurement](#)
- [ActualMeasurementSet](#)
- [ActualOrganizationalResource](#)
- [ActualPerson](#)
- [ActualPost](#)
- [ActualPropertySet](#)
- [ActualResource](#)
- [ActualResponsibleResource](#)
- [ActualState](#)
- [DesiredEffect](#)
- [Desirer](#)
- [Function](#)
- [IsCapableToPerform](#)
- [MeasurableElement](#)
- [Measurement](#)

- [MeasurementSet](#)
- [Organization](#)
- [OrganizationalResource](#)
- [Person](#)
- [PhysicalResource](#)
- [Post](#)
- [Process](#)
- [ResourcePerformer](#)
- [Responsibility](#)

## 2.4.8 View Specifications::Personnel::Roadmap

Contains the diagrams that document the Personnel Roadmap Viewpoint.

### 2.4.8.1 View Specifications::Personnel::Roadmap::Personnel Roadmap: Availability


Stakeholders: Human Resources, Training, Logisticians, Solution Providers

Concerns: the staffing and training of resources


Definition: defines the requirements and functions to ensure that actual persons with the right competencies, and in the right numbers, are available to fulfill actual posts.

Recommended Implementation: Timeline, SysML Block Definition Diagram

- Deleted:**
- ~~[Activity](#)~~
  - ~~[ActivityPerformableUnderCondition](#)~~
  - ~~[ActualMeasurement](#)~~
  - ~~[ActualMeasurementSet](#)~~
  - ~~[ActualOrganizationalResource](#)~~
  - ~~[ActualPerson](#)~~
  - ~~[ActualPost](#)~~
  - ~~[ActualPropertySet](#)~~
  - ~~[ActualResource](#)~~
  - ~~[ActualResponsibleResource](#)~~
  - ~~[ActualState](#)~~
  - ~~[Condition](#)~~
  - ~~[DesiredEffect](#)~~
  - ~~[Desire](#)~~
  - ~~[Function](#)~~
  - ~~[IsCapableToPerform](#)~~
  - ~~[MeasurableElement](#)~~
  - ~~[Measurement](#)~~
  - ~~[MeasurementSet](#)~~
  - ~~[Organization](#)~~
  - ~~[OrganizationalResource](#)~~
  - ~~[Person](#)~~
  - ~~[PhysicalResource](#)~~
  - ~~[Post](#)~~
  - ~~[ResourcePerformer](#)~~
  - ~~[Responsibility](#)~~



Commented [AM87]: UAF11-276 Diagram replaced by PersonnelAvailability.svg



Deleted:

Figure 2.35 - Personnel Roadmap: Availability

Elements

- [ActualMeasurement](#)
- [ActualOrganizationalResource](#)
- [ActualPerson](#)
- [ActualPost](#)
- [ActualProject](#)
- [ActualProjectMilestone](#)
- [ActualPropertySet](#)
- [ActualResource](#)
- [ActualResponsibleResource](#)
- [ActualState](#)

Commented [AM88]: UAF11-276 Elements list updated

- [Asset](#)
- [FillsPost](#)
- [Measurement](#)
- [OrganizationalResource](#)
- [Person](#)
- [PhysicalResource](#)
- [Post](#)
- [Project](#)
- [ProjectMilestone](#)
- [PropertySet](#)
- [ResourceAsset](#)
- [ResourcePerformer](#)

### 2.4.8.2 View Specifications::Personnel::Roadmap::Personnel Roadmap: Evolution

Stakeholders: Human resources, Solution Providers

Concerns: organizational structure changes over time

Definition: provides an overview of how a organizational structure changes over time. It shows the structure of several organizational structures mapped against a timeline.

Recommended Implementation: timeline, SysML Block Definition Diagram, SysML Internal Block Diagram




Figure 2.36 - Personnel Roadmap: Evolution


Elements

- [ActualProject](#)
- [ActualProjectMilestone](#)
- [MilestoneDependency](#)

Unified Architecture Framework (UAF), v1.0

- Deleted:**
- [ActualMeasurement](#)
  - [ActualOrganizationalResource](#)
  - [ActualPerson](#)
  - [ActualPost](#)
  - [ActualProject](#)
  - [ActualProjectMilestone](#)
  - [ActualPropertySet](#)
  - [ActualResource](#)
  - [ActualResponsibleResource](#)
  - [ActualState](#)
  - [Asset](#)
  - [Measurement](#)
  - [OrganizationalResource](#)
  - [Person](#)
  - [PhysicalResource](#)
  - [Post](#)
  - [Project](#)
  - [ProjectMilestone](#)
  - [PropertySet](#)
  - [ResourcePerformer](#)

**Commented [AM89]:** UAF11-276 Diagram replaced by PersonnelEvolution.svg



**Deleted:**

- [Organization](#)
- [OrganizationalResource](#)
- [Person](#)

- [PhysicalResource](#)
- [Post](#)
- [ResourcePerformer](#)
- [Responsibility](#)
- [VersionedElement](#)
- [VersionOfConfiguration](#)
- [VersionSuccession](#)
- [WholeLifeConfiguration](#)


### 2.4.8.3 View Specifications::Personnel::Roadmap::Personnel Roadmap: Forecast

Stakeholders: Human resources, Logisticians, Solution Providers


Concerns: competencies and skills forecast

Definition: defines the underlying current and expected supporting competencies and skills of organizational resources.

Recommended Implementation: timeline, tabular format, SysML Block Definition Diagram



Commented [AM90]: UAF11-276, UAF11-35 Diagram replaced by PersonnelForecast.svg




Deleted:

Figure 2.37 - Personnel Roadmap: Forecast

#### Elements

- [ActualEnterprisePhase](#)
- [ActualPropertySet](#)
- [ActualState](#)
- [Asset](#)
- [Competence](#)
- [Forecast](#)
- [Organization](#)
- [OrganizationalResource](#)
- [Person](#)



- [PhysicalResource](#)
- [Post](#)
- [ResourcePerformer](#)
- [Responsibility](#)
- [SubjectOfForecast](#)

## 2.4.9 View Specifications::Personnel::Traceability

Contains the diagrams that document the Personnel Traceability Viewpoint.

### 2.4.9.1 View Specifications::Personnel::Traceability::Personnel Traceability

Stakeholders: Systems Engineers, Enterprise Architects, Solution Providers, Business Architects

Concerns: traceability between operational activities and functions that implements them

Definition: depicts the mapping of functions (performed by organizational resources) to operational activities and thus identifies the transformation of an operational need into a purposeful function performed by an organizational resource or solution.

Recommended Implementation: Matrix format, SysML Block Definition Diagram




Figure 2.38 - Personnel Traceability

Elements

- [Function](#)
- [Implements](#)
- [OperationalActivity](#)
- [ServiceFunction](#)

## 2.5 View Specifications::Resources

Stakeholders: Systems Engineers, Resource Owners, Implementers, Solution Providers, IT Architects

Concerns: definition of solution architectures to implement operational requirements

Definition: captures a solution architecture consisting of resources, e.g., organizational, software, artifacts, capability configurations, natural resources that implement the operational requirements. Further design of a resource is typically detailed in SysML or UML.

## 2.5.1 View Specifications::Resources::Taxonomy

Contains the diagrams that document the Resources Taxonomy Viewpoint.


### 2.5.1.1 View Specifications::Resources::Taxonomy::Resources Taxonomy

Stakeholders: Solution Providers, Systems Engineers, IT Architects, Implementers


Concerns: resource types

Definition: shows the taxonomy of types of resources.

Recommended Implementation: SysML Block Definition Diagram



Commented [AM91]: UAF11-276 Figure 2.39 - Resources Taxonomy replaced by Resources\_Taxonomy.svg.




Deleted:

Figure 2.39 - Resources Taxonomy

Elements

- [Asset](#)
- [CapabilityConfiguration](#)
- [Implements](#)
- [Measurement](#)
- [NaturalResource](#)
- [OperationalAgent](#)
- [OperationalPerformer](#)
- [Organization](#)
- [OrganizationalResource](#)
- [Person](#)
- [PhysicalResource](#)



- [Post](#)
- [PropertySet](#)
- [ResourceArchitecture](#)
- [ResourceArtifact](#)
- [ResourceAsset](#)
- [ResourceExchange](#)
- [ResourceMitigation](#)
- [ResourcePerformer](#)
- [ResourceRole](#)
- [Responsibility](#)
- [Software](#)
- [System](#)

Commented [AM92]: [UAF11-276](#) ResourceAsset added to the list of Elements

## 2.5.2 View Specifications::Resources::Structure

Contains the diagrams that document the Resources Structure Viewpoint.

### 2.5.2.1 View Specifications::Resources::Structure::Resources Structure

Stakeholders: Systems Engineers, Resource Owners, Implementers, Solution Providers

Concerns: reference the resource structure, connectors and interfaces in a specific context



Definition: defines the physical resources, e.g., capability configuration(s)/system(s) and interactions necessary to implement a specific set of OperationalPerformer(s). Can be used to represent communications networks and pathways that link communications resources and provides details regarding their configuration.

Recommended Implementation: [SysML Internal Block Diagram](#), [SysML Block Definition Diagram](#)

Commented [AM93]: [UAF11-276](#) Text added “, SysML Block Definition Diagram.”

Deleted: SysML Internal Block Diagram

Commented [AM94]: [UAF11-276](#) Figure 2.40 - Resources Structure Replaced by Resources\_Structure.svg




Deleted:

Figure 2.40 - Resources Structure

Elements

- [Asset](#)

Unified Architecture Framework (UAF), v1.0



- [CapabilityConfiguration](#)
- [Measurement](#)
- [NaturalResource](#)
- [PhysicalResource](#)
- [PropertySet](#)
- [Protocol](#)
- [ProtocolImplementation](#)
- [ResourceArchitecture](#)
- [ResourceArtifact](#)
- [ResourceConnector](#)
- [ResourceExchange](#)
- [ResourceInterface](#)
- [ResourceMitigation](#)
- [ResourcePerformer](#)
- [ResourcePort](#)
- [ResourceRole](#)
- [Software](#)

### 2.5.3 View Specifications::Resources::Connectivity

Contains the diagrams that document the Resources Connectivity Viewpoint.

#### 2.5.3.1 View Specifications::Resources::Connectivity::Resources Connectivity

Stakeholders: Systems Engineers, IT Architects, Solution Providers, Implementers

Concerns: capture the interactions between resources


Definition: summarizes interactions between resources of information, systems, personnel, natural resources, etc. and the functions that produce and consume them. Measurements can optionally be included.

Recommended Implementation: [SysML Internal Block Diagram, tabular format](#)

**Commented [AM95]:** [UAF11-276](#) Text “tabular format” replaced by “SysML Internal Block Diagram, tabular format.”

**Deleted:** tabular format<sup>7</sup>

<sup>7</sup> UAF-2, UAF-21






Figure 2.41 - Resources Connectivity

Commented [AM96]: UAF11-276 Figure 2.41 - Resources Connectivity replaced by Resources\_Connectivity.svg

Deleted: <object>

Elements

Commented [AM97]: UAF11-276 Elements list updated according to Resources\_Connectivity.svg.

- [CapabilityConfiguration](#)
- [DataElement](#)
- [Exchange](#)
- [Function](#)
- [FunctionAction](#)
- [FunctionEdge](#)
- [GeoPoliticalExtentType](#)
- [IsCapableToPerform](#)
- [MeasurableElement](#)
- [Measurement](#)
- [MeasurementSet](#)
- [NaturalResource](#)
- [Organization](#)
- [OrganizationalResource](#)
- [Person](#)
- [PhysicalResource](#)
- [Post](#)
- [Process](#)
- [PropertySet](#)

- [Resource](#)
- [ResourceArchitecture](#)
- [ResourceArtifact](#)
- [ResourceConnector](#)
- [ResourceExchange](#)
- [ResourceExchangeItem](#)
- [ResourceInterface](#)
- [ResourceMitigation](#)
- [ResourcePerformer](#)
- [ResourcePort](#)
- [ResourceRole](#)
- [ResourceSignal](#)
- [Software](#)
- [Technology](#)

## 2.5.4 View Specifications::Resources::Processes

Contains the diagrams that document the Resources Processes Viewpoint.

### 2.5.4.1 View Specifications::Resources::Processes::Resources Processes

Stakeholders: Solution Providers, Systems Engineers, IT Architects

Concerns: captures activity based behavior and flows


Definition: describes the functions that are normally conducted in the course of implementing operational activity(ies) in support of capability(ies). It describes the functions, their Inputs/Outputs, function actions and flows between them.

Recommended Implementation: SysML Activity Diagram, SysML Block Definition Diagram


- Deleted:**
- [Activity](#)
  - [CapabilityConfiguration](#)
  - [Exchange](#)
  - [Function](#)
  - [FunctionAction](#)
  - [FunctionEdge](#)
  - [IsCapableToPerform](#)
  - [MeasurableElement](#)
  - [Measurement](#)
  - [MeasurementSet](#)
  - [NaturalResource](#)
  - [Organization](#)
  - [OrganizationalResource](#)

Unified Architecture Framework (UAF), v1.0 –51

- [Person](#)
- [PhysicalResource](#)
- [Post](#)
- [PropertySet](#)
- [Resource](#)
- [ResourceArchitecture](#)
- [ResourceArtifact](#)
- [ResourceConnector](#)
- [ResourceExchange](#)
- [ResourceExchangeItem](#)
- [ResourceInterface](#)
- [ResourceMitigation](#)
- [ResourcePerformer](#)
- [ResourcePort](#)
- [ResourceRole](#)
- [Software](#)
- [Technology](#)



Commented [AM98]: UAF11-2 Diagram changed by Resources\_Processes.svg



Deleted:

Figure 2.42 - Resources Processes

Elements

Commented [AM99]: UAF11-2 Elements list updated according the diagram Resources\_Processes.svg.

- [ActivityPerformableUnderCondition](#)
- [ActualCondition](#)
- [DataElement](#)
- [Function](#)
- [FunctionAction](#)
- [FunctionEdge](#)
- [Implements](#)
- [OperationalActivity](#)
- [PerformsInContext](#)
- [PhysicalResource](#)
- [Process](#)
- [ProcessEdge](#)
- [ProcessParameter](#)
- [ProcessUsage](#)
- [ResourceArchitecture](#)
- [ResourceExchange](#)
- [ResourceExchangeItem](#)
- [ResourceParameter](#)
- [ResourcePerformer](#)
- [ResourceRole](#)
- [UML2.5Metamodel::Activity](#)
- [UML2.5Metamodel::ActivityEdge](#)

- [UML2.5Metamodel::CallBehaviorAction](#)
- [UML2.5Metamodel::Parameter](#)

**View Specifications::Resources::Processes::Resources Processes BPMN Semantics**

Stakeholders: Solution Providers, IT Architects.

Concerns: captures activity based behavior and flows using BPMN.

Definition: describes the functions that are normally conducted in the course of implementing operational activity(ies) in support of capability(ies). It describes the functions, their Inputs/Outputs, function actions and flows between them using BPMN.

Recommended Implementation: BPMN Process Diagram.




Figure 8:45 - Resources Processes BPMN Semantics

**Elements**

- [ActivityPerformableUnderCondition](#)
- [AssetRole](#)
- [BPMN2Metamodel::BPMNMessage](#)
- [BPMN2Metamodel::CallActivity](#)
- [BPMN2Metamodel::MessageFlow](#)
- [BPMN2Metamodel::Process](#)
- [BPMN2Metamodel::ResourceRole](#)
- [BPMN2Metamodel::SequenceFlow](#)

**Deleted:**

- [Activity](#)
- [ActivityPerformableUnderCondition](#)
- [Condition](#)
- [DataElement](#)
- [Function](#)
- [FunctionAction](#)
- [FunctionEdge](#)
- [Implements](#)
- [OperationalActivity](#)
- [PerformsInContext](#)
- [PhysicalResource](#)
- [ResourceArchitecture](#)
- [ResourceExchange](#)
- [ResourceExchangeItem](#)
- [ResourceParameter](#)
- [ResourcePerformer](#)
- [ResourceRole](#)

**Commented [AM100]:** UAF11-1 Section added to explain relationship between UAF metamodel and BPMN.

- [DataElement](#)
- [Exchange](#)
- [ExchangeItem](#)
- [Function](#)
- [FunctionAction](#)
- [FunctionEdge](#)
- [Implements](#)
- [OperationalActivity](#)
- [PerformsInContext](#)
- [PhysicalResource](#)
- [Process](#)
- [ProcessEdge](#)
- [ProcessUsage](#)
- [ResourceArchitecture](#)
- [ResourceExchange](#)
- [ResourceExchangeItem](#)
- [ResourceParameter](#)
- [ResourcePerformer](#)
- [ResourceRole](#)

### **2.5.5 View Specifications::Resources::States**

Contains the diagrams that document the Resources States Viewpoint.

### 2.5.5.1 View Specifications::Resources::States::Resources States

Stakeholders: Systems Engineers, Software Engineers

Concerns: capture state-based behavior of a resource

Definition: it is a graphical representation of states of a resource and how that resource responds to various events and actions.

Recommended Implementation: SysML State **Machine** Diagram




Figure 2.43 - Resources States

Elements

- [ResourcePerformer](#)
- [ResourceStateDescription](#)
- [StateDescription](#)
- [UML2.5Metamodel::StateMachine](#)

### 2.5.6 View Specifications::Resources::Interaction Scenarios

Contains the diagrams that document the Resources Interaction Scenarios Viewpoint.

#### 2.5.6.1 View Specifications::Resources::Interaction Scenarios::Resources Interaction Scenarios

Stakeholders: Software Engineers, Systems Engineers


Concerns: interactions between resources (roles)

Definition: provides a time-ordered examination of the interactions between resources.


Recommended Implementation: SysML Sequence Diagram

Commented [AM101]: [UAF11-5](#) Text "Machine" added.

Commented [AM102]: [UAF11-5](#) Diagram replaced by Resources\_States.svg.



Commented [AM103]: [UAF11-5](#) State Description and UML2.5Metamodel::StateMachine added to the Elements list.



Commented [AM104]: [UAF11-2](#) Diagram replaced by Resources\_Interaction\_Scenarios.svg




Figure 2.44 - Resources Interaction Scenarios

## Elements

- [Function](#)
- [InteractionMessage](#)
- [InteractionRole](#)
- [InteractionScenario](#)
- [ResourceExchange](#)
- [ResourceInteractionScenario](#)
- [ResourceMessage](#)
- [ResourceMethod](#)
- [ResourcePerformer](#)
- [ResourceRole](#)
- [UML2.5Metamodel::Interaction](#)
- [UML2.5Metamodel::Lifeline](#)
- [UML2.5Metamodel::Message](#)

**Commented [AM105]:** [UAF11-2](#) Elements list updated according to Resources\_Interaction\_Scenarios.svg

## 2.5.7 View Specifications::Resources::Constraints

Contains the diagrams that document the Resources Constraints Viewpoint.

### 2.5.7.1 View Specifications::Resources::Constraints::Resources Constraints


Stakeholders: Systems Engineers, IT Architects, Solution Providers, Implementers

Concerns: define limitations, constraints and performance parameters for resources, their interactions, performed functions, and data


Definition: specifies traditional textual rules/non-functional requirements that are constraints on resources, their interactions, performed functions, and data. The addition of SysML parametrics provide a computational means of defining resource constraints within a specific context.

Recommended Implementation: tabular format, SysML Block Definition Diagram, SysML Parametric Diagram, OCL

**Deleted:** • [Activity](#)  
• [Function](#)  
• [ResourceExchange](#)  
• [ResourceExchangeItem](#)  
• [ResourceMessage](#)  
• [ResourceMethod](#)  
• [ResourcePerformer](#)  
• [ResourceRole](#)



Commented [AM106]: UAF11-276 Figure 2.45 - Resources Constraints diagram replaced by Resources Constraints.svg



Deleted:

Figure 2.45 - Resources Constraints

## Elements

- [ActualResource](#)
- [CapabilityConfiguration](#)
- [DataElement](#)
- [Function](#)
- [NaturalResource](#)
- [Organization](#)
- [OrganizationalResource](#)
- [Person](#)
- [PhysicalResource](#)
- [Post](#)
- [ResourceArchitecture](#)
- [ResourceArtifact](#)
- [ResourceConstraint](#)
- [ResourcePerformer](#)
- [ResourceRole](#)
- [Responsibility](#)
- [Rule](#)
- [SubjectOfResourceConstraint](#)

**Commented** [AM107]: [UAF11-276](#) ConstraintBlock removed from the list of Elements.

**Deleted:** •--ConstraintBlock

### 2.5.8 View Specifications::Resources::Roadmap

Contains the diagrams that document the Resources Roadmap Viewpoint.


#### 2.5.8.1 View Specifications::Resources::Roadmap::Resources Roadmap: Evolution

Stakeholders: Systems Engineers, IT Architects, Solution Providers, Implements


Concerns: resource structure changes over time

Definition: provides an overview of how a resource structure changes over time. It shows the structure of several resources mapped against a timeline.

Recommended Implementation: timeline, SysML Block Definition Diagram, SysML Internal Block Diagram



Commented [AM108]: UAF11-276 Figure 2.46 - Resources Roadmap: Evolution replaced by ResourcesEvolution.svg



Deleted:

Figure 2.46 - Resources Roadmap: Evolution

Elements

- [ActualProject](#)
- [ActualProjectMilestone](#)
- [MilestoneDependency](#)
- [ResourcePerformer](#)
- [VersionedElement](#)
- [VersionOfConfiguration](#)
- [VersionSuccession](#)
- [WholeLifeConfiguration](#)


2.5.8.2 View Specifications::Resources::Roadmap::Resources Roadmap: Forecast

Stakeholders: Solution Providers, Systems Engineers, IT Architects


Concerns: technology forecast

Definition: defines the underlying current and expected supporting technologies. Expected supporting technologies are those that can be reasonably forecast given the current state of technology, and expected improvements / trends.

Recommended Implementation: timeline, tabular format, SysML Block Definition Diagram



Commented [AM109]: [UAF11-276](#), [UAF11-35](#) Figure 2.47 - Resources Roadmap: Forecast replaced by ResourcesForecast.svg



Deleted:

Figure 2.47 - Resources Roadmap: Forecast

Elements

- [ActualEnterprisePhase](#)
- [ActualPropertySet](#)
- [ActualState](#)
- [CapabilityConfiguration](#)
- [Forecast](#)
- [NaturalResource](#)
- [PhysicalResource](#)
- [ResourceArchitecture](#)
- [ResourceArtifact](#)
- [ResourceMitigation](#)
- [ResourcePerformer](#)
- [Software](#)
- [SubjectOfForecast](#)
- [Technology](#)

2.5.9 View Specifications::Resources::Traceability

Contains the diagrams that document the Resources Traceability Viewpoint.


### 2.5.9.1 View Specifications::Resources::Traceability::Resources Traceability

Stakeholders: Systems Engineers, Enterprise Architects, Solution Providers, Business Architects

Concerns: traceability between operational activities and functions that implements them

Definition: depicts the mapping of functions to operational activities and thus identifies the transformation of an operational need into a purposeful function performed by a resource or solution.

Recommended Implementation: Matrix format, SysML Block Definition Diagram



Commented [AM110]: UAF11-276 Figure 2.48 - Resources Traceability Resources\_Traceability.svg




Figure 2.48 - Resources Traceability

#### Elements

- [Capability](#)
- [CapableElement](#)
- [Exhibits](#)
- [Function](#)
- [Implements](#)
- [IsCapableToPerform](#)
- [OperationalActivity](#)
- [OperationalAgent](#)
- [ResourcePerformer](#)
- [ServiceFunction](#)

Commented [AM111]: UAF11-276 List of Elements updated according Resources\_Traceability.svg

- Deleted: • [Function](#)
- ~~[Implements](#)~~
  - ~~[IsCapableToPerform](#)~~
  - ~~[OperationalActivity](#)~~
  - ~~[OperationalAgent](#)~~
  - ~~[ResourcePerformer](#)~~
  - ~~[ServiceFunction](#)~~


## 2.6 View Specifications::Security

Stakeholders: Security Architects, Security Engineers, Systems Engineers, Operational Architects

Concerns: addresses the security constraints and information assurance attributes that exist on exchanges between resources and OperationalPerformers.

Definition: illustrates the security assets, security constraints, security controls, families, and measures required to address

specific security concerns.



## 2.6.1 View Specifications::Security::Taxonomy

Contains the diagrams that document the Security Taxonomy Viewpoint.

### 2.6.1.1 View Specifications::Security::Taxonomy::Security Taxonomy

Stakeholders: Security Architects, Security Engineers, Systems Engineers, Operational Architects

Concerns: Security assets and security enclaves

Definition: Defines the hierarchy of security assets and asset owners that are available to implement security, security constraints (policy, guidance, laws and regulations) and details where they are located (security enclaves).

Recommended Implementation: SysML Internal Block Diagram, SysML Block Definition Diagram





Figure 2.49 - Security Taxonomy

#### Elements

- [ActualLocation](#)
- [Asset](#)
- [DataElement](#)
- [InformationElement](#)
- [LocationHolder](#)
- [Measurement](#)
- [MeasurementSet](#)
- [OperationalAgent](#)
- [OperationalArchitecture](#)

Commented [AM112]: UAF11-276 Figure 2.49 - Security Taxonomy replaced by Security\_Taxonomy.svg



Commented [AM113]: UAF11-276 Elements list updated according the Security\_Taxonomy.svg diagram.



Figure 2.50 - Security Structure

Elements

- [Asset](#)
- [DataElement](#)
- [DataRole](#)
- [InformationElement](#)
- [InformationRole](#)
- [OperationalAgent](#)
- [OperationalAsset](#)
- [OperationalConnector](#)
- [OperationalExchange](#)
- [OperationalPerformer](#)
- [OperationalPort](#)
- [OperationalRole](#)
- [ResourceAsset](#)
- [ResourceConnector](#)
- [ResourceExchange](#)
- [ResourcePerformer](#)
- [ResourcePort](#)
- [ResourceRole](#)
- [SecurityCategory](#)

### 2.6.3 View Specifications::Security::Connectivity

Contains the diagrams that document the Security Connectivity Viewpoint.

#### 2.6.3.1 View Specifications::Security::Connectivity::Security Connectivity

Stakeholders: Security Architects, Security Engineers

Concerns: Addresses the security constraints and information assurance attributes that exist on exchanges across resources and across performers.

Definition: Lists security exchanges across security assets; the applicable security controls; and the security enclaves that house the producers and consumers of the exchanges. Measurements can optionally be included.

Recommended Implementation: SysML Internal Block Diagram, tabular format

**Commented [AM115]:** UAF11-204. List updated according to the diagram.

- ~~Asset~~
- ~~DataElement~~
- ~~InformationElement~~
- ~~OperationalAgent~~
- ~~OperationalConnector~~
- ~~OperationalExchange~~
- ~~OperationalPerformer~~
- ~~OperationalPort~~
- ~~OperationalRole~~
- ~~ResourceConnector~~
- ~~ResourceExchange~~
- ~~ResourcePerformer~~
- ~~ResourcePort~~
- ~~ResourceRole~~
- ~~SecurityCategory~~
- ~~SecurityProperty~~

**Commented [AM116]:** UAF11-204

~~Recommended Implementation: tabular format...~~

~~Deleted:~~



- [SecurityConstraint](#)
- [SubjectOfSecurityConstraint](#)

## 2.6.4 View Specifications::Security::Processes

Contains the diagrams that document the Security Processes Viewpoint.

### 2.6.4.1 View Specifications::Security::Processes::Security Processes

Stakeholders: Security Architects, Security Engineers

Concerns: The specification of the Security Control families, security controls, and measures required to address a specific security baseline.

Definition: Provides a set of Security Controls and any possible enhancements as applicable to assets. The activity diagram describes operational or resource level processes that apply (operational level) or implement (resource level) security controls/enhancements to assets located in enclaves and across enclaves. This Security Process view can be instantiated either as a variant of an activity/flow diagram or as a hierarchical work breakdown structure.


Recommended Implementation: SysML Activity Diagram, SysML Block Definition Diagram, [BPMN Process Diagram as described in Operational Processes and Resources Processes sections.](#)

**Commented [AM118]:** UAF11-204. Updated list of elements.

- Deleted:**
- ~~[Asset](#)~~
  - ~~[Caveat](#)~~
  - ~~[MeasurableElement](#)~~
  - ~~[MeasurementSet](#)~~
  - ~~[OperationalAgent](#)~~
  - ~~[OperationalConnector](#)~~
  - ~~[OperationalExchange](#)~~
  - ~~[OperationalExchangeItem](#)~~
  - ~~[OperationalInterface](#)~~
  - ~~[OperationalPort](#)~~
  - ~~[OperationalPerformer](#)~~
  - ~~[OperationalRole](#)~~
  - ~~[ResourceConnector](#)~~
  - ~~[ResourceExchange](#)~~
  - ~~[ResourceExchangeItem](#)~~
  - ~~[ResourceInterface](#)~~
  - ~~[ResourceInterface](#)~~
  - ~~[ResourcePerformer](#)~~
  - ~~[ResourcePort](#)~~
  - ~~[ResourceRole](#)~~
  - ~~[SecurityConstraint](#)~~
  - ~~[SubjectOfSecurityConstraint](#)~~

**Commented [AM119]:** [UAF11-1](#) Text added to explain UAF metamodel relationship to the BPMN metamodel.





2.52 - Security Processes

Figure

Elements

- [Function](#)
- [FunctionAction](#)
- [IsCapableToPerform](#)
- [MeasurableElement](#)
- [MeasurementSet](#)
- [OperationalActivity](#)
- [OperationalActivityAction](#)
- [OperationalAgent](#)
- [OperationalRole](#)
- [PerformsInContext](#)
- [Process](#)
- [ResourcePerformer](#)
- [ResourceRole](#)
- [SecurityProcess](#)
- [SecurityProcessAction](#)

Commented [AM120]: [UAF11-276](#) Figure 2.52 - Security Processes replaced by Security\_Processes.svg

Deleted: <object>

Commented [AM121]: [UAF11-276](#) Elements list updated according to Security\_Processes.svg

- Deleted: • ~~[Activity](#)~~
- ~~[Asset](#)~~
  - ~~[EnhancedSecurityControl](#)~~
  - ~~[Enhances](#)~~
  - ~~[Function](#)~~
  - ~~[FunctionAction](#)~~
  - ~~[IsCapableToPerform](#)~~
  - ~~[MeasurableElement](#)~~
  - ~~[MeasurementSet](#)~~
  - ~~[OperationalActivity](#)~~
  - ~~[OperationalActivityAction](#)~~
  - ~~[OperationalAgent](#)~~

- [OperationalRole](#)
- [PerformsInContext](#)
- [Protects](#)
- [ProtectsInContext](#)
- [ResourcePerformer](#)
- [ResourceRole](#)
- [SecurityControl](#)
- [SecurityControlAction](#)
- [SecurityControlFamily](#)

## 2.6.5 View Specifications::Security::Constraints

Contains the diagrams that document the Security Constraints Viewpoint.

### 2.6.5.1 View Specifications::Security::Constraints::Security Constraints

Stakeholders: Security Architects, Security Engineers, Risk Analysts

Concerns: (i) Security-related policy, guidance, laws and regulations as applicable to assets, (ii) threats, vulnerabilities, and risk assessments as applicable to assets

Definition: (i) Specifies textual rules/non-functional requirements that are security constraints on resources, information and data (e.g., security-related in the form of rules (e.g., access control policy). A common way of representing access control policy is through the use of XACML (eXtensible Access Control Markup Language), it is expected that implementations of UAF allow users to link security constraints to external files represented in XACML. (ii) Identifies risks, specifies risk likelihood, impact, asset criticality, other measurements and enables risk assessment.

Recommended Implementation: tabular or Matrix format, SysML Block Definition Diagram, SysML Parametric Diagram, or OCL



- [EnhancedSecurityControl](#)
- [Enhances](#)
- [Measurement](#)
- [Mitigates](#)
- [OperationalAgent](#)
- [OperationalRole](#)
- [OrganizationalResource](#)
- [OwnsRisk](#)
- [OwnsRiskInContext](#)
- [PropertySet](#)
- [Protects](#)
- [ProtectsInContext](#)
- [ResourcePerformer](#)
- [ResourceRole](#)
- [Risk](#)
- [Rule](#)
- [Satisfy](#)
- [SecurityConstraint](#)
- [SecurityControl](#)
- [SecurityControlFamily](#)
- [SecurityProcess](#)
- [SubjectOfSecurityConstraint](#)

## 2.6.6 View Specifications::Security::Traceability

Contains the diagrams that document the Security Traceability Viewpoint.

### 2.6.6.1 View Specifications::Security::Traceability::Security Traceability

Stakeholders: Security Architects, Security Engineers, Risk Analysts

Concerns: traceability between risk and risk owner, risk mitigations, and affected asset roles

Definition: depicts the mapping of a risk to each of the following: risk owner, risk mitigations, and affected asset roles.

Recommended Implementation: Matrix format, SysML Block Definition Diagram.

- Deleted:**
- ~~[ActualMeasurement](#)~~
  - ~~[ActualPropertySet](#)~~
  - ~~[ActualResource](#)~~
  - ~~[ActualResponsibleResource](#)~~
  - ~~[ActualRisk](#)~~
  - ~~[Affects](#)~~
  - ~~[Asset](#)~~
  - ~~[AssetRole](#)~~
  - ~~[Measurement](#)~~
  - ~~[OperationalAgent](#)~~
  - ~~[OperationalRole](#)~~
  - ~~[PropertySet](#)~~
  - ~~[ResourcePerformer](#)~~
  - ~~[ResourceRole](#)~~
  - ~~[Risk](#)~~
  - ~~[Rule](#)~~
  - ~~[SecurityConstraint](#)~~
  - ~~[SubjectOfSecurityConstraint](#)~~



## 2.7.1 View Specifications::Project::Taxonomy


Contains the diagrams that document the Project Taxonomy Viewpoint.

### 2.7.1.1 View Specifications::Project::Taxonomy::Project Taxonomy

Stakeholders: PMs, Project Portfolio Managers, Enterprise Architects. Concerns: types of projects and project milestones

Definition: shows the taxonomy of types of projects and project milestones.

Recommended Implementation: SysML Block Definition Diagram



Commented [AM126]: UAF11-276 Figure 2.55 - Project Taxonomy replaced by Project\_Taxonomy.svg




Figure 2.55 - Project Taxonomy

Elements

- [ActualProject](#)
- [ActualProjectMilestone](#)
- [MilestoneDependency](#)
- [Project](#)
- [ProjectMilestone](#)
- [ProjectMilestoneRole](#)
- [ProjectSequence](#)



- ResourceRole<sup>8</sup>
- [ResponsibleFor](#)
- [StatusIndicators](#)

### 2.7.3 View Specifications::Project::Connectivity

Contains the diagrams that document the Project Connectivity Viewpoint.

#### 2.7.3.1 View Specifications::Project::Connectivity::Project Connectivity

Stakeholders: PMs.

Concerns: relationships between projects and project milestones

Definition: shows how projects and project milestones are related in sequence.

Recommended Implementation: SysML Block Definition Diagram





Figure 2.57 - Project Connectivity

Elements

- [Project](#)
- [ProjectMilestone](#)
- [ProjectMilestoneRole](#)
- [ResourcePerformer](#)

<sup>8</sup> UAF-43 add hyperlinked ResourceRole to elements list

Commented [AM128]: [UAF11-276](#) Figure 2.57 - Project Connectivity replaced by Project\_Connectivity.svg



Deleted:

## 2.7.4 View Specifications::Project::Processes

Contains the diagrams that document the Project Processes Viewpoint.


### 2.7.4.1 View Specifications::Project::Processes::Project Processes

Stakeholders: PMs

Concerns: captures project tasks (ProjectActivities) and flows between them


Definition: describes the ProjectActivities that are normally conducted in the course of projects to support capability(ies) and implement resources. It describes the ProjectActivities, their Inputs/Outputs, ProjectActivityActions and flows between them.

Recommended Implementation: SysML Activity Diagram, SysML Block Definition Diagram, [BPMN Process Diagram as described in Resources Processes section.](#)



Commented [AM129]: UAF11-1 Text added ", BPMN Process Diagram as described in Resources Processes section."

Commented [AM130]: UAF11-276 Figure 2.58 - Project Processes replaced by Project\_Processes.svg




Deleted:

Figure 2.58 - Project Processes

Elements

- [ActualProject](#)
- [DataElement](#)
- [Function](#)
- [FunctionAction](#)
- [FunctionEdge](#)
- [GeoPoliticalExtentType](#)

- [IsCapableToPerform](#)
- [Organization](#)



- [OrganizationalResource](#)
- [PerformsInContext](#)
- [PhysicalResource](#)
- [Post](#)
- [Project](#)
- [ProjectActivity](#)
- [ProjectActivityAction](#)
- [ResourceExchange](#)
- [ResourceExchangeItem](#)
- [ResourcePerformer](#)
- [ResourceRole](#)
- [ResourceSignal](#)

## 2.7.5 View Specifications::**Project::Roadmap**

Contains the diagrams that document the Project Roadmap Viewpoint.


### 2.7.5.1 View Specifications::**Project::Roadmap::Project Roadmap**

Stakeholders: PMs, Capability Owners, Solution Providers, Enterprise Architects


Concerns: the product portfolio management; a planning of capability delivery

Definition: provides a timeline perspective on programs or projects.

Recommended Implementation: timeline, tabular format, SysML Block Definition Diagram



Commented [AM131]: UAF11-276 Figure 2.59 - Project Roadmap replaced by Project\_Roadmap.svg



Deleted:

Figure 2.59 - Project Roadmap

Elements

- [ActualProject](#)
- [ActualProjectMilestone](#)
- [ActualProjectMilestoneRole](#)
- [ActualPropertySet](#)
- [ActualResource](#)
- [ActualState](#)
- [CapabilityConfiguration](#)
- [FieldedCapability](#)
- [MilestoneDependency](#)
- [Project](#)
- [ProjectMilestone](#)
- [ProjectMilestoneRole](#)
- [ProjectSequence](#)
- [ProjectStatus](#)
- [ProjectTheme](#)
- [ResourceArchitecture](#)
- [ResourcePerformer](#)
- [StatusIndicators](#)

## 2.7.6 View Specifications::Project::Traceability

Contains the diagrams that document the Project Traceability Viewpoint.


### 2.7.6.1 View Specifications::Project::Traceability::Project Traceability

Stakeholders: PMs, Project Portfolio Managers, Enterprise Architects

Concerns: traceability between capabilities and projects that deliver them

Definition: depicts the mapping of projects to capabilities and thus identifies the transformation of a capability(ies) into a purposeful implementation via projects.

Recommended Implementation: Matrix format, SysML Block Definition Diagram



Commented [AM132]: UAF11-276 Figure 2.60 - Project Traceability replaced by Project\_Traceability.svg




Figure 2.60 - Project Traceability

Elements

- [ActualProject](#)
- [ActualProjectMilestone](#)
- [ActualResource](#)
- [Capability](#)
- [CapableElement](#)
- [Exhibits](#)
- [ResourcePerformer](#)

## 2.8 View Specifications::Standards

Stakeholders: Solution Providers, Systems Engineers, Software Engineers, Systems Architects, Business Architects

Concerns: technical and non-technical Standards applicable to the architecture

Definition: shows the technical, operational, and business Standards applicable to the architecture. Defines the underlying current and expected Standards.

Unified Architecture Framework (UAF), v1.0

## 2.8.1 View Specifications::Standards::Taxonomy

Contains the diagrams that document the Standards Taxonomy Viewpoint.


### 2.8.1.1 View Specifications::Standards::Taxonomy::Standards Taxonomy

Stakeholders: Solution Providers, Systems Engineers, Software Engineers, Systems Architects, Business Architects


Concerns: technical and non-technical standards, guidance and policy applicable to the architecture

Definition: shows the taxonomy of types of technical, operational, and business standards, guidance and policy applicable to the architecture.

Recommended Implementation: SysML Block Definition Diagram



Commented [AM133]: UAF11-276 Figure 2.61 - Standards Taxonomy replaced by Standards\_Taxonomy.svg



Deleted:

Figure 2.61 - Standards Taxonomy

Elements


- [ActualOrganization](#)
- [CapabilityConfiguration](#)
- [Protocol](#)
- [ProtocolStack](#)
- [ResourceArchitecture](#)
- [ResourcePerformer](#)
- [Standard](#)
- [StandardOperationalActivity](#)
- [UAFElement](#)

## 2.8.2 View Specifications::Standards::Structure

Contains the diagrams that document the Standards Structure Viewpoint.

### 2.8.2.1 View Specifications::Standards::Structure::Standards Structure

Stakeholders: Solution Providers, Systems Engineers, Software Engineers, Systems Architects  
 Concerns: the specification of the protocol stack used in the architecture  
 Definition: shows the composition of standards required to achieve the architecture's objectives.  
 Recommended Implementation: SysML Internal Block Diagram



Commented [AM134]: UAF11-276 Figure 2.62 - Standards Structure replaced by Standards\_Structure.svg




Figure 2.62 - Standards Structure

Elements


- [Protocol](#)
- [ProtocolLayer](#)
- [ProtocolStack](#)
- [Standard](#)

## 2.8.3 View Specifications::Standards::Roadmap


Contains the diagrams that document the Standards Roadmap Viewpoint.

### 2.8.3.1 View Specifications::Standards::Roadmap::Standards Roadmap

Stakeholders: Solution Providers, Systems Engineers, Systems Architects, Software Engineers, Business Architects  
 Concerns: expected changes in technology-related standards and conventions, operational standards, or business standards and conventions  
 Definition: defines the underlying current and expected standards. Expected standards are those that can be reasonably forecast given the current state of technology, and expected improvements / trends.  
 Recommended Implementation: timeline, tabular format, SysML Block Definition Diagram



Commented [AM135]: UAF11-276, UAF11-35, Figure 2.63 - Standards Roadmap replaced by Standards\_Roadmap.svg



Deleted:

Figure 2.63 - Standards Roadmap

Elements

- [ActualEnterprisePhase](#)
- [Forecast](#)
- [Protocol](#)
- [Standard](#)
- [SubjectOfForecast](#)

## 2.8.4 View Specifications::Standards::Traceability


Contains the diagrams that document the Standards Traceability Viewpoint.

### 2.8.4.1 View Specifications::Standards::Traceability::Standards Traceability


Stakeholders: Solution Providers, Systems Engineers, Software Engineers, Systems Architects, Business Architects  
 Concerns: standards that need to be taken into account to ensure the interoperability of the implementation of architectural elements.

Definition: shows the applicability of standards to specific elements in the architecture.

Recommended Implementation: tabular format, matrix format, SysML Block Definition Diagram




Commented [AM136]: Figure 2.64 - Standards Traceability replaced by Standards\_Roadmap.svg



Deleted:

Figure 2.64 - Standards Traceability



Elements

- [Protocol](#)
- [Standard](#)
- [UAFElement](#)

## 2.9 View Specifications::Actual Resources

Stakeholders: Solution Providers, Systems Engineers, Business Architects, Human Resources

Concerns: the analysis, e.g., evaluation of different alternatives, what-if, trade-offs, V&V on the actual resource configurations.

Definition: illustrates the expected or achieved actual resource configurations and actual relationships between them.

### 2.9.1 View Specifications::Actual Resources::Taxonomy

Contains the diagrams that document the Actual Resources Taxonomy Viewpoint.

#### 2.9.1.1 View Specifications::Actual Resources::Taxonomy::Actual Resources Taxonomy

Stakeholders: Solution Providers, Systems Engineers, Human Resources, Business Architects

Concerns: the hierarchy of control within actual organizations, between actual posts and actual persons filling those actual posts that affect the architecture and how it is used. It is the instance version of the personnel structure which defines the types of organizations and post, etc.

Definition: illustrates the actual organizational structure and relationships among actual organizations, actual posts, and actual persons filling those actual post, that are the key players in the architecture.

Recommended Implementation: SysML Block Definition Diagram, SysML Internal Block Diagram




Figure 2.65 - Actual Resources Taxonomy

## Elements

- [ActualMeasurement](#)
- [ActualOrganization](#)
- [ActualOrganizationalResource](#)
- [ActualPerson](#)
- [ActualPost](#)
- [ActualPropertySet](#)
- [ActualResource](#)
- [ActualResponsibility](#)
- [ActualResponsibleResource](#)
- [CapabilityConfiguration](#)
- [FieldedCapability](#)
- [Organization](#)
- [Person](#)
- [Post](#)
- [ResourcePerformer](#)
- [Responsibility](#)

## 2.9.2 View Specifications::Actual Resources::Structure

Contains the diagrams that document the Actual Resources Structure Viewpoint.

### 2.9.2.1 View Specifications::Actual Resources::Structure::Actual Resources Structure

Stakeholders: Solution Providers, Systems Engineers, Business Architects.


Concerns: the analysis, e.g. evaluation of different alternatives, what-if, trade-offs, V&V on the actual resource configurations as it provides a means to capture different solution architectures. The detailed analysis (trade-off, what-if etc.) is carried out using the Resource Constraints view.

Definition: illustrates the expected or achieved actual resource configurations required to meet an operational need.


Recommended Implementation: SysML Block Definition Diagram.

**Commented [AM137]:** [UAF11-276](#) – “SysML Internal Block Diagram” removed from Recommended Implementations list.

**Deleted:** Stakeholders: Solution Providers, Systems Engineers, Business Architects<sup>¶</sup>  
Concerns: the analysis, e.g., evaluation of different resource configurations as it provides a means to capture different solution architectures. The detailed analysis (trade-off, what-if, etc.) is carried out using the Resource Constraints view.<sup>¶</sup>  
Definition: illustrates the expected or achieved actual resource configurations required to meet an operational need.  
Recommended Implementation: SysML Block Definition Diagram, SysML Internal Block Diagram<sup>¶</sup>



Commented [AM138]: UAF11-276 diagram replaced by Actual\_Resources\_Structure.svg



Deleted:

Figure 2.66 - Actual Resources Structure

Elements

- [ActualOrganization](#)
- [ActualOrganizationalResource](#)
- [ActualPerson](#)
- [ActualPost](#)
- [ActualResource](#)
- [ActualResponsibility](#)
- [ActualResponsibleResource](#)
- [CapabilityConfiguration](#)
- [FieldedCapability](#)
- [Organization](#)
- [Person](#)
- [Post](#)
- [ResourcePerformer](#)
- [Responsibility](#)

Commented [AM139]: UAF11-276 Competence, Provided Competence and ResponsibleFor removed from Elements list

Deleted: • ~~Competence~~

Deleted: • ~~ProvidesCompetence~~

Deleted: • ~~ResponsibleFor~~

2.9.3 View Specifications::Actual Resources::Connectivity

Contains the diagrams that document the Actual Resources Connectivity Viewpoint.


**2.9.3.1 View Specifications::Actual Resources::Connectivity::Actual Resources Connectivity**

Stakeholders: Solution Providers, Systems Engineers, Business Architects

Concerns: the communication of actual resource

Definition: illustrates the actual resource configurations and actual relationships between them.

Recommended Implementation: tabular format, SysML Block Definition Diagram, SysML Internal Block Diagram, SysML Sequence Diagram



Commented [AM140]: UAF11-276 Figure 2.67 - Actual Resources Connectivity replaced by Actual\_Resources\_Connectivity.svg




Figure 2.67 - Actual Resources Connectivity

Elements

- [ActualOrganization](#)
- [ActualOrganizationalResource](#)
- [ActualPerson](#)
- [ActualPost](#)
- [ActualResource](#)
- [ActualResourceRelationship](#)
- [ActualResponsibility](#)
- [ActualResponsibleResource](#)
- [FieldedCapability](#)

Commented [AM141]: UAF11-128 Section added including diagram Actual\_Resources\_Traceability.svg

**View Specifications::Actual Resources::Traceability**

Contains the diagrams that document the Actual Resources Traceability Viewpoint.


**View Specifications::Actual Resources::Traceability::Actual Resources Traceability**

Stakeholders: Systems Engineers, Enterprise Architects, Solution Providers, Business Architects.

Concerns: traceability between operational activities and functions that implements them.

Definition: depicts the mapping of functions to operational activities and thus identifies the transformation of an operational

need into a purposeful function performed by a resource or solution.  
Recommended Implementation: Matrix format, SysML Block Definition Diagram.



**Figure 8:70 - Actual Resources Traceability**

Elements

- ActualResource
- Capability
- CapableElement
- Exhibits

## 2.10 View Specifications::Dictionary

Stakeholders: Architects, users of the architecture, Capability Owners, Systems Engineers, Solution Providers

Concerns: Definitions for all the elements in the architecture, libraries of environments and measurements

Definition: Presents all the elements used in an architecture. Can be used specifically to capture:

- elements and relationships that are involved in defining the environments applicable to capability, operational concept, or set of systems.
- measurable properties that can be used to support analysis such as KPIs, MoEs, TPIs, etc.

## 2.10.1 View Specifications::Dictionary::Dictionary


Stakeholders: Solution Providers, Systems Engineers, Software Architects, Business Architects

Concerns: provides a central reference for a given architecture's data and metadata. It enables the set of architecture description to stand alone, with minimal reference to outside resources.


Definition: contains definitions of terms used in the given architecture. It consists of textual definitions in the form of a glossary, their taxonomies, and their metadata (i.e., data about architecture data), including metadata for any custom-tailored views. Architects should use standard terms where possible (i.e., terms from existing, approved dictionaries, glossaries, and lexicons).

Recommended Implementation: text, table format

Commented [AM142]: UAF11-276 Dot added at the end of sentence.



Commented [AM143]: UAF11-276 diagram replaced by Dictionary.svg



Deleted:

Figure 2.68 - Dictionary

Elements

- [Alias](#)
- [Definition](#)
- [Information](#)
- [SameAs](#)
- [UAFElement](#)

## 2.11 View Specifications::Summary & Overview

Stakeholders: Executives, PMs, Enterprise Architects

Concerns: executive-level summary information in a consistent form

Definition: provides executive-level summary information in a consistent form that allows quick reference and comparison between architectural descriptions. Includes assumptions, constraints, and limitations that may affect high-level decisions relating to an architecture-based work programme.

Unified Architecture Framework (UAF), v1.0



Figure 2.69 - Summary & Overview

Elements

- [ActualEnterprisePhase](#)
- [ActualOrganizationalResource](#)
- [ArchitecturalDescription](#)
- [ArchitecturalReference](#)
- [Architecture](#)
- [ArchitectureMetadata](#)

**Commented [AM146]:** [UAF11-276](#) PropertySet removed from the elements list

- [Concern](#)
- [EnterprisePhase](#)
- [Exhibits](#)
- [Metadata](#)
- [OperationalArchitecture](#)
- [OrganizationalResource](#)
- [ResourceArchitecture](#)
- [Stakeholder](#)
- [View](#)
- [Viewpoint](#)
- [WholeLifeEnterprise](#)

Deleted: • [PropertySet](#)

## 2.12 View Specifications::Requirements


Stakeholders: Requirement Engineers, Solution Providers, Systems Engineers, Software Engineers, Systems Architects, Business Architects  
 Concerns: requirements traceability  
 Definition: used to represent requirements, their properties, and relationships (trace, verify, satisfy, refine) to UAF architectural elements.

### 2.12.1 View Specifications::Requirements::Requirements

Stakeholders: Requirement Engineers, Solution Providers, Systems Engineers, Software Engineers, Systems Architects, Business Architects  
 Concerns: provides a central reference for a set of stakeholder needs expressed as requirements, their relationship (via traceability) to more detailed requirements and the solution described by the architecture that will meet those requirements.  
 Definition: used to represent requirements, their properties, and relationships (trace, verify, satisfy, refine) between each other and to UAF architectural elements.  
 Recommended Implementation: SysML Requirement Diagram, tabular format, matrix format



Commented [AM147]: [UAF11-276](#) Figure 2.70 – Requirements replaced by Requirements.svg



Deleted:

Figure 2.70 - Requirements

Elements

- Refine
- Requirement
- Satisfy
- Trace
- [UAFElement](#)
- Verify

### 2.13 View Specifications::Information

Stakeholders: Data Modelers, Software Engineers, Systems Engineers  
 Concerns: address the information perspective on operational, service, and resource architectures  
 Definition: allows analysis of an architecture's information and data definition aspect, without consideration of implementation specific issues.  
 Recommended Implementation: SysML Block Definition Diagram

#### 2.13.1 View Specifications::Information::Information Model

Stakeholders: Data Modelers, Software Engineers, Systems Engineers  
 Concerns: address the information perspective on operational, service, and resource architectures  
 Definition: allows analysis of an architecture's information and data definition aspect, without consideration of implementation specific issues.  
 Recommended Implementation: SysML Block Definition Diagram





Figure 2.71 - Information Model

Elements

- [DataElement](#)
- [DataModel](#)
- [DataRole](#)
- [Implements](#)

Commented [AM148]: UAF11-3 Diagram replaced by Information\_Model.svg



Commented [AM149]: UAF11-3 Elements list updated according Information\_Model.svg

- InformationElement
- InformationRole
- OperationalAsset
- ResourceAsset

## 2.14 View Specifications::Parameters

Stakeholders: Capability owners, Systems Engineers, Solution Providers

Concerns: identifies measurable properties that can be used to support engineering analysis and environment for the Capabilities.

Definition: Shows the measurable properties of something in the physical world and elements and relationships that are involved in defining the environments applicable to capability, operational concept or set of systems.

### 2.14.1 View Specifications::Parameters::Parameters: Environment

Stakeholders: Capability owners, Systems Engineers, Solution Providers

Concerns: defines the environment for the capabilities.

Definition: shows the elements and relationships that are involved in defining the environments applicable to capability, operational concept or set of systems.

Recommended Implementation: SysML Block Definition Diagram





Figure 2.72 - Parameters: Environment

#### Elements

- ActivityPerformableUnderCondition
- Unified Architecture Framework (UAF), v1.0

Deleted: • DataElement  
 • DataModel  
 • Implements  
 • InformationElement ... [4]

Commented [AM150]: UAF11-276 diagram replaced by Environment.svg



Deleted:

Commented [AM151]: UAF11-276 Activity removed from the Elements list, ActivityPerformableUnderCondition and Process added to the Elements list.

Deleted: • Activity

- [ActualCondition](#)
- [ActualEnvironment](#)
- [ActualLocation](#)
- [ActualPropertySet](#)
- [ActualResource](#)

- [Asset](#)
- [Condition](#)
- [Environment](#)
- [EnvironmentProperty](#)
- [GeoPoliticalExtentType](#)
- [Location](#)
- [LocationHolder](#)
- [OperationalRole](#)
- [Process](#)
- [ResourcePerformer](#)
- [ResourceRole](#)


#### 2.14.2 View Specifications::Parameters::Parameters: Measurements

Stakeholders: Capability owners, Systems Engineers, Solution Providers


Concerns: identifies measurable properties that can be used to support analysis such as KPIs, MoEs, TPIs, etc.

Definition: Shows the measurable properties of something in the physical world, expressed in amounts of a unit of measure that can be associated with any element in the architecture.

Recommended Implementation: SysML Block Definition Diagram



Commented [AM152]: [UAF11-276](#) Figure 2.73 - Parameters: Measurements replaced by Measurements.svg



Deleted:

Figure 2.73 - Parameters: Measurements

## Elements

- [ActualMeasurement](#)
- [ActualMeasurementSet](#)
- [ActualPropertySet](#)
- [ActualService](#)
- [ActualState](#)
- [Capability](#)
- [Competence](#)
- [Condition](#)
- [EnterprisePhase](#)
- [MeasurableElement](#)
- [Measurement](#)
- [MeasurementSet](#)
- [PropertySet](#)
- [ProvidedServiceLevel](#)
- [RequiredServiceLevel](#)
- [Resource](#)
- [ServiceInterface](#)
- [ServiceSpecification](#)

Commented [AM153]: [UAF11-276](#) Project removed from the elements list.

Deleted: [Project](#)

## 2.15 View Specifications::Other

Contains the diagrams that document the use of BPMN, NIEM, IEPPV in the context of UAF.

### 2.15.1 View Specifications::Other::BPMN

Stakeholders: Business Architects, Enterprise Architects

Concerns: captures activity based behavior and flows.

Definition: describes the activities that are normally conducted in the course of achieving business goals that support a capability. It describes operational activities, their Inputs/Outputs, operational activity actions and flows between them using BPMN.

Recommended Implementation: BPMN Process Diagram





Figure 2.74 - BPMN

Elements

- [AssetRole](#)
- [BPMN2Metamodel::BPMNMessage](#)
- [BPMN2Metamodel::CallActivity](#)
- [BPMN2Metamodel::MessageFlow](#)
- [BPMN2Metamodel::Process](#)
- [BPMN2Metamodel::ResourceRole](#)
- [BPMN2Metamodel::SequenceFlow](#)
- [Exchange](#)
- [ExchangeItem](#)
- [InteractionMessage](#)
- [InteractionRole](#)
- [InteractionScenario](#)
- [Process](#)
- [ProcessEdge](#)
- [ProcessUsage](#)

Commented [AM154]: [UAF11-276](#) Figure 2.74 – BPMN replaced by BPMN.svg



Commented [AM155]: [UAF11-276](#) Element list updated according to BPMN.svg

- Deleted:
- ~~[InformationElement](#)~~
  - ~~[IsCapableToPerform](#)~~
  - ~~[OperationalActivity](#)~~
  - ~~[OperationalActivityAction](#)~~
  - ~~[OperationalActivityEdge](#)~~
  - ~~[OperationalAgent](#)~~
  - ~~[OperationalExchange](#)~~
  - ~~[OperationalExchangeItem](#)~~
  - ~~[OperationalPerformer](#)~~
  - ~~[OperationalRole](#)~~
  - ~~[PerformsInContext](#)~~
  - ~~[ResourcePerformer](#)~~

### 2.15.2 View Specifications::Other::IEPPV

Stakeholders: Data Modelers, Solution Providers, Systems Engineers, Software Engineers, Systems Architects, Business Architects, information architects

Concerns: information exchanges, information interfaces, information interoperability, information sharing and safeguarding

Definition: UAFP supports information modeling and traceability to IEPPV model elements using the IEPPV-defined elements: Message, SemanticElement, and FilteredSemanticElement, used to represent data, properties/attributes, structure, format, and relationships. The IEPPV profile enables the specification of the policies, rules and constraints governing the packaging (assembly, transformation, marking, redaction) of data elements conforming to information sharing and safeguarding requirements. The IEPPV profile also governs the processing (parsing, transformation, and marshalling) received information and data element.

Recommended Implementation: UML Class Diagram, SysML Block Diagram




Figure 2.75 - IEPPV

Elements

- Abstraction
- FilteredSemanticElement
- [InformationElement](#)
- InformationSpecification
- Message
- [OperationalExchange](#)
- [OperationalExchangeItem](#)

**2.15.3 View Specifications::Other::NIEM**

Stakeholders: Data Modelers, Solution Providers, Systems Engineers, Software Engineers, Systems Architects, Business Architects

Concerns: information exchanges, information interoperability, data schema

Definition: A specification representing the structure, semantics, and relationships of data objects that satisfy an information exchange requirement. Used for organizing and packaging Model Package Descriptions (MPDs) and Information Exchange Package Documentation (IEPD) as defined by the National Information Exchange Model (NIEM). An IEPD is a type of MPD. The NIEM MPD defines an Enterprise Information Exchange Model (EIEM) as an MPD that contains NIEM-conforming schemas that define and declare data components to be consistently reused in the IEPDs of an enterprise. An EIEM is a collection of schemas organized into a collection of subset schemas and one or more extension schemas. An information sharing enterprise creates and maintains an EIEM.

Recommended Implementation: UML Class Diagram, SysML Block Diagram




Figure 2.76 - NIEM

Elements

- Abstraction
- [DataElement](#)
- [DataModel](#)
- DataObject
- [InformationElement](#)
- InformationModel

## 0.9 Domain Metamodel (DMM) Elements

Formatted: Heading 1, Indent: Left: 0 cm, Right: 0 cm, Space Before: 0 pt, Tab stops: Not at 0.99 cm

Deleted: 3

### 9.1 Domain MetaModel

This package contains the elements of the DMM.

Deleted: 3

#### 8.1.3 Domain MetaModel::Metadata

**Stakeholders:** Enterprise Architects, people who want to discover the architecture, Technical Managers.

**Concerns:** Captures meta-data relevant to the entire architecture

**Definition:** Provide information pertinent to the entire architecture. Present supporting information rather than architectural models.

Commented [AM156]: UAF11-276 Every subsection in the section updated by adding individual diagrams for all UAF Domain Metamodel Elements.

Formatted: Heading 3, Outline numbered + Level: 3 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0 cm + Indent at: 0.63 cm

#### Domain MetaModel::Metadata::Taxonomy

##### ArchitectureMetadata

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** Metadata

##### Description

Information associated with an ArchitecturalDescription, that supplements the standard set of tags used to summarize the Architecture. It states things like what methodology was used, notation, etc.




Figure 9:1 - ArchitectureMetadata

##### InteractionScenarioGeneralization


**Package:** Taxonomy

**isAbstract:** No

**Generalization:** UML2.5Metamodel::Generalization, MeasurableElement

##### Description

A InteractionScenarioGeneralization is a taxonomic relationship between a more general InteractionScenario and a more specific InteractionScenario.



**Figure 9:2 - InteractionScenarioGeneralization**

**Metadata**


**Package:** Taxonomy

**isAbstract:** No

**Generalization:** MeasurableElement

**Description**

A comment that can be applied to any element in the architecture. The attributes associated with this element details the relationship between the element and its related dublinCoreElement, metaDataScheme, category and name. This allows the element to be referenced using the Semantic Web.



**Figure 9:3 - Metadata**

**Attributes**

- category : String[0..1] Defines the category of a Metadata element example: <http://purl.org/dc/terms/abstract>.
- dublinCoreTag : String[0..1] A metadata category that is a DublinCore tag.
- metaDataScheme : String[0..1] A representation scheme that defines a set of Metadata.
- name : String[0..1] The name of the Metadata.

**ProcessGeneralization**


**Package:** Taxonomy

**isAbstract:** No

**Generalization:** UML2.5Metamodel::Generalization, MeasurableElement

**Description**

A ProcessGeneralization is a taxonomic relationship between a more general Process and a more specific Process.



**Figure 9:4 - ProcessGeneralization**

**PropertySetGeneralization**


**Package:** Taxonomy

**isAbstract:** No

**Generalization:** UML2.5Metamodel::Generalization, MeasurableElement

Description

A PropertySetGeneralization is a taxonomic relationship between a more general PropertySet and a more specific PropertySet.



**Figure 9:5 - PropertySetGeneralization**

**StateDescriptionGeneralization**

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** UML2.5Metamodel::Generalization, MeasurableElement

Description

A StateDescriptionGeneralization is a taxonomic relationship between a more general StateDescription and a more specific StateDescription.




Figure 9:6 - StateDescriptionGeneralization

**Domain MetaModel::Metadata::Structure**

**EnvironmentProperty**

Package: Structure

isAbstract: No

Generalization: MeasurableElement

Description

A property of an Environment that is typed by a Condition. The kinds of Condition that can be represented are Location, GeoPoliticalExtentType and Environment.




Figure 9:7 - EnvironmentProperty

**Domain MetaModel::Metadata::Connectivity**

**Exchange**

Package: Connectivity

isAbstract: Yes

Generalization: MeasurableElement, BPMN2Metamodel::MessageFlow, SubjectOfSecurityConstraint

Description

Abstract tuple, grouping OperationalExchanges and ResourceExchanges that exchange Resources.




Figure 9:8 - Exchange

**ExchangeItem**

Package: Connectivity

isAbstract: Yes

Generalization: BPMN2Metamodel::BPMNMessage

Description

An abstract grouping for elements that defines the types of elements that can be exchanged between Assets and conveyed by an Exchange.




Figure 9:9 - ExchangeItem

**Resource**

Package: Connectivity

isAbstract: Yes

Generalization: PropertySet

Description

Abstract type grouping all elements that can be conveyed by an Exchange.




Figure 9:10 - Resource

**Domain MetaModel::Metadata::Processes**

**ActivityPerformableUnderCondition**

**Package:** Processes

**isAbstract:** No

**Generalization:** MeasurableElement

**Description**

The ActualCondition under which an Activity is performed.



Figure 9:11 - ActivityPerformableUnderCondition

**IsCapableToPerform**

**Package:** Processes

**isAbstract:** No

**Generalization:** MeasurableElement

**Description**

A tuple defining the traceability between the structural elements to the Activities that they can perform.




Figure 9:12 - IsCapableToPerform

**PerformsInContext**

**Package:** Processes

**isAbstract:** No

**Generalization:** MeasurableElement

**Description**

A tuple that relates an OperationalAction to a OperationalRole, or a FunctionAction to a ResourceRole. It indicates that the action can be carried out by the role when used in a specific context or configuration.




Figure 9:13 - PerformsInContext

**Process**

**Package:** Processes

**isAbstract:** Yes

**Generalization:** MeasurableElement, UML2.5Metamodel::Activity, BPMN2Metamodel::Process

**Description**

An abstract type that represents a behavior or process (i.e. a Function or OperationalActivity) that can be performed by a Performer.




Figure 9:14 - Process




Figure 9:15 - Process

**ProcessEdge**

Package: Processes

isAbstract: Yes

Generalization: MeasurableElement, UML2.5Metamodel::Activity, UML2.5Metamodel::ActivityEdge, BPMN2Metamodel::SequenceFlow

Description

An abstract type that represents a behavior or process (i.e. a Function or OperationalActivity) that can be performed by a Performer.




Figure 9:16 - ProcessEdge

## **ProcessOperation**

**Package:** Processes

**isAbstract:** Yes

**Generalization:** MeasurableElement, UML2.5Metamodel::Activity, UML2.5Metamodel::Operation

### Description

An abstract type that represents a behavior or process (i.e. a Function or OperationalActivity) that can be performed by a Performer.




Figure 9:17 - ProcessOperation

## **ProcessParameter**

**Package:** Processes

**isAbstract:** Yes

**Generalization:** MeasurableElement, UML2.5Metamodel::Activity, UML2.5Metamodel::CallBehaviorAction, UML2.5Metamodel::Parameter

### Description

An abstract type that represents a behavior or process (i.e. a Function or OperationalActivity) that can be performed by a Performer.




Figure 9:18 - ProcessParameter

## **ProcessUsage**

**Package:** Processes

**isAbstract:** Yes

**Generalization:** MeasurableElement, UML2.5Metamodel::Activity, UML2.5Metamodel::CallBehaviorAction, BPMN2Metamodel::CallActivity

### Description

An abstract type that represents a behavior or process (i.e. a Function or OperationalActivity) that can be performed by a Performer.




Figure 9:19 - ProcessUsage

## Domain MetaModel::Metadata::States

### StateDescription

**Package:** States

**isAbstract:** Yes

**Generalization:** UML2.5Metamodel::StateMachine

#### Description

An abstract type that represents a state machine (i.e. an OperationalStateDescription or ResourceStateDescription), depicting how the Asset responds to various events and the actions.




Figure 9:20 - StateDescription

## Domain MetaModel::Metadata::Interaction Scenarios

### InteractionMessage

**Package:** Interaction Scenarios

**isAbstract:** Yes

**Generalization:** MeasurableElement, UML2.5Metamodel::Activity, BPMN2Metamodel::Process, UML2.5Metamodel::Interaction, UML2.5Metamodel::Message

#### Description

An abstract type that groups several types of messages used in the InteractionScenario.

### InteractionRole

**Package:** Interaction Scenarios

**isAbstract:** Yes

**Generalization:** BPMN2Metamodel::ResourceRole

**Description**

An abstract type that represents an individual participant in the InteractionScenario.




Figure 9:21 - InteractionRole

**InteractionScenario**

**Package:** Interaction Scenarios

**isAbstract:** Yes

**Generalization:** MeasurableElement, UML2.5Metamodel::Activity, BPMN2Metamodel::Process, UML2.5Metamodel::Interaction

**Description**

An abstract type that specifies interactions between Assets, like ResourcePerformers, and ServiceSpecifications.




Figure 9:22 - InteractionScenario

**Domain MetaModel::Metadata::Information**

**Information**

**Package:** Information

**isAbstract:** No

**Generalization:** MeasurableElement

**Description**

A comment that describes the state of an item of interest in any medium or form -- and is communicated or received.




Figure 9:23 - Information

**Domain MetaModel::Metadata::Constraints**

**Rule**

Package: Constraints

isAbstract: Yes

Generalization: MeasurableElement

Description

An abstract type for all types of constraint (i.e. an OperationalConstraint could detail the rules of accountancy best practice).




Figure 9:24 - Rule

**Domain MetaModel::Metadata::Traceability**

**ArchitecturalReference**

Package: Traceability

isAbstract: No

Generalization: MeasurableElement

Unified Architecture Framework (UAF), v1.0

Description

A tuple that specifies that one architectural description refers to another.




Figure 9:25 - ArchitecturalReference

Implements

Package: Traceability

isAbstract: No

Generalization: MeasurableElement

Description

A tuple that defines how an element in the upper layer of abstraction is implemented by a semantically equivalent element (for example tracing the Functions to the OperationalActivities) in the lower level of abstraction.




Figure 9:26 - Implements

**8.1.4 Domain MetaModel::Strategic**

**Domain MetaModel::Strategic::Taxonomy**

Capability

Package: Taxonomy

isAbstract: No

Formatted: Heading 3

**Generalization:** PropertySet, Desirer

**Description**

A high level specification of the enterprise's ability to execute a specified course of action.




Figure 9:27 - Capability

**CapabilityGeneralization**

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** PropertySetGeneralization

**Description**

A CapabilityGeneralization is a taxonomic relationship between a more general Capability and a more specific Capability.



Figure 9:28 - CapabilityGeneralization

**Domain MetaModel::Strategic::Structure**

**ActualEnduringTask**

**Package:** Structure

**isAbstract:** No

**Generalization:** CapableElement, ActualPropertySet

**Description**

An actual undertaking recognized by an enterprise as being essential to achieving its goals - i.e. a strategic specification of what the enterprise does.




Figure 9:29 - ActualEnduringTask

### ActualEnterprisePhase

Package: Structure

isAbstract: No

Generalization: CapableElement, ActualPropertySet, Achiever

Description

An individual that describes the phase of an actual enterprise endeavor.




Figure 9:30 - ActualEnterprisePhase

### CapabilityRole

Package: Structure

isAbstract: No

Generalization: PropertySet, Desirer, MeasurableElement

Description

A high level specification of the enterprise's ability to execute a specified course of action.




Figure 9:31 - CapabilityRole

Unified Architecture Framework (UAF), v1.0

## **EnduringTask**


**Package:** Structure

**isAbstract:** No

**Generalization:** PropertySet

### Description

A type of template behavior recognized by an enterprise as being essential to achieving its goals - i.e. a template for a strategic specification of what the enterprise does.



**Figure 9:32 - EnduringTask**

## **EnterpriseGoal**


**Package:** Structure

**isAbstract:** No

**Generalization:** PropertySet

### Description

A statement about a state or condition of the enterprise to be brought about or sustained through appropriate Means. An EnterpriseGoal amplifies an EnterpriseVision that is, it indicates what must be satisfied on a continuing basis to effectively attain the EnterpriseVision. BMM: OMG dtc-13-08-24.



**Figure 9:33 - EnterpriseGoal**

### Attributes

**benefits : String [0..\*]** A description of the usefulness of the Goal in terms of why the state or condition of the Enterprise is worth attaining.

## **EnterprisePhase**

**Package:** Structure

**isAbstract:** No

**Generalization:** PropertySet

### Description

A type of a current or future state of the enterprise.




Figure 9:34 - EnterprisePhase

### EnterpriseVision

Package: Structure

isAbstract: No

Generalization: PropertySet

#### Description

A Vision describes the future state of the enterprise, without regard to how it is to be achieved. BMM: OMG dtc-13-08-24.




Figure 9:35 - EnterpriseVision

### StructuralPart

Package: Structure

isAbstract: No

Generalization: MeasurableElement

#### Description

A current or future state of the wholeLifeEnterprise or another EnterprisePhase.



Figure 9:36 - StructuralPart

### TemporalPart

Package: Structure


Unified Architecture Framework (UAF), v1.0

**isAbstract:** No

**Generalization:** [MeasurableElement](#)

**Description**

A current or future state of the wholeLifeEnterprise or another EnterprisePhase.



**Figure 9:37 - TemporalPart**

### **VisionStatement**


**Package:** [Structure](#)

**isAbstract:** No

**Generalization:** [MeasurableElement](#)

**Description**

A type of comment that describes the future state of the enterprise, without regard to how it is to be achieved. BMM: OMG dtc-13-08-24.



**Figure 9:38 - VisionStatement**

### **WholeLifeEnterprise**


**Package:** [Structure](#)

**isAbstract:** No

**Generalization:** [EnterprisePhase](#)

**Description**

A WholeLifeEnterprise is a purposeful endeavor of any size involving people, organizations and supporting systems. It is made up of TemporalParts and StructuralParts.



**Figure 9:39 - WholeLifeEnterprise**

## Domain MetaModel::Strategic::Connectivity

### CapabilityDependency

Package: Connectivity

isAbstract: No

Generalization: MeasurableElement

#### Description

A tuple that asserts that one CapabilityDependency is dependent from another.




Figure 9:40 - CapabilityDependency

### CapabilityRoleDependency

Package: Connectivity

isAbstract: No

Generalization: MeasurableElement




Figure 9:41 - CapabilityRoleDependency

## Domain MetaModel::Strategic::States

### AchievedEffect

Package: States

isAbstract: No

Generalization: MeasurableElement

#### Description

A tuple that exists between an ActualState (e.g., observed/measured during testing) of an element that attempts to achieve a DesiredEffect and an Achiever.




Figure 9:42 - AchievedEffect

**Achiever**

Package: States

isAbstract: Yes

Generalization: UAFElement

Description

An ActualResource, ActualProject or ActualEnterprisePhase that can deliver a DesiredEffect.




Figure 9:43 - Achiever

**DesiredEffect**

Package: States

isAbstract: No

Generalization: MeasurableElement

Description

A tuple relating the Desirer (a Capability or OrganizationalResource) to an ActualState.



Figure 9:44 - DesiredEffect

**Desirer**

Package: States

isAbstract: Yes

Generalization: UAFElement

Description

Abstract type used to group architecture elements that might desire a particular effect.




Figure 9:45 - Desirer

**Domain MetaModel::Strategic::Traceability**

**CapabilityForTask**

Package: Traceability

isAbstract: No

Generalization: MeasurableElement

Description

A tuple that asserts that a Capability is required in order for an Enterprise to conduct a phase of an EnduringTask.




Figure 9:46 - CapabilityForTask

**CapableElement**

**Package:** Traceability

**isAbstract:** Yes

**Generalization:** UAFElement

**Description**

An abstract type that represents a structural element that can exhibit capabilities.




Figure 9:47 - CapableElement

**Exhibits**

**Package:** Traceability

**isAbstract:** No

**Generalization:** MeasurableElement

**Description**

A tuple that exists between a CapableElement and a Capability that it meets under specific environmental conditions.




Figure 9:48 - Exhibits

**MapsToCapability**

Package: Traceability

isAbstract: No

Generalization: MeasurableElement

Description

A tuple denoting that an Activity contributes to providing a Capability.




Figure 9:49 - MapsToCapability

**OrganizationInEnterprise**

Package: Traceability

isAbstract: No

Generalization: MeasurableElement

Description

A tuple relating an ActualOrganization to an ActualEnterprisePhase to denote that the ActualOrganization plays a role or is a stakeholder in an ActualEnterprisePhase.




Figure 9:50 - OrganizationInEnterprise

## 8.1.5 Domain MetaModel::Operational

### Domain MetaModel::Operational::Taxonomy

#### ArbitraryConnector

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** MeasurableElement

#### Description

Represents a visual indication of a connection used in high level operational concept diagrams.




Figure 9:51 - ArbitraryConnector

#### ConceptItem

**Package:** Taxonomy

**isAbstract:** Yes

**Generalization:** UAFElement

#### Description

Abstract, an item which may feature in a HighLevelOperationalConcept.




Figure 9:52 - ConceptItem

#### HighLevelOperationalConcept


**Package:** Taxonomy

**isAbstract:** No

**Generalization:** PropertySet

Description

Describes the Resources and Locations required to meet an operational scenario from an integrated systems point of view. It is used to communicate overall quantitative and qualitative system characteristics to stakeholders.



**Figure 9:53 - HighLevelOperationalConcept**

**Domain MetaModel::Operational::Structure**

**KnownResource**


Package: Structure

isAbstract: No

Generalization: OperationalPerformer, ResourcePerformer

Description

Asserts that a known ResourcePerformer constrains the implementation of the OperationalPerformer that plays the role in the OperationalArchitecture.



**Figure 9:54 - KnownResource**

**OperationalAgent**

Package: Structure

isAbstract: Yes

Generalization: SubjectOfOperationalConstraint, CapableElement, OperationalAsset, Desirer

Description

An abstract type grouping OperationalArchitecture and OperationalPerformer.




Figure 9:55 - OperationalAgent

**OperationalArchitecture**

Package: Structure

isAbstract: No

Generalization: OperationalAgent, Architecture

Description

A type used to denote a model of the Architecture, described from the Operational perspective.




Figure 9:56 - OperationalArchitecture

**OperationalMethod**


Package: Structure

isAbstract: No

Generalization: ProcessOperation

Description

A behavioral feature of an OperationalAgent whose behavior is specified in an OperationalActivity.



**Figure 9:57 - OperationalMethod**

**OperationalParameter**


**Package:** Structure

**isAbstract:** No

**Generalization:** ProcessParameter

Description

A type that represents inputs and outputs of an OperationalActivity. It is typed by an OperationalExchangeItem.



**Figure 9:58 - OperationalParameter**

**OperationalPerformer**


**Package:** Structure

**isAbstract:** No

**Generalization:** OperationalAgent

Description

A logical entity that IsCapableToPerform OperationalActivities which produce, consume and process Resources.



**Figure 9:59 - OperationalPerformer**

**OperationalRole**


**Package:** Structure

**isAbstract:** No

**Generalization:** LocationHolder, AssetRole, InteractionRole

**Description**

Usage of a OperationalPerformer or OperationalArchitecture in the context of another OperationalPerformer or OperationalArchitecture. Creates a whole-part relationship.



**Figure 9:60 - OperationalRole**

**ProblemDomain**

**Package:** Structure

**isAbstract:** No

**Generalization:** OperationalRole

**Description**

A property associated with an OperationalArchitecture, used to specify the scope of the problem.




Figure 9:61 - ProblemDomain

**Domain MetaModel::Operational::Connectivity**

**OperationalConnector**

Package: Connectivity

isAbstract: No

Generalization: MeasurableElement

Description

A Connector that goes between OperationalRoles representing a need to exchange Resources. It can carry a number of OperationalExchanges.




Figure 9:62 - OperationalConnector

**OperationalExchange**

Package: Connectivity

isAbstract: No

Generalization: Exchange, SubjectOfOperationalConstraint

Description

Asserts that a flow can exist between OperationalPerformers (i.e. flows of information, people, materiel, or energy).



Figure 9:63 - OperationalExchange

Attributes

trustLevel : Real[0..1] Captures the directional arbitrary level of trust related to an OperationalExchange between two OperationalPerformers.

OperationalExchangeItem

Package: Connectivity

isAbstract: Yes

Generalization: Resource, SubjectOfSecurityConstraint, ExchangeItem

Description

An abstract grouping for elements that defines the types of elements that can be exchanged between OperationalPerformers and conveyed by an OperationalExchange.




Figure 9:64 - OperationalExchangeItem

## OperationalInterface

Package: Connectivity

isAbstract: No

Generalization: PropertySet

### Description

An declaration that specifies a contract between the OperationalPerformer it is related to, and any other OperationalPerformers it can interact with.




Figure 9:65 - OperationalInterface

## OperationalPort

Package: Connectivity

isAbstract: No

Generalization: MeasurableElement

### Description

An interaction point for an OperationalAgent through which it can interact with the outside environment and which is defined by an OperationalInterface.




Figure 9:66 - OperationalPort

## OperationalSignal

Package: Connectivity

isAbstract: No

Generalization: SubjectOfOperationalConstraint, OperationalExchangeItem

### Description

An item of information that flows between OperationalPerformers and is produced and consumed by the OperationalActivities that the OperationalPerformers are capable of performing (see IsCapableToPerform).




Figure 9:67 - OperationalSignal

**Domain MetaModel::Operational::Processes**

**OperationalActivity**

Package: Processes

isAbstract: No

Generalization: SubjectOfOperationalConstraint, Process

Description

An Activity that captures a logical process, specified independently of how the process is carried out.




Figure 9:68 - OperationalActivity

**OperationalActivityAction**


Package: Processes

isAbstract: No

Generalization: ProcessUsage

Description

A call of an OperationalActivity in the context of another OperationalActivity.



**Figure 9:69 - OperationalActivityAction**

**OperationalActivityEdge**


**Package:** Processes

**isAbstract:** Yes

**Generalization:** ProcessEdge

**Description**

A tuple that shows the flow of Resources (objects/information) between OperationalActivityActions.



**Figure 9:70 - OperationalActivityEdge**

**StandardOperationalActivity**

**Package:** Processes

**isAbstract:** No

**Generalization:** OperationalActivity

**Description**

A sub-type of OperationalActivity that is a standard operating procedure.




Figure 9:71 - StandardOperationalActivity

**Domain MetaModel::Operational::States**

**OperationalStateDescription**

Package: States

isAbstract: No

Generalization: MeasurableElement, StateDescription

Description

A state machine describing the behavior of a OperationalPerformer, depicting how the OperationalPerformer responds to various events and the actions.




Figure 9:72 - OperationalStateDescription

**Domain MetaModel::Operational::Interaction Scenarios**

**OperationalInteractionScenario**

Package: Interaction Scenarios

isAbstract: No

Generalization: InteractionScenario

Description

A specification of the interactions between OperationalPerformers in an OperationalArchitecture.



Figure 9:73 - OperationalInteractionScenario

## OperationalMessage

Package: Interaction\_Scenarios

isAbstract: No

Generalization: InteractionMessage

### Description

Message for use in an OperationalInteractionScenario which carries any of the subtypes of OperationalExchange.




Figure 9:74 - OperationalMessage

## Domain MetaModel::Operational::Information

### InformationElement

Package: Information

isAbstract: No

Generalization: SubjectOfOperationalConstraint, OperationalAsset, OperationalExchangeItem

### Description

An item of information that flows between OperationalPerformers and is produced and consumed by the OperationalActivities that the OperationalPerformers are capable to perform (see IsCapableToPerform).




Figure 9:75 - InformationElement

## Domain MetaModel::Operational::Constraints

### OperationalConstraint

**Package:** Constraints

**isAbstract:** No

**Generalization:** Rule

#### Description

A Rule governing an operational architecture element i.e. OperationalPerformer, OperationalActivity, InformationElement etc.




Figure 9:76 - OperationalConstraint

### SubjectOfOperationalConstraint

**Package:** Constraints

**isAbstract:** Yes

**Generalization:** UAFElement

#### Description

An abstract type grouping elements that can be the subject of an OperationalConstraint.




Figure 9:77 - SubjectOfOperationalConstraint

## 8.1.6 Domain MetaModel::Services

**Stakeholders:** Enterprise Architects, Solution Providers, Systems Engineers, Software Architects, Business Architects..

**Concerns:** specifications of services required to exhibit a Capability.

**Definition:** shows Service Specifications and required and provided service levels of these specifications required to exhibit a Capability or to support an Operational Activity.

### Domain MetaModel::Services::Taxonomy

#### ServiceSpecification

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** PropertySet, VersionedElement, CapableElement

Formatted: Heading 3

Description

The specification of a set of functionality provided by one element for the use of others.




Figure 9:78 - ServiceSpecification

**ServiceSpecificationGeneralization**

Package: Taxonomy

isAbstract: No

Generalization: PropertySetGeneralization

Description

A ServiceSpecificationGeneralization is a taxonomic relationship between a more general ServiceSpecification and a more specific ServiceSpecification.




Figure 9:79 - ServiceSpecificationGeneralization

**Domain MetaModel::Services::Structure**

**ServiceConnector**

Package: Structure

isAbstract: No

Generalization: MeasurableElement

Description

Unified Architecture Framework (UAF), v1.0

A channel for exchange between two ServiceSpecifications. Where one acts as the consumer of the other.




Figure 9:80 - ServiceConnector

**ServiceMethod**

Package: Structure

isAbstract: No

Generalization: ProcessOperation

Description

A behavioral feature of a ServiceSpecification whose behavior is specified in a ServiceFunction.




Figure 9:81 - ServiceMethod

**ServiceParameter**

Package: Structure

isAbstract: No

Generalization: ProcessParameter

Description

A type that represents inputs and outputs of a ServiceFunction, represents inputs and outputs of a ServiceSpecification.




Figure 9:82 - ServiceParameter

**ServiceSpecificationRole**

Package: Structure

isAbstract: No

Generalization: MeasurableElement, InteractionRole

Description

A behavioral feature of a ServiceSpecification whose behavior is specified in a ServiceFunction.




Figure 9:83 - ServiceSpecificationRole

**Domain MetaModel::Services::Connectivity**

**ServiceInterface**

Package: Connectivity

isAbstract: No

Generalization: PropertySet

Description

A contract that defines the ServiceMethods and ServiceMessageHandlers that the ServiceSpecification realizes.




Figure 9:84 - ServiceInterface

### ServicePort

**Package:** Connectivity

**isAbstract:** No

**Generalization:** MeasurableElement

#### Description

An interaction point for a ServiceSpecification through which it can interact with the outside environment and which is defined by a ServiceInterface.




Figure 9:85 - ServicePort

### Domain MetaModel::Services::Processes

#### ServiceFunction


**Package:** Processes

**isAbstract:** No

**Generalization:** Process

#### Description

An Activity that describes the abstract behavior of ServiceSpecifications, regardless of the actual implementation.



**Figure 9:86 - ServiceFunction**

**ServiceFunctionAction**


**Package:** Processes

**isAbstract:** No

**Generalization:** ProcessUsage

**Description**

A call of a ServiceFunction in the context of another ServiceFunction.



**Figure 9:87 - ServiceFunctionAction**

**ServiceFunctionEdge**

**Package:** Processes

**isAbstract:** Yes

**Generalization:** ProcessEdge

**Description**

A tuple that shows the flow of Resources (objects/information) between OperationalActivityActions.




Figure 9:88 - ServiceFunctionEdge

**Domain MetaModel::Services::States**

**ServiceStateDescription**

Package: States

isAbstract: No

Generalization: MeasurableElement, StateDescription

Description

A state machine describing the behavior of a ServiceSpecification, depicting how the ServiceSpecification responds to various events and the actions.




Figure 9:89 - ServiceStateDescription

**Domain MetaModel::Services::Interaction Scenarios**

**ServiceInteractionScenario**

Package: Interaction Scenarios

isAbstract: No

Generalization: InteractionScenario

Description

A specification of the interactions between ServiceSpecifications.



Figure 9:90 - ServiceInteractionScenario

**ServiceMessage**

Package: Interaction Scenarios

isAbstract: No

Generalization: InteractionMessage

Description

Message for use in a Service Event-Trace.




Figure 9:91 - ServiceMessage

**Domain MetaModel::Services::Constraints**

**ServicePolicy**

Package: Constraints

isAbstract: No

Generalization: Rule

Description

A constraint governing the use of one or more ServiceSpecifications.



Figure 9:92 - ServicePolicy

**Domain MetaModel::Services::Traceability**

**Consumes**

**Package:** Traceability

**isAbstract:** No

**Generalization:** MeasurableElement

**Description**

A tuple that asserts that an OperationalActivity make use of a service.




Figure 9:93 - Consumes

**8.1.7 Domain MetaModel::Personnel**

**Stakeholders:** Human resources, Solution Providers, PMs.

**Concerns:** human factors.

**Definition:** aims to clarify the role of Human Factors (HF) when creating architectures in order to facilitate both Human Factors Integration (HFI) and systems engineering (SE).

**Domain MetaModel::Personnel::Taxonomy**

**Organization**

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** OrganizationalResource

**Description**

A group of OrganizationalResources (Persons, Posts, Organizations and Responsibilities) associated for a particular purpose.




Figure 9:94 - Organization

Formatted: Heading 3

## OrganizationalResource

Package: Taxonomy

isAbstract: Yes

Generalization: PhysicalResource, Stakeholder

### Description

An abstract type for Organization, Person, Post and Responsibility.




Figure 9:95 - OrganizationalResource

## Person

Package: Taxonomy

isAbstract: No

Generalization: OrganizationalResource

### Description

A type of a human being used to define the characteristics that need to be described for ActualPersons (e.g. properties such as address, telephone number, nationality, etc).




Figure 9:96 - Person

## Post

Package: Taxonomy

isAbstract: No

Generalization: OrganizationalResource

### Description

A type of job title or position that a person can fill (e.g. Lawyer, Solution Architect, Machine Operator or Chief Executive Officer).




Figure 9:97 - Post

**Responsibility**

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** OrganizationalResource

Description

The type of duty required of a Person or Organization.




Figure 9:98 - Responsibility

**Domain MetaModel::Personnel::Structure**

**PostRole**

**Package:** Structure

**isAbstract:** No

**Generalization:** OrganizationalResource, ResourceRole

Description

A usage of a post in the context of another OrganizationalResource. Creates a whole-part relationship.




Figure 9:99 - PostRole

**SubOrganization**

Package: Structure

isAbstract: No

Generalization: OrganizationalResource, ResourceRole

Description

A type of a human being used to define the characteristics that need to be described for ActualPersons (e.g. properties such as address, telephone number, nationality, etc).




Figure 9:100 - SubOrganization

**Domain MetaModel::Personnel::Connectivity**

**Command**

Package: Connectivity


isAbstract: No

Generalization: ResourceExchange

Description

A type of ResourceExchange that asserts that one OrganizationalResource commands another.

-



**Figure 9:101 - Command**

**Control**


**Package:** Connectivity

**isAbstract:** No

**Generalization:** ResourceExchange

**Description**

A type of ResourceExchange that asserts that one PhysicalResource controls another PhysicalResource (i.e. the driver of a vehicle controlling the vehicle speed or direction).



**Figure 9:102 - Control**

**Domain MetaModel::Personnel::Interaction Scenarios**

**ResourceInteractionScenario**

**Package:** Interaction Scenarios

**isAbstract:** No

**Generalization:** InteractionScenario

**Description**

A specification of the interactions between ResourcePerformers in a ResourceArchitecture.



Figure 9:103 - ResourceInteractionScenario

**Domain MetaModel::Personnel::Constraints**

**Competence**

Package: Constraints

isAbstract: No

Generalization: PropertySet, SubjectOfForecast

Description

A specific set of abilities defined by knowledge, skills and aptitude.




Figure 9:104 - Competence

**CompetenceForRole**

Package: Constraints

isAbstract: No

Generalization: MeasurableElement

Description

A tuple used to associate an organizational role with a specific set of required competencies.




Figure 9:105 - CompetenceForRole

## RequiresCompetence

Package: Constraints

isAbstract: No

Generalization: MeasurableElement

### Description

A tuple that asserts that an ActualOrganizationalResource is required to have a specific set of Competencies.




Figure 9:106 - RequiresCompetence

## Domain MetaModel::Personnel::Roadmap

### FillsPost

Package: Roadmap

isAbstract: No

Generalization: MeasurableElement

### Description

A tuple that asserts that an ActualPerson fills an ActualPost.




Figure 9:107 - FillsPost

### Attributes

`endDate : ISO8601DateTime[0..1]` End date of an ActualPerson filling an ActualPost.

`startDate : ISO8601DateTime[0..1]` Start date of an ActualPerson filling an ActualPost.

## Domain MetaModel::Personnel::Traceability

### CompetenceToConduct

Package: Traceability

isAbstract: No

Generalization: MeasurableElement

### Description

A tuple used to associate a Function with a specific set of Competencies needed to conduct the Function.

Unified Architecture Framework (UAF), v1.0




Figure 9:108 - CompetenceToConduct

### 8.1.8 Domain MetaModel::Resources

#### Domain MetaModel::Resources::Taxonomy

##### CapabilityConfiguration

Package: Taxonomy

isAbstract: No

Generalization: ResourceArchitecture

##### Description

A composite structure representing the physical and human resources (and their interactions) in an enterprise, assembled to meet a capability.




Figure 9:109 - CapabilityConfiguration

##### NaturalResource

Package: Taxonomy

isAbstract: No

Generalization: PhysicalResource

##### Description

Type of physical resource that occurs in nature such as oil, water, gas or coal.




Figure 9:110 - NaturalResource

##### PhysicalResource

Package: Taxonomy


isAbstract: Yes

Generalization: ResourcePerformer

Formatted: Heading 3

Description

An abstract type defining physical resources (i.e. OrganizationalResource, ResourceArtifact and NaturalResource).



**Figure 9:111 - PhysicalResource**

**ResourceArchitecture**


Package: Taxonomy

isAbstract: No

Generalization: ResourcePerformer, Architecture

Description

A type used to denote a model of the Architecture, described from the ResourcePerformer perspective.



**Figure 9:112 - ResourceArchitecture**

**ResourceArtifact**

Package: Taxonomy

isAbstract: No

Generalization: PhysicalResource

Description

A type of man-made object that contains no human beings (i.e. satellite, radio, petrol, gasoline, etc.).




Figure 9:113 - ResourceArtifact

**ResourcePerformer**

Package: Taxonomy

isAbstract: Yes

Generalization: ResourceExchangeItem, SubjectOfResourceConstraint, OperationalExchangeItem, SubjectOfForecast, CapableElement, Desirer, VersionedElement, ResourceAsset

Description

An abstract grouping of elements that can perform Functions.




Figure 9:114 - ResourcePerformer

Attributes

isStandardConfiguration : Boolean[] Indicates if the ResourcePerformer is StandardConfiguration, default=false.

Software

Package: Taxonomy

**isAbstract:** No

**Generalization:** ResourceArtifact

**Description**

A sub-type of ResourceArtifact that specifies an executable computer program.




Figure 9:115 - Software

### **System**

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** ResourceArchitecture

**Description**

An integrated set of elements, subsystems, or assemblies that accomplish a defined objective. These elements include products (hardware, software, firmware), processes, people, information, techniques, facilities, services, and other support elements (INCOSE SE Handbook V4, 2015).




Figure 9:116 - System

### **Domain MetaModel::Resources::Structure**

#### **ResourceMethod**


**Package:** Structure

**isAbstract:** No

**Generalization:** ProcessOperation

**Description**

A behavioral feature of a ResourcePerformer whose behavior is specified in a Function.



**Figure 9:117 - ResourceMethod**

**ResourceParameter**


**Package:** Structure

**isAbstract:** No

**Generalization:** ProcessParameter

**Description**

A type that represents inputs and outputs of an Function. It is typed by a ResourceInteractionItem.



**Figure 9:118 - ResourceParameter**

**ResourcePort**


**Package:** Structure

**isAbstract:** No

**Generalization:** ProtocolImplementation, MeasurableElement

**Description**

An interaction point for a ResourcePerformer through which it can interact with the outside environment and which is defined by a ResourceInterface.



**Figure 9:119 - ResourcePort**

**ResourceRole**

**Package:** Structure

**isAbstract:** No

**Generalization:** SubjectOfResourceConstraint, LocationHolder, AssetRole, InteractionRole

Description

Usage of a ResourcePerformer in the context of another ResourcePerformer. Creates a whole-part relationship.




Figure 9:120 - ResourceRole

**Domain MetaModel::Resources::Connectivity**

**ResourceConnector**

**Package:** Connectivity

**isAbstract:** No

**Generalization:** ProtocolImplementation, MeasurableElement

**Description**

A channel for exchange between two ResourceRoles.




Figure 9:121 - ResourceConnector

**ResourceExchange**

Package: Connectivity

isAbstract: No

Generalization: Exchange

Description

Asserts that a flow can exist between ResourcePerformers (i.e. flows of data, people, material, or energy).




Figure 9:122 - ResourceExchange

**ResourceExchangeItem**


Package: Connectivity

isAbstract: Yes

Generalization: Resource, SubjectOfSecurityConstraint, ExchangeItem

Description

An abstract type grouping elements that defines the types of elements that can be exchanged between ResourcePerformers and conveyed by a ResourceExchange.



**Figure 9:123 - ResourceExchangeItem**

**ResourceInterface**

**Package:** Connectivity

**isAbstract:** No

**Generalization:** PropertySet

**Description**

A declaration that specifies a contract between the ResourcePerformers it is related to and any other ResourcePerformers it can interact with. It is also intended to be an implementation of a specification of an Interface in the Business and/or Service layer.




Figure 9:124 - ResourceInterface

**ResourceSignal**

Package: Connectivity

isAbstract: No

Generalization: ResourceExchangeItem

Description

A property of an element representing something in the physical world, expressed in amounts of a unit of measure.




Figure 9:125 - ResourceSignal

**Domain MetaModel::Resources::Processes**

**Function**

Package: Processes

isAbstract: No

Generalization: SubjectOfResourceConstraint, Process

Description

An Activity which is specified in the context to the ResourcePerformer (human or machine) that IsCapableToPerform it.




Figure 9:126 - Function

**FunctionAction**

Package: Processes

isAbstract: No

Generalization: ProcessUsage

Description

A call of a Function indicating that the Function is performed by a ResourceRole in a specific context.




Figure 9:127 - FunctionAction

**FunctionEdge**

Package: Processes

isAbstract: No

Generalization: ProcessEdge

Description

A tuple that shows the flow of Resources (objects/data) between FunctionActions.




Figure 9:128 - FunctionEdge

**Domain MetaModel::Resources::States**

**ResourceStateDescription**

Package: States

isAbstract: No

Generalization: MeasurableElement, StateDescription

Description

A state machine describing the behavior of a ResourcePerformer, depicting how the ResourcePerformer responds to various events and the actions.




Figure 9:129 - ResourceStateDescription

**Domain MetaModel::Resources::Interaction Scenarios**

**ResourceMessage**

Package: Interaction Scenarios

isAbstract: No

Generalization: InteractionMessage

Description

Message for use in an Resource Event-Trace which carries any of the subtypes of ResourceExchange.




Figure 9:130 - ResourceMessage

**Domain MetaModel::Resources::Information**

**DataElement**

Package: Information

isAbstract: No

Generalization: SubjectOfResourceConstraint, ResourceAsset, ResourceExchangeItem

Description

A formalized representation of data that is managed by or exchanged between resources.




Figure 9:131 - DataElement

**DataRole**

Package: Information

isAbstract: No

Generalization: AssetRole

Description

A usage of DataElement that exists in the context of an ResourceAsset. It also allows the representation of the whole-part aggregation of DataElements.




Figure 9:132 - DataRole

**Domain MetaModel::Resources::Constraints**

**ResourceConstraint**

Package: Constraints

isAbstract: No

Generalization: Rule

Description

A rule governing the structural or functional aspects of an implementation.



Figure 9:133 - ResourceConstraint

**SubjectOfResourceConstraint**

Package: Constraints

isAbstract: Yes

Generalization: UAFElement

Description

An abstract type grouping elements that can be the subject of a ResourceConstraint.




Figure 9:134 - SubjectOfResourceConstraint

**Domain MetaModel::Resources::Roadmap**

**Forecast**


Package: Roadmap

**isAbstract:** No

**Generalization:** [MeasurableElement](#)

**Description**

A tuple that specifies a transition from one Asset, Standard, Competence to another future one. It is related to an ActualEnterprisePhase to give it a temporal context.



**Figure 9:135 - Forecast**

### **SubjectOfForecast**


**Package:** Roadmap

**isAbstract:** Yes

**Generalization:** [UAFElement](#)

**Description**

An abstract type grouping elements that can be the subject of a Forecast.



**Figure 9:136 - SubjectOfForecast**

### **Technology**

**Package:** Roadmap

**isAbstract:** No

**Generalization:** [ResourceArtifact](#)

**Description**

A sub type of ResourceArtifact that indicates a technology domain, i.e. nuclear, mechanical, electronic, mobile telephony etc.




Figure 9:137 - Technology

**VersionedElement**

Package: Roadmap

isAbstract: Yes

Generalization: UAFElement

Description

An abstract type grouping ResourcePerformer and ServiceSpecification that allows VersionOfConfiguration to be related to ActualProjectMilestones.




Figure 9:138 - VersionedElement

**VersionOfConfiguration**

Package: Roadmap

isAbstract: No

Generalization: MeasurableElement

Description

A property of a WholeLifeConfiguration, used in version control of a VersionedElement. It asserts that a VersionedElement is a version of a WholeLifeConfiguration.




Figure 9:139 - VersionOfConfiguration

**VersionSuccession**

Package: Roadmap

isAbstract: No

Generalization: MeasurableElement

Description

A tuple between two VersionOfConfigurations that denotes that one VersionOfConfiguration follows from another.



Figure 9:140 - VersionSuccession

**WholeLifeConfiguration**

Package: Roadmap

isAbstract: No

Generalization: PropertySet

Description

A set of VersionedElements.




Figure 9:141 - WholeLifeConfiguration

### Domain MetaModel::Resources::Traceability

#### ProtocolImplementation

**Package:** Traceability

**isAbstract:** Yes

**Generalization:** UAFElement

#### Description

An abstract type grouping architectural elements that can implement Protocols.




Figure 9:142 - ProtocolImplementation

### 8.1.9 Domain MetaModel::Security

**Stakeholders:** Security Architects, Security Engineers, Systems Engineers, Operational Architects.

**Concerns:** addresses the security constraints and information assurance attributes that exist on exchanges between resources and OperationalPerformers.

**Definition:** illustrates the security assets, security constraints, security controls, families, and measures required to address specific security concerns.

#### Domain MetaModel::Security::Taxonomy

##### Asset

**Package:** Taxonomy

**isAbstract:** Yes

**Generalization:** SubjectOfForecast, ConceptItem, LocationHolder, PropertySet, SubjectOfSecurityConstraint

#### Description

Asset as applied to Security views, an abstract type that indicates the types of elements that can be considered as a subject for security analysis.

Formatted: Heading 3




Figure 9:143 - Asset

**OperationalAsset**

Package: Taxonomy

isAbstract: Yes

Generalization: Asset




Figure 9:144 - OperationalAsset

**OperationalMitigation**

Package: Taxonomy

isAbstract: No

Generalization: OperationalArchitecture

Description

A set of OperationalPerformers intended to address against specific operational risks.





Figure 9:145 - OperationalMitigation

### **ResourceAsset**

**Package:** Taxonomy

**isAbstract:** Yes

**Generalization:** Asset



**Figure 9:146 - ResourceAsset**

### **ResourceMitigation**


**Package:** Taxonomy

**isAbstract:** No

**Generalization:** ResourceArchitecture

#### Description

A set of ResourcePerformers intended to address against specific risks.



**Figure 9:147 - ResourceMitigation**

### **SecurityEnclave**


**Package:** Taxonomy

**isAbstract:** No

**Generalization:** ResourceArchitecture

#### Description

Collection of information systems connected by one or more internal networks under the control of a single authority and security policy. The systems may be structured by physical proximity or by function, independent of location.



**Figure 9:148 - SecurityEnclave**

## Domain MetaModel::Security::Structure

### AssetRole

**Package:** Structure

**isAbstract:** Yes

**Generalization:** BPMN2Metamodel::ResourceRole, SubjectOfSecurityConstraint, MeasurableElement

#### Description

AssetRole as applied to Security views, an abstract element that indicates the type of elements that can be considered as a subject for security analysis in the particular context.




Figure 9:149 - AssetRole

### InformationRole

**Package:** Structure

**isAbstract:** No

**Generalization:** AssetRole

#### Description

A usage of InformationElement that exists in the context of an OperationalAsset. It also allows the representation of the whole-part aggregation of InformationElements.




Figure 9:150 - InformationRole

## Domain MetaModel::Security::Processes

### EnhancedSecurityControl

Package: Processes

isAbstract: No

Generalization: SecurityControl

#### Description

Statement of security capability to: (i) build in additional but related, functionality to a basic control; and/or (ii) increase the strength of a basic control.




Figure 9:151 - EnhancedSecurityControl

### Enhances

Package: Processes

isAbstract: No

Generalization: MeasurableElement

#### Description

A tuple relating the EnhancedSecurityControl to a SecurityControl.




Figure 9:152 - Enhances

### Protects


Package: Processes

isAbstract: No

Generalization: MeasurableElement

#### Description

A tuple that asserts that a SecurityControl is required to protect an Asset.



**Figure 9:153 - Protects**

**ProtectsInContext**


**Package:** Processes

**isAbstract:** No

**Generalization:** MeasurableElement

Description

A tuple that relates a SecurityControlAction to a OperationalRole, or a ResourceRole. It indicates that SecurityControl is required to protect an Asset in a specific context or configuration.



**Figure 9:154 - ProtectsInContext**

**SecurityProcess**

**Package:** Processes

**isAbstract:** No

**Generalization:** OperationalActivity, Function, SubjectOfSecurityConstraint

Description

The security-related procedure that satisfies the security control requirement.




Figure 9:155 - SecurityProcess

### SecurityProcessAction

Package: Processes

isAbstract: No

Generalization: OperationalActivityAction, FunctionAction

#### Description

A call of a SecurityProcess in the context of another SecurityProcess.




Figure 9:156 - SecurityProcessAction

### Domain MetaModel::Security::Constraints

#### ActualRisk

Package: Constraints

isAbstract: No

Generalization: ActualPropertySet

#### Description

An instance of a Risk. A value holder for Risk Measurements.




Figure 9:157 - ActualRisk

**Caveat**

**Package:** Constraints

**isAbstract:** No

**Generalization:** SecurityConstraint

**Description**

A statement that details alternate conditions under which the rule is not valid.




Figure 9:158 - Caveat

**Risk**

**Package:** Constraints

**isAbstract:** No

**Generalization:** PropertySet

**Description**

A statement of the impact of an event on Assets. It represents a constraint on an Asset in terms of adverse effects, with an associated measure. The measure is used to capture the extent to which an entity is threatened by a potential circumstance or event. Risk is typically a function of: (i) the adverse impacts that would arise if the circumstance or event occurs; and (ii) the likelihood of occurrence.




Figure 9:159 - Risk

**SecurityAvailability**

Package: Constraints

isAbstract: No

Generalization: SecurityMeasurement

Description

Details the potential impact on organization or individuals if the information is not available to those who need to access it.




Figure 9:160 - SecurityAvailability

**SecurityCategory**

Package: Constraints

isAbstract: No

Generalization: MeasurementSet

Description

The security categories that have been determined for each type of information processed, stored, or transmitted by those information systems. The generalized format for expressing the security category (SC) of an information system is: SC information system = {(confidentiality, impact), (integrity, impact), (availability, impact)}.




Figure 9:161 - SecurityCategory

**SecurityClassification**


Package: Constraints

**isAbstract:** No

**Generalization:** [SecurityMeasurement](#)

**Description**

Details a classification for the exchange.



**Figure 9:162 - SecurityClassification**

### **SecurityClassificationKind**


**Package:** [Constraints](#)

**isAbstract:** No

**Generalization:** [MeasurableElement](#)

**Description**

A type that defines acceptable values for the security category (SC) of an information system, where the acceptable values for potential impact are low, moderate, or high.



**Figure 9:163 - SecurityClassificationKind**

### **SecurityConstraint**

**Package:** [Constraints](#)

**isAbstract:** No

**Generalization:** [Rule](#)

**Description**

A type of rule that captures a formal statement to define access control policy language.




Figure 9:164 - SecurityConstraint

**SecurityControl**

Package: Constraints

isAbstract: No

Generalization: MeasurableElement

Description

The management, operational, and technical control (i.e., safeguard or countermeasure) prescribed for an information system to protect the confidentiality, integrity, and availability of the system and its information [NIST SP 800-53].




Figure 9:165 - SecurityControl

**SecurityControlFamily**

Package: Constraints


isAbstract: No

Generalization: SecurityControl

Unified Architecture Framework (UAF), v1.0

Description

An element that organizes security controls into a family. Each Security Control Family contains security controls related to the general security topic of the family.



**Figure 9:166 - SecurityControlFamily**

**SecurityIntegrity**


Package: Constraints

isAbstract: No

Generalization: SecurityMeasurement

Description

Details the potential impact on organization or individuals due to modification or destruction of information, and includes ensuring information non-repudiation and authenticity.



**Figure 9:167 - SecurityIntegrity**

**SecurityMeasurement**


Package: Constraints

isAbstract: Yes

Generalization: Measurement

Description

An abstract type grouping all types of security measurements (e.g. SecurityIntegrity, SecurityAvailability).



**Figure 9:168 - SecurityMeasurement**

## SubjectOfSecurityConstraint

Package: Constraints

isAbstract: Yes

Generalization: UAFElement

Description

An abstract type grouping elements that can be the subject of a SecurityConstraint.




Figure 9:169 - SubjectOfSecurityConstraint

## Domain MetaModel::Security::Traceability

### Affects

Package: Traceability

isAbstract: No

Generalization: MeasurableElement

Description

A tuple that asserts that a Risk is applicable to an Asset.




Figure 9:170 - Affects

### AffectsInContext

Package: Traceability

isAbstract: No

Generalization: MeasurableElement

Description

A tuple that asserts that a Risk is applicable to an AssetRole in the specific context or configuration.




Figure 9:171 - AffectsInContext

Unified Architecture Framework (UAF), v1.0

## Mitigates


Package: Traceability

isAbstract: No

Generalization: MeasurableElement

### Description

A tuple relating a Security Control to a Risk. Mitigation is established to manage risk and could be represented as an overall strategy or through techniques (mitigation configurations) and procedures (SecurityProcesses).



**Figure 9:172 - Mitigates**

## OwnsRisk

Package: Traceability

isAbstract: No

Generalization: MeasurableElement

### Description

A tuple relating a Risk to an organizational resource that is responsible for executing the risk mitigation.



**Figure 9:173 - OwnsRisk**

## OwnsRiskInContext

Package: Traceability

isAbstract: No

Generalization: MeasurableElement

### Description

A tuple relating a Risk to an organizational role that is responsible for executing the risk mitigation in the specific context or configuration.




Figure 9:174 - OwnsRiskInContext

### 8.1.10 Domain MetaModel::Projects

#### Domain MetaModel::Projects::Taxonomy

##### Project

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** OrganizationalResource

##### Description

A type that describes types of time-limited endeavors that are required to meet one or more Capability needs.




Figure 9:175 - Project

##### ProjectMilestone

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** PropertySet

##### Description

A type of event in a Project by which progress is measured.

Formatted: Heading 3




Figure 9:176 - ProjectMilestone

**Domain MetaModel::Projects::Structure**

**ActualProjectMilestoneRole**

Package: Structure

isAbstract: No

Generalization: ActualState

Description

An ActualProjectMilestone that is applied to a ProjectMilestoneRole.




Figure 9:177 - ActualProjectMilestoneRole

**ProjectMilestoneRole**

Package: Structure

isAbstract: No

Generalization: MeasurableElement

Description

The role played by a ProjectMilestone in the context of a Project.




Figure 9:178 - ProjectMilestoneRole

## ProjectStatus

Package: Structure

isAbstract: No

Generalization: ActualState

### Description

The status (i.e. level of progress) of a ProjectTheme for an ActualProject at the time of the ActualProjectMilestone.



Figure 9:179 - ProjectStatus

## ProjectTheme

Package: Structure

isAbstract: No

Generalization: MeasurableElement

### Description

A property of a ProjectMilestone that captures an aspect by which the progress of ActualProjects may be measured.




Figure 9:180 - ProjectTheme

## StatusIndicators

Package: Structure

isAbstract: No

Generalization: MeasurableElement

### Description

An enumerated type that specifies a status for a ProjectTheme.




Figure 9:181 - StatusIndicators

**Domain MetaModel::Projects::Connectivity**

**MilestoneDependency**

Package: Connectivity

isAbstract: No

Generalization: MeasurableElement

Description

A tuple between two ActualProjectMilestones that denotes one ActualProjectMilestone follows from another.




Figure 9:182 - MilestoneDependency

**Domain MetaModel::Projects::Processes**

**ProjectActivity**

Package: Processes

isAbstract: No

Generalization: Function, Process

Description

An activity carried out during a project.




Figure 9:183 - ProjectActivity

## ProjectActivityAction

Package: Processes

isAbstract: No

Generalization: FunctionAction

Description

The ProjectActivityAction is defined as a call behavior action that invokes the activity that needs to be performed.




Figure 9:184 - ProjectActivityAction

## Domain MetaModel::Projects::Interaction Scenarios

### ProjectSequence

Package: Interaction Scenarios

isAbstract: No

Generalization: MeasurableElement

Description

A tuple between two ActualProjects that denotes one ActualProject cannot start before the previous ActualProject is finished.




Figure 9:185 - ProjectSequence

## Domain MetaModel::Projects::Roadmap

### ActualProject

Package: Roadmap

isAbstract: No

Generalization: ActualOrganizationalResource, Achiever

Description

A time-limited endeavor to provide a specific set of ActualResources that meet specific Capability needs.




Figure 9:186 - ActualProject

**ActualProjectMilestone**

Package: Roadmap

isAbstract: No

Generalization: ActualPropertySet

Description

An event with a start date in a ActualProject from which progress is measured.




Figure 9:187 - ActualProjectMilestone

Constraints

[1] unnamed1 startime=endTime

**Domain MetaModel::Projects::Traceability**

**ResponsibleFor**

Package: Traceability

isAbstract: No

Generalization: MeasurableElement

Description

A tuple between an ActualResponsibleResource and an ActualResponsibility or ActualProject. It defines the duties that the ActualResponsibleResource is ResponsibleFor.




Figure 9:188 - ResponsibleFor

### 8.1.11 Domain MetaModel::Standards

**Stakeholders:** Solution Providers, Systems Engineers, Software Engineers, Systems Architects, Business Architects.

**Concerns:** technical and non-technical Standards applicable to the architecture.

**Definition:** shows the technical, operational, and business Standards applicable to the architecture. Defines the underlying current and expected Standards.

#### Domain MetaModel::Standards::Taxonomy

##### Protocol

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** Standard

##### Description

A Standard for communication over a network. Protocols may be composite, represented as a ProtocolStack made up of ProtocolLayers.




Figure 9:189 - Protocol

##### ProtocolStack

**Package:** Taxonomy

Unified Architecture Framework (UAF), v1.0


Formatted: Heading 3

**isAbstract:** No

**Generalization:** Protocol

**Description**

A sub type of Protocol that contains the ProtocolLayers, defining a complete stack.



**Figure 9:190 - ProtocolStack**

### **Standard**


**Package:** Taxonomy

**isAbstract:** No

**Generalization:** SubjectOfForecast, PropertySet

**Description**

A ratified and peer-reviewed specification that is used to guide or constrain the architecture. A Standard may be applied to any element in the architecture.



**Figure 9:191 - Standard**

**Attributes**

mandatedDate : ISO8601DateTime[0..1] The date when this version of the Standard was published.

retiredDate : ISO8601DateTime[0..1] The date when this version of the Standard was retired.

### **Domain MetaModel::Standards::Structure**

#### **ProtocolLayer**

**Package:** Structure

**isAbstract:** No

**Generalization:** MeasurableElement

**Description**

Usage of a Protocol in the context of another Protocol. Creates a whole-part relationship.




Figure 9:192 - ProtocolLayer

### 8.1.12 Domain MetaModel::Actual Resources

**Stakeholders:** Solution Providers, Systems Engineers, Business Architects, Human Resources.

**Concerns:** the analysis.e.g. evaluation of different alternatives, what-if, trade-offs, V&V on the actual resource configurations.

**Definition:** illustrates the expected or achieved actual resource configurations and actual relationships between them.

#### Domain MetaModel::Actual Resources::Taxonomy

##### ActualOrganization

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** ActualResponsibleResource

Description

An actual formal or informal organizational unit, e.g. "Driving and Vehicle Licensing Agency", "UAF team Alpha".




Figure 9:193 - ActualOrganization

Attributes

serviceType : String[0..1] Service office code or symbol

shortName : String[0..1] String providing a simplified means of identifying an ActualOrganization, i.e. SoftWareGroup could use SWG as the shortName.

##### ActualOrganizationalResource

**Package:** Taxonomy

**isAbstract:** Yes

**Generalization:** ActualResource, Stakeholder

Unified Architecture Framework (UAF), v1.0

Formatted: Heading 3

Description

Abstract element for an ActualOrganization, ActualPerson or ActualPost.




Figure 9:194 - ActualOrganizationalResource

**ActualPerson**

Package: Taxonomy

isAbstract: No

Generalization: ActualResponsibleResource

Description

An individual human being.



Figure 9:195 - ActualPerson

**ActualPost**

Package: Taxonomy

isAbstract: No

Generalization: ActualResponsibleResource

Description

An actual, specific post, an instance of a Post "type" - e.g., "President of the United States of America." where the Post would be president.



Figure 9:196 - ActualPost

**ActualResource**

Package: Taxonomy

isAbstract: No

Generalization: ActualPropertySet, SubjectOfResourceConstraint, Achiever, CapableElement

Description

An individual, fully-realized ResourcePerformer.




Figure 9:197 - ActualResource

**ActualResourceRelationship**

Package: Taxonomy

isAbstract: No

Generalization: UAFFelement

Description

An actual resource flow existing between ActualResources (i.e. flow of data, people, materiel, or energy).




Figure 9:198 - ActualResourceRelationship

**ActualResponsibility**

Package: Taxonomy

isAbstract: No

Generalization: ActualOrganizationalResource

Description

An actual duty required of a Person or Organization.




Figure 9:199 - ActualResponsibility

**ActualResponsibleResource**

Package: Taxonomy

isAbstract: Yes

Generalization: ActualOrganizationalResource

Description

An abstract type grouping responsible OrganizationalResources.




Figure 9:200 - ActualResponsibleResource

**FieldedCapability**

Package: Taxonomy

isAbstract: No

Generalization: ActualResource

Description

An individual, fully-realized capability.




Figure 9:201 - FieldedCapability

**Domain MetaModel::Actual Resources::Constraints**

**ActualService**

Package: Constraints

isAbstract: Yes

Generalization: ActualMeasurementSet, CapableElement

Description

An individual ServiceSpecification.




Figure 9:202 - ActualService

**ProvidedServiceLevel**

Package: Constraints

isAbstract: No

Generalization: ActualService

Description

A sub type of ActualService that details a specific service level delivered by the provider.




Figure 9:203 - ProvidedServiceLevel

**ProvidesCompetence**

Package: Constraints

isAbstract: No

Generalization: MeasurableElement

Description

A tuple that asserts that an ActualOrganizationalResource provides a specific set of Competencies.




Figure 9:204 - ProvidesCompetence

**RequiredServiceLevel**

Package: Constraints

isAbstract: No

**Generalization:** [ActualService](#)

**Description**

A sub type of ActualService that details a specific service level required of the provider.




Figure 9:205 - RequiredServiceLevel

### 8.1.13 Domain MetaModel::Dictionary

**Stakeholders:** Architects, users of the architecture, Capability Owners, Systems Engineers, Solution Providers.

**Concerns:** Definitions for all the elements in the architecture, libraries of environments and measurements.

**Definition:** Presents all the elements used in an architecture. Can be used specifically to capture:  
a. elements and relationships that are involved in defining the environments applicable to capability, operational concept or set of systems.

b. measurable properties that can be used to support analysis such as KPIs, MoEs, TPIs etc.

**Recommended Implementation:** Tabular format, SysML Block Definition Diagram.

#### Alias

**Package:** Dictionary

**isAbstract:** No

**Generalization:** [MeasurableElement](#)

**Description**

A metamodel Artifact used to define an alternative name for an element.




Figure 9:206 - Alias

**Attributes**

nameOwner : String[\*] Someone or something that uses this alternative name.

#### Definition

**Package:** Dictionary


**isAbstract:** No

**Generalization:** [MeasurableElement](#)

**Description**

A comment containing a description of an element in the architecture.

Formatted: Heading 3



**Figure 9:207 - Definition**

Attributes

author : String[\*] The original or current person (architect) responsible for the Definition.

**SameAs**


**Package:** Dictionary

**isAbstract:** No

**Generalization:** MeasurableElement

Description

A tuple that asserts that two elements refer to the same real-world thing.



**Figure 9:208 - SameAs**

**8.1.14 Domain MetaModel::Summary & Overview**

**ArchitecturalDescription**

**Package:** Summary & Overview


**isAbstract:** No

**Generalization:** MeasurableElement

Description

An Architecture Description is a work product used to express the Architecture of some System Of Interest. It provides executive-level summary information about the architecture description in a consistent form to allow quick reference and comparison between architecture descriptions -- It includes assumptions, constraints, and limitations that may affect high-level decisions relating to an architecture-based work program.

Formatted: Heading 3



**Figure 9:209 - ArchitecturalDescription**

**Attributes**

<u>approvalAuthority</u> : String[*]	Someone or something that has the authority to approve the ArchitecturalDescription.
<u>architect</u> : String[*]	Someone responsible for the creation of ArchitecturalDescription.
<u>assumptionAndConstraint</u> : String[*]	Any assumptions, constraints, and limitations contained in the ArchitecturalDescription, including those affecting deployment, communications performance, information assurance environments, etc.
<u>creatingOrganization</u> : String[*]	The organization responsible for creating the ArchitecturalDescription.
<u>dateCompleted</u> : String[0..1]	Date that the ArchitecturalDescription was completed.
<u>methodologyUsed</u> : String[*]	The methodology used in developing the architecture.
<u>purpose</u> : String[*]	Explains the need for the Architecture, what it will demonstrate, the types of analyses that will be applied to it, who is expected to perform the analyses, what decisions are expected to be made on the basis of each form of analysis, who is expected to make those decisions, and what actions are expected to result.
<u>recommendations</u> : String[*]	States the recommendations that have been developed based on the architecture effort. Examples include recommended system implementations, and opportunities for technology insertion.
<u>status</u> : String[*]	Approval status of the architecture.
<u>summaryOfFindings</u> : String[*]	Summarizes the findings that have been developed so far. This may be updated several times during the development of the ArchitecturalDescription.
<u>toBe</u> : Boolean[1]	Indicates whether the ArchitecturalDescription represents an Architecture that exists or will exist in the future.
<u>toolsUsed</u> : String[*]	Identifies any tools used to develop the ArchitecturalDescription as well as file names and formats if appropriate.
<u>version</u> : String[*]	Version number of the architecture.

**Architecture**


**Package:** Summary & Overview

**isAbstract:** Yes

**Generalization:** UAFElement

Description

An abstract type that represents a generic architecture. Subtypes are OperationalArchitecture and PhysicalArchitecture.



**Figure 9:210 - Architecture**

**Concern**


Package: Summary & Overview

isAbstract: No

Generalization: PropertySet

Description

Interest in an EnterprisePhase (EnterprisePhase is synonym for System in ISO 42010) relevant to one or more of its stakeholders.



**Figure 9:211 - Concern**

**Stakeholder**

Package: Summary & Overview

isAbstract: Yes

Generalization: UAFElement

Description

Individual, team, organization, or classes thereof, having an interest in an EnterprisePhase [ISO/IEC/IEEE 42010:2011].




Figure 9:212 - Stakeholder

**UAFElement**

Package: Summary & Overview

isAbstract: Yes

Description

Abstract super type for all of the UAF elements. It provides a way for all of the UAF elements to have a common set of properties.




Figure 9:213 - UAFElement

Attributes

URI : String[0..1] Captures Unique identifier for the element.

## View

**Package:** Summary & Overview

**isAbstract:** No

**Generalization:** PropertySet

### Description

An architecture view expresses the architecture of the system-of-interest in accordance with an architecture viewpoint (or simply, viewpoint). [ISO/IEC/IEEE 42010:2011(E)].

-




Figure 9:214 - View

## Viewpoint

**Package:** Summary & Overview

**isAbstract:** No

**Generalization:** PropertySet

### Description

An architecture viewpoint frames (to formulate or construct in a particular style or language) one or more concerns. A concern can be framed by more than one viewpoint. [ISO/IEC/IEEE 42010:2011(E)].




Figure 9:215 - Viewpoint

### Attributes

language : String[\*] The languages used to express the Viewpoint.

method : String[\*] The methods employed in the development of the Viewpoint.

purpose : String[0..1] The purpose of the Viewpoint.

## 8.1.15 Domain MetaModel::Information

### DataModel

**Package:** Information

**isAbstract:** No

**Generalization:** SubjectOfOperationalConstraint, SubjectOfResourceConstraint

### Description

Unified Architecture Framework (UAF), v1.0

135

Formatted: Heading 3

A structural specification of data types, showing relationships between them. The type of data captured in the DataModel is described using the enumeration DataModelKind (Conceptual, Logical and Physical).




Figure 9:216 - DataModel

### 8.1.16 Domain MetaModel::Parameters

#### ActualCondition

Package: Parameters

isAbstract: No

Generalization: ActualPropertySet

#### Description

An individual describing an actual situation with respect to circumstances under which an OperationalActivity, Function or ServiceFunction can be performed.




Figure 9:217 - ActualCondition

#### ActualEnvironment

Package: Parameters

isAbstract: No

Generalization: ActualCondition

#### Description

Formatted: Heading 3

An individual that describes the circumstances of an Environment.



**Figure 9:218 - ActualEnvironment**

**ActualLocation**


**Package:** Parameters

**isAbstract:** No

**Generalization:** ActualCondition

Description

An individual that describes a physical location, for example using text to provide an address, Geo-coordinates, etc.



**Figure 9:219 - ActualLocation**

Attributes

- address : String[0..1] String describing the address of the ActualLocation, i.e. "1600 Pennsylvania avenue", "The White House".
- customKind : String[0..1] String describing a location kind that is not in the LocationKind enumerated list
- locationNamedByAddress : Boolean[] Boolean that indicates if the ActualLocation address is embedded in the ActualLocation name. By default = false.

**ActualMeasurement**

**Package:** Parameters

**isAbstract:** No

**Generalization:** ActualState

Description

An actual value that is applied to a Measurement.




Figure 9:220 - ActualMeasurement

**ActualMeasurementSet**

Package: Parameters

isAbstract: No

Generalization: ActualPropertySet

Description

A set of ActualMeasurements.




Figure 9:221 - ActualMeasurementSet

**ActualPropertySet**

Package: Parameters

isAbstract: No

Generalization: ActualState

Description

A set or collection of Actual properties.




Figure 9:222 - ActualPropertySet

**ActualState**

Package: Parameters

isAbstract: Yes

Generalization: UAFElement

Description

Abstract element that applies temporal extent to a set of elements realized as Instance Specifications.




Figure 9:223 - ActualState

Attributes

endDate : ISO8601DateTime[0..1] End time for all individual elements.

startDate : ISO8601DateTime[0..1] Start time for all individual elements.

**Condition**

Package: Parameters

isAbstract: No

Generalization: PropertySet

Description

A type that defines the Location, Environment and/or GeoPoliticalExtent.




Figure 9:224 - Condition

**Environment**

Package: Parameters

isAbstract: No

Generalization: Condition

Description

A definition of the environmental factors in which something exists or functions. The definition of an Environment element can be further defined using EnvironmentKind.




Figure 9:225 - Environment

**GeoPoliticalExtentType**


Package: Parameters

isAbstract: No

Generalization: Condition, OperationalExchangeItem, ResourceExchangeItem

Description

A type of geospatial extent whose boundaries are defined by declaration or agreement by political parties.



**Figure 9:226 - GeoPoliticalExtentType**

Attributes

`customKind : String[]` Captures the kind of `GeoPoliticalExtentType`.

**ISO8601DateTime**


**Package:** Parameters

**isAbstract:** No

**Generalization:** UAFElement

Description

A date and time specified in the ISO8601 date-time format including timezone designator (TZD): YYYY-MM-DDThh:mm:ssTZD.



**Figure 9:227 - ISO8601DateTime**

**Location**

**Package:** Parameters

**isAbstract:** No

**Generalization:** ConceptItem, Condition

Description

A specification of the generic area in which a LocationHolder is required to be located.




Figure 9:228 - Location

Attributes

customKind : String[0..1] Captures the kind of Location if the LocationTypeKind has been set to "OtherType".

**LocationHolder**

Package: Parameters

isAbstract: Yes

Generalization: UAFElement

Description

Abstract type, used to group elements that are allowed to be associated with a Location.




Figure 9:229 - LocationHolder

**MeasurableElement**


Package: Parameters

isAbstract: Yes

Generalization: UAFElement

Description

Abstract type, grouping elements that can be measured by applying MeasurementSets to them.



**Figure 9:230 - MeasurableElement**

**Measurement**

**Package:** Parameters

**isAbstract:** No

**Generalization:** MeasurableElement

**Description**

A property of an element representing something in the physical world, expressed in amounts of a unit of measure.




Figure 9:231 - Measurement

**MeasurementSet**

Package: Parameters

isAbstract: No

Generalization: PropertySet

Description

A collection of Measurements.




Figure 9:232 - MeasurementSet

**PropertySet**

Package: Parameters

isAbstract: Yes

Generalization: UAFElement

Description

An abstract type grouping architectural elements that can own Measurements.




Figure 9:233 - PropertySet

**Deleted: 3.1.1 Domain MetaModel::Metadata**

**Stakeholders:** Enterprise Architects, people who want to discover the architecture, Technical Managers.

**Concerns:** Captures meta-data relevant to the entire architecture.

**Definition:** Provide information pertinent to the entire architecture. Present supporting information rather than architectural models.

**3.1.1.1 Domain MetaModel::Metadata::Taxonomy**

**ArchitectureMetadata**

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** Metadata

**Description:**

Information associated with an ArchitecturalDescription, that supplements the standard set of tags used to summarize the Architecture. It states things like what methodology was used, notation, etc.

**Metadata**

**Package:** Taxonomy

**isAbstract:** No

**Generalization:** MeasurableElement

**Description:**

A comment that can be applied to any element in the architecture. The attributes associated with this element details the relationship between the element and its related dublinCoreElement, metaDataScheme, category and name. This allows the element to be referenced using the Semantic Web.

**Attributes**

category : String[0..1] → Defines the category of a Metadata element example:

http://purl.org/dc/terms/abstract.dublinCoreTag : String[0..1] → A metadata category that is a DublinCore tag. metaDataScheme : String[0..1] → A representation scheme that defines a set of Metadata. name : String[0..1] → The name of the Metadata.

**3.1.1.2 Domain MetaModel::Metadata::Structure**

**EnvironmentProperty**


**Package:** Structure

**isAbstract:** No

**Generalization:** MeasurableElement

... [5]

This page intentionally left blank.



Page 31: [1] Deleted	GRAHAM Bleakley	5/10/19 6:56:00 PM
Page 43: [2] Deleted	Aurelijus Morkevicius	3/28/19 8:27:00 PM
Page 119: [3] Deleted	Aurelijus Morkevicius	4/18/19 1:14:00 PM
Page 142: [4] Deleted	Aurelijus Morkevicius	4/8/19 2:28:00 PM
Page 261: [5] Deleted	Aurelijus Morkevicius	4/30/19 4:00:00 PM